## Grigorios Panagiotou

## List of Publications by Citations

Source: https://exaly.com/author-pdf/7511161/grigorios-panagiotou-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22 1,355 11 23 g-index

23 1,620 6 4.22 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
22	FNDC5 and irisin in humans: I. Predictors of circulating concentrations in serum and plasma and II. mRNA expression and circulating concentrations in response to weight loss and exercise.  Metabolism: Clinical and Experimental, 2012, 61, 1725-38	12.7	631
21	Exercise-induced irisin secretion is independent of age or fitness level and increased irisin may directly modulate muscle metabolism through AMPK activation. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E2154-61	5.6	193
20	Low serum 25-hydroxyvitamin D (25[OH]D) levels in patients hospitalized with COVID-19 are associated with greater disease severity. <i>Clinical Endocrinology</i> , <b>2020</b> , 93, 508-511	3.4	106
19	Circulating irisin in healthy, young individuals: day-night rhythm, effects of food intake and exercise, and associations with gender, physical activity, diet, and body composition. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 3247-55	5.6	102
18	Effects of a 1-year exercise and lifestyle intervention on irisin, adipokines, and inflammatory markers in obese children. <i>Obesity</i> , <b>2014</b> , 22, 1701-8	8	81
17	Circulating irisin, omentin-1, and lipoprotein subparticles in adults at higher cardiovascular risk. <i>Metabolism: Clinical and Experimental</i> , <b>2014</b> , 63, 1265-71	12.7	69
16	Irisin mRNA and circulating levels in relation to other myokines in healthy and morbidly obese humans. <i>European Journal of Endocrinology</i> , <b>2013</b> , 169, 829-34	6.5	46
15	Altered Glucose Uptake in Muscle, Visceral Adipose Tissue, and Brain Predict Whole-Body Insulin Resistance and may Contribute to the Development of Type 2 Diabetes: A Combined PET/MR Study. <i>Hormone and Metabolic Research</i> , <b>2018</b> , 50, 627-639	3.1	23
14	Association between lifestyle and anthropometric parameters and thyroid nodule features. <i>Endocrine</i> , <b>2017</b> , 56, 560-567	4	17
13	SERUM ADIPONECTIN AND INSULIN-LIKE GROWTH FACTOR 1 IN PREDOMINANTLY FEMALE PATIENTS WITH THYROID CANCER: ASSOCIATION WITH THE HISTOLOGIC CHARACTERISTICS OF THE TUMOR. <i>Endocrine Practice</i> , <b>2016</b> , 22, 68-75	3.2	15
12	Changes in Thyroid Hormone Levels Within the Normal and/or Subclinical Hyper- or Hypothyroid Range Do Not Affect Circulating Irisin Levels in Humans. <i>Thyroid</i> , <b>2016</b> , 26, 1039-45	6.2	13
11	Serum Levels of Activins, Follistatins, and Growth Factors in Neoplasms of the Breast: A Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 349-358	5.6	11
10	Physiological parameters regulating circulating levels of the IGFBP-4/Stanniocalcin-2/PAPP-A axis. <i>Metabolism: Clinical and Experimental</i> , <b>2017</b> , 75, 16-24	12.7	10
9	Low serum 25-hydroxyvitamin D (25[OH]D) levels in patients hospitalised with COVID-19 are associated with greater disease severity: results of a local audit of practice		10
8	Original publication: Low serum 25-hydroxyvitamin D (25[OH]D) levels in patients hospitalized with COVID-19 are associated with greater disease severity. <i>Clinical Endocrinology</i> , <b>2020</b> , 93, 629-630	3.4	8
7	Obesity and COVID-19: A jigsaw puzzle with still missing pieces. Clinical Obesity, 2021, 11, e12420	3.6	6
6	Serum Levels of Irisin and Omentin-1 in Breast Neoplasms and Their Association with Tumor Histology. <i>International Journal of Endocrinology</i> , <b>2021</b> , 2021, 6656671	2.7	5

## LIST OF PUBLICATIONS

5	Altered Glucose Uptake in Muscle, Visceral Adipose Tissue, and Brain Predict Whole-Body Insulin Resistance and may Contribute to the Development of Type 2 Diabetes: A Combined PET/MR Study. <i>Hormone and Metabolic Research</i> , <b>2018</b> , 50, e10	3.1	4
4	Adipocytes express tissue factor and FVII and are procoagulant in a TF/FVIIa-dependent manner. <i>Upsala Journal of Medical Sciences</i> , <b>2019</b> , 124, 158-167	2.8	2
3	Serum Follistatin Is Increased in Thyroid Cancer and Is Associated With Adverse Tumor Characteristics in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e2137-e2150	5.6	2
2	Endocrine manifestations and new developments in mitochondrial disease. <i>Endocrine Reviews</i> , <b>2021</b>	27.2	1
1	Responses of circulating irisin to different exercises in humans. FASEB Journal, 2013, 27, 712.17	0.9	