
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7511757/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Parental occupational exposures in wood-related jobs and risk of testicular germ cell tumours in offspring in NORD-TEST a registry-based case–control study in Finland, Norway, and Sweden. International Archives of Occupational and Environmental Health, 2022, 95, 1243-1253.	1.1	2
2	Malignant lymphoma and occupational exposure to extremely low frequency magnetic fields and electrical shocks: a nested case-control study in a cohort of four Nordic countries. Occupational and Environmental Medicine, 2022, 79, 631-636.	1.3	4
3	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case–control studies within the INHANCE Consortium. Journal of Epidemiology and Community Health, 2021, 75, 779-787.	2.0	5
4	The HARMONIC project: Study design for assessment of cancer risks following cardiac fluoroscopy in childhood. Journal of Radiological Protection, 2020, , .	0.6	6
5	Describing mortality trends for major cancer sites in 133 intermediate regions of Brazil and an ecological study of its causes. BMC Cancer, 2019, 19, 940.	1.1	22
6	Workplace Diesel Exhausts and Gasoline Exposure and Risk of Colorectal Cancer in Four Nordic Countries. Safety and Health at Work, 2019, 10, 141-150.	0.3	5
7	Variation in Nordic Work-Related Cancer Risks after Adjustment for Alcohol and Tobacco. International Journal of Environmental Research and Public Health, 2018, 15, 2760.	1.2	9
8	Benzene exposure at workplace and risk of colorectal cancer in four Nordic countries. Cancer Epidemiology, 2018, 55, 156-161.	0.8	31
9	Occupation and relative risk of cutaneous squamous cell carcinoma (cSCC): A 45-year follow-up study in 4 Nordic countries. Journal of the American Academy of Dermatology, 2016, 75, 548-555.	0.6	17
10	Perceived physical strain at work and incidence of colorectal cancer: A nested case–control study. Cancer Epidemiology, 2016, 43, 100-104.	0.8	9
11	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. Nature Genetics, 2016, 48, 1544-1550.	9.4	164
12	Occupation and Risk of Bladder Cancer in Nordic Countries. Journal of Occupational and Environmental Medicine, 2016, 58, e301-e307.	0.9	20
13	Occupation and risk of oesophageal adenocarcinoma and squamous-cell carcinoma: The Nordic Occupational Cancer Study. International Journal of Cancer, 2015, 137, 590-597.	2.3	5
14	EPI-CT: design, challenges and epidemiological methods of an international study on cancer risk after paediatric and young adult CT. Journal of Radiological Protection, 2015, 35, 611-628.	0.6	48
15	The 12p13.33/RAD52 Locus and Genetic Susceptibility to Squamous Cell Cancers of Upper Aerodigestive Tract. PLoS ONE, 2015, 10, e0117639.	1.1	10
16	Occupational exposure to extremely low-frequency magnetic fields and electrical shocks and acute myeloid leukemia in four Nordic countries. Cancer Causes and Control, 2015, 26, 1079-1085.	0.8	6
17	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 caseâ€control studies from 27 countries. International Journal of Cancer, 2015, 136, 1125-1139.	2.3	112
18	A Rare Truncating BRCA2 Variant and Genetic Susceptibility to Upper Aerodigestive Tract Cancer. Journal of the National Cancer Institute, 2015, 107, .	3.0	33

#	Article	IF	CITATIONS
19	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. Environmental Health Perspectives, 2015, 123, 507-514.	2.8	86
20	Cancer incidence among waiters: 45 years of follow-up in five Nordic countries. Scandinavian Journal of Public Health, 2015, 43, 204-211.	1.2	10
21	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. International Journal of Epidemiology, 2015, 44, 169-185.	0.9	128
22	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 683-689.	1.1	54
23	Self-reported Occupational Exposures Relevant for Cancer among 28,000 Offshore Oil Industry Workers Employed between 1965 and 1999. Journal of Occupational and Environmental Hygiene, 2015, 12, 458-468.	0.4	14
24	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. European Journal of Epidemiology, 2014, 29, 35-48.	2.5	66
25	Cancer incidence among firefighters: 45â€years of follow-up in five Nordic countries. Occupational and Environmental Medicine, 2014, 71, 398-404.	1.3	127
26	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study. Oral Oncology, 2014, 50, 616-625.	0.8	98
27	Occupational exposure to solvents and acute myeloid leukemia: a population-based, case–control study in four Nordic countries. Scandinavian Journal of Work, Environment and Health, 2014, 40, 511-517.	1.7	12
28	Smoking addiction and the risk of upper-aerodigestive-tract cancer in a multicenter case-control study. International Journal of Cancer, 2013, 133, n/a-n/a.	2.3	11
29	Human Papillomavirus Infections and Upper Aero-Digestive Tract Cancers: The ARCAGE Study. Journal of the National Cancer Institute, 2013, 105, 536-545.	3.0	115
30	Analysis of polymorphisms in the circadian-related genes and breast cancer risk in Norwegian nurses working night shifts. Breast Cancer Research, 2013, 15, R53.	2.2	76
31	Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Occupational and Environmental Medicine, 2013, 70, 393-401.	1.3	44
32	Breast Cancer Among Nurses: Is the Intensity of Night Work Related to Hormone Receptor Status?. American Journal of Epidemiology, 2013, 178, 110-117.	1.6	24
33	Lung cancer incidence among Norwegian silicon carbide industry workers: associations with particulate exposure factors. Occupational and Environmental Medicine, 2012, 69, 527-533.	1.3	24
34	Occupation and Leukemia in Nordic Countries. Journal of Occupational and Environmental Medicine, 2012, 54, 1527-1532.	0.9	2
35	Risk of upper aerodigestive tract cancer and type of alcoholic beverage: a European multicenter case–control study. European Journal of Epidemiology, 2012, 27, 499-517.	2.5	16
36	Occupation and risk of upper aerodigestive tract cancer: The ARCAGE study. International Journal of Cancer, 2012, 130, 2397-2406.	2.3	32

#	Article	IF	CITATIONS
37	Cancer incidence among priests: 45Âyears of follow-up in four Nordic countries. European Journal of Epidemiology, 2012, 27, 101-108.	2.5	7
38	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. Cancer Causes and Control, 2012, 23, 69-88.	0.8	116
39	Using Prior Information from the Medical Literature in GWAS of Oral Cancer Identifies Novel Susceptibility Variant on Chromosome 4 - the AdAPT Method. PLoS ONE, 2012, 7, e36888.	1.1	17
40	Occupation and scrotal cancer: Results of the NOCCA study. Acta OncolÃ ³ gica, 2011, 50, 1244-1246.	0.8	5
41	Night Work and Breast Cancer Risk Among Norwegian Nurses: Assessment by Different Exposure Metrics. American Journal of Epidemiology, 2011, 173, 1272-1279.	1.6	148
42	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. Frontiers in Oncology, 2011, 1, 13.	1.3	11
43	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	1.5	158
44	Cancer incidence among Nordic firefighters. Occupational and Environmental Medicine, 2011, 68, A19-A20.	1.3	0
45	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. Oral Oncology, 2011, 47, 725-731.	0.8	140
46	The association between change in body mass index and upper aerodigestive tract cancers in the ARCAGE project: Multicenter case–control study. International Journal of Cancer, 2011, 128, 1449-1461.	2.3	23
47	Chemical exposures and cancer incidence in the Cancer Registry of Norway offshore cohort: project plan and preliminary results. Occupational and Environmental Medicine, 2011, 68, A112-A112.	1.3	Ο
48	A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 658-664.	1.1	14
49	Mortality from non-malignant respiratory diseases among workers in the Norwegian silicon carbide industry: associations with dust exposure. Occupational and Environmental Medicine, 2011, 68, 863-869.	1.3	17
50	The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAGE study. Cancer Causes and Control, 2010, 21, 2213-2221.	0.8	42
51	A Case–Control Study of Lung Cancer Nested in a Cohort of European Asphalt Workers. Environmental Health Perspectives, 2010, 118, 1418-1424.	2.8	46
52	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. International Journal of Epidemiology, 2010, 39, 563-577.	0.9	125
53	Exposure Assessment for a Nested Case–Control Study of Lung Cancer among European Asphalt Workers. Annals of Occupational Hygiene, 2010, 54, 813-23.	1.9	7
54	Re-evaluation of histological diagnoses of malignant mesothelioma by immunohistochemistry. Diagnostic Pathology, 2010, 5, 47.	0.9	33

#	Article	IF	CITATIONS
55	Genetic Associations of 115 Polymorphisms with Cancers of the Upper Aerodigestive Tract across 10 European Countries: The ARCAGE Project. Cancer Research, 2009, 69, 2956-2965.	0.4	94
56	Occupation and cancer – follow-up of 15 million people in five Nordic countries. Acta Oncológica, 2009, 48, 646-790.	0.8	562
57	Active and Involuntary Tobacco Smoking and Upper Aerodigestive Tract Cancer Risks in a Multicenter Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3353-3361.	1.1	50
58	Diet and upper-aerodigestive tract cancer in Europe: The ARCAGE study. International Journal of Cancer, 2009, 124, 2671-2676.	2.3	67
59	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAGE project: study samples and data collection. European Journal of Cancer Prevention, 2009, 18, 76-84.	0.6	50
60	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. Nature, 2008, 452, 633-637.	13.7	1,169
61	Multiple ADH genes are associated with upper aerodigestive cancers. Nature Genetics, 2008, 40, 707-709.	9.4	161
62	Mesothelin-related predictive and prognostic factors in malignant mesothelioma: A nested case–control study. Lung Cancer, 2008, 61, 235-243.	0.9	52
63	lonizing radiation exposure and cancer risk among Norwegian nurses. European Journal of Cancer Prevention, 2008, 17, 369-375.	0.6	20
64	Absence of SV40 antibodies or DNA fragments in prediagnostic mesothelioma serum samples. International Journal of Cancer, 2007, 120, 2459-2465.	2.3	54
65	Airborne exposure and biological monitoring of bar and restaurant workers before and after the introduction of a smoking ban. Journal of Environmental Monitoring, 2006, 8, 362.	2.1	69
66	Heavy drinking in the restaurant business: the role of social modelling and structural factors of the work-place. Addiction, 2006, 90, 1487-1495.	1.7	21
67	Breast Cancer and Night Work among Norwegian Nurses. Cancer Causes and Control, 2006, 17, 39-44.	0.8	154
68	Influence of interval between primary surgery and chemotherapy on short-term survival of patients with advanced ovarian, tubal or peritoneal cancer. Gynecologic Oncology, 2006, 102, 447-452.	0.6	26
69	Cancer of the gastrointestinal tract and exposure to asbestos in drinking water among lighthouse keepers (Norway). Cancer Causes and Control, 2005, 16, 593-598.	0.8	42
70	Cancer Incidence Among Members of the Norwegian Trade Union of Insulation Workers. Journal of Occupational and Environmental Medicine, 2004, 46, 84-89.	0.9	21
71	Incidence trends of mesothelioma in Norway, 1965-1999. International Journal of Cancer, 2003, 107, 94-98.	2.3	27
72	Lung Cancer Among Rock and Slag Wool Production Workers. Epidemiology, 2002, 13, 445-453.	1.2	38

5

#	Article	IF	CITATIONS
73	The role of alcohol, tobacco, and dietary factors in upper aerogastric tract cancers: a prospective study of 10,900 Norwegian men. Cancer Causes and Control, 1998, 9, 99-108.	0.8	111
74	Selection into the restaurant business based on personality characteristics and the risk of heavy drinking. Personality and Individual Differences, 1996, 21, 625-629.	1.6	18
75	Cancer incidence among waitresses in Norway. Cancer Causes and Control, 1994, 5, 31-37.	0.8	33
76	Incidence of cancer among male waiters and cooks: two Norwegian cohorts. Cancer Causes and Control, 1993, 4, 419-426.	0.8	31