

Xin-mei Hou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/751230/xin-mei-hou-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

2,444
citations

27
h-index

40
g-index

161
ext. papers

3,533
ext. citations

5.8
avg. IF

5.53
L-index

#	Paper	IF	Citations
152	Computational Discovery of the Qualitative Electronegativity-Metallability Relationship in High-Temperature Ceramics-Supported TiAl Alloys. <i>Journal of Physical Chemistry C</i> , 2022 , 126, 2207-2213	3.8	0
151	Effect of Sn doping concentration on the oxidation of Al-containing MAX phase (Ti ₃ AlC ₂) combining simulation with experiment. <i>Fundamental Research</i> , 2022 , 2, 114-122		3
150	Mild fabrication of SiC/C nanosheets with prolonged cycling stability as supercapacitor. <i>Journal of Materials Science and Technology</i> , 2022 , 110, 178-186	9.1	0
149	New design concept for stable Silicon nitride based on the initial oxidation evolution at the atomic and molecular levels. <i>Journal of Materials Science and Technology</i> , 2022 , 122, 156-164	9.1	0
148	New approach to evaluate the influence of compressive stress on the oxidation of non-oxide ceramics. <i>Ceramics International</i> , 2021 , 48, 2317-2317	5.1	0
147	Piezoelectric Nanogenerator Based on In Situ Growth All-Inorganic CsPbBr ₃ Perovskite Nanocrystals in PVDF Fibers with Long-Term Stability. <i>Advanced Functional Materials</i> , 2021 , 31, 2011073	15.6	23
146	Preparation of Zr ⁴⁺ doped calcium hexaaluminate with improved slag penetration resistance. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 4854-4866	3.8	3
145	Piezoelectric nanogenerators with high performance against harsh conditions based on tunable N doped 4H-SiC nanowire arrays. <i>Nano Energy</i> , 2021 , 83, 105826	17.1	14
144	First-Principles Optimization of Out-of-Plane Charge Transport in DionJacobson CsPbI ₃ Perovskites with Conjugated Aromatic Spacers. <i>Advanced Functional Materials</i> , 2021 , 31, 2102330	15.6	12
143	Review of electrochemical degradation of phenolic compounds. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2021 , 28, 1413-1428	3.1	1
142	Linearly Tailored Work Function of Orthorhombic CsSnI ₃ Perovskites. <i>ACS Energy Letters</i> , 2021 , 6, 2328-2335		6
141	Tunable fabrication of single-crystalline CsPbI ₃ nanobelts and their application as photodetectors. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2021 , 28, 1030-1037	3.1	6
140	Effect of temperature on the initial reaction behavior of MAB phases (MoAlB powders) at 700-1000 °C in air. <i>Ceramics International</i> , 2021 , 47, 20700-20705	5.1	3
139	Progress in cognition of gas-solid interface reaction for non-oxide ceramics at high temperature. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2021 , 46, 218-250	10.1	6
138	The oxidation and thermal stability of two-dimensional transition metal carbides and/or carbonitrides (MXenes) and the improvement based on their surface state. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 2164-2182	6.8	9
137	Oxidation mechanism of MAX phases (Ti ₃ AlC ₂ powders) with and without Sn doping. <i>Corrosion Science</i> , 2021 , 180, 109197	6.8	5
136	In situ reduced MXene/AuNPs composite toward enhanced charging/discharging and specific capacitance. <i>Journal of Advanced Ceramics</i> , 2021 , 10, 1061	10.7	8

135	Neodymium-decorated graphene as an efficient electrocatalyst for hydrogen production. <i>Nanoscale</i> , 2021 , 13, 15471-15480	7.7	2
134	Ultra-Stable and Durable Piezoelectric Nanogenerator with All-Weather Service Capability Based on N-Doped 4H-SiC Nanohole Arrays.. <i>Nano-Micro Letters</i> , 2021 , 14, 30	19.5	2
133	Supercapacitor electrode based on few-layer h-BNNSs/rGO composite for wide-temperature-range operation with robust stable cycling performance. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2020 , 27, 220-231	3.1	4
132	High-performance chromite by structure stabilization treatment. <i>Journal of Iron and Steel Research International</i> , 2020 , 27, 169-179	1.2	2
131	Construction of layered h-BN/TiO ₂ hetero-structure and probing of the synergetic photocatalytic effect. <i>Science China Materials</i> , 2020 , 63, 276-287	7.1	14
130	A wide range photoluminescence intensity-based temperature sensor developed with BN quantum dots and the photoluminescence mechanism. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127353	8.5	6
129	Electrostatic interaction assisted synthesis of a CdS/BCN heterostructure with enhanced photocatalytic effects. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 1803-1810	7.1	10
128	Tunable fabrication and photoluminescence property of SiC nanowires with different microstructures. <i>Applied Surface Science</i> , 2020 , 506, 144979	6.7	5
127	Ab initio calculation of the evolution of [SiN ₄ -nOn] tetrahedron during Si ₃ N ₄ (0001) surface oxidation. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 2808-2816	3.8	2
126	Organic intercalation engineering of quasi-2D DionJacobson CsPbI ₃ perovskites. <i>Materials Horizons</i> , 2020 , 7, 1042-1050	14.4	33
125	Characterization and mechanism of early hydration of calcium aluminate cement with anatase-TiO ₂ nanospheres additive. <i>Construction and Building Materials</i> , 2020 , 261, 119922	6.7	5
124	Enhancing the Stability of Orthorhombic CsSnI Perovskite Oriented Conjugated Ligand Passivation. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 34462-34469	9.5	11
123	Effect of incorporation of nitrogen on calcium hexaaluminate. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 6155-6161	6	10
122	Understanding of Au-CeO ₂ interface and its role in catalytic oxidation of formaldehyde. <i>Applied Catalysis B: Environmental</i> , 2020 , 260, 118138	21.8	36
121	Recent progress in SiC nanowires as electromagnetic microwaves absorbing materials. <i>Journal of Alloys and Compounds</i> , 2020 , 815, 152388	5.7	42
120	Individual and Simultaneous Voltammetric Determination of Cd(II), Cu(II) and Pb(II) Applying Amino Functionalized Fe ₃ O ₄ @Carbon Microspheres Modified Electrode. <i>Electroanalysis</i> , 2019 , 31, 1448-1457	3	9
119	Bandgap alignment of CsPbI ₃ perovskites with synergistically enhanced stability and optical performance via B-site minor doping. <i>Nano Energy</i> , 2019 , 61, 389-396	17.1	37
118	Electron-beam irradiation-hard metal-halide perovskite nanocrystals. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 10912-10917	13	25

117	Electrochemical detection mechanism of dopamine and uric acid on titanium nitride-reduced graphene oxide composite with and without ascorbic acid. <i>Sensors and Actuators B: Chemical</i> , 2019 , 298, 126872	8.5	43
116	A novel two-stage synthesis for 3C SiC nanowires by carbothermic reduction and their photoluminescence properties. <i>Journal of Materials Science</i> , 2019 , 54, 12450-12462	4.3	8
115	Adsorption and Reaction of Water on the AlN(0001) Surface from First Principles. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 5460-5468	3.8	7
114	Simultaneous determination of Cd(II) and Pb(II) using electrode modified by FeAl ₂ O ₄ -ALOOH-reduced graphene oxide hybrids. <i>Ionics</i> , 2019 , 25, 2351-2360	2.7	4
113	High-Performance SiC Nanobelt Photodetectors with Long-Term Stability Against 300 °C up to 180 Days. <i>Advanced Functional Materials</i> , 2019 , 29, 1806250	15.6	36
112	Preparation of high-purity Si ₃ N ₄ nano-powder by precursor-carbothermal reduction and nitridation. <i>Ceramics International</i> , 2019 , 45, 6335-6339	5.1	4
111	Preparation, growth mechanism and slag resistance behavior of ternary Ca ₂ Mg ₂ Al ₂₈ O ₄₆ (C ₂ M ₂ A ₁₄). <i>International Journal of Applied Ceramic Technology</i> , 2019 , 16, 1126-1137	2	4
110	Efficient synergy of photocatalysis and adsorption of hexavalent chromium and rhodamine B over Al ₄ SiC ₄ /rGO hybrid photocatalyst under visible-light irradiation. <i>Applied Catalysis B: Environmental</i> , 2019 , 241, 548-560	21.8	53
109	Formation mechanism of elongated Si ₃ N ₄ crystals in FeSi ₃ N ₄ composite via flash combustion. <i>Ceramics International</i> , 2018 , 44, 9395-9400	5.1	12
108	Formation mechanism of large size plate-like Al ₄ SiC ₄ grains by a carbothermal reduction method. <i>CrystEngComm</i> , 2018 , 20, 1399-1404	3.3	3
107	Preparation of nano-TiO ₂ /diatomite-based porous ceramics and their photocatalytic kinetics for formaldehyde degradation. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2018 , 25, 73-79	3.1	20
106	General Strategy for Rapid Production of Low-Dimensional All-Inorganic CsPbBr Perovskite Nanocrystals with Controlled Dimensionalities and Sizes. <i>Inorganic Chemistry</i> , 2018 , 57, 1598-1603	5.1	38
105	Superior Photodetectors Based on All-Inorganic Perovskite CsPbI Nanorods with Ultrafast Response and High Stability. <i>ACS Nano</i> , 2018 , 12, 1611-1617	16.7	169
104	Preparation of flake hexagonal BN and its application in electrochemical detection of ascorbic acid, dopamine and uric acid. <i>Sensors and Actuators B: Chemical</i> , 2018 , 260, 346-356	8.5	76
103	Facile fabrication of three-dimensional interconnected nanoporous N-TiO ₂ for efficient photoelectrochemical water splitting. <i>Journal of Materials Science and Technology</i> , 2018 , 34, 955-960	9.1	37
102	Improvement of thermal shock performance by residual stress field toughening in pericase-hercynite refractories. <i>Ceramics International</i> , 2018 , 44, 24-31	5.1	5
101	Effect of Temperature on the Initial Oxidation Behavior and Kinetics of 5Cr Ferritic Steel in Air. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2018 , 49, 5169-5179	2.3	4
100	Characterization of Flake Boron Nitride Prepared from the Low Temperature Combustion Synthesized Precursor and Its Application for Dye Adsorption. <i>Coatings</i> , 2018 , 8, 214	2.9	29

99	Wurtzite AlN(0001) Surface Oxidation: Hints from Ab Initio Calculations. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 30811-30818	9.5	22
98	Boron doping induced thermal conductivity enhancement of water-based 3C-Si(B)C nanofluids. <i>Nanotechnology</i> , 2018 , 29, 355702	3.4	1
97	Tunable preparation of chrysanthemum-like titanium nitride as flexible electrode materials for ultrafast-charging/discharging and excellent stable supercapacitors. <i>Journal of Power Sources</i> , 2018 , 396, 319-326	8.9	29
96	The effect of nano-Al ₂ O ₃ additive on early hydration of calcium aluminate cement. <i>Construction and Building Materials</i> , 2018 , 158, 755-760	6.7	23
95	Reply to "Comment on "Superior Photodetectors Based on All-Inorganic Perovskite CsPbI ₃ Nanorods with Ultrafast Response and High Stability". <i>ACS Nano</i> , 2018 , 12, 10571	16.7	1
94	Mass production of Mn ²⁺ -doped CsPbCl ₃ perovskite nanocrystals with high quality and enhanced optical performance. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 2641-2647	6.8	18
93	Reaction and formation mechanism of Fe-Si ₃ N ₄ composite prepared by flash combustion synthesis. <i>Ceramics International</i> , 2018 , 44, 22777-22783	5.1	4
92	Effectively controlling the crystal growth of Cr ₂ O ₃ using SiO ₂ as the second phase. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 2187	3.8	0
91	Corrosion behavior of porous silicon nitride ceramics in different atmospheres. <i>Ceramics International</i> , 2017 , 43, 4344-4352	5.1	14
90	Synergizing the multiple plasmon resonance coupling and quantum effects to obtain enhanced SERS and PEC performance simultaneously on a noble metal-semiconductor substrate. <i>Nanoscale</i> , 2017 , 9, 2376-2384	7.7	21
89	Fabrication and oxidation behavior of Al ₄ SiC ₄ powders. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3145-3154	3.8	21
88	Molten salt-enhanced production of hydrogen by using skimmed hot dross from aluminum remelting at high temperature. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 12956-12966	6.7	12
87	The effective determination of Cd(ii) and Pb(ii) simultaneously based on an aluminum silicon carbide-reduced graphene oxide nanocomposite electrode. <i>Analyst, The</i> , 2017 , 142, 2741-2747	5	20
86	Characterization and properties of rapid fabrication of network porous Si ₃ N ₄ ceramics. <i>Journal of Alloys and Compounds</i> , 2017 , 709, 717-723	5.7	13
85	Improved microwave absorption performance of modified SiC in the 2018 GHz frequency range. <i>CrystEngComm</i> , 2017 , 19, 519-527	3.3	39
84	Morphological Evolution of Low-Grade Silica Fume at Elevated Temperature. <i>High Temperature Materials and Processes</i> , 2017 , 36, 607-613	0.9	5
83	Simultaneously electrochemical detection of uric acid and ascorbic acid using glassy carbon electrode modified with chrysanthemum-like titanium nitride. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 803, 11-18	4.1	29
82	Cadmium sulfide with tunable morphologies: Preparation and visible-light driven photocatalytic performance. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2017 , 93, 116-123	3	11

81	Morphological evolution of porous silicon nitride ceramics at initial stage when exposed to water vapor. <i>Journal of Alloys and Compounds</i> , 2017 , 725, 840-847	5.7	9
80	Comparison of the Reaction Behavior of Hexagonal Silicon Carbide Powder in Different Atmospheres. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 5122-5131	2.3	4
79	Microwave absorption properties of SiC@SiO ₂ @Fe ₃ O ₄ hybrids in the 2–18 GHz range. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2017 , 24, 804-813	3.1	16
78	Selective Determination of Copper (II) Based on Aluminum Silicon Carbide Nanoparticles Modified Glassy Carbon Electrode by Square Wave Stripping Voltammetry. <i>Electroanalysis</i> , 2017 , 29, 2224-2231	3	5
77	TiN @NiCo ₂ O ₄ coaxial nanowires as supercapacitor electrode materials with improved electrochemical and wide-temperature performance. <i>Journal of Alloys and Compounds</i> , 2017 , 692, 605-613	5.7	23
76	Synthesis of Al ₄ SiC ₄ powders via carbothermic reduction: Reaction and grain growth mechanisms. <i>Journal of Advanced Ceramics</i> , 2017 , 6, 351-359	10.7	13
75	The morphological evolution of the oxide products of Si ₃ N ₄ /Al ₂ O ₃ composite refractory under different oxidizing conditions. <i>Journal of the Ceramic Society of Japan</i> , 2017 , 125, 661-669	1	2
74	Pt-Co Alloys-Loaded Cubic SiC Electrode with Improved Photoelectrocatalysis Property. <i>Materials</i> , 2017 , 10,	3.5	5
73	Oxidation Behavior and Mechanism of Al ₄ SiC ₄ in MgO-C-Al ₄ SiC ₄ System. <i>Coatings</i> , 2017 , 7, 85	2.9	6
72	Improvement in surface-enhanced Raman spectroscopy from cubic SiC semiconductor nanowhiskers by adjustment of energy levels. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 27572-27578	3.6	6
71	Thermal and transport properties of La _{2-x} NdxMo ₂ O ₉ . <i>Journal of Rare Earths</i> , 2016 , 34, 1024-1031	3.7	2
70	Bare and boron-doped cubic silicon carbide nanowires for electrochemical detection of nitrite sensitively. <i>Scientific Reports</i> , 2016 , 6, 24872	4.9	31
69	Single crystalline 3C-SiC whiskers used for electrochemical detection of nitrite under neutral condition. <i>Ionics</i> , 2016 , 22, 1493-1500	2.7	14
68	SiC Nanowires with Tunable Hydrophobicity/Hydrophilicity and Their Application as Nanofluids. <i>Langmuir</i> , 2016 , 32, 5909-16	4	21
67	A titanium nitride nanotube array for potentiometric sensing of pH. <i>Analyst, The</i> , 2016 , 141, 1693-9	5	4
66	Isothermal oxidation mechanism of a newly developed NbTiVTaWMoHf alloy at 800–1200 °C. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016 , 54, 322-329	4.1	35
65	Preparation of hexagonal BN whiskers synthesized at low temperature and their application in fabricating an electrochemical nitrite sensor. <i>RSC Advances</i> , 2016 , 6, 27767-27774	3.7	16
64	Controllable Preparation of Al ₂ O ₃ -MgO/Al ₂ O ₃ -CaO/Al ₂ O ₃ (AMC) Composite with Improved Slag Penetration Resistance. <i>International Journal of Applied Ceramic Technology</i> , 2016 , 13, 33-40	2	5

63	Phase Equilibria Studies in the SiO ₂ -K ₂ O-CaO System. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2016 , 47, 1690-1696	2.5	13
62	The Reaction Behavior of AlN Powder in Wet Air Between 1573 K and 1773 K. <i>Jom</i> , 2016 , 68, 675-681	2.1	3
61	Fabrication and characterization of ultra light SiC whiskers decorated by RuO ₂ nanoparticles as hybrid supercapacitors. <i>RSC Advances</i> , 2016 , 6, 19626-19631	3.7	4
60	Porous hexagonal boron nitride whiskers fabricated at low temperature for effective removal of organic pollutants from water. <i>Ceramics International</i> , 2016 , 42, 8754-8762	5.1	42
59	New Perspectives on the Gas/Solid Reaction of Si ₃ N ₄ Powder in Wet Air at High Temperature. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 2699-2705	3.8	13
58	Some New Perspective on the Reaction Mechanism of MgO/SiO ₂ /H ₂ O System. <i>International Journal of Applied Ceramic Technology</i> , 2016 , 13, 1164-1172	2	10
57	Evolution of aluminum hydroxides at the initial stage of aluminum nitride powder hydrolysis. <i>Ceramics International</i> , 2016 , 42, 11429-11434	5.1	9
56	An amperometric glucose enzyme biosensor based on porous hexagonal boron nitride whiskers decorated with Pt nanoparticles. <i>RSC Advances</i> , 2016 , 6, 92748-92753	3.7	12
55	Enhancing photoluminescence properties of SiC/SiO ₂ coaxial nanocables by making oxygen vacancies. <i>Dalton Transactions</i> , 2016 , 45, 13503-8	4.3	13
54	Characterization and properties of silicon carbide fibers with self-standing membrane structure. <i>Journal of Alloys and Compounds</i> , 2015 , 649, 135-141	5.7	5
53	Isothermal oxidation mechanism of Nb-Ti-V-Al-Zr alloy at 700-200°C: Diffusion and interface reaction. <i>Corrosion Science</i> , 2015 , 96, 186-195	6.8	38
52	Fabrication of ordered mullite nanowisker array with surface enhanced Raman scattering effect. <i>Scientific Reports</i> , 2015 , 5, 9690	4.9	9
51	Template free synthesis of highly ordered mullite nanowiskers with exceptional photoluminescence. <i>Ceramics International</i> , 2015 , 41, 9560-9566	5.1	6
50	The Reaction Behavior of Si ₃ N ₄ Powder at 1100-500 °C Under Different Oxidizing Conditions. <i>Oxidation of Metals</i> , 2015 , 84, 169-184	1.6	7
49	The Effect of Water Vapor and Temperature on the Reaction Behavior of AlN Powder at 1273 K to 1423 K (1000 °C to 1150 °C). <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 1621-1627	2.3	6
48	B-doped 3C-SiC nanowires with a finned microstructure for efficient visible light-driven photocatalytic hydrogen production. <i>Nanoscale</i> , 2015 , 7, 8955-61	7.7	62
47	Preparation of TiO _x N _y /TiN composites for photocatalytic hydrogen evolution under visible light. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 28782-8	3.6	9
46	Large scale fabrication of dumbbell-shaped biomimetic SiC/SiO ₂ fibers. <i>CrystEngComm</i> , 2015 , 17, 9318-9322	3.32	11

45	Characterization of modified SiC@SiO ₂ nanocables/MnO ₂ and their potential application as hybrid electrodes for supercapacitors. <i>Dalton Transactions</i> , 2015 , 44, 19974-82	4-3	16
44	Molten salt synthesis of mullite nanowhiskers using different silica sources. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2015 , 22, 884-891	3-1	9
43	Morphology characterization of periclase/hercynite refractories by reaction sintering. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2015 , 22, 1219-1224	3-1	11
42	Study on CO ₂ gasification properties and kinetics of biomass chars and anthracite char. <i>Bioresource Technology</i> , 2015 , 177, 66-73	11	129
41	Effect of SiO ₂ addition on the synthesis of hercynite with high purity. <i>Journal of the Ceramic Society of Japan</i> , 2015 , 123, 595-600	1	4
40	Effect of TiO ₂ Addition on Crystallization Characteristics of CaO-Al ₂ O ₃ -based Mould Fluxes for High Al Steel Casting. <i>ISIJ International</i> , 2015 , 55, 830-836	1-7	26
39	Synthesis parameter dependence of the electrochemical performance of solvothermally synthesized Li ₄ Ti ₅ O ₁₂ . <i>Materials for Renewable and Sustainable Energy</i> , 2014 , 3, 1	4-7	6
38	Synthesis of titanium nitride nanopowder at low temperature from the combustion synthesized precursor and the thermal stability. <i>Journal of Alloys and Compounds</i> , 2014 , 615, 838-842	5-7	11
37	A Facile Synthesis of a Three-Dimensional Flexible 3C-SiC Sponge and Its Wettability. <i>Crystal Growth and Design</i> , 2014 , 14, 4624-4630	3-5	41
36	Dissolution and diffusion of TiO ₂ in the CaO-Al ₂ O ₃ -SiO ₂ slag. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2014 , 21, 345-352	3-1	10
35	Preparation and properties of hexagonal boron nitride fibers used as high temperature membrane filter. <i>Materials Research Bulletin</i> , 2014 , 49, 39-43	5-1	31
34	Oxidation kinetics of TiN-containing composites. <i>Ceramics International</i> , 2014 , 40, 961-966	5-1	9
33	Morphology-controlled Synthesis of Hexagonal AlN Whiskers by Direct Nitridation of Aluminum and Alumina Mixture. <i>High Temperature Materials and Processes</i> , 2014 , 33, 385-389	0-9	1
32	Facile synthesis of hexagonal boron nitride fibers with uniform morphology. <i>Ceramics International</i> , 2013 , 39, 6427-6431	5-1	22
31	Preparation and photo-catalytic activity of TiO ₂ -coated medical stone-based porous ceramics. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2013 , 20, 593-597	3-1	7
30	Quantitative investigation of oxidation behavior of boron carbide powders in air. <i>Journal of Alloys and Compounds</i> , 2013 , 573, 182-186	5-7	8
29	Effect of Water-Vapor Content on Reaction Rate of Hexagonal BN Powder at 1273 K. <i>High Temperature Materials and Processes</i> , 2013 , 32, 275-280	0-9	3
28	Kinetics of Reduction of Titano-magnetite Powder by H ₂ . <i>High Temperature Materials and Processes</i> , 2013 , 32, 229-236	0-9	14

27	The Reaction Mechanism and Kinetics of β BN Powder in Wet Air at 1273K. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 1877-1882	3.8	18
26	Single crystalline β SiAlON nanowhiskers: preparation and enhanced properties at high temperature. <i>Dalton Transactions</i> , 2012 , 41, 7127-33	4.3	12
25	A new approach to interpreting the parabolic and non-parabolic oxidation behaviour of hot-pressed β SiAlON ceramics. <i>Corrosion Science</i> , 2012 , 58, 278-283	6.8	13
24	Reaction mechanisms for $0.5\text{Li}_2\text{MnO}_3 \cdot 0.5\text{LiMn}_0.5\text{Ni}_0.5\text{O}_2$ precursor prepared by low-heating solid state reaction. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2012 , 19, 856-862	3.1	7
23	Morphological development and oxidation of elongated β SiAlON material. <i>Corrosion Science</i> , 2011 , 53, 2051-2057	6.8	15
22	Investigation of the effects of temperature and oxygen partial pressure on oxidation of zirconium carbide using different kinetics models. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 2395-2400	5.7	9
21	Kinetics of Thermal Oxidation of Titanium Nitride Powder at Different Oxidizing Atmospheres. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 570-575	3.8	10
20	Thermal oxidation of SiAlON powders synthesized from coal gangue. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2011 , 18, 77-82	3.1	11
19	The oxidation kinetics of multi-walled carbon nanotubes. <i>Corrosion Science</i> , 2010 , 52, 1771-1776	6.8	15
18	The Model for Oxidation Kinetics of Titanium Nitride Coatings. <i>International Journal of Applied Ceramic Technology</i> , 2010 , 7, 248-255	2	10
17	A simple model for the oxidation of carbon-containing composites. <i>Corrosion Science</i> , 2010 , 52, 1093-1097	7.8	39
16	Morphological development and oxidation mechanisms of aluminum nitride whiskers. <i>Journal of Solid State Chemistry</i> , 2010 , 183, 963-968	3.3	10
15	Kinetics of non-isothermal oxidation of AlN powder. <i>Journal of the European Ceramic Society</i> , 2010 , 30, 629-633	6	8
14	Kinetics of High-Temperature Oxidation of Inorganic Nonmetallic Materials. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 585-594	3.8	55
13	A new treatment for kinetics of oxidation of silicon carbide. <i>Ceramics International</i> , 2009 , 35, 603-607	5.1	25
12	Corrosion resistance of $\text{AlN}/\text{SiC}/\text{TiB}_2$ composite in air. <i>Composites Science and Technology</i> , 2009 , 69, 2527-2531	8.6	6
11	Influence of particle size distribution on oxidation behavior of SiC powder. <i>Journal of Alloys and Compounds</i> , 2009 , 477, 166-170	5.7	19
10	Quantitative investigation of the oxidation kinetics of magnesia/carbon composite. <i>Journal of the Ceramic Society of Japan</i> , 2009 , 117, 1293-1296	1	

9	A new measurement and treatment for kinetics of isothermal oxidation of Si ₃ N ₄ . <i>Journal of Alloys and Compounds</i> , 2008 , 459, 123-129	5.7	35
8	Oxidation kinetics of aluminum nitride at different oxidizing atmosphere. <i>Journal of Alloys and Compounds</i> , 2008 , 465, 90-96	5.7	27
7	Model of oxidation of SiC microparticles at high temperature. <i>Corrosion Science</i> , 2008 , 50, 2367-2371	6.8	30
6	A new kinetic treatment of the oxidation of SiAlON powder. <i>International Journal of Materials Research</i> , 2008 , 99, 1346-1351	0.5	1
5	A theoretical analysis for oxidation of titanium carbide. <i>Journal of Materials Science</i> , 2008 , 43, 6193-6199	4.3	5
4	A Comparison of Oxidation Kinetics of O ² -SiAlON and SiAlON Powders Synthesized from Bauxite. <i>International Journal of Applied Ceramic Technology</i> , 2008 , 5, 529-536	2	8
3	Comparison of the Diffusion Control Models for Isothermal Oxidation of SiAlON Powders. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 3315-3319	3.8	16
2	Effect and mechanism of nano-Ca ₁₀ (PO ₄) ₆ (OH) ₂ additive on compressive strength of calcium aluminate cement at high temperature. <i>Journal of Iron and Steel Research International</i> , 1	1.2	0
1	Fabrication of Pd/CeO ₂ nanocubes as highly efficient catalysts for degradation of formaldehyde at room temperature. <i>Catalysis Science and Technology</i> ,	5.5	1