

# Li-Ting Kao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7512420/publications.pdf>

Version: 2024-02-01

89  
papers

1,062  
citations

393982

19  
h-index

552369

26  
g-index

91  
all docs

91  
docs citations

91  
times ranked

1917  
citing authors

#	ARTICLE	IF	CITATIONS
1	Simple and Efficient Pressure Ulcer Reconstruction via Primary Closure Combined with Closed-Incision Negative Pressure Wound Therapy (CiNPWT)â€™ Experience of a Single Surgeon. <i>Journal of Personalized Medicine</i> , 2022, 12, 182.	1.1	5
2	Illicit Drug Use and Smell and Taste Dysfunction: A National Health and Nutrition Examination Survey 2013â€™2014. <i>Healthcare (Switzerland)</i> , 2022, 10, 909.	1.0	0
3	Modified-Dose Pembrolizumab and Prognostic Outcomes among Non-Small Cell Lung Cancer Patients: A Chart Review Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5999.	1.2	3
4	Major depressive disorder increased risk of psoriasis: A propensity score matched cohort study. <i>Journal of Affective Disorders</i> , 2021, 278, 407-412.	2.0	15
5	Protective Effects of Anti-depressants against the Subsequent Development of Psoriasis in Patients with Major Depressive Disorder: a Cohort Study. <i>Journal of Affective Disorders</i> , 2021, 281, 590-596.	2.0	8
6	Antidepressants and risk of sudden sensorineural hearing loss: a population-based cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, 1686-1697.	0.9	7
7	Association Between Statin Use and Exacerbation of Chronic Obstructive Pulmonary Disease Among Patients Receiving Corticosteroids. <i>International Journal of COPD</i> , 2021, Volume 16, 591-602.	0.9	4
8	Association of Benzodiazepine Receptor Agonist Use With Changes in Psoriasis Severity in Adult Population: A Population-Based Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 596375.	1.6	1
9	Factors Influencing the Use of Health Information Exchange by Physiciansâ€™ Using the National Health Insurance PharmaCloud System in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8415.	1.2	1
10	Patients with alcohol use disorder increase pain and analgesics use: A nationwide population-based cohort study. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109102.	1.6	6
11	Pulsed Radiofrequency Upregulates Serotonin Transporters and Alleviates Neuropathic Pain-Induced Depression in a Spared Nerve Injury Rat Model. <i>Biomedicines</i> , 2021, 9, 1489.	1.4	3
12	Long-Term Use of Statins Lowering the Risk of Rehospitalization Caused by Ischemic Stroke Among Middle-Aged Hyperlipidemic Patients: A Population-Based Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 741094.	1.6	0
13	Illegal Drug Use and Risk of Hearing Loss in the United States: A National Health and Nutrition Examination Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11945.	1.2	0
14	Illicit drugs, cannabis, and psoriasis in the United States: National Health and Nutrition Examination Survey. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 1514-1517.	0.6	4
15	Association between major depressive disorder and subsequent tinnitus: A population-based study. <i>Journal of Affective Disorders</i> , 2020, 263, 367-372.	2.0	5
16	Association between Anemia and Auditory Threshold Shifts in the US Population: National Health and Nutrition Examination Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3916.	1.2	2
17	Digoxin use and following risk of psoriasis: A populationâ€™based cohort study in Taiwan. <i>Journal of Dermatology</i> , 2020, 47, 458-463.	0.6	2
18	Protective Association Between Calcium Channel Blocker Use and Breast Cancer Recurrence in Postsurgical Women: A Populationâ€™Based Caseâ€™Control Study in Taiwan. <i>Journal of Clinical Pharmacology</i> , 2020, 60, 785-792.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Androgen deprivation therapy and the risk of iron-deficiency anaemia among patients with prostate cancer: a population-based cohort study. <i>BMJ Open</i> , 2020, 10, e034202.	0.8	2
20	Health Care Service Utilization After Various Vascular Access Selections. <i>Journal of Surgical Research</i> , 2019, 244, 166-173.	0.8	2
21	The effect of dextromethorphan use in Parkinson's disease: A 6-hydroxydopamine rat model and population-based study. <i>European Journal of Pharmacology</i> , 2019, 862, 172639.	1.7	8
22	Relation Between Mitral Valve Prolapse and Erectile Dysfunction (from a Nationwide Case-Control) <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	0.7	2
23	Inflammatory bowel disease and bipolar disorder: A population-based cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 247, 120-124.	2.0	21
24	Autophagy inhibition plays a protective role against 3, 4-methylenedioxyamphetamine (MDMA)-induced loss of serotonin transporters and depressive-like behaviors in rats. <i>Pharmacological Research</i> , 2019, 142, 283-293.	3.1	18
25	Inverse Association of Fibrates and Liver Cancer: A Population-Based Case-Control Study in Taiwan. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1170-1176.	1.0	5
26	Inverse association between statin use and head and neck cancer: Population-based case-control study in Han population. <i>Head and Neck</i> , 2019, 41, 1193-1198.	0.9	18
27	Healthcare utilisation for eating disorders among patients with depression: a cross-sectional study in Taiwan. <i>BMJ Open</i> , 2019, 9, e032108.	0.8	2
28	Benzodiazepine receptor agonists and subsequent risk of psoriasis: A 5-year follow-up cohort study. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 1433-1435.	0.6	2
29	Transplant Recipients Using Tacrolimus Had Higher Utilization of Healthcare Services Than Those Receiving Cyclosporine in Taiwan. <i>Frontiers in Pharmacology</i> , 2019, 10, 1074.	1.6	1
30	Increased risk of neovascular age-related macular degeneration in patients with herpes zoster ophthalmicus: a retrospective cohort study. <i>Acta Ophthalmologica</i> , 2019, 97, e321-e322.	0.6	4
31	Androgen Deprivation Therapy Use Increases the Risk of Heart Failure in Patients With Prostate Cancer: A Population-Based Cohort Study. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 335-343.	1.0	10
32	Association Between Pioglitazone Use and Prostate Cancer: A Population-Based Case-Control Study in the Han Population. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 344-349.	1.0	8
33	Negative Association of Proton Pump Inhibitors With Subsequent Development of Breast Cancer: A Nationwide Population-Based Study. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 350-355.	1.0	23
34	Bladder pain syndrome/interstitial cystitis is associated with asthma: A case-control study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1773-1778.	0.8	5
35	No Increased Risk of Fracture in Patients Receiving Antimuscarinics for Overactive Bladder Syndrome: A Retrospective Cohort Study. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 727-732.	1.0	9
36	Neovascular age-related macular degeneration is associated with cataract surgery. <i>Acta Ophthalmologica</i> , 2018, 96, e213-e217.	0.6	16

#	ARTICLE	IF	CITATIONS
37	Increased risk of a herpes zoster attack in patients receiving androgen deprivation therapy for prostate cancer. <i>Andrologia</i> , 2018, 50, e12863.	1.0	2
38	Pioglitazone use and Parkinson's disease: a retrospective cohort study in Taiwan. <i>BMJ Open</i> , 2018, 8, e023302.	0.8	23
39	Alzheimer's disease is associated with prostate cancer: a population-based study. <i>Oncotarget</i> , 2018, 9, 7616-7622.	0.8	11
40	Antiarrhythmic drug usage and prostate cancer: a population-based cohort study. <i>Asian Journal of Andrology</i> , 2018, 20, 37.	0.8	10
41	Do outpatient statins and ACEIs/ARBs have synergistic effects in reducing the risk of pneumonia? A population-based case-control study. <i>PLoS ONE</i> , 2018, 13, e0199981.	1.1	14
42	A Taiwanese population-based study on the association between chronic tonsillitis and tonsil cancer. <i>Oncotarget</i> , 2018, 9, 7644-7650.	0.8	3
43	Association between open-angle glaucoma and neovascular age-related macular degeneration: a case-control study. <i>Eye</i> , 2017, 31, 872-877.	1.1	19
44	Antimuscarinic Use in Females With Overactive Bladder Syndrome Increases the Risk of Depressive Disorder: A 3-Year Follow-up Study. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 1064-1070.	1.0	5
45	Increased fall risk in patients with neovascular age-related macular degeneration: a three-year follow-up study. <i>Acta Ophthalmologica</i> , 2017, 95, e800-e801.	0.6	10
46	Neovascular age-related macular degeneration is not associated with coronary heart disease in a Chinese Population: a population-based study. <i>Acta Ophthalmologica</i> , 2017, 95, e587-e591.	0.6	5
47	Increased risk of dementia following herpes zoster ophthalmicus. <i>PLoS ONE</i> , 2017, 12, e0188490.	1.1	73
48	Chronic prostatitis/chronic pelvic pain syndrome is associated with previous colonoscopy. <i>Canadian Urological Association Journal</i> , 2017, 11, E367-71.	0.3	2
49	Patients receiving androgen deprivation therapy for prostate cancer have an increased risk of depressive disorder. <i>PLoS ONE</i> , 2017, 12, e0173266.	1.1	26
50	No increased risk of dementia in patients receiving androgen deprivation therapy for prostate cancer: a 5-year follow-up study. <i>Asian Journal of Andrology</i> , 2017, 19, 414.	0.8	34
51	A population-based study on the association between chronic periodontitis and sialolithiasis. <i>Laryngoscope</i> , 2016, 126, 847-850.	1.1	9
52	Obstructive Sleep Apnea and the Subsequent Risk of Chronic Rhinosinusitis: A Population-Based Study. <i>Scientific Reports</i> , 2016, 6, 20786.	1.6	19
53	Association between Gastroesophageal Reflux Disease and Appendicitis: A Population-Based Case-Control Study. <i>Scientific Reports</i> , 2016, 6, 22430.	1.6	1
54	Association between Testicular Cancer and Epididymo-orchitis: A Population-Based Case-Control Study. <i>Scientific Reports</i> , 2016, 6, 23079.	1.6	12

#	ARTICLE	IF	CITATIONS
55	Obstructive sleep apnea and urological comorbidities in males: a population-based study. <i>Sleep and Breathing</i> , 2016, 20, 1203-1208.	0.9	28
56	Sudden sensorineural hearing loss is associated with chronic rhinosinusitis: population-based study. <i>Journal of Laryngology and Otology</i> , 2016, 130, 521-525.	0.4	7
57	Diabetes is associated with perforated appendicitis: evidence from a population-based study. <i>American Journal of Surgery</i> , 2016, 212, 735-739.	0.9	4
58	Increased Risk of Peptic Ulcers Following a Cholecystectomy for Gallstones. <i>Scientific Reports</i> , 2016, 6, 30702.	1.6	5
59	A tonsillectomy increased the risk of chronic rhinosinusitis among children: A three-year follow-up study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 91, 82-85.	0.4	2
60	Prevalence of chronic diseases among physicians in Taiwan: a population-based cross-sectional study. <i>BMJ Open</i> , 2016, 6, e009954.	0.8	15
61	Increased risk for urological cancer associated with anxiety disorder: a retrospective cohort study. <i>BMC Urology</i> , 2016, 16, 67.	0.6	4
62	Androgen deprivation therapy did not increase the risk of Alzheimer's and Parkinson's disease in patients with prostate cancer. <i>Andrology</i> , 2016, 4, 481-485.	1.9	46
63	No increased risk of coronary heart disease for patients receiving androgen deprivation therapy for prostate cancer in Chinese/Taiwanese men. <i>Andrology</i> , 2016, 4, 128-132.	1.9	13
64	A population-based study on the associations between chronic periodontitis and the risk of cancer. <i>International Journal of Clinical Oncology</i> , 2016, 21, 219-223.	1.0	41
65	Nephrectomy Type Was Not Associated with a Subsequent Risk of Coronary Heart Disease: A Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0163253.	1.1	3
66	Rheumatoid Arthritis Was Negatively Associated with Alzheimer's Disease: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0168106.	1.1	25
67	Acute Appendicitis Is Associated with Peptic Ulcers: A Population-based Study. <i>Scientific Reports</i> , 2015, 5, 18044.	1.6	2
68	Incremental Healthcare Service Utilization for Open-angle Glaucoma. <i>Journal of Glaucoma</i> , 2015, 24, e116-e120.	0.8	5
69	An Appendectomy Increases the Risk of Rheumatoid Arthritis: A Five-Year Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0126816.	1.1	19
70	A Population-Based Study on the Association between Benign Prostatic Enlargement and Rheumatoid Arthritis. <i>PLoS ONE</i> , 2015, 10, e0133013.	1.1	8
71	Healthcare Service Utilization by Patients with Obstructive Sleep Apnea: A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0137459.	1.1	33
72	A 5-Year Follow-up Study on the Relationship between Obstructive Sleep Apnea and Parkinson Disease. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 1403-1408.	1.4	43

#	ARTICLE	IF	CITATIONS
73	Association between psoriasis and neovascular age-related macular degeneration: A population-based study. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1090-1092.	0.6	11
74	Statin use increases the risk of depressive disorder in stroke patients: A population-based study. <i>Journal of the Neurological Sciences</i> , 2015, 348, 89-93.	0.3	24
75	Association between sepsis and dementia. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 1430-1433.	0.8	26
76	Statin Use Is Associated with Bladder Pain Syndrome/Interstitial Cystitis: A Population-Based Case-Control Study. <i>Urologia Internationalis</i> , 2015, 95, 227-232.	0.6	11
77	Proteomics Analysis of EV71-Infected Cells Reveals the Involvement of Host Protein NEDD4L in EV71 Replication. <i>Journal of Proteome Research</i> , 2015, 14, 1818-1830.	1.8	24
78	Use of health care services by patients with psoriasis: a population-based study. <i>British Journal of Dermatology</i> , 2015, 172, 1346-1352.	1.4	7
79	Comparison of clinical outcome between laparoscopic and open right hemicolectomy: a nationwide study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 250.	0.8	21
80	Association between Neovascular Age-Related Macular Degeneration and Dementia: A Population-Based Case-Control Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0120003.	1.1	19
81	Weekly pattern of emergency room admissions for peptic ulcers: A population-based study. <i>World Journal of Gastroenterology</i> , 2015, 21, 3344-3350.	1.4	5
82	Weekly and Holiday-Related Patterns of Panic Attacks in Panic Disorder: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e100913.	1.1	3
83	Poor Clinical Outcomes among Pneumonia Patients with Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e116436.	1.1	22
84	Dementia is associated with iron-deficiency anemia in females: A population-based study. <i>Journal of the Neurological Sciences</i> , 2014, 346, 90-93.	0.3	21
85	Prescriptions for category D and X drugs during pregnancy in Taiwan: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1029-1034.	0.9	4
86	Cytotoxic enhancement of hexapeptide-conjugated micelles in EGFR high-expressed cancer cells. <i>Expert Opinion on Drug Delivery</i> , 2014, 11, 1537-1550.	2.4	12
87	Psoriasis and the Risk of Pneumonia: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e116077.	1.1	40
88	Emergency SARS-CoV-2 variants of concern: rapidly direct RT-qPCR detection without RNA extraction, clinical comparison, cost-effective, and high-throughput. <i>Aging</i> , 0, , .	1.4	1
89	Increased risk of olfactory and taste dysfunction in the United States psoriasis population. <i>European Archives of Oto-Rhino-Laryngology</i> , 0, , .	0.8	0