Bonnie Spring

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7512535/publications.pdf

Version: 2024-02-01

264 papers 19,003 citations

14655 66 h-index 127 g-index

287 all docs

287 docs citations

times ranked

287

23813 citing authors

#	Article	IF	CITATIONS
1	How We Design Feasibility Studies. American Journal of Preventive Medicine, 2009, 36, 452-457.	3.0	2,233
2	Vulnerability: A new view of schizophrenia Journal of Abnormal Psychology, 1977, 86, 103-126.	1.9	1,870
3	Mobile Health Technology Evaluation. American Journal of Preventive Medicine, 2013, 45, 228-236.	3.0	797
4	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528
5	Multiple health behavior change research: An introduction and overview. Preventive Medicine, 2008, 46, 181-188.	3.4	486
6	Current Science on Consumer Use of Mobile Health for Cardiovascular Disease Prevention. Circulation, 2015, 132, 1157-1213.	1.6	446
7	The Selection and Design of Control Conditions for Randomized Controlled Trials of Psychological Interventions. Psychotherapy and Psychosomatics, 2009, 78, 275-284.	8.8	388
8	Evidence-based behavioral medicine: What is it and how do we achieve it?. Annals of Behavioral Medicine, 2003, 26, 161-171.	2.9	345
9	Healthy Lifestyle Through Young Adulthood and the Presence of Low Cardiovascular Disease Risk Profile in Middle Age. Circulation, 2012, 125, 996-1004.	1.6	298
10	Evidence-based practice in clinical psychology: What it is, why it matters; what you need to know. Journal of Clinical Psychology, 2007, 63, 611-631.	1.9	290
11	Multiple health behaviours: overview and implications. Journal of Public Health, 2012, 34, i3-i10.	1.8	275
12	Toward a Transdisciplinary Model of Evidenceâ€Based Practice. Milbank Quarterly, 2009, 87, 368-390.	4.4	270
13	Gender Differences in Body Satisfaction. Obesity, 1997, 5, 402-409.	4.0	265
14	Meta-Analysis of Psychosocial Interventions to Reduce Pain in Patients With Cancer. Journal of Clinical Oncology, 2012, 30, 539-547.	1.6	243
15	Home-Based Walking Exercise Intervention in Peripheral Artery Disease. JAMA - Journal of the American Medical Association, 2013, 310, 57.	7.4	241
16	A Multi-Level Systems Perspective for the Science of Team Science. Science Translational Medicine, 2010, 2, 49cm24.	12.4	239
17	History of depression and smoking cessation outcome: A meta-analysis Journal of Consulting and Clinical Psychology, 2003, 71, 657-663.	2.0	232
18	Bias against overweight job applicants in a simulated employment interview Journal of Applied Psychology, 1994, 79, 909-917.	5. 3	228

#	Article	IF	CITATIONS
19	Automated Personalized Feedback for Physical Activity and Dietary Behavior Change With Mobile Phones: A Randomized Controlled Trial on Adults. JMIR MHealth and UHealth, 2015, 3, e42.	3.7	202
20	Integrating Technology Into Standard Weight Loss Treatment. JAMA Internal Medicine, 2013, 173, 105.	5.1	191
21	Building new computational models to support health behavior change and maintenance: new opportunities in behavioral research. Translational Behavioral Medicine, 2015, 5, 335-346.	2.4	185
22	Effects of protein and carbohydrate meals on mood and performance: Interactions with sex and age. Journal of Psychiatric Research, 1982, 17, 155-167.	3.1	184
23	Multiple Behavior Changes in Diet and Activity. Archives of Internal Medicine, 2012, 172, 789-96.	3.8	179
24	Meta-Analysis of Efficacy of Interventions for Elevated Depressive Symptoms in Adults Diagnosed With Cancer. Journal of the National Cancer Institute, 2012, 104, 990-1004.	6.3	174
25	Better Population Health Through Behavior Change in Adults. Circulation, 2013, 128, 2169-2176.	1.6	169
26	Healthy Lifestyle Change and Subclinical Atherosclerosis in Young Adults. Circulation, 2014, 130, 10-17.	1.6	164
27	Effect of a Home-Based Exercise Intervention of Wearable Technology and Telephone Coaching on Walking Performance in Peripheral Artery Disease. JAMA - Journal of the American Medical Association, 2018, 319, 1665.	7.4	151
28	Past major depression and smoking cessation outcome: a systematic review and metaâ€analysis update. Addiction, 2013, 108, 294-306.	3.3	140
29	Reward Value of Cigarette Smoking for Comparably Heavy Smoking Schizophrenic, Depressed, and Nonpatient Smokers. American Journal of Psychiatry, 2003, 160, 316-322.	7.2	134
30	Barriers and facilitators of evidence-based practice perceived by behavioral science health professionals. Journal of Clinical Psychology, 2007, 63, 695-705.	1.9	133
31	Impulsivity and smoking relapse. Nicotine and Tobacco Research, 2004, 6, 641-647.	2.6	127
32	Correlates of binge eating in Hispanic, Black, and White women. , 1998, 24, 43-52.		123
33	The Relation Between Body Size Perception and Change in Body Mass Index Over 13 Years: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. American Journal of Epidemiology, 2009, 169, 857-866.	3.4	119
34	Randomized Controlled Trial for Behavioral Smoking and Weight Control Treatment: Effect of Concurrent Versus Sequential Intervention Journal of Consulting and Clinical Psychology, 2004, 72, 785-796.	2.0	117
35	Purchases of Food in Youth. Influence of Price and Income. Psychological Science, 2006, 17, 82-89.	3.3	117
36	Effects of two antidepressants on memory performance in depressed outpatients: a double-blind study. Psychopharmacology, 1984, 84, 254-261.	3.1	115

3

#	Article	IF	CITATIONS
37	Behavioral intervention to promote smoking cessation and prevent weight gain: a systematic review and metaâ€analysis. Addiction, 2009, 104, 1472-1486.	3.3	114
38	Mapping a research agenda for the science of team science. Research Evaluation, 2011, 20, 143-156.	2.6	112
39	Carbohydrates, tryptophan, and behavior: A methodological review Psychological Bulletin, 1987, 102, 234-256.	6.1	105
40	Effect of Low-Intensity vs High-Intensity Home-Based Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease. JAMA - Journal of the American Medical Association, 2021, 325, 1266.	7.4	102
41	Healthy Apps: Mobile Devices for Continuous Monitoring and Intervention. IEEE Pulse, 2013, 4, 34-40.	0.3	98
42	Control condition design and implementation features in controlled trials: a meta-analysis of trials evaluating psychotherapy for depression. Translational Behavioral Medicine, 2014, 4, 407-423.	2.4	96
43	Technology Interventions to Curb Obesity: A Systematic Review of the Current Literature. Current Cardiovascular Risk Reports, 2012, 6, 120-134.	2.0	93
44	Antidepressant pharmacotherapy helps some cigarette smokers more than others Journal of Consulting and Clinical Psychology, 1999, 67, 547-554.	2.0	92
45	Effectiveness of school-based eHealth interventions to prevent multiple lifestyle risk behaviours among adolescents: a systematic review and meta-analysis. The Lancet Digital Health, 2019, 1, e206-e221.	12.3	91
46	The benefits and challenges of multiple health behavior change in research and in practice. Preventive Medicine, 2010, 50, 26-29.	3.4	90
47	When it comes to lifestyle recommendations, more is sometimes less: A meta-analysis of theoretical assumptions underlying the effectiveness of interventions promoting multiple behavior domain change Psychological Bulletin, 2015, 141, 474-509.	6.1	90
48	Multicenter trial of fluoxetine as an adjunct to behavioral smoking cessation treatment Journal of Consulting and Clinical Psychology, 2002, 70, 887-896.	2.0	85
49	Hedonic capacity, cigarette craving, and diminished positive mood. Nicotine and Tobacco Research, 2004, 6, 39-47.	2.6	85
50	Tools for Implementing an Evidence-Based Approach in Public Health Practice. Preventing Chronic Disease, 2012, 9, E116.	3.4	85
51	Weight gain and withdrawal symptoms after smoking cessation: A preventive intervention using d-fenfluramine Health Psychology, 1991, 10, 216-223.	1.6	81
52	Randomized Controlled Trial of a Computer-Based, Tailored Intervention to Increase Smoking Cessation Counseling by Primary Care Physicians. Journal of General Internal Medicine, 2007, 22, 478-484.	2.6	81
53	Fostering multiple healthy lifestyle behaviors for primary prevention of cancer American Psychologist, 2015, 70, 75-90.	4.2	81
54	Effects of anhedonia on days to relapse among smokers with a history of depression: A brief report. Nicotine and Tobacco Research, 2010, 12, 978-982.	2.6	79

#	Article	lF	Citations
55	Interdisciplinary evidence-based practice: Moving from silos to synergy. Nursing Outlook, 2010, 58, 309-317.	2.6	79
56	What are successful recruitment and retention strategies for underserved populations? Examining physical activity interventions in primary care and community settings. Translational Behavioral Medicine, 2011, 1, 234-251.	2.4	79
57	Effects of an abbreviated obesity intervention supported by mobile technology: The ENGAGED randomized clinical trial. Obesity, 2017, 25, 1191-1198.	3.0	78
58	Influences of gender and weight gain on short-term relapse to smoking in a cessation trial Journal of Consulting and Clinical Psychology, 2001, 69, 511-515.	2.0	75
59	A smartphone-supported weight loss program: design of the ENGAGED randomized controlled trial. BMC Public Health, 2012, 12, 1041.	2.9	75
60	Translating a heart disease lifestyle intervention into the community: the South Asian Heart Lifestyle Intervention (SAHELI) study; a randomized control trial. BMC Public Health, 2015, 15, 1064.	2.9	75
61	Challenges and Opportunities for the Prevention and Treatment of Cardiovascular Disease Among Young Adults: Report From a National Heart, Lung, and Blood Institute Working Group. Journal of the American Heart Association, 2020, 9, e016115.	3.7	75
62	Multicomponent mHealth Intervention for Large, Sustained Change in Multiple Diet and Activity Risk Behaviors: The Make Better Choices 2 Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e10528.	4.3	75
63	Influence of nicotine on positive affect in anhedonic smokers. Psychopharmacology, 2007, 192, 87-95.	3.1	73
64	Physical Activity and Performance Impact Long-term Quality of Life in Older Adults at Risk for Major Mobility Disability. American Journal of Preventive Medicine, 2019, 56, 141-146.	3.0	73
65	Homeâ€Based Walking Exercise in Peripheral Artery Disease: 12â€Month Followâ€up of the Goals Randomized Trial. Journal of the American Heart Association, 2014, 3, e000711.	3.7	72
66	Optimization of remotely delivered intensive lifestyle treatment for obesity using the Multiphase Optimization Strategy: Opt-IN study protocol. Contemporary Clinical Trials, 2014, 38, 251-259.	1.8	72
67	Medical Training to Achieve Competency in Lifestyle Counseling: An Essential Foundation for Prevention and Treatment of Cardiovascular Diseases and Other Chronic Medical Conditions: A Scientific Statement From the American Heart Association. Circulation, 2016, 134, e308-e327.	1.6	71
68	Effect of impulsivity on craving and behavioral reactivity to smoking cues. Psychopharmacology, 2007, 194, 279-288.	3.1	70
69	Practical behavioral trials to advance evidence-based behavioral medicine. Annals of Behavioral Medicine, 2006, 31, 5-13.	2.9	69
70	Abuse potential of carbohydrates for overweight carbohydrate cravers. Psychopharmacology, 2008, 197, 637-647.	3.1	69
71	Impulsivity and cigarette craving: differences across subtypes. Psychopharmacology, 2009, 207, 365-373.	3.1	69
72	Development of Clinical Practice Guidelines. Annual Review of Clinical Psychology, 2014, 10, 213-241.	12.3	69

#	Article	IF	Citations
73	Association of Ethnicity and Socioeconomic Status with Judgments of Body Size: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. American Journal of Epidemiology, 2007, 165, 1055-1062.	3.4	68
74	mHealth Intervention to Improve Diabetes Risk Behaviors in India: A Prospective, Parallel Group Cohort Study. Journal of Medical Internet Research, 2016, 18, e207.	4.3	68
75	A latent class analysis of cancer risk behaviors among U.S. college students. Preventive Medicine, 2014, 64, 121-125.	3.4	64
76	Breast cancer survivors' preferences for technology-supported exercise interventions. Supportive Care in Cancer, 2017, 25, 3243-3252.	2.2	61
77	Clustering of Multiple Risk Behaviors Among a Sample of 18-Year-Old Australians and Associations With Mental Health Outcomes: A Latent Class Analysis. Frontiers in Public Health, 2018, 6, 135.	2.7	59
78	Nicotine effects on affective response in depression-prone smokers. Psychopharmacology, 2008, 196, 461-471.	3.1	58
79	Invitation to a dialogue between researchers and clinicians about evidence-based behavioral medicine. Annals of Behavioral Medicine, 2005, 30, 125-137.	2.9	57
80	Innovative study designs and methods for optimizing and implementing behavioral interventions to improve health Health Psychology, 2018, 37, 1081-1091.	1.6	56
81	Altered reward value of carbohydrate snacks for female smokers withdrawn from nicotine. Pharmacology Biochemistry and Behavior, 2003, 76, 351-360.	2.9	51
82	Smartphone applications to support weight loss: current perspectives. Advanced Health Care Technologies, 2015, 1, 13.	1.4	49
83	The Potential of Virtual Reality Technologies to Improve Adherence to Weight Loss Behaviors. Journal of Diabetes Science and Technology, 2011, 5, 340-344.	2.2	48
84	Center of excellence for mobile sensor data-to-knowledge (MD2K). Journal of the American Medical Informatics Association: JAMIA, 2015, 22, 1137-1142.	4.4	48
85	Financial Motivation Undermines Maintenance in an Intensive Diet and Activity Intervention. Journal of Obesity, 2012, 2012, 1-8.	2.7	47
86	Health Decision Making: Lynchpin of Evidence-Based Practice. Medical Decision Making, 2008, 28, 866-874.	2.4	46
87	Tryptophan and high-carbohydrate diets as adjuncts to smoking cessation therapy. Journal of Behavioral Medicine, 1991, 14, 97-110.	2.1	45
88	Influence of fluoxetine on positive and negative affect in a clinic-based smoking cessation trial. Psychopharmacology, 2004, 173, 153-159.	3.1	44
89	Distractibility in Schizophrenia: State and Trait Aspects. British Journal of Psychiatry, 1989, 155, 63-68.	2.8	43
90	Implementing Evidence-Based Practice Education in Social Work. Research on Social Work Practice, 2013, 23, 426-436.	1.9	43

#	Article	IF	Citations
91	Dietary Approaches to Stop Hypertension Diet and Activity to Limit Gestational Weight: Maternal Offspring Metabolics Family Intervention Trial, a Technology Enhanced Randomized Trial. American Journal of Preventive Medicine, 2018, 55, 603-614.	3.0	40
92	A Factorial Experiment to Optimize Remotely Delivered Behavioral Treatment for Obesity: Results of the Optâ€N Study. Obesity, 2020, 28, 1652-1662.	3.0	40
93	The influence of weight-related variables on smoking cessation. Behavior Therapy, 1998, 29, 371-385.	2.4	38
94	â€~Better Health Choices' by telephone: A feasibility trial of improving diet and physical activity in people diagnosed with psychotic disorders. Psychiatry Research, 2014, 220, 63-70.	3.3	38
95	Unsupervised Exercise and Mobility Loss in Peripheral Artery Disease: A Randomized Controlled Trial. Journal of the American Heart Association, 2015, 4, .	3.7	38
96	Self-regulatory behaviour change techniques in interventions to promote healthy eating, physical activity, or weight loss: a meta-review. Health Psychology Review, 2021, 15, 508-539.	8.6	37
97	Weight suppression and weight rebound in ex-smokers treated with fluoxetine Journal of Consulting and Clinical Psychology, 1999, 67, 124-131.	2.0	36
98	Reinforcement expectations explain the relationship between depressive history and smoking status in college students. Addictive Behaviors, 2004, 29, 991-994.	3.0	36
99	I Can't Be Myself. , 2018, 2, 1-40.		36
100	Experimenter-defined quit dates for smoking cessation: adherence improves outcomes for women but not for men. Addiction, 2004, 99, 378-385.	3.3	35
101	Fluoxetine, smoking, and history of major depression: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2007, 75, 85-94.	2.0	35
102	Effect of tryptophan depletion on the attentional salience of smoking cues. Psychopharmacology, 2007, 192, 317-324.	3.1	35
103	Acceptability of smartphone technology to interrupt sedentary time in adults with diabetes. Translational Behavioral Medicine, 2015, 5, 307-314.	2.4	35
104	Association of Accelerometryâ€Measured Physical Activity and Cardiovascular Events in Mobilityâ€Limited Older Adults: The LIFE (Lifestyle Interventions and Independence for Elders) Study. Journal of the American Heart Association, 2017, 6, .	3.7	35
105	Amitriptyline, clovoxamine and cognitive function: a placebo-controlled comparison in depressed outpatients. Psychopharmacology, 1992, 108, 327-332.	3.1	34
106	Elevated positive mood: A mixed blessing for abstinence Psychology of Addictive Behaviors, 2006, 20, 36-43.	2.1	34
107	Make Better Choices (MBC): Study design of a randomized controlled trial testing optimal technology-supported change in multiple diet and physical activity risk behaviors. BMC Public Health, 2010, 10, 586.	2.9	34
108	Prevalence of Metabolic Syndrome and Its Association with Physical Capacity, Disability, and Selfâ€Rated Health in Lifestyle Interventions and Independence for Elders Study Participants. Journal of the American Geriatrics Society, 2015, 63, 222-232.	2.6	34

#	Article	IF	Citations
109	Financial motivation undermines potential enjoyment in an intensive diet and activity intervention. Journal of Behavioral Medicine, 2014, 37, 819-827.	2.1	33
110	Impact of a diet and activity health promotion intervention on regional patterns of DNA methylation. Clinical Epigenetics, $2019, 11, 133$.	4.1	33
111	Breast cancer survivors' preferences for mHealth physical activity interventions: findings from a mixed methods study. Journal of Cancer Survivorship, 2019, 13, 292-305.	2.9	33
112	Individual, facility, and program factors affecting retention in a national weight management program. BMC Public Health, 2014, 14, 363.	2.9	32
113	Effect of nicotine on negative affect among more impulsive smokers Experimental and Clinical Psychopharmacology, 2006, 14, 287-295.	1.8	31
114	A family history of smoking predicts heightened levels of stress-induced cigarette craving. Addiction, 2003, 98, 657-664.	3.3	30
115	Evaluating and improving recruitment and retention in an mHealth clinical trial: an example of iterating methods during a trial. MHealth, 2017, 3, 49-49.	1.6	30
116	Study protocol of the Health4Life initiative: a cluster randomised controlled trial of an eHealth school-based program targeting multiple lifestyle risk behaviours among young Australians. BMJ Open, 2020, 10, e035662.	1.9	29
117	The Group Oriented Arterial Leg Study (GOALS) to improve walking performance in patients with peripheral arterial disease. Contemporary Clinical Trials, 2012, 33, 1311-1320.	1.8	27
118	Predictors of Change in Physical Function in Older Adults in Response to Long-Term, Structured Physical Activity: The LIFE Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 11-24.e3.	0.9	27
119	High BMI and reduced engagement and enjoyment of pleasant events. Personality and Individual Differences, 2006, 40, 1421-1431.	2.9	26
120	Optimization of a technology-supported physical activity intervention for breast cancer survivors: Fit2Thrive study protocol. Contemporary Clinical Trials, 2018, 66, 9-19.	1.8	26
121	Sense2Stop: A micro-randomized trial using wearable sensors to optimize a just-in-time-adaptive stress management intervention for smoking relapse prevention. Contemporary Clinical Trials, 2021, 109, 106534.	1.8	26
122	Multicenter trial of fluoxetine as an adjunct to behavioral smoking cessation treatment Journal of Consulting and Clinical Psychology, 2002, 70, 887-896.	2.0	26
123	The South Asian Heart Lifestyle Intervention (SAHELI) study to improve cardiovascular risk factors in a community setting: Design and methods. Contemporary Clinical Trials, 2013, 36, 479-487.	1.8	25
124	Moving from theory to practice and back in social and health psychology. Health Psychology, 2013, 32, 581-585.	1.6	25
125	A group-mediated, home-based physical activity intervention for patients with peripheral artery disease: effects on social and psychological function. Journal of Translational Medicine, 2014, 12, 29.	4.4	25
126	An International Perspective on Improving the Quality and Potential of Behavioral Clinical Trials. Current Cardiovascular Risk Reports, 2015, 9, 1.	2.0	25

#	Article	IF	Citations
127	Social embeddedness in an online weight management programme is linked to greater weight loss. Journal of the Royal Society Interface, 2015, 12, 20140686.	3.4	25
128	Rumination and cigarette smoking: A bad combination for depressive outcomes?. Journal of Consulting and Clinical Psychology, 2001, 69, 836-840.	2.0	24
129	Cue-elicited negative affect in impulsive smokers Psychology of Addictive Behaviors, 2008, 22, 249-256.	2.1	24
130	Effect of impulsivity on cardiovascular and subjective reactivity to smoking cues. Addictive Behaviors, 2008, 33, 167-172.	3.0	23
131	Translational Behavioral Medicine: a pathway to better health. Translational Behavioral Medicine, 2011, 1, 1-3.	2.4	23
132	Effect of Physical Activity on Selfâ€Reported Disability in Older Adults: Results from the <scp>LIFE</scp> Study. Journal of the American Geriatrics Society, 2017, 65, 980-988.	2.6	23
133	Cost-Effectiveness of Lipid-Lowering Treatments in Young Adults. Journal of the American College of Cardiology, 2021, 78, 1954-1964.	2.8	23
134	A Negative Mood Induction Procedure with Efficacy Across Repeated Administrations in Women. Journal of Psychopathology and Behavioral Assessment, 2003, 25, 49-55.	1.2	22
135	SMART: Study protocol for a sequential multiple assignment randomized controlled trial to optimize weight loss management. Contemporary Clinical Trials, 2019, 82, 36-45.	1.8	22
136	Recent Research on the Behavioral Effects of Tryptophan and Carbohydrate. Nutrition and Health, 1984, 3, 55-67.	1.5	21
137	Influence of antidepressant pharmacotherapy on behavioral treatment adherence and smoking cessation outcome in a combined treatment involving fluoxetine Experimental and Clinical Psychopharmacology, 2001, 9, 355-362.	1.8	21
138	A systematic review of school-based eHealth interventions targeting alcohol use, smoking, physical inactivity, diet, sedentary behaviour and sleep among adolescents: a review protocol. Systematic Reviews, 2017, 6, 246.	5.3	21
139	Is More Always Better?. , 2018, 2, 1-26.		21
140	Daily and Seasonal Influences on Dietary Self-monitoring Using a Smartphone Application. Journal of Nutrition Education and Behavior, 2018, 50, 56-61.e1.	0.7	20
141	Smoking as subculture? Influence on Hispanic and non-Hispanic White women's attitudes toward smoking and obesity Health Psychology, 2002, 21, 279-287.	1.6	19
142	Examination of the analytic quality of behavioral health randomized clinical trials. Journal of Clinical Psychology, 2007, 63, 53-71.	1.9	19
143	mCrave. , 2016, 2016, 863-874.		19
144	Center of Excellence for Mobile Sensor Data-to-Knowledge (MD2K). IEEE Pervasive Computing, 2017, 16, 18-22.	1.3	19

#	Article	IF	CITATIONS
145	Breast cancer survivors' preferences for social support features in technology-supported physical activity interventions: findings from a mixed methods evaluation. Translational Behavioral Medicine, 2020, 10, 423-434.	2.4	19
146	Counting Bites With Bits: Expert Workshop Addressing Calorie and Macronutrient Intake Monitoring. Journal of Medical Internet Research, 2019, 21, e14904.	4.3	19
147	Exercise and energy intake in overweight, sedentary individuals. Eating Behaviors, 2009, 10, 29-35.	2.0	18
148	Acute tryptophan depletion and sweet food consumption by overweight adults. Eating Behaviors, 2009, 10, 36-41.	2.0	18
149	The Effect of Changes in Physical Activity on Sedentary Behavior: Results From a Randomized Lifestyle Intervention Trial. American Journal of Health Promotion, 2017, 31, 287-295.	1.7	18
150	A Web-Based Intervention to Prevent Multiple Chronic Disease Risk Factors Among Adolescents: Co-Design and User Testing of the Health4Life School-Based Program. JMIR Formative Research, 2020, 4, e19485.	1.4	18
151	Adherence Across Behavioral Domains in Treatment Promoting Smoking Cessation Plus Weight Control Health Psychology, 2005, 24, 153-160.	1.6	17
152	Effects of Acute Tryptophan Depletion on Negative Symptoms and Smoking Topography in Nicotine-Dependent Schizophrenics and Nonpsychiatric Controls. Neuropsychopharmacology, 2005, 30, 640-648.	5.4	17
153	Intention-to-Treat Analyses in Behavioral Medicine Randomized Clinical Trials. International Journal of Behavioral Medicine, 2009, 16, 316-322.	1.7	17
154	PDA+: A Personal Digital Assistant for Obesity Treatment - An RCT testing the use of technology to enhance weight loss treatment for veterans. BMC Public Health, 2011, 11, 223.	2.9	17
155	Dynapenia and Metabolic Health in Obese and Nonobese Adults Aged 70ÂYears and Older: The LIFE Study. Journal of the American Medical Directors Association, 2017, 18, 312-319.	2.5	17
156	<i>e</i> wrapper., 2017, 2017, 790-798.		17
157	Integrating User-Centered Design and Behavioral Science to Design a Mobile Intervention for Obesity and Binge Eating: Mixed Methods Analysis. JMIR Formative Research, 2021, 5, e23809.	1.4	17
158	Affective benefits of exercise while quitting smoking: Influence of smoking-specific weight concern Psychology of Addictive Behaviors, 2007, 21, 255-260.	2.1	16
159	Using the word  cancer' in communication about an abnormal Pap test: Finding common ground with patient–provider communication. Patient Education and Counseling, 2010, 81, 106-112.	2.2	16
160	Increasing physical activity in patients with arthritis: a tailored health promotion program. Chronic Illness, 2010, 6, 272-281.	1.5	16
161	Participant Retention in the Veterans Health Administration's MOVE! Weight Management Program, 2010. Preventing Chronic Disease, 2012, 9, E129.	3.4	16
162	Moderating Effects of Weather-Related Factors on a Physical Activity Intervention. American Journal of Preventive Medicine, 2018, 54, e83-e89.	3.0	16

#	Article	IF	CITATIONS
163	Physicians' perspectives on medication adherence and health promotion among cancer survivors. Cancer, 2019, 125, 4319-4328.	4.1	16
164	Perceptions of Health Behaviors and Mobile Health Applications in an Academically Elite College Population to Inform a Targeted Health Promotion Program. International Journal of Behavioral Medicine, 2019, 26, 165-174.	1.7	16
165	Double-blind trial of the effects of tryptophan depletion on depression and cerebral blood flow in smokers. Addictive Behaviors, 2004, 29, 665-671.	3.0	15
166	Effect of Tryptophan Depletion on Smokers and Nonsmokers With and Without History of Major Depression. Biological Psychiatry, 2007, 61, 70-77.	1.3	15
167	Mechanisms of change in diet and activity in the Make Better Choices 1 trial Health Psychology, 2016, 35, 723-732.	1.6	15
168	Toward a health-promoting system for cancer survivors: Patient and provider multiple behavior change Health Psychology, 2019, 38, 840-850.	1.6	15
169	Measuring smoking-related preoccupation and compulsive drive: evaluation of the obsessive compulsive smoking scale. Psychopharmacology, 2010, 211, 377-387.	3.1	14
170	Design and protocol of a randomized multiple behavior change trial: Make Better Choices 2 (MBC2). Contemporary Clinical Trials, 2015, 41, 85-92.	1.8	14
171	Lifestyle intervention effects on the frequency and duration of daily moderate–vigorous physical activity and leisure screen time Health Psychology, 2017, 36, 299-308.	1.6	14
172	Response to Covey. Nicotine and Tobacco Research, 2004, 6, 747-749.	2.6	13
173	Exercise's effect on mobility disability in older adults with and without obesity: The LIFE study randomized clinical trial. Obesity, 2017, 25, 1199-1205.	3.0	13
174	Noninferiority and equivalence tests in sequential, multiple assignment, randomized trials (SMARTs) Psychological Methods, 2020, 25, 182-205.	3. 5	13
175	Optimization of a technologyâ€supported physical activity promotion intervention for breast cancer survivors: Results from Fit2Thrive. Cancer, 2022, 128, 1122-1132.	4.1	13
176	A Double-Blind Comparison of Clovoxamine and Amitriptyline in the Treatment of Depressed Outpatients. Journal of Clinical Psychopharmacology, 1985, 5, 30???34.	1.4	12
177	Using the Preparation Phase of the Multiphase Optimization Strategy to Develop a Messaging Component for Weight Loss: Formative and Pilot Research. JMIR Formative Research, 2020, 4, e16297.	1.4	12
178	Cognitive Test Performance and Indigenous Conceptions of Intelligence. Journal of Psychology: Interdisciplinary and Applied, 1976, 93, 273-279.	1.6	11
179	Auditory sensitivity in psychiatric patients and non-patients: monotic click detection. Psychological Medicine, 1980, 10, 133-138.	4.5	11
180	Tardive Dyskinesia Exacerbated after Ingestion of Phenylalanine by Schizophrenic Patients. Neuropsychopharmacology, 1997, 16, 136-146.	5.4	11

#	Article	IF	CITATIONS
181	The effect of message framing on self-management of chronic pain: A new perspective on intervention?. Psychology and Health, 2011, 26, 931-947.	2.2	11
182	Genetic Variability of Smoking Persistence in African Americans. Cancer Prevention Research, 2011, 4, 729-734.	1.5	11
183	WillSense., 2017,,.		11
184	Simultaneous vs. sequential treatment for smoking and weight management in tobacco quitlines: 6 and 12Âmonth outcomes from a randomized trial. BMC Public Health, 2018, 18, 678.	2.9	11
185	Smoking as subculture? Influence on Hispanic and non-Hispanic White women's attitudes toward smoking and obesity Health Psychology, 2002, 21, 279-287.	1.6	11
186	Developing an evidence base in clinical psychology. Journal of Clinical Psychology, 2006, 62, 259-271.	1.9	10
187	Effect of Acute Tryptophan Depletion on Emotions in Individuals with Personal and Family History of Depression following a Mood Induction. Neuropsychobiology, 2010, 62, 171-176.	1.9	10
188	An emerging science and praxis for research and practice teams. Translational Behavioral Medicine, 2012, 2, 411-414.	2.4	10
189	Investigating barriers and facilitators to wearable adherence in fine-grained eating detection., 2017,,.		10
190	Comparison of a Patient-Centered Weight Loss Program starting before versus after knee replacement: A pilot study. Obesity Research and Clinical Practice, 2018, 12, 472-478.	1.8	10
191	Assessing recall of personal sun exposure by integrating UV dosimeter and self-reported data with a network flow framework. PLoS ONE, 2019, 14, e0225371.	2.5	10
192	Food Watch: Detecting and Characterizing Eating Episodes through Feeding Gestures., 2017,,.		10
193	Clovoxamine in the treatment of depressed outpatients: A double-blind, parallel-group comparison against amitriptyline and placebo. Comprehensive Psychiatry, 1990, 31, 307-314.	3.1	9
194	A comment on analyzing addictive behaviors over time. Nicotine and Tobacco Research, 2010, 12, 445-448.	2.6	9
195	Cyberinfrastructure for Consumer Health. American Journal of Preventive Medicine, 2011, 40, S91-S96.	3.0	8
196	BEHAVIORAL INTERVENTIONS TO PROMOTE SMOKING CESSATION AND PREVENT WEIGHT GAIN: A REPLY. Addiction, 2011, 106, 674-675.	3.3	8
197	Transtheoretical Model of Behavior Change. , 2013, , 1997-2000.		8
198	Comparative effectiveness of adding weight control simultaneously or sequentially to smoking cessation quitlines: study protocol of a randomized controlled trial. BMC Public Health, 2016, 16, 615.	2.9	8

#	Article	IF	CITATIONS
199	Rural Residents' Perspectives on an mHealth or Personalized Health Coaching Intervention: Qualitative Study With Focus Groups and Key Informant Interviews. JMIR Formative Research, 2021, 5, e18853.	1.4	8
200	SyncWISE. , 2020, 4, 1-26.		8
201	Gene-Centric Analysis of Serum Cotinine Levels in African and European American Populations. Neuropsychopharmacology, 2012, 37, 968-974.	5.4	7
202	The impact of team science collaborations in health care: a synopsis and comment on "Interprofessional collaboration: effects of practice-based interventions on professional practice and healthcare outcomes― Translational Behavioral Medicine, 2012, 2, 378-379.	2.4	7
203	Evaluation of an electronic health record-supported obesity management protocol implemented in a community health center: a cautionary note. Journal of the American Medical Informatics Association: JAMIA, 2015, 22, 755-763.	4.4	7
204	Physical activity: a synopsis and comment on "community-wide interventions for increasing physical activity― Translational Behavioral Medicine, 2017, 7, 39-42.	2.4	7
205	Implementation, recruitment and baseline characteristics: A randomized trial of combined treatments for smoking cessation and weight control. Contemporary Clinical Trials Communications, 2017, 7, 95-102.	1.1	7
206	The South Asian Healthy Lifestyle Intervention (SAHELI) trial: Protocol for a mixed-methods, hybrid effectiveness implementation trial for reducing cardiovascular risk in South Asians in the United States. Contemporary Clinical Trials, 2020, 92, 105995.	1.8	7
207	Behavioral cancer pain intervention using videoconferencing and a mobile application for medically underserved patients: Rationale, design, and methods of a prospective multisite randomized controlled trial. Contemporary Clinical Trials, 2021, 102, 106287.	1.8	7
208	Sound health care economics: Provide the treatment needed (not less, not more) Health Psychology, 2019, 38, 701-704.	1.6	7
209	Treating chronic migraine headaches: An evidence-based practice approach. Journal of Clinical Psychology, 2006, 62, 1367-1378.	1.9	6
210	Theory of Reasoned Action. , 2013, , 1964-1967.		6
211	Behavioral informatics: Dynamical models for measuring and assessing behaviors for precision interventions., 2016, 2016, 190-193.		6
212	Racial Differences in Maintaining Optimal Health Behaviors Into Middle Age. American Journal of Preventive Medicine, 2019, 56, 368-375.	3.0	6
213	Developing a patient-centered medical home: synopsis and comment on "Patient preferences for shared decisions: a systematic reviewâ€. Translational Behavioral Medicine, 2012, 2, 260-261.	2.4	5
214	First Steps Into the Brave New Transdiscipline of Mobile Health. JAMA Cardiology, 2017, 2, 76.	6.1	5
215	Targeted Melanoma Screening: Risk Self-Assessment and Skin Self-Examination Education Delivered During Mammography of Women. JNCI Cancer Spectrum, 2019, 3, pkz047.	2.9	5
216	User-centered development of a smartphone application (Fit2Thrive) to promote physical activity in breast cancer survivors. Translational Behavioral Medicine, 2022, 12, 203-213.	2.4	5

#	Article	IF	Citations
217	Cognitive Alterations as Markers of Vulnerability to Schizophrenia. Annals of the New York Academy of Sciences, 1992, 658, 128-145.	3.8	4
218	Factors and predictors of cognitive impairment in the elderly. Translational Behavioral Medicine, 2012, 2, 126-127.	2.4	4
219	An observational study identifying obese subgroups among older adults at increased risk of mobility disability: do perceptions of the neighborhood environment matter?. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 157.	4.6	4
220	Online, cross-disciplinary team science training for health and medical professionals: Evaluation of COALESCE (teamscience.net). Journal of Clinical and Translational Science, 2019, 3, 82-89.	0.6	4
221	Toward a precision behavioral medicine approach to addressing high-risk sun exposure: a qualitative analysis. JAMIA Open, 2019, 2, 547-553.	2.0	4
222	Metabolic syndrome and the benefit of a physical activity intervention on lower-extremity function: Results from a randomized clinical trial. Experimental Gerontology, 2021, 150, 111343.	2.8	4
223	Using factorial mediation analysis to better understand the effects of interventions. Translational Behavioral Medicine, 2022, 12, .	2.4	4
224	Translational Behavioral Medicine. , 2018, , 1-8.		4
225	Systematic Desensitization for an Older Woman with a Severe Specific Phobia. Clinical Gerontologist, 2006, 30, 89-98.	2.2	3
226	ACCISS study rationale and design: activating collaborative cancer information service support for cervical cancer screening. BMC Public Health, 2009, 9, 444.	2.9	3
227	CALM technology-supported intervention: synopsis of evidence for an emerging class of practice tool. Translational Behavioral Medicine, 2011, 1, 8-9.	2.4	3
228	Sex-Based Biomedical Research Policy Needs an Implementation Plan. Women's Health, 2015, 11, 449-452.	1.5	3
229	A Technology-Based Physical Activity Intervention for Patients With Metastatic Breast Cancer (Fit2ThriveMB): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e24254.	1.0	3
230	Fostering interdisciplinary collaboration: A longitudinal social network analysis of the NIH mHealth Training Institutes. Journal of Clinical and Translational Science, 2021, 5, e191.	0.6	3
231	Obesity Status on associations between cancer-related beliefs and health behaviors in cancer survivors: Implications for patient-clinician communication. Patient Education and Counseling, 2021, 104, 2067-2072.	2.2	3
232	Comparative Validity of Mostly Unprocessed and Minimally Processed Food Items Differs Among Popular Commercial Nutrition Apps Compared with a Research Food Database. Journal of the Academy of Nutrition and Dietetics, 2022, 122, 825-832.e1.	0.8	3
233	Motivational interviewing intervention for increasing physical activity and improving dietary behaviors: The Lupus Intervention Fatigue Trial protocol. Contemporary Clinical Trials, 2022, 114, 106690.	1.8	3
234	Smoking behavior and readiness to change in male veterans with spinal cord injuries Rehabilitation Psychology, 2007, 52, 304-310.	1.3	2

#	Article	IF	CITATIONS
235	REDUCING BIAS IN SYSTEMATIC REVIEWS OF BEHAVIORAL INTERVENTIONS $\hat{a} \in A$ RESPONSE TO PARSONS $\langle i \rangle ET\hat{a} \in AL \langle i \rangle$. Addiction, 2011, 106, 676-678.	3.3	2
236	Diabetes prevention program: a lesson in translation. Translational Behavioral Medicine, 2011, 1, 371-371.	2.4	2
237	The Art of Health Promotion ideas for improving health outcomes. American Journal of Health Promotion, 2016, 30, 563-582.	1.7	2
238	Commentary: Methods and Designs for T1 Translation in Pediatric Psychology. Journal of Pediatric Psychology, 2019, 44, 418-424.	2.1	2
239	A mHealth intervention to preserve and promote ideal cardiovascular health in college students: Design and protocol of a cluster randomized controlled trial. Contemporary Clinical Trials, 2020, 98, 106162.	1.8	2
240	Digitally characterizing the dynamics of multiple health behavior change Health Psychology, 2021, 40, 897-908.	1.6	2
241	Sustained physical activity in peripheral artery disease: Associations with disease severity, functional performance, health-related quality of life, and subsequent serious adverse events in the LITE randomized clinical trial. Vascular Medicine, 2021, 26, 497-506.	1.5	2
242	Dynamic models of stress-smoking responses based on high-frequency sensor data. Npj Digital Medicine, 2021, 4, 162.	10.9	2
243	The EVO study protocol for a randomized controlled evaluation trial of an optimized weight management intervention. Contemporary Clinical Trials, 2022, 116, 106750.	1.8	2
244	Mobile Health Tobacco Cessation Interventions to Promote Health Equity: Current Perspectives. Frontiers in Digital Health, 0, 4, .	2.8	2
245	Evaluating the quality of training delivered by direct-care staff in a state mental retardation center. Behavioral Interventions, 1986, 1, 199-212.	1.0	1
246	Translating clinical evidence to the community: a synopsis and comment on "Community wide interventions for increasing physical activity― Translational Behavioral Medicine, 2011, 1, 369-370.	2.4	1
247	Genetic Analysis of a Population Heavy Drinking Phenotype Identifies Risk Variants in Whites. Journal of Clinical Psychopharmacology, 2013, 33, 206-210.	1.4	1
248	Healthful Physical Activity and Diet Promotionâ€"For the Many or the Few?. JAMA Cardiology, 2017, 2, 941.	6.1	1
249	Race differences in predictors of weight gain among a community sample of smokers enrolled in a randomized controlled trial of a multiple behavior change intervention. Preventive Medicine Reports, 2021, 21, 101303.	1.8	1
250	eHealth Practices in Cancer Survivors With BMI in Overweight or Obese Categories: Latent Class Analysis Study. JMIR Cancer, 2020, 6, e24137.	2.4	1
251	Quality care process in the VA: a synopsis and comment on "Comparison of the quality of medical care in veterans affairs and non-veterans affairs settings― Translational Behavioral Medicine, 2011, 1, 511-512.	2.4	o
252	Telomere and Telomerase. , 2013, , 1959-1960.		0

#	Article	IF	CITATIONS
253	Tinnitus and Cognitive Behavior Therapy. , 2013, , 1977-1980.		O
254	Theory of Planned Behavior. , 2013, , 1964-1964.		0
255	Use of a Wearable Activity Monitor in a Home-Based Exercise Intervention for Peripheral Artery Diseaseâ€"Reply. JAMA - Journal of the American Medical Association, 2018, 320, 1286.	7.4	0
256	Six Month Abstinence Heterogeneity in the Best Quit Study. Annals of Behavioral Medicine, 2019, 53, 1032-1044.	2.9	0
257	Melanoma Skin Self-Examination Education During Mammography: Health Burden of Women Impairs Implementation. Journal of Cancer Education, 2020, 36, 858-864.	1.3	0
258	Comparing Accelerometer and Self-Reported Treatment Effects in a Technology-Supported Physical Activity Intervention. Health Education and Behavior, 2021, 48, 34-41.	2.5	0
259	83678 Bridging Gaps to Equalize Community-Academic Partnership: A Comparison of Capacities With Research Needs Across CTSA Program Hubs. Journal of Clinical and Translational Science, 2021, 5, 111-111.	0.6	0
260	195The Health4Life Initiative: An eHealth intervention targeting multiple lifestyle risk behaviours among Australian adolescents. International Journal of Epidemiology, 2021, 50, .	1.9	0
261	Responses to Carbohydrate Consumption Among Insulin-Dependent Diabetics. , 1988, , 207-210.		0
262	SmartNecklace: Designing a Wearable Multi-sensor System for Smart Eating Detection. , 2017, , .		0
263	Evidence-Based Behavioral Medicine (EBBM). , 2020, , 798-805.		0
264	Translational Behavioral Medicine. , 2020, , 2259-2266.		0