

Lucie Kalisova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7513590/publications.pdf>

Version: 2024-02-01

25
papers

1,011
citations

567144

15
h-index

552653

26
g-index

28
all docs

28
docs citations

28
times ranked

1167
citing authors

#	ARTICLE	IF	CITATIONS
1	The normative data study of the Czech MATRICS consensus cognitive battery. <i>Clinical Neuropsychologist</i> , 2021, 35, S50-S64.	1.5	3
2	The Practice of Electroconvulsive Therapy in Children and Adolescents in the Czech Republic. <i>Journal of ECT</i> , 2021, 37, 112-118.	0.3	8
3	Deconstructing violence in acutely exacerbating psychotic patients. <i>CNS Spectrums</i> , 2020, , 1-5.	0.7	5
4	Profile of cognitive deficits in schizophrenia and factor structure of the Czech MATRICS Consensus Cognitive Battery. <i>Schizophrenia Research</i> , 2020, 218, 85-92.	1.1	13
5	Disturbances of mitochondrial parameters to distinguish patients with depressive episode of bipolar disorder and major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 233-240.	1.0	20
6	Mitochondrial Dysfunction in Blood Platelets of Patients with Manic Episode of Bipolar Disorder. <i>CNS and Neurological Disorders - Drug Targets</i> , 2019, 18, 222-231.	0.8	11
7	Factors influencing the level of self-stigmatisation in people with mental illness. <i>International Journal of Social Psychiatry</i> , 2018, 64, 374-380.	1.6	13
8	Electroconvulsive Therapy in the Czech Republic. <i>Journal of ECT</i> , 2018, 34, 108-112.	0.3	10
9	Cost-effectiveness of care for people with psychosis in the community and psychiatric hospitals in the Czech Republic: an economic analysis. <i>Lancet Psychiatry</i> , 2018, 5, 1023-1031.	3.7	21
10	Cognitive functioning in patients treated with electroconvulsive therapy. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 3025-3031.	1.0	13
11	Quality of care in long-term care departments in mental health facilities across the Czech Republic. <i>European Journal of Public Health</i> , 2018, 28, 885-890.	0.1	14
12	Quality of care and its determinants in longer term mental health facilities across Europe; a cross-sectional analysis. <i>BMC Psychiatry</i> , 2016, 16, 31.	1.1	17
13	Do patient and ward-related characteristics influence the use of coercive measures? Results from the EUNOMIA international study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1619-1629.	1.6	122
14	Gender differences in coerced patients with schizophrenia. <i>BMC Psychiatry</i> , 2013, 13, 257.	1.1	42
15	Quality of Longer Term Mental Health Facilities in Europe: Validation of the Quality Indicator for Rehabilitative Care against Service Users' Views. <i>PLoS ONE</i> , 2012, 7, e38070.	1.1	37
16	How to improve clinical practice on involuntary hospital admissions of psychiatric patients: Suggestions from the EUNOMIA study. <i>European Psychiatry</i> , 2011, 26, 201-207.	0.1	97
17	The development of the Quality Indicator for Rehabilitative Care (QulRC): a measure of best practice for facilities for people with longer term mental health problems. <i>BMC Psychiatry</i> , 2011, 11, 35.	1.1	50
18	Use of Coercive Measures During Involuntary Hospitalization: Findings From Ten European Countries. <i>Psychiatric Services</i> , 2010, 61, 1012-1017.	1.1	208

#	ARTICLE	IF	CITATIONS
19	Promoting Recovery in Long-Term Institutional Mental Health Care: An International Delphi Study. <i>Psychiatric Services</i> , 2010, 61, 293-299.	1.1	35
20	A systematic review of the international published literature relating to quality of institutional care for people with longer term mental health problems. <i>BMC Psychiatry</i> , 2009, 9, 55.	1.1	100
21	An increase in substance misuse rather than other mental disorders has led to increased forensic treatment rates in the Czech Republic. <i>European Psychiatry</i> , 2009, 24, 380-387.	0.1	12
22	Platelet serotonin uptake in drug-naïve depressive patients before and after treatment with citalopram. <i>Psychiatry Research</i> , 2008, 161, 185-194.	1.7	18
23	Coercive measures used during hospitalization. <i>Eunomia - final results in the Czech Republic</i> . <i>European Psychiatry</i> , 2007, 22, S309.	0.1	3
24	Cholesterol-lowering therapy evokes time-limited changes in serotonergic transmission. <i>Psychiatry Research</i> , 2005, 133, 197-203.	1.7	78
25	Inter-rater reliability of the Brief Psychiatric Rating Scale and the Groningen Social Disabilities Schedule in a European multi-site randomized controlled trial on the effectiveness of acute psychiatric day hospitals. <i>International Journal of Methods in Psychiatric Research</i> , 2003, 12, 197-207.	1.1	26