
Ricardo Machado Xavier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/751371/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-------------------|---------------|
| 1 | Randomized Trial of Tocilizumab in Systemic Juvenile Idiopathic Arthritis. New England Journal of Medicine, 2012, 367, 2385-2395. | 27.0 | 716 |
| 2 | Redox signalling and the inflammatory response in rheumatoid arthritis. Clinical and Experimental Immunology, 2008, 152, 415-422. | 2.6 | 261 |
| 3 | Efficacy and safety of tocilizumab in patients with polyarticular-course juvenile idiopathic arthritis: results from a phase 3, randomised, double-blind withdrawal trial. Annals of the Rheumatic Diseases, 2015, 74, 1110-1117. | 0.9 | 251 |
| 4 | Association of concomitant fibromyalgia with worse disease activity score in 28 joints, health assessment questionnaire, and short form 36 scores in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2009, 61, 794-800. | 6.7 | 162 |
| 5 | Points to consider for the treatment of immune-mediated inflammatory diseases with Janus kinase inhibitors: a consensus statement. Annals of the Rheumatic Diseases, 2021, 80, 71-87. | 0.9 | 158 |
| 6 | Trial of Upadacitinib or Abatacept in Rheumatoid Arthritis. New England Journal of Medicine, 2020, 383, 1511-1521. | 27.0 | 151 |
| 7 | Efficacy and Safety of Upadacitinib Monotherapy in Methotrexateâ€Naive Patients With Moderatelyâ€toâ€Severely Active Rheumatoid Arthritis (SELECTâ€EARLY): A Multicenter, Multiâ€Country, Randomized, Doubleâ€Blind, Active Comparator–Controlled Trial. Arthritis and Rheumatology, 2020, 72, 1607-1620. | 5.6 | 126 |
| 8 | Clinical, radiographic and immunogenic effects after 1 year of tocilizumab-based treatment strategies in rheumatoid arthritis: the ACT-RAY study. Annals of the Rheumatic Diseases, 2014, 73, 803-809. | 0.9 | 123 |
| 9 | Nitric oxide and repair of skeletal muscle injury. Nitric Oxide - Biology and Chemistry, 2009, 21, 157-163. | 2.7 | 104 |
| 10 | First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL, <i>Grupo Latino Americano de Estudio del) Tj ETQq0 0 0 Discosog 2018, 77, 1540, 1557</i> | rgBT /Over 0.9 | loçk 10 Tf 50 |
| 11 | Diseases, 2018, 77, 1549-1557. Clinical and radiographic outcomes at $2\hat{a}\in$ years and the effect of tocilizumab discontinuation following sustained remission in the second and third year of the ACT-RAY study. Annals of the Rheumatic Diseases, 2015, 74, 35-43. | 0.9 | 94 |
| 12 | Metabolic syndrome prevalence is increased in rheumatoid arthritis patients and is associated with disease activity. Scandinavian Journal of Rheumatology, 2012, 41, 186-191. | 1.1 | 93 |
| 13 | The impact of anti-drug antibodies on drug concentrations and clinical outcomes in rheumatoid arthritis patients treated with adalimumab, etanercept, or infliximab: Results from a multinational, real-world clinical practice, non-interventional study. PLoS ONE, 2017, 12, e0175207. | 2.5 | 92 |
| 14 | Association Between Tumor Necrosis Factor Inhibitors and the Risk of Hospitalization or Death Among Patients With Immune-Mediated Inflammatory Disease and COVID-19. JAMA Network Open, 2021, 4, e2129639. | 5.9 | 86 |
| 15 | Association of the HLA-G 14Âbp polymorphism with systemic lupus erythematosus. Lupus, 2009, 18, 424-430. | 1.6 | 83 |
| 16 | Prevalence of rheumatoid cachexia in rheumatoid arthritis: a systematic review and metaâ€analysis. Journal of Cachexia, Sarcopenia and Muscle, 2018, 9, 816-825. | 7.3 | 83 |
| 17 | The role of <i>Bsm</i> I and <i>Fok</i> I vitamin D receptor gene polymorphisms and serum 25-hydroxyvitamin D in Brazilian patients with systemic lupus erythematosus. Lupus, 2012, 21, 43-52. | 1.6 | 77 |
| 18 | The role of mannose-binding lectin in systemic lupus erythematosus. Clinical Rheumatology, 2008, 27, 413-419. | 2.2 | 71 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Antinuclear antibodies in healthy aging people: a prospective study. Mechanisms of Ageing and Development, 1995, 78, 145-154. | 4.6 | 68 |
| 20 | Multinational evidence-based recommendations on how to investigate and follow-up undifferentiated peripheral inflammatory arthritis: integrating systematic literature research and expert opinion of a broad international panel of rheumatologists in the 3E Initiative. Annals of the Rheumatic Diseases, 2011, 70, 15-24. | 0.9 | 68 |
| 21 | Nitric oxide regulates the repair of injured skeletal muscle. Nitric Oxide - Biology and Chemistry, 2011, 24, 43-49. | 2.7 | 66 |
| 22 | Association of the HLAâ€G 14â€bp insertion/deletion polymorphism with juvenile idiopathic arthritis and rheumatoid arthritis. Tissue Antigens, 2008, 71, 440-446. | 1.0 | 64 |
| 23 | Catchâ€Up Growth During Tocilizumab Therapy for Systemic Juvenile Idiopathic Arthritis: Results From a Phase III Trial. Arthritis and Rheumatology, 2015, 67, 840-848. | 5.6 | 63 |
| 24 | Nailfold capillary microscopy can suggest pulmonary disease activity in systemic sclerosis. Journal of Rheumatology, 2004, 31, 286-94. | 2.0 | 63 |
| 25 | Association of the <i>HLAâ€G</i> gene +3142C>G polymorphism with systemic lupus erythematosus. Tissue Antigens, 2011, 77, 540-545. | 1.0 | 62 |
| 26 | <i>TLR7/8/9</i> polymorphisms and their associations in systemic lupus erythematosus patients from Southern Brazil. Lupus, 2012, 21, 302-309. | 1.6 | 61 |
| 27 | Molecular cloning and characterization of a cDNA encoding monoclonal nonspecific suppressor factor Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 3463-3467. | 7.1 | 59 |
| 28 | Revisiting hydroxychloroquine and chloroquine for patients with chronic immunity-mediated inflammatory rheumatic diseases. Advances in Rheumatology, 2020, 60, 32. | 1.7 | 53 |
| 29 | Collagenâ€ i nduced arthritis as an animal model of rheumatoid cachexia. Journal of Cachexia, Sarcopenia and Muscle, 2018, 9, 603-612. | 7.3 | 51 |
| 30 | Neuropsychiatric systemic lupus erythematosus. Clinical Imaging, 2005, 29, 215-221. | 1.5 | 50 |
| 31 | Evaluation of cytokines, oxidative stress markers and brain-derived neurotrophic factor in patients with fibromyalgia – A controlled cross-sectional study. Cytokine, 2016, 84, 25-28. | 3.2 | 50 |
| 32 | High levels of immunosuppression are related to unfavourable outcomes in hospitalised patients with rheumatic diseases and COVID-19: first results of ReumaCoV Brasil registry. RMD Open, 2021, 7, e001461. | 3.8 | 49 |
| 33 | Vitamin D and polymorphisms of VDR gene in patients with systemic lupus erythematosus. Clinical Rheumatology, 2012, 31, 1411-1421. | 2.2 | 45 |
| 34 | Burden of rheumatoid arthritis on patients' work productivity and quality of life. Advances in Rheumatology, 2019, 59, 47. | 1.7 | 43 |
| 35 | Clinical algorithms for the diagnosis and prognosis of interstitial lung disease in systemic sclerosis. Seminars in Arthritis and Rheumatism, 2017, 47, 228-234. | 3.4 | 41 |
| 36 | Expression of CD55 and CD59 on peripheral blood cells from systemic lupus erythematosus (SLE) patients. Cellular Immunology, 2010, 265, 127-132. | 3.0 | 38 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A pilot study of acupuncture as adjunctive treatment of rheumatoid arthritis. Clinical Rheumatology, 2008, 27, 627-635. | 2.2 | 36 |
| 38 | Open-Label Observation of Addition of Etanercept Versus a Conventional Disease-Modifying Antirheumatic Drug in Subjects With Active Rheumatoid Arthritis Despite Methotrexate Therapy in the Latin American Region. Journal of Clinical Rheumatology, 2014, 20, 25-33. | 0.9 | 36 |
| 39 | SIRT1 promoter polymorphisms as clinical modifiers on systemic lupus erythematosus. Molecular Biology Reports, 2014, 41, 4233-4239. | 2.3 | 34 |
| 40 | Oesophageal dysmotility in systemic sclerosis: comparison of HRCT and scintigraphy. British Journal of Radiology, 2006, 79, 719-724. | 2.2 | 33 |
| 41 | Impact on the Quality of Life of an Educational Program for the Prevention of Work-Related Musculoskeletal Disorders: a randomized controlled trial. BMC Public Health, 2011, 11, 60. | 2.9 | 32 |
| 42 | Subcutaneous tocilizumab in rheumatoid arthritis: findings from the common-framework phase 4 study programme TOZURA conducted in 22 countries. Rheumatology, 2018, 57, 499-507. | 1.9 | 32 |
| 43 | Differential CCR5Δ32 allelic frequencies in juvenile idiopathic arthritis subtypes: evidence for different regulatory roles of CCR5 in rheumatological diseases. Scandinavian Journal of Rheumatology, 2008, 37, 13-17. | 1.1 | 31 |
| 44 | Acquired Factor XI Inhibitor in Systemic Lupus Erythematosus—Case Report and Literature Review. Seminars in Arthritis and Rheumatism, 2009, 39, 61-65. | 3.4 | 31 |
| 45 | Mecanismos de perda muscular da sarcopenia. Revista Brasileira De Reumatologia, 2012, 52, 252-259. | 0.8 | 31 |
| 46 | Temporal development of muscle atrophy in murine model of arthritis is related to disease severity. Journal of Cachexia, Sarcopenia and Muscle, 2013, 4, 231-238. | 7.3 | 31 |
| 47 | Muscle wasting in collagen-induced arthritis and disuse atrophy. Experimental Biology and Medicine, 2013, 238, 1421-1430. | 2.4 | 31 |
| 48 | Raised serum S100B protein levels in neuropsychiatric lupus. Annals of the Rheumatic Diseases, 2006, 65, 829-831. | 0.9 | 30 |
| 49 | The role of nitric oxide during healing of trauma to the skeletal muscle. Inflammation Research, 2011, 60, 347-356. | 4.0 | 30 |
| 50 | Protective effect of RC-3095, an antagonist of the gastrin-releasing peptide receptor, in experimental arthritis. Arthritis and Rheumatism, 2011, 63, 2956-2965. | 6.7 | 30 |
| 51 | Matrix metalloproteinase gene polymorphisms in patients with rheumatoid arthritis. Rheumatology International, 2010, 30, 369-373. | 3.0 | 29 |
| 52 | Diminished Expression of Complement Regulatory Proteins on Peripheral Blood Cells from Systemic Lupus Erythematosus Patients. Clinical and Developmental Immunology, 2012, 2012, 1-9. | 3.3 | 29 |
| 53 | Fears and beliefs of people living with rheumatoid arthritis: a systematic literature review. Advances in Rheumatology, 2018, 58, 1. | 1.7 | 29 |
| 54 | ls Ultrasound a Better Target than Clinical Disease Activity Scores in Rheumatoid Arthritis with Fibromyalgia? A Case-Control Study. PLoS ONE, 2015, 10, e0118620. | 2.5 | 29 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The chemokine receptor CCR5 genetic polymorphism and expression in rheumatoid arthritis patients. Scandinavian Journal of Rheumatology, 2007, 36, 359-364. | 1.1 | 27 |
| 56 | Growth Velocity and Interleukin 6 Concentrations in Juvenile Idiopathic Arthritis. Journal of Rheumatology, 2008, 35, 2265-2271. | 2.0 | 27 |
| 57 | Safety of tocilizumab in the treatment of juvenile idiopathic arthritis. Expert Opinion on Drug Safety, 2017, 16, 493-500. | 2.4 | 27 |
| 58 | Muscle wasting in osteoarthritis model induced by anterior cruciate ligament transection. PLoS ONE, 2018, 13, e0196682. | 2.5 | 27 |
| 59 | O papel do gene e da molécula HLA-G na expressão clÃnica das doenças reumatológicas. Revista Brasileira De Reumatologia, 2012, 52, 82-91. | 0.8 | 26 |
| 60 | Interleukinâ€10 Gene Promoter and <scp>NFKB</scp> 1 Promoter Insertion/Deletion Polymorphisms in Systemic Sclerosis. Scandinavian Journal of Immunology, 2013, 77, 162-168. | 2.7 | 26 |
| 61 | Assessment of anti-Müllerian hormone levels in premenopausal patients with systemic lupus erythematosus. Lupus, 2016, 25, 227-232. | 1.6 | 26 |
| 62 | Effect of Antioxidant Treatment on Fibrogenesis in Rats with Carbon Tetrachloride-Induced Cirrhosis. ISRN Gastroenterology, 2012, 2012, 1-7. | 1.5 | 25 |
| 63 | 2017 recommendations of the Brazilian Society of Rheumatology for the pharmacological treatment of rheumatoid arthritis. Advances in Rheumatology, 2018, 58, 2. | 1.7 | 25 |
| 64 | The expression of CD56 antigen is associated with poor prognosis in patients with acute myeloid leukemia. Revista Brasileira De Hematologia E Hemoterapia, 2011, 33, 202-206. | 0.7 | 25 |
| 65 | Assessing rheumatoid arthritis disease activity with ultrasound. Clinical Rheumatology, 2013, 32, 1249-1254. | 2.2 | 24 |
| 66 | Assessment of nailfold capillaroscopy in systemic sclerosis by different optical magnification methods. Clinical and Experimental Dermatology, 2014, 39, 135-141. | 1.3 | 24 |
| 67 | Endothelial nitric oxide synthase T-786C polymorphism in rheumatoid arthritis: association with extraarticular manifestations. Clinical Rheumatology, 2009, 28, 201-205. | 2.2 | 23 |
| 68 | Mannose-binding lectin gene polymorphisms in Brazilian patients with systemic lupus erythematosus. Lupus, 2010, 19, 280-287. | 1.6 | 22 |
| 69 | Combined effects of CXCL8 and CXCR2 gene polymorphisms on susceptibility to systemic sclerosis. Cytokine, 2012, 60, 473-477. | 3.2 | 21 |
| 70 | CCR5delta32 in systemic lupus erythematosus: implications for disease susceptibility and outcome in a Brazilian population. Lupus, 2013, 22, 802-809. | 1.6 | 21 |
| 71 | <scp>HLA</scp> â€G +3142 polymorphism as a susceptibility marker in two rheumatoid arthritis populations in Brazil. Tissue Antigens, 2014, 83, 260-266. | 1.0 | 21 |
| 72 | Correlation of enthesitis indices with disease activity and function in axial and peripheral spondyloarthritis: a cross-sectional study comparing MASES, SPARCC and LEI. Advances in Rheumatology, 2019, 59, 23. | 1.7 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Effects of an antagonist of the bombesin/gastrin-releasing peptide receptor on complete Freund's adjuvant-induced arthritis in rats. Peptides, 2008, 29, 1726-1731. | 2.4 | 20 |
| 74 | Ficolin Gene Polymorphisms in Systemic Lupus Erythematosus and Rheumatoid Arthritis. Annals of Human Genetics, 2016, 80, 1-6. | 0.8 | 20 |
| 75 | Killer cell immunoglobulin-like receptor (KIR) genes in systemic sclerosis. Clinical and Experimental Immunology, 2010, 160, 325-330. | 2.6 | 19 |
| 76 | Characterization of joint disease in mucopolysaccharidosis type I mice. International Journal of Experimental Pathology, 2013, 94, 305-311. | 1.3 | 19 |
| 77 | The Paradox of High Availability and Low Recognition of Soluble HLA-G by LILRB1 Receptor in Rheumatoid Arthritis Patients. PLoS ONE, 2015, 10, e0123838. | 2.5 | 19 |
| 78 | Nailfold capillaroscopic findings in primary Sjögren's syndrome: clinical and serological correlations. Clinical and Experimental Rheumatology, 2005, 23, 789-94. | 0.8 | 19 |
| 79 | Monoclonal nonspecific suppressor factor β inhibits interleukin-4 secretion by a type-2 helper T cell clone. European Journal of Immunology, 1995, 25, 2417-2419. | 2.9 | 18 |
| 80 | Nasal Administration of Cationic Nanoemulsions as Nucleic Acids Delivery Systems Aiming at Mucopolysaccharidosis Type I Gene Therapy. Pharmaceutical Research, 2018, 35, 221. | 3.5 | 18 |
| 81 | Practical screening tools for sarcopenia in patients with systemic sclerosis. PLoS ONE, 2021, 16, e0245683. | 2.5 | 18 |
| 82 | The role of complement regulatory proteins in peripheral blood cells of patients with systemic lupus erythematosus: Review. Cellular Immunology, 2012, 277, 1-7. | 3.0 | 17 |
| 83 | Disease modifying anti-rheumatic activity of the alkaloid montanine on experimental arthritis and fibroblast-like synoviocytes. European Journal of Pharmacology, 2017, 799, 180-187. | 3.5 | 17 |
| 84 | Monoclonal non-specific suppressor factor (MNSF) inhibits the IL4 secretion by bone marrow-derived mast cell (BMMC). FEBS Letters, 1994, 339, 239-242. | 2.8 | 16 |
| 85 | Mannose-binding Lectin Gene Polymorphisms in Brazilian Patients with Rheumatoid Arthritis. Journal of Rheumatology, 2012, 39, 6-9. | 2.0 | 16 |
| 86 | Discordance between the patient's and physician's global assessment in rheumatoid arthritis: Data from the REAL study—Brazil. PLoS ONE, 2020, 15, e0230317. | 2.5 | 16 |
| 87 | Efficacy and Safety of Tocilizumab for Polyarticularâ€Course Juvenile Idiopathic Arthritis in the Open‣abel Two‥ear Extension of a Phase III Trial. Arthritis and Rheumatology, 2021, 73, 530-541. | 5.6 | 16 |
| 88 | Cachexia in patients with rheumatoid arthritis: a cohort study. Clinical Rheumatology, 2020, 39, 3603-3613. | 2.2 | 16 |
| 89 | Rheumatoid arthritis seems to have DMARD treatment decision influenced by fibromyalgia. Revista Brasileira De Reumatologia, 2017, 57, 403-411. | 0.7 | 15 |
| 90 | High Levels of Polypharmacy in Rheumatoid Arthritis—A Challenge Not Covered by Current Management Recommendations: Data From a Large Real-Life Study. Journal of Pharmacy Practice, 2021, 34, 365-371. | 1.0 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Open-label phase 3 study of intravenous golimumab in patients with polyarticular juvenile idiopathic arthritis. Rheumatology, 2021, 60, 4495-4507. | 1.9 | 15 |
| 92 | Ubiquitin-like polypeptide inhibits the IgE response of lipoplysaccharide-activated B cells. International Immunology, 1996, 8, 1659-1665. | 4.0 | 14 |
| 93 | Serum S100B Levels in Patients with Lupus Erythematosus: Preliminary Observation. Vaccine Journal, 2002, 9, 164-166. | 3.1 | 14 |
| 94 | Vitamin D receptor polymorphisms and expression profile in rheumatoid arthritis brazilian patients. Molecular Biology Reports, 2016, 43, 41-51. | 2.3 | 14 |
| 95 | Evaluation of polymorphic variants in apoptotic genes and their role in susceptibility and clinical progression to systemic lupus erythematosus. Lupus, 2017, 26, 746-755. | 1.6 | 14 |
| 96 | Long-term outcomes of treat-to-target strategy in established rheumatoid arthritis: a daily practice prospective cohort study. Rheumatology International, 2017, 37, 993-997. | 3.0 | 14 |
| 97 | Mechanisms of muscle wasting in sarcopenia. Revista Brasileira De Reumatologia, 2012, 52, 252-9. | 0.8 | 14 |
| 98 | Artrite reumatóide: diagnóstico e tratamento. Revista Brasileira De Reumatologia, 2004, 44, 435-442. | 0.8 | 13 |
| 99 | Electroconvulsive therapy as a treatment for refractory neuropsychiatric lupus with catatonia: three case studies and literature review. Lupus, 2015, 24, 1327-1331. | 1.6 | 13 |
| 100 | Matrix metalloproteinase gene polymorphisms and susceptibility to systemic sclerosis. Genetics and Molecular Research, 2016, 15, . | 0.2 | 13 |
| 101 | Effect of Aqueous Extract of Giant Horsetail (Equisetum giganteum L.) in Antigen-Induced Arthritis. Open Rheumatology Journal, 2013, 7, 129-133. | 0.2 | 13 |
| 102 | A Brazilian Cohort of Patients With Immuno-Mediated Chronic Inflammatory Diseases Infected by SARS-CoV-2 (ReumaCoV-Brasil Registry): Protocol for a Prospective, Observational Study. JMIR Research Protocols, 2020, 9, e24357. | 1.0 | 13 |
| 103 | Isolation and characterization of a human nonspecific suppressor factor from ascitic fluid of systemic lupus erythematosus. Evidence for a human counterpart of the monoclonal nonspecific suppressor factor and relationship to the T cell receptor alpha-chain. Journal of Immunology, 1994, 152, 2624-32. | 0.8 | 13 |
| 104 | As decisões de tratamento com DMARD na artrite reumatoide parecem ser influenciadas pela fibromialgia. Revista Brasileira De Reumatologia, 2017, 57, 403-411. | 0.8 | 12 |
| 105 | Subcutaneous inflammation (panniculitis) in tibio-tarsal joint of rats inoculated with complete Freund's adjuvant. Clinical and Experimental Medicine, 2007, 7, 184-187. | 3.6 | 11 |
| 106 | Algorithm for Identification of Undifferentiated Peripheral Inflammatory Arthritis: A Multinational Collaboration Through the 3e Initiative. Journal of rheumatology Supplement, The, 2011, 87, 54-58. | 2.2 | 11 |
| 107 | Gastrin-releasing peptide and its receptor increase arthritis fibroblast-like synoviocytes invasiveness through activating the PI3K/AKT pathway. Peptides, 2017, 95, 57-61. | 2.4 | 11 |
| 108 | Capillary loss on nailfold capillary microscopy is associated with mortality in systemic sclerosis. Clinical Rheumatology, 2018, 37, 475-481. | 2.2 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Vitamin D and Cytokine Profiles in Patients With Systemic Sclerosis. Journal of Clinical Rheumatology, 2020, 26, 289-294. | 0.9 | 11 |
| 110 | The effects of resistance training with blood flow restriction on muscle strength, muscle hypertrophy and functionality in patients with osteoarthritis and rheumatoid arthritis: A systematic review with meta-analysis. PLoS ONE, 2021, 16, e0259574. | 2.5 | 11 |
| 111 | Effect of inflammatory activity and glucocorticoid [corrected] use on nutritional variables in patients with juvenile idiopathic arthritis. Journal of Rheumatology, 2006, 33, 601-8. | 2.0 | 11 |
| 112 | Recomendações nacionais baseadas em evidências cientÃficas e opiniões dos especialistas sobre o uso do metotrexato nas doenças reumáticas, especialmente na artrite reumatoide: resultados da iniciativa 3E do Brasil. Revista Brasileira De Reumatologia, 2009, 49, 346-361. | 0.8 | 10 |
| 113 | Daily practice feasibility and effectiveness of treating long-standing rheumatoid arthritis to target with synthetic disease-modifying antirheumatic drugs: a prospective cohort study. Clinical Rheumatology, 2015, 34, 1781-1785. | 2.2 | 10 |
| 114 | Posicionamento sobre o uso de tofacitinibe no algoritmo do Consenso 2012da Sociedade Brasileira de Reumatologia para o tratamento da artrite reumatoide. Revista Brasileira De Reumatologia, 2015, 55, 512-521. | 0.8 | 10 |
| 115 | Intra-articular nonviral gene therapy in mucopolysaccharidosis I mice. International Journal of Pharmaceutics, 2018, 548, 151-158. | 5.2 | 10 |
| 116 | Genetic polymorphisms of glutathione S-transferases and cytochrome P450 enzymes as susceptibility factors to systemic lupus erythematosus in southern Brazilian patients. Molecular Biology Reports, 2014, 41, 6167-6179. | 2.3 | 9 |
| 117 | Effect of pegylated phosphatidylserine-containing liposomes in experimental chronic arthritis. BMC Pharmacology & Toxicology, 2015, 16, 24. | 2.4 | 9 |
| 118 | PANLAR consensus statement on biosimilars. Clinical Rheumatology, 2019, 38, 1485-1496. | 2.2 | 9 |
| 119 | Doenças reumatológicas autoimunes e sua associação com os genes killer immunoglobulin-like receptors. Revista Brasileira De Reumatologia, 2011, 51, 357-364. | 0.8 | 9 |
| 120 | The effect of disease-modifying anti-rheumatic drugs on skeletal muscle mass in rheumatoid arthritis patients: a systematic review with meta-analysis. Arthritis Research and Therapy, 2022, 24, . | 3.5 | 9 |
| 121 | O papel das proteÃnas reguladoras do complemento CD55/CD59 em células de sangue periférico de pacientes com lúpus eritematoso sistúmico. Revista Brasileira De Reumatologia, 2009, 49, 276-287. | 0.8 | 8 |
| 122 | Incidence of Antidrug Antibodies in Rheumatoid Arthritis Patients From Argentina Treated With Adalimumab, Etanercept, or Infliximab in a Real-World Setting. Journal of Clinical Rheumatology, 2018, 24, 177-182. | 0.9 | 8 |
| 123 | Neuromuscular fatigue is weakly associated with perception of fatigue and function in patients with rheumatoid arthritis. Rheumatology International, 2018, 38, 415-423. | 3.0 | 8 |
| 124 | Effects of concomitant glucocorticoids in TOZURA, a common-framework study programme of subcutaneous tocilizumab in rheumatoid arthritis. Rheumatology, 2019, 58, 1056-1064. | 1.9 | 8 |
| 125 | A Review of Metabolomic Profiling in Rheumatoid Arthritis: Bringing New Insights in Disease Pathogenesis, Treatment and Comorbidities. Metabolites, 2022, 12, 394. | 2.9 | 8 |
| 126 | Lung clearance of 99mTc-DTPA in systemic lupus erythematosus. Brazilian Journal of Medical and Biological Research, 2002, 35, 663-668. | 1.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|------------|-----------|
| 127 | Human immunodeficiency virus in a cohort of systemic lupus erythematosus patients. Advances in Rheumatology, 2018, 58, 12. | 1.7 | 7 |
| 128 | Height and sexual maturation in girls with juvenile idiopathic arthritis. Jornal De Pediatria, 2020, 96, 100-107. | 2.0 | 7 |
| 129 | The landscape of systemic lupus erythematosus in Brazil: An expert panel review and recommendations. Lupus, 2021, 30, 1684-1695. | 1.6 | 7 |
| 130 | SAT0151â€EFFICACY AND SAFETY OF UPADACITINIB VERSUS ABATACEPT IN PATIENTS WITH ACTIVE RHEUMAT ARTHRITIS AND PRIOR INADEQUATE RESPONSE OR INTOLERANCE TO BIOLOGIC DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (SELECT-CHOICE): A DOUBLE-BLIND, RANDOMIZED CONTROLLED PHASE 3 TRIAL. Annals of the Rheumatic Diseases, 2020, 79, 1015-1016. | OID 0.9 | 7 |
| 131 | The role of cyclic AMP in the lipopolysaccharide-induced suppression of thymidine kinase activity in macrophage. Biochimica Et Biophysica Acta - Molecular Cell Research, 1995, 1265, 201-208. | 4.1 | 6 |
| 132 | Human Nonspecific Suppressor Factor (hNSF): Cell Source and Effects on T and B Lymphocytes. Immunobiology, 1995, 192, 262-271. | 1.9 | 6 |
| 133 | NT-proBNP levels in systemic sclerosis: Association with clinical and laboratory abnormalities. Clinical Biochemistry, 2010, 43, 745-749. | 1.9 | 6 |
| 134 | SÃndrome metabólica e artrite idiopática juvenil. Revista Brasileira De Reumatologia, 2010, 50, 190-197. | 0.8 | 6 |
| 135 | <i>CCR5Δ32</i> and the genetic susceptibility to rheumatoid arthritis in admixed populations: a multicentre study. Rheumatology, 2017, 56, kew398. | 1.9 | 6 |
| 136 | Causes of synthetic disease-modifying drug discontinuation in rheumatoid arthritis: Data from a large real-life cohort. PLoS ONE, 2019, 14, e0213219. | 2.5 | 6 |
| 137 | Quadriceps muscle properties in rheumatoid arthritis: insights about muscle morphology, activation and functional capacity. Advances in Rheumatology, 2020, 60, 28. | 1.7 | 6 |
| 138 | Upadacitinib monotherapy versus methotrexate monotherapy in methotrexate-naÃ ⁻ ve Japanese patients with rheumatoid arthritis: a sub-analysis of the Phase 3 SELECT-EARLY study. Modern Rheumatology, 2021, 31, 534-542. | 1.8 | 6 |
| 139 | Guidelines on COVID-19 vaccination in patients with immune-mediated rheumatic diseases: a Brazilian Society of Rheumatology task force. Advances in Rheumatology, 2022, 62, 3. | 1.7 | 6 |
| 140 | Deletion of eIF2Î ² lysine stretches creates a dominant negative that affects the translation and proliferation in human cell line: A tool for arresting the cell growth. Cancer Biology and Therapy, 2017, 18, 560-570. | 3.4 | 5 |
| 141 | The effects of cultural background on patient-perceived impact of psoriatic arthritis - a qualitative study conducted in Brazil and France. Advances in Rheumatology, 2018, 58, 33. | 1.7 | 5 |
| 142 | Metabolomic Biomarker Candidates for Skeletal Muscle Loss in the Collagen-Induced Arthritis (CIA) Model. Journal of Personalized Medicine, 2021, 11, 837. | 2.5 | 5 |
| 143 | A combined enrichment/polymerase chain reaction based method for the routine screening of Streptococcus agalactiae in pregnant women. Brazilian Journal of Microbiology, 2012, 43, 253-260. | 2.0 | 5 |
| 144 | Chronic use of hydroxychloroquine did not protect against COVID-19 in a large cohort of patients with rheumatic diseases in Brazil. Advances in Rheumatology, 2021, 61, 60. | 1.7 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Recommendations of the Brazilian Society of Rheumatology for the use of JAK inhibitors in the management of rheumatoid arthritis. Advances in Rheumatology, 2021, 61, 70. | 1.7 | 5 |
| 146 | TCRBV20S1 and TCRBV3S1 gene segment polymorphisms in systemic sclerosis. Journal of Rheumatology, 2008, 35, 1058-63. | 2.0 | 5 |
| 147 | Analysis of two T-cell receptor BV gene segment polymorphisms in caucasoid Brazilian patients with rheumatoid arthritis. Immunology Letters, 2003, 90, 77-80. | 2.5 | 4 |
| 148 | Glu298Asp eNOS polymorphism is not associated with SLE. Lupus, 2009, 18, 448-451. | 1.6 | 4 |
| 149 | A4: Efficacy and Safety of Tocilizumab in Patients With Polyarticular-Course Juvenile Idiopathic Arthritis: 2-Year Data From CHERISH. Arthritis and Rheumatology, 2014, 66, S5-S6. | 5.6 | 4 |
| 150 | Treating psoriatic arthritis to target: discordance between physicians and patients' assessment, non-adherence, and restricted access to drugs precluded therapy escalation in a real-world cohort. Clinical Rheumatology, 2019, 38, 961-968. | 2.2 | 4 |
| 151 | T-cell specific upregulation of Sema4A as risk factor for autoimmunity in systemic lupus erythematosus and rheumatoid arthritis. Autoimmunity, 2020, 53, 65-70. | 2.6 | 4 |
| 152 | Subcutaneous Tocilizumab in Monotherapy or in Combination With Nonbiologic Disease-Modifying Antirheumatic Drugs in Latin American Patients With Moderate to Severe Active Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2020, 26, S180-S186. | 0.9 | 4 |
| 153 | Nutritional aspects and cardiovascular risk in systemic lupus erythematosus. Revista Da Associação Médica Brasileira, 2021, 67, 656-660. | 0.7 | 4 |
| 154 | Impact of Chronic Use of Antimalarials on SARS-CoV-2 Infection in Patients With Immune-Mediated Rheumatic Diseases: Protocol for a Multicentric Observational Cohort Study. JMIR Research Protocols, 2020, 9, e23532. | 1.0 | 4 |
| 155 | Association Between the Aggrecan Gene and Rheumatoid Arthritis. Journal of Rheumatology, 2008, 35, 2325-2328. | 2.0 | 3 |
| 156 | Characteristics of NK cell activity in patients with systemic sclerosis. Revista Brasileira De Reumatologia, 2013, 53, 66-74. | 0.7 | 3 |
| 157 | The Spectrum and Clinical Significance of Autoantibodies in Rheumatoid Arthritis. Frontiers in Immunology, 2015, 6, 320. | 4.8 | 3 |
| 158 | Correlation between cellular expression of complement regulatory proteins with depletion and repopulation of B-lymphocytes in peripheral blood of patients with rheumatoid arthritis treated with rituximab. Revista Brasileira De Reumatologia, 2017, 57, 385-391. | 0.7 | 3 |
| 159 | Correlação entre expressão celular de proteÃnas reguladoras do complemento com a depleção e repopulação de linfócitos B no sangue periférico de pacientes com artrite reumatoide tratada com rituximabe. Revista Brasileira De Reumatologia, 2017, 57, 385-391. | 0.8 | 3 |
| 160 | Two-Year Safety and Efficacy Experience in Patients with Methotrexate-Resistant Active Rheumatoid Arthritis Treated with Etanercept and Conventional Disease-Modifying Anti-rheumatic Drugs in the Latin American Region. Open Rheumatology Journal, 2016, 10, 13-25. | 0.2 | 3 |
| 161 | Morphological Parameters in Quadriceps Muscle Were Associated with Clinical Features and Muscle Strength of Women with Rheumatoid Arthritis: A Cross-Sectional Study. Diagnostics, 2021, 11, 2014. | 2.6 | 3 |
| 162 | Abdominal angiostrongyliasis: what does the rheumatologist must know about it?. International Journal of Rheumatic Diseases, 2009, 12, 267-271. | 1.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | THU0080â€Serum irisin and myostatin levels in patients with rheumatoid arthritis. , 2018, , . | | 2 |
| 164 | Evaluation of the association between KIR polymorphisms and systemic sclerosis: a meta-analysis. Advances in Rheumatology, 2020, 60, 8. | 1.7 | 2 |
| 165 | A longitudinal multiethnic study of biomarkers in systemic lupus erythematosus: Launching the GLADEL 2.0 Study Group. Lupus, 2021, 30, 630-640. | 1.6 | 2 |
| 166 | Survival of immunobiological drugs in psoriasis: preliminary data from a Tertiary Hospital experience in Southern Brazil. Anais Brasileiros De Dermatologia, 2021, 96, 376-379. | 1.1 | 2 |
| 167 | Emerging protein kinase inhibitors for the treatment of rheumatoid arthritis. Expert Opinion on Emerging Drugs, 2021, 26, 303-321. | 2.4 | 2 |
| 168 | Preliminary guidelines of the Brazilian Society of Rheumatology for evaluation and treatment of tuberculosis latent infection in patients with rheumatoid arthritis, in face of unavailability of the tuberculin skin test. Revista Brasileira De Reumatologia, 2015, 55, 390-393. | 0.7 | 1 |
| 169 | SAT0199â€Subcutaneous tocilizumab monotherapy or combined with a csdmard in patients with rheumatoid arthritis: tozura, a pooled analysis of phase iv studies in 22 countries. , 2017, , . | | 1 |
| 170 | FRI0768-HPRâ€Muscle wasting in osteoarthritis model induced by anterior cruciate ligament transection. , 2017, , . | | 1 |
| 171 | THU0197â€MONOTHERAPY WITH UPADACITINIB IN MTX-NAÃVE PATIENTS WITH RHEUMATOID ARTHRITIS: RESULTS AT 48 WEEKS FROM THE SELECT-EARLY STUDY. , 2019, , . | | 1 |
| 172 | Clinical features, damage accrual, and survival in patients with familial systemic lupus erythematosus: data from a multi-ethnic, multinational Latin American lupus cohort. Lupus, 2020, 29, 1140-1145. | 1.6 | 1 |
| 173 | Effects of Participating in a Research Project During the COVID-19 Pandemic on Medical Students' Educational Routines and Mental Health: Protocol for a Web-Based Survey Study. JMIR Research Protocols, 2021, 10, e24617. | 1.0 | 1 |
| 174 | Predictors of response to etanercept-methotrexate treatment: a post hoc logistic regression analysis of a randomized, open-label study in Latin American patients with rheumatoid arthritis. Advances in Rheumatology, 2021, 61, 56. | 1.7 | 1 |
| 175 | Development of new adjusted equations to estimate the skeletal muscle mass stratified by nutritional status for patients with rheumatoid arthritis: a methodological study. Revista Brasileira De Cineantropometria E Desempenho Humano, 0, 23, . | 0.5 | 1 |
| 176 | Clinical diagnostic performance of different methods for the detection of antibodies to extractable nuclear antigens in connective tissue diseases: a cohort study. Clinical Laboratory, 2011, 57, 625-9. | 0.5 | 1 |
| 177 | Incidence and risk factors for moderate/severe COVID-19 in rheumatic diseases patients on hydroxychloroquine: a 24-week prospective cohort. Clinical and Experimental Rheumatology, 2021, , . | 0.8 | 1 |
| 178 | Incidence and risk factors for moderate/severe COVID-19 in rheumatic diseases patients on hydroxychloroquine: a 24-week prospective cohort. Clinical and Experimental Rheumatology, 0, , . | 0.8 | 1 |
| 179 | HLA class II genotyping by polymerase chain reaction-restriction fragment length polymorphism method (PCR-RFLP) in systemic lupus erythematosus patients Japanese Journal of Clinical Immunology, 1995, 18, 289-295. | 0.0 | 0 |
| 180 | Espondiloartropatias: espondilite anquilosante e artrite psoriásica. Revista Brasileira De Reumatologia, 2004, 44, 464-469. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------|-------------|
| 181 | Espondiloartropatias: outras artropatias. Revista Brasileira De Reumatologia, 2004, 44, 470-475. | 0.8 | 0 |
| 182 | Influence of genetic polymorphisms (IL-10/CXCL8/CXCR2/NFκB) on the susceptibility of autoimmune rheumatic diseases. Revista Brasileira De Reumatologia, 2014, 54, 301-310. | 0.7 | 0 |
| 183 | Update on the 2012 Brazilian Society of Rheumatology Guidelines for the treatment of rheumatoid arthritis: position on the use of tofacitinib. Revista Brasileira De Reumatologia, 2015, 55, 512-521. | 0.7 | 0 |
| 184 | Anti-Müllerian hormone levels as a predictor of ovarian reserve in systemic lupus erythematosus patients: a review. Revista Brasileira De Reumatologia, 2015, 55, 363-367. | 0.7 | 0 |
| 185 | FRIOO66â€Gastrin-releasing peptide and its receptor increase arthritis fibroblast-like synoviocyte invasiveness over the pi3k/akt pathway. , 2017, , . | | 0 |
| 186 | AB0960â€Growth and sexual maturation in girls with juvenile idiopathic arthritis. , 2017, , . | | 0 |
| 187 | THU0520â€Pelvic ultrasound in the assessment of sexual maturity in girls with juvenile idiopathic arthritis. , 2017, , . | | 0 |
| 188 | OP0271â€HPR ASSESSMENT OF MUSCLE MASS RELATIVE TO FAT MASS AND ITS ASSOCIATION WITH DISEASE ACTIVITY STATUS AND PHYSICAL FUNCTIONING IN RHEUMATOID ARTHRITIS. , 2019, , . | | 0 |
| 189 | AB0089â€IN VITRO EFFECT OF FASCIOLA HEPATICA EXTRACT ON SYNOVIAL FIBROBLAST OF RHEUMATOID ARTHRITIS PATIENTS. , 2019, , . | | 0 |
| 190 | AB1331â€URINE METABOLIC PROFILE IN RHEUMATOID ARTHRITIS DEVELOPMENT. , 2019, , . | | 0 |
| 191 | AB0135â€LEVELS OF MYOKINES AND RADIOGRAPHIC PROGRESSION IN PATIENTS WITH RHEUMATOID ARTHRI , 2019, , . | TIS. | 0 |
| 192 | AB0219â€BIOMARKER EXPRESSION IN MONOCYTE SUBPOPULATIONS IN SSC PATIENTS. , 2019, , . | | 0 |
| 193 | Clinical Improvements as Predictors of Improvements in Patient-Reported Outcomes: Post Hoc Analysis of a Randomized, Open-Label Study of Etanercept in Latin American Patients with Rheumatoid Arthritis. Open Access Rheumatology: Research and Reviews, 2019, Volume 11, 275-281. | 1.6 | 0 |
| 194 | Height and sexual maturation in girls with juvenile idiopathic arthritis. Jornal De Pediatria (Versão Em) Tj ETQq0 (|) | Overlock 10 |
| 195 | HOSPITALIZATION AND MORTALITY RATE RELATED TO COVID-19 IN PATIENTS WITH RHEUMATIC DISEASES ON CHRONIC USE OF HYDROXYCHLOROQUINE: 16-WEEK PRELIMINARY DATA FROM THE MARIO PINOTTI STUDY. , 0, , . | | 0 |
| 196 | CERTOLIZUMAB PEGOL IN PATIENTS WITH RHEUMATOID ARTHRITIS: POOLED EFFICACY ANALYSIS OF PHASE 3 CLINICAL TRIALS ACROSS BASELINE RHEUMATOID FACTOR QUARTILES. , 0, , . | | 0 |
| 197 | CHRONIC USE OF HYDROXYCHLOROQUINE DID NOT PROTECT AGAINST COVID-19 IN A LARGE COHORT OF PATIENTS WITH RHEUMATIC DISEASES IN BRAZIL. , 0, , . | | 0 |
| 198 | CIITA gene polymorphism (rs3087456) in systemic lupus erythematosus and rheumatoid arthritis: A populationâ€based cohort study. International Journal of Immunogenetics, 2021, 48, 429-434. | 1.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Lupus-Like syndrome induced by uterine sarcoma: a case report. , 0, , . | | 0 |
| 200 | Growth Velocity and Interleukin 6 Concentrations: Applications to Juvenile Idiopathic Arthritis. , 2012, , 1977-1987. | | 0 |
| 201 | THU0318â€Treating psoriatic arthritis to target: comorbidities, non-adherence and factors related to the health system prevent escalation of therapy in real life. , 2018, , . | | 0 |
| 202 | TREATMENT WITH VITAMIN D PREVENTS MUSCLE ATROPHY IN PRISTANE-INDUCED LUPUS MODEL. , 0, , . | | 0 |
| 203 | SUBJECTIVE FATIGUE AND SKELETAL MUSCLE ARE ASSOCIATED WITH MUSCLE METABOLIC PROFILE IN RHEUMATOID ARTHRITIS. , 0, , . | | 0 |
| 204 | THE ROLE OF GASTRIN-RELEASING PEPTIDE IN MYOFIBROBLAST ACTIVATION OF COLON FIBROBLASTS. , 0, , . | | 0 |
| 205 | FASCIOLA HEPATICA EXTRACT ALTERS VIABILITY, ADHESION, MIGRATION AND INVASION PROPERTIES OF SYNOVIAL FIBROBLASTS FROM PATIENTS WITH RHEUMATOID ARTHRITIS , 0, , . | | 0 |
| 206 | DEVELOPMENT OF A NOVEL METHOD TO ASSESS SKELETAL MUSCLE ATROPHY IN COLLAGEN INDUCED ARTHRITIS (CIA) MODEL. , 0, , . | | 0 |
| 207 | DIFFERENT RESPONSES OF FIBROBLAST-LIKE SYNOVIOCYTES FROM PATIENTS WITH RHEUMATOID ARTHRITIS AND FROM MICE WITH COLLAGEN-INDUCED ARTHRITIS TO INFLAMMATORY STIMULI. , 0, , . | | 0 |
| 208 | LUPUS MYOCARDITIS AND SEVERE HEART FAILURE. , 0, , . | | 0 |
| 209 | DISEASE ACTIVITY STATUS AND AND PHYSICAL FUNCTIONING IS ASSOCIATED WITH LOW MUSCLE MASS RELATIVE TO FAT MASS IN RHEUMATOID ARTHRITIS. , 0, , . | | 0 |
| 210 | EVALUATION OF MYOKINES SERUM LEVELS, MUSCLE MASS AND RADIOGRAPHIC PROGRESSION IN PATIENTS WITH RHEUMATOID ARTHRITIS. , 0, , . | | 0 |
| 211 | OP0269-HPRâ€ASSOCIATION OF SARC-F PERFORMANCE WITH COMORBIDITIES, PHYSICAL DISABILITY AND LOWER ALBUMIN LEVELS IN SYSTEMIC SCLEROSIS PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 168.2-168. | 0.9 | 0 |
| 212 | Incidence of tuberculosis infection in spondyloarthritis patients treated with biological and conventional diseasemodifying anti-rheumatic drugs in an endemic area. Clinical and Biomedical Research, 0, , . | 0.1 | 0 |
| 213 | <i>MBL2</i> gene polymorphisms and its relation to infection in Brazilian systemic lupus erythematosus patients: A 10-years follow-up study. Lupus, 2022, 31, 279-286. | 1.6 | Ο |