

Claudia Klier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7514427/publications.pdf>

Version: 2024-02-01

69
papers

4,658
citations

136885

32
h-index

98753

67
g-index

75
all docs

75
docs citations

75
times ranked

4981
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Chain ω -3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146.	13.8	800
2	Depressed Adolescents Grown Up. JAMA - Journal of the American Medical Association, 1999, 281, 1707.	3.8	754
3	Omega-3 Fatty Acids Supplementation in Children with Autism: A Double-blind Randomized, Placebo-controlled Pilot Study. Biological Psychiatry, 2007, 61, 551-553.	0.7	307
4	The German version of the Postpartum Bonding Instrument: Psychometric properties and association with postpartum depression. Archives of Women's Mental Health, 2006, 9, 265-271.	1.2	185
5	Anxiety following miscarriage and the subsequent pregnancy. Journal of Psychosomatic Research, 2004, 56, 35-45.	1.2	168
6	Longer-term outcome in the prevention of psychotic disorders by the Vienna omega-3 study. Nature Communications, 2015, 6, 7934.	5.8	152
7	Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1030-1039.	2.3	149
8	Adaptation of the Structured Clinical Interview for DSM-IV Disorders for assessing depression in women during pregnancy and post-partum across countries and cultures. British Journal of Psychiatry, 2004, 184, s17-s23.	1.7	134
9	Affective disorders in the aftermath of miscarriage: A comprehensive review. Archives of Women's Mental Health, 2002, 5, 129-149.	1.2	122
10	Decreased nervonic acid levels in erythrocyte membranes predict psychosis in help-seeking ultra-high-risk individuals. Molecular Psychiatry, 2012, 17, 1150-1152.	4.1	107
11	The Community Assessment of Psychic Experience (CAPE) questionnaire as a screening-instrument in the detection of individuals at ultra-high risk for psychosis. Schizophrenia Research, 2012, 141, 210-214.	1.1	106
12	Are commonly used self-report inventories suitable for screening postpartum depression and anxiety disorders?. Acta Psychiatrica Scandinavica, 2000, 102, 71-73.	2.2	71
13	Motherâ€™infant bonding disorders in patients with postnatal depression: The Postpartum Bonding Questionnaire in clinical practice. Archives of Women's Mental Health, 2006, 9, 289-291.	1.2	71
14	Anxiety Disorders Following Miscarriage. Journal of Clinical Psychiatry, 2001, 62, 432-438.	1.1	69
15	Minor depressive disorder in the context of miscarriage. Journal of Affective Disorders, 2000, 59, 13-21.	2.0	65
16	The role of estrogen and progesterone in depression after birth. Journal of Psychiatric Research, 2007, 41, 273-279.	1.5	61
17	Omega-3 fatty acid supplementation changes intracellular phospholipase A2 activity and membrane fatty acid profiles in individuals at ultra-high risk for psychosis. Molecular Psychiatry, 2014, 19, 317-324.	4.1	58
18	Facial and vocal affect perception in people at ultraâ€™high risk of psychosis, firstâ€™episode schizophrenia and healthy controls. Microbial Biotechnology, 2012, 6, 450-454.	0.9	57

#	ARTICLE	IF	CITATIONS
19	Omega-3 Fatty Acid Supplementation in Adolescents with Borderline Personality Disorder and Ultra-High Risk Criteria for Psychosis: A Post Hoc Subgroup Analysis of a Double-Blind, Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 402-408.	0.9	55
20	St. John's Wort (<i>Hypericum Perforatum</i>) - Is it Safe during Breastfeeding?. <i>Pharmacopsychiatry</i> , 2002, 35, 29-30.	1.7	54
21	Usefulness of the CAPE-P15 for detecting people at ultra-high risk for psychosis: Psychometric properties and cut-off values. <i>Schizophrenia Research</i> , 2017, 189, 69-74.	1.1	54
22	Correlation between serum testosterone levels and peripartal mood states. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 326-330.	1.3	53
23	Prediction of transition from ultra-high risk to first-episode psychosis using a probabilistic model combining history, clinical assessment and fatty-acid biomarkers. <i>Translational Psychiatry</i> , 2016, 6, e897-e897.	2.4	51
24	Emotion recognition in unaffected first-degree relatives of individuals with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 322-328.	1.1	49
25	Adolescents at ultra-high risk for psychosis with and without 22q11 deletion syndrome: A comparison of prodromal psychotic symptoms and general functioning. <i>Schizophrenia Research</i> , 2012, 139, 151-156.	1.1	48
26	Predictors of treatment response in young people at ultra-high risk for psychosis who received long-chain omega-3 fatty acids. <i>Translational Psychiatry</i> , 2015, 5, e495-e495.	2.4	48
27	Potential predictors in neonaticide: the impact of the circumstances of pregnancy. <i>Archives of Women's Mental Health</i> , 2012, 15, 167-174.	1.2	47
28	Gender differences in filicide offense characteristics—A comprehensive register-based study of child murder in two European countries. <i>Child Abuse and Neglect</i> , 2011, 35, 319-328.	1.3	45
29	Interpersonal psychotherapy adapted for the group setting in the treatment of postpartum depression. <i>The Journal of Psychotherapy Practice and Research</i> , 2001, 10, 124-31.	0.1	43
30	St. John's Wort (<i>Hypericum perforatum</i>) and Breastfeeding. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 305-309.	1.1	42
31	Is the introduction of anonymous delivery associated with a reduction of high neonaticide rates in Austria? A retrospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 428-434.	1.1	41
32	Filicide in Austria and Finland - A register-based study on all filicide cases in Austria and Finland 1995-2005. <i>BMC Psychiatry</i> , 2009, 9, 74.	1.1	36
33	Erythrocyte polyunsaturated fatty acid levels in young people at ultra-high risk for psychotic disorder and healthy adolescent controls. <i>Psychiatry Research</i> , 2015, 228, 174-176.	1.7	34
34	Classifying Filicide. <i>International Journal of Forensic Mental Health</i> , 2016, 15, 198-210.	0.6	33
35	Effect of omega-3 fatty acids for indicated prevention of young patients at risk for psychosis: When do they begin to be effective?. <i>Schizophrenia Research</i> , 2013, 148, 163-167.	1.1	31
36	Effects of omega-3 PUFA on the vitamin E and glutathione antioxidant defense system in individuals at ultra-high risk of psychosis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015, 101, 15-21.	1.0	28

#	ARTICLE	IF	CITATIONS
37	Niacin Skin Sensitivity Is Increased in Adolescents at Ultra-High Risk for Psychosis. PLoS ONE, 2016, 11, e0148429.	1.1	28
38	Pharmacokinetics and Elimination of Quetiapine, Venlafaxine, and Trazodone During Pregnancy and Postpartum. Journal of Clinical Psychopharmacology, 2007, 27, 720-722.	0.7	27
39	Contextual Assessment of the Maternity Experience: development of an instrument for cross-cultural research. British Journal of Psychiatry, 2004, 184, s24-s30.	1.7	26
40	A multirisk approach to predicting chronicity of postpartum depression symptoms. Depression and Anxiety, 2008, 25, 718-724.	2.0	26
41	Child murder and gender differences – A nationwide register-based study of filicide offenders in two European countries. Journal of Forensic Psychiatry and Psychology, 2010, 21, 637-648.	0.6	26
42	Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. Schizophrenia Research, 2012, 138, 206-211.	1.1	26
43	Cannabidiol treatment in an adolescent with multiple substance abuse, social anxiety and depression. Neuropsychiatrie, 2021, 35, 31-34.	1.3	26
44	Mirtazapine and Breastfeeding: Maternal and Infant Plasma Levels. American Journal of Psychiatry, 2007, 164, 348-349.	4.0	22
45	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2014, 158, 39-44.	1.1	22
46	Relationship between Erythrocyte Fatty Acid Composition and Psychopathology in the Vienna Omega-3 Study. PLoS ONE, 2016, 11, e0151417.	1.1	22
47	Perinatal Use of Aripiprazole. Journal of Clinical Psychopharmacology, 2014, 34, 637-641.	0.7	20
48	Repeated neonaticide: differences and similarities to single neonaticide events. Archives of Women's Mental Health, 2019, 22, 159-164.	1.2	18
49	Filicide research in the twenty-first century. Archives of Women's Mental Health, 2019, 22, 135-137.	1.2	15
50	Testosterone and gonadotropins but not estrogen associated with spatial ability in women suffering from schizophrenia: A double-blind, placebo-controlled study. Psychoneuroendocrinology, 2008, 33, 507-516.	1.3	13
51	Gender differences in legal outcomes of filicide in Austria and Finland. Archives of Women's Mental Health, 2019, 22, 165-172.	1.2	10
52	A Case Report of Cannabidiol Treatment of a Crohn's Disease Patient With Anxiety Disorder. Journal of Clinical Psychopharmacology, 2020, 40, 90-92.	0.7	10
53	Anonymous birth law saves babies – optimization, sustainability and public awareness. Archives of Women's Mental Health, 2016, 19, 291-297.	1.2	9
54	Neonaticide in the Courtroom – Room for Improvement? Conclusions Drawn from Austria and Finland's Register Review. Child Abuse Review, 2020, 29, 61-72.	0.4	8

#	ARTICLE	IF	CITATIONS
55	Mothers'™ and Fathers'™ Perspectives on the Causes of Their Child'™s Disorder. <i>Journal of Pediatric Psychology</i> , 2020, 45, 803-811.	1.1	8
56	Mother-infant bonding disorders and use of Parental Bonding Questionnaire in clinical practice. <i>World Psychiatry</i> , 2004, 3, 102-3.	4.8	8
57	Knowledge about and attitudes towards medical cannabis among Austrian university students. <i>Complementary Therapies in Medicine</i> , 2021, 58, 102700.	1.3	7
58	Predictors of longer-term outcome in the Vienna omega-3 high-risk study. <i>Schizophrenia Research</i> , 2018, 193, 168-172.	1.1	6
59	Duration of untreated psychosis in a high-income versus a low- and middle-income region. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 1176-1182.	1.3	5
60	Correlates of electroencephalographic resting states and erythrocyte membrane docosahexaenoic and eicosapentaenoic acid levels in individuals at ultra-high risk of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 56-63.	1.3	5
61	Evaluating Parents'™ and Children'™s Assessments of Competence, Health Related Quality of Life and Illness Perception. <i>Journal of Child and Family Studies</i> , 2019, 28, 2690-2699.	0.7	4
62	Foetal abuse. <i>Archives of Women's Mental Health</i> , 2019, 22, 569-573.	1.2	4
63	Important aspects in the assessment of bilingual children with suspected language impairment: The Vienna Model. <i>Neuropsychiatrie</i> , 2021, 35, 135-139.	1.3	4
64	The anonymously adopted child: Impact of age and parental psychopathology on adoptees'™ mental health. <i>Children and Youth Services Review</i> , 2020, 119, 105672.	1.0	4
65	<i>Letter to the Editor:</i> Cannabidiol Treatment'™Is There an Effect on Cognitive Functioning, Quality of Life, and Behavior? A Case Report. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021, 31, 447-449.	0.7	3
66	Anonymous birth: Biographical knowledge and dyadic coping in adoptive mothers and fathers. <i>Current Psychology</i> , 0, , 1.	1.7	2
67	News media representations of women who kill their newly born children. <i>Archives of Women's Mental Health</i> , 2021, 24, 999-1005.	1.2	0
68	Women Offending in the 21st Century. <i>Mental Health and Illness Worldwide</i> , 2019, , 1-28.	0.1	0
69	Women Offending in the 21st Century. <i>Mental Health and Illness Worldwide</i> , 2020, , 329-355.	0.1	0