
Claudia Klier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7514427/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Important aspects in the assessment of bilingual children with suspected language impairment: The Vienna Model. Neuropsychiatrie, 2021, 35, 135-139.	1.3	4
2	Cannabidiol treatment in an adolescent with multiple substance abuse, social anxiety and depression. Neuropsychiatrie, 2021, 35, 31-34.	1.3	26
3	Knowledge about and attitudes towards medical cannabis among Austrian university students. Complementary Therapies in Medicine, 2021, 58, 102700.	1.3	7
4	News media representations of women who kill their newly born children. Archives of Women's Mental Health, 2021, 24, 999-1005.	1.2	0
5	<i>Letter to the Editor:</i> Cannabidiol Treatment—Is There an Effect on Cognitive Functioning, Quality of Life, and Behavior? A Case Report. Journal of Child and Adolescent Psychopharmacology, 2021, 31, 447-449.	0.7	3
6	Neonaticide in the Courtroom – Room for Improvement? Conclusions Drawn from Austria and Finland's Register Review. Child Abuse Review, 2020, 29, 61-72.	0.4	8
7	A Case Report of Cannabidiol Treatment of a Crohn's Disease Patient With Anxiety Disorder. Journal of Clinical Psychopharmacology, 2020, 40, 90-92.	0.7	10
8	Mothers' and Fathers' Perspectives on the Causes of Their Child's Disorder. Journal of Pediatric Psychology, 2020, 45, 803-811.	1.1	8
9	The anonymously adopted child: Impact of age and parental psychopathology on adoptees' mental health. Children and Youth Services Review, 2020, 119, 105672.	1.0	4
10	Women Offending in the 21st Century. Mental Health and Illness Worldwide, 2020, , 329-355.	0.1	0
11	Gender differences in legal outcomes of filicide in Austria and Finland. Archives of Women's Mental Health, 2019, 22, 165-172.	1.2	10
12	Repeated neonaticide: differences and similarities to single neonaticide events. Archives of Women's Mental Health, 2019, 22, 159-164.	1.2	18
13	Evaluating Parents' and Children's Assessments of Competence, Health Related Quality of Life and Illness Perception. Journal of Child and Family Studies, 2019, 28, 2690-2699.	0.7	4
14	Filicide research in the twenty-first century. Archives of Women's Mental Health, 2019, 22, 135-137.	1.2	15
15	Foetal abuse. Archives of Women's Mental Health, 2019, 22, 569-573.	1.2	4
16	Women Offending in the 21st Century. Mental Health and Illness Worldwide, 2019, , 1-28.	0.1	0
17	Predictors of longer-term outcome in the Vienna omega-3 high-risk study. Schizophrenia Research, 2018, 193, 168-172.	1.1	6
18	Usefulness of the CAPE-P15 for detecting people at ultra-high risk for psychosis: Psychometric properties and cut-off values. Schizophrenia Research, 2017, 189, 69-74.	1.1	54

CLAUDIA KLIER

#	Article	IF	CITATIONS
19	Relationship between Erythrocyte Fatty Acid Composition and Psychopathology in the Vienna Omega-3 Study. PLoS ONE, 2016, 11, e0151417.	1.1	22
20	Classifying Filicide. International Journal of Forensic Mental Health, 2016, 15, 198-210.	0.6	33
21	Prediction of transition from ultra-high risk to first-episode psychosis using a probabilistic model combining history, clinical assessment and fatty-acid biomarkers. Translational Psychiatry, 2016, 6, e897-e897.	2.4	51
22	Correlates of electroencephalographic resting states and erythrocyte membrane docosahexaenoic and eicosapentaenoic acid levels in individuals at ultra-high risk of psychosis. Australian and New Zealand Journal of Psychiatry, 2016, 50, 56-63.	1.3	5
23	Anonymous birth law saves babies—optimization, sustainability and public awareness. Archives of Women's Mental Health, 2016, 19, 291-297.	1.2	9
24	Niacin Skin Sensitivity Is Increased in Adolescents at Ultra-High Risk for Psychosis. PLoS ONE, 2016, 11, e0148429.	1.1	28
25	Emotion recognition in unaffected first-degree relatives of individuals with first-episode schizophrenia. Schizophrenia Research, 2015, 161, 322-328.	1.1	49
26	Erythrocyte polyunsaturated fatty acid levels in young people at ultra-high risk for psychotic disorder and healthy adolescent controls. Psychiatry Research, 2015, 228, 174-176.	1.7	34
27	Longer-term outcome in the prevention of psychotic disorders by the Vienna omega-3 study. Nature Communications, 2015, 6, 7934.	5.8	152
28	Predictors of treatment response in young people at ultra-high risk for psychosis who received long-chain omega-3 fatty acids. Translational Psychiatry, 2015, 5, e495-e495.	2.4	48
29	Effects of omega-3 PUFA on the vitamin E and glutathione antioxidant defense system in individuals at ultra-high risk of psychosis. Prostaglandins Leukotrienes and Essential Fatty Acids, 2015, 101, 15-21.	1.0	28
30	Omega-3 fatty acid supplementation changes intracellular phospholipase A2 activity and membrane fatty acid profiles in individuals at ultra-high risk for psychosis. Molecular Psychiatry, 2014, 19, 317-324.	4.1	58
31	Perinatal Use of Aripiprazole. Journal of Clinical Psychopharmacology, 2014, 34, 637-641.	0.7	20
32	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2014, 158, 39-44.	1.1	22
33	Effect of omega-3 fatty acids for indicated prevention of young patients at risk for psychosis: When do they begin to be effective?. Schizophrenia Research, 2013, 148, 163-167.	1.1	31
34	Is the introduction of anonymous delivery associated with a reduction of high neonaticide rates in Austria? A retrospective study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 428-434.	1.1	41
35	Duration of untreated psychosis in a high-income versus a low- and middle-income region. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1176-1182.	1.3	5
36	Omega-3 Fatty Acid Supplementation in Adolescents with Borderline Personality Disorder and Ultra-High Risk Criteria for Psychosis: A Post Hoc Subgroup Analysis of a Double—Blind, Randomized Controlled Trial. Canadian Journal of Psychiatry, 2013, 58, 402-408.	0.9	55

CLAUDIA KLIER

#	Article	IF	CITATIONS
37	Decreased nervonic acid levels in erythrocyte membranes predict psychosis in help-seeking ultra-high-risk individuals. Molecular Psychiatry, 2012, 17, 1150-1152.	4.1	107
38	Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1030-1039.	2.3	149
39	Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. Schizophrenia Research, 2012, 138, 206-211.	1.1	26
40	Adolescents at ultra-high risk for psychosis with and without 22q11 deletion syndrome: A comparison of prodromal psychotic symptoms and general functioning. Schizophrenia Research, 2012, 139, 151-156.	1.1	48
41	The Community Assessment of Psychic Experience (CAPE) questionnaire as a screening-instrument in the detection of individuals at ultra-high risk for psychosis. Schizophrenia Research, 2012, 141, 210-214.	1.1	106
42	Potential predictors in neonaticide: the impact of the circumstances of pregnancy. Archives of Women's Mental Health, 2012, 15, 167-174.	1.2	47
43	Facial and vocal affect perception in people at ultraâ€high risk of psychosis, firstâ€episode schizophrenia and healthy controls. Microbial Biotechnology, 2012, 6, 450-454.	0.9	57
44	Gender differences in filicide offense characteristics—A comprehensive register-based study of child murder in two European countries. Child Abuse and Neglect, 2011, 35, 319-328.	1.3	45
45	Long-Chain ω-3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146.	13.8	800
46	Child murder and gender differences – A nationwide register-based study of filicide offenders in two European countries. Journal of Forensic Psychiatry and Psychology, 2010, 21, 637-648.	0.6	26
47	Filicide in Austria and Finland - A register-based study on all filicide cases in Austria and Finland 1995-2005. BMC Psychiatry, 2009, 9, 74.	1.1	36
48	A multirisk approach to predicting chronicity of postpartum depression symptoms. Depression and Anxiety, 2008, 25, 718-724.	2.0	26
49	Testosterone and gonadotropins but not estrogen associated with spatial ability in women suffering from schizophrenia: A double-blind, placebo-controlled study. Psychoneuroendocrinology, 2008, 33, 507-516.	1.3	13
50	Mirtazapine and Breastfeeding: Maternal and Infant Plasma Levels. American Journal of Psychiatry, 2007, 164, 348-349.	4.0	22
51	Pharmacokinetics and Elimination of Quetiapine, Venlafaxine, and Trazodone During Pregnancy and Postpartum. Journal of Clinical Psychopharmacology, 2007, 27, 720-722.	0.7	27
52	Omega-3 Fatty Acids Supplementation in Children with Autism: A Double-blind Randomized, Placebo-controlled Pilot Study. Biological Psychiatry, 2007, 61, 551-553.	0.7	307
53	The role of estrogen and progesterone in depression after birth. Journal of Psychiatric Research, 2007, 41, 273-279.	1.5	61
54	The German version of the Postpartum Bonding Instrument: Psychometric properties and association with postpartum depression. Archives of Women's Mental Health, 2006, 9, 265-271.	1.2	185

CLAUDIA KLIER

#	Article	IF	CITATIONS
55	Mother–infant bonding disorders in patients with postnatal depression: The Postpartum Bonding Questionnaire in clinical practice. Archives of Women's Mental Health, 2006, 9, 289-291.	1.2	71
56	St. John's Wort (Hypericum perforatum) and Breastfeeding. Journal of Clinical Psychiatry, 2006, 67, 305-309.	1.1	42
57	Adaptation of the Structured Clinical Interview for DSM-IV Disorders for assessing depression in women during pregnancy and post-partum across countries and cultures. British Journal of Psychiatry, 2004, 184, s17-s23.	1.7	134
58	Anxiety following miscarriage and the subsequent pregnancy. Journal of Psychosomatic Research, 2004, 56, 35-45.	1.2	168
59	Contextual Assessment of the Maternity Experience: development of an instrument for cross-cultural research. British Journal of Psychiatry, 2004, 184, s24-s30.	1.7	26
60	Mother-infant bonding disorders and use of Parental Bonding Questionnaire in clinical practice. World Psychiatry, 2004, 3, 102-3.	4.8	8
61	St. John's Wort (Hypericum Perforatum) - Is it Safe during Breastfeeding?. Pharmacopsychiatry, 2002, 35, 29-30.	1.7	54
62	Affective disorders in the aftermath of miscarriage: A comprehensive review. Archives of Women's Mental Health, 2002, 5, 129-149.	1.2	122
63	Correlation between serum testosterone levels and peripartal mood states. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 326-330.	1.3	53
64	Anxiety Disorders Following Miscarriage. Journal of Clinical Psychiatry, 2001, 62, 432-438.	1.1	69
65	Interpersonal psychotherapy adapted for the group setting in the treatment of postpartum depression. The Journal of Psychotherapy Practice and Research, 2001, 10, 124-31.	0.1	43
66	Are commonly used self-report inventories suitable for screening postpartum depression and anxiety disorders?. Acta Psychiatrica Scandinavica, 2000, 102, 71-73.	2.2	71
67	Minor depressive disorder in the context of miscarriage. Journal of Affective Disorders, 2000, 59, 13-21.	2.0	65
68	Depressed Adolescents Grown Up. JAMA - Journal of the American Medical Association, 1999, 281, 1707.	3.8	754
69	Anonymous birth: Biographical knowledge and dyadic coping in adoptive mothers and fathers. Current Psychology, 0, , 1,	1.7	2