Trupta Purohit

List of Publications by Citations

Source: https://exaly.com/author-pdf/7514677/trupta-purohit-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17	972	10	17
papers	citations	h-index	g-index
17	1,196	8.4	3.36
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
17	Menin-MLL inhibitors reverse oncogenic activity of MLL fusion proteins in leukemia. <i>Nature Chemical Biology</i> , 2012 , 8, 277-84	11.7	273
16	Pharmacologic inhibition of the Menin-MLL interaction blocks progression of MLL leukemia in vivo. <i>Cancer Cell</i> , 2015 , 27, 589-602	24.3	212
15	Structural insights into inhibition of the bivalent menin-MLL interaction by small molecules in leukemia. <i>Blood</i> , 2012 , 120, 4461-9	2.2	134
14	Menin inhibitor MI-3454 induces remission in MLL1-rearranged and NPM1-mutated models of leukemia. <i>Journal of Clinical Investigation</i> , 2020 , 130, 981-997	15.9	72
13	High-affinity small-molecule inhibitors of the menin-mixed lineage leukemia (MLL) interaction closely mimic a natural protein-protein interaction. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 1543-56	8.3	69
12	Rational Design of Orthogonal Multipolar Interactions with Fluorine in Protein-Ligand Complexes. Journal of Medicinal Chemistry, 2015 , 58, 7465-74	8.3	52
11	Property Focused Structure-Based Optimization of Small Molecule Inhibitors of the Protein-Protein Interaction between Menin and Mixed Lineage Leukemia (MLL). <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 892-913	8.3	47
10	Complexity of Blocking Bivalent Protein-Protein Interactions: Development of a Highly Potent Inhibitor of the Menin-Mixed-Lineage Leukemia Interaction. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 4832-4850	8.3	36
9	The same site on the integrase-binding domain of lens epithelium-derived growth factor is a therapeutic target for MLL leukemia and HIV. <i>Blood</i> , 2014 , 124, 3730-7	2.2	27
8	Covalent inhibition of NSD1 histone methyltransferase. <i>Nature Chemical Biology</i> , 2020 , 16, 1403-1410	11.7	23
7	Small-molecule inhibitors targeting Polycomb repressive complex 1 RING domain. <i>Nature Chemical Biology</i> , 2021 , 17, 784-793	11.7	7
6	Theoretical models of inhibitory activity for inhibitors of protein-protein interactions: targeting menin-mixed lineage leukemia with small molecules. <i>MedChemComm</i> , 2017 , 8, 2216-2227	5	6
5	Combinatorial treatment with menin and FLT3 inhibitors induces complete remission in AML models with activating FLT3 mutations. <i>Blood</i> , 2020 , 136, 2958-2963	2.2	5
4	Covalent and noncovalent constraints yield a figure eight-like conformation of a peptide inhibiting the menin-MLL interaction. <i>European Journal of Medicinal Chemistry</i> , 2020 , 207, 112748	6.8	4
3	Discovery of first-in-class inhibitors of ASH1L histone methyltransferase with anti-leukemic activity. <i>Nature Communications</i> , 2021 , 12, 2792	17.4	4
2	Targeting Menin-MLL Interaction to Inhibit MLL Fusion Oncoproteins in Leukemia. <i>Blood</i> , 2011 , 118, 24	∙9 72 49	71
1	Targeting LEDGF Interactions in MLL Leukemia. <i>Blood</i> , 2011 , 118, 2500-2500	2.2	