

Fernando Benito-Lopez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7515695/publications.pdf>

Version: 2024-02-01

101
papers

3,871
citations

126708

33
h-index

128067

60
g-index

102
all docs

102
docs citations

102
times ranked

4932
citing authors

#	ARTICLE	IF	CITATIONS
1	Ex situ and in situ Magnetic Phase Synthesised Magneto-Driven Alginate Beads. <i>Journal of Colloid and Interface Science</i> , 2022, 610, 741-750.	5.0	4
2	Paper based microfluidic platform for single-step detection of mesenchymal stromal cells secreted VEGF. <i>Analytica Chimica Acta</i> , 2022, 1199, 339588.	2.6	9
3	Magneto Twister: Magneto Deformation of the Water–Air Interface by a Superhydrophobic Magnetic Nanoparticle Layer. <i>Langmuir</i> , 2022, 38, 3360-3369.	1.6	9
4	Ionogel-based hybrid polymer-paper handheld platform for nitrite and nitrate determination in water samples. <i>Analytica Chimica Acta</i> , 2022, 1205, 339753.	2.6	8
5	High-Resolution 3D Printing Fabrication of a Microfluidic Platform for Blood Plasma Separation. <i>Polymers</i> , 2022, 14, 2537.	2.0	10
6	A method for the controllable fabrication of optical fiber-based localized surface plasmon resonance sensors. <i>Scientific Reports</i> , 2022, 12, .	1.6	4
7	A microfluidic column of water index-matched packed microspheres for label-free observation of water pollutants. <i>Mikrochimica Acta</i> , 2021, 188, 143.	2.5	0
8	Microfluidics and materials for smart water monitoring: A review. <i>Analytica Chimica Acta</i> , 2021, 1186, 338392.	2.6	30
9	Continuous monitoring of cell transfection efficiency with micropatterned substrates. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2626-2636.	1.7	1
10	Tunable Superparamagnetic Ring (tSPRing) for Droplet Manipulation. <i>Advanced Functional Materials</i> , 2021, 31, 2100178.	7.8	19
11	TiO ₂ Nanotubes Alginate Hydrogel Scaffold for Rapid Sensing of Sweat Biomarkers: Lactate and Glucose. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37734-37745.	4.0	50
12	An electroactive and thermo-responsive material for the capture and release of cells. <i>Biosensors and Bioelectronics</i> , 2021, 191, 113405.	5.3	4
13	Alginate Bead Biosystem for the Determination of Lactate in Sweat Using Image Analysis. <i>Biosensors</i> , 2021, 11, 379.	2.3	16
14	Predicting Dimensions in Microfluidic Paper Based Analytical Devices. <i>Sensors</i> , 2021, 21, 101.	2.1	4
15	Ionogel based material for the colorimetric detection of δ^9 -tetrahydrocannabinol. , 2021, , .		0
16	Advances in Microtechnology for Improved Cytotoxicity Assessment. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	5
17	Naked eye Y amelogenin gene fragment detection using DNAzymes on a paper-based device. <i>Analytica Chimica Acta</i> , 2020, 1123, 1-8.	2.6	11
18	Optical Single Cell Resolution Cytotoxicity Biosensor Based on Single Cell Adhesion Dot Arrays. <i>Analytical Chemistry</i> , 2020, 92, 9658-9665.	3.2	14

#	ARTICLE	IF	CITATIONS
19	Microfluidic chip with pillar arrays for controlled production and observation of lipid membrane nanotubes. <i>Lab on A Chip</i> , 2020, 20, 2748-2755.	3.1	11
20	Silicon Microcantilever Sensors to Detect the Reversible Conformational Change of a Molecular Switch, <i>Spiropyran</i> . <i>Sensors</i> , 2020, 20, 854.	2.1	11
21	Wearable biosensors and sample handling strategies. , 2020, , 65-88.		10
22	Electrical and electrochemical properties of imidazolium and phosphonium-based pNIPAAm ionogels. <i>Electrochimica Acta</i> , 2020, 345, 136167.	2.6	4
23	Selective Ultrasensitive Optical Fiber Nanosensors Based on Plasmon Resonance Energy Transfer. <i>ACS Sensors</i> , 2020, 5, 2018-2024.	4.0	13
24	Large-Volume Self-Powered Disposable Microfluidics by the Integration of Modular Polymer Micropumps with Plastic Microfluidic Cartridges. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 22485-22491.	1.8	8
25	Extracellular matrix protein microarray-based biosensor with single cell resolution: Integrin profiling and characterization of cell-biomaterial interactions. <i>Sensors and Actuators B: Chemical</i> , 2019, 299, 126954.	4.0	16
26	Type 1 Diabetes Mellitus reversal via implantation of magnetically purified microencapsulated pseudoislets. <i>International Journal of Pharmaceutics</i> , 2019, 560, 65-77.	2.6	12
27	Driving flows in microfluidic paper-based analytical devices with a cholinium based poly(ionic liquid) hydrogel. <i>Sensors and Actuators B: Chemical</i> , 2018, 261, 372-378.	4.0	27
28	Light-responsive polymers for microfluidic applications. <i>Lab on A Chip</i> , 2018, 18, 699-709.	3.1	64
29	Elucidating the role of the ionic liquid in the actuation behavior of thermo-responsive ionogels. <i>Sensors and Actuators B: Chemical</i> , 2018, 260, 380-387.	4.0	21
30	Photoswitchable Layer-by-Layer Coatings Based on Photochromic Polynorbornenes Bearing Spiropyran Side Groups. <i>Langmuir</i> , 2018, 34, 4210-4216.	1.6	13
31	Reusable ionogel-based photo-actuators in a lab-on-a-disc. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 963-970.	4.0	15
32	Review on microfluidic paper-based analytical devices towards commercialisation. <i>Analytica Chimica Acta</i> , 2018, 1001, 1-17.	2.6	379
33	Phantom membrane microfluidic cross-flow filtration device for the direct optical detection of water pollutants. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 924-930.	4.0	16
34	AZO Embedded Interdigitated Electrodes for Monitoring Stimuli Responsive Materials. <i>Advanced Functional Materials</i> , 2018, 28, 1803127.	7.8	5
35	Micro-Capillary Coatings Based on Spiropyran Polymeric Brushes for Metal Ion Binding, Detection, and Release in Continuous Flow. <i>Sensors</i> , 2018, 18, 1083.	2.1	14
36	Manipulation of fluid flow direction in microfluidic paper-based analytical devices with an ionogel negative passive pump. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 114-123.	4.0	28

#	ARTICLE	IF	CITATIONS
37	Poly(ionic liquid) thermo-responsive hydrogel microfluidic actuators. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 749-755.	4.0	27
38	Microtechnologies for Cell Microenvironment Control and Monitoring. <i>Micromachines</i> , 2017, 8, 166.	1.4	14
39	Applications of Ionic Liquid Materials in Microfluidic Devices. <i>RSC Smart Materials</i> , 2017, , 234-271.	0.1	0
40	Ionogel-based nitrate sensor device. , 2016, , .		1
41	Ionogel-based Nitrite and Nitrate Sensor for Water Control at the Point-of-Need. <i>Procedia Engineering</i> , 2016, 168, 518-521.	1.2	3
42	Understanding the Behavior of Stimuli-response Ionogels for Microfluidic Applications. <i>Procedia Engineering</i> , 2016, 168, 473-476.	1.2	3
43	On-demand generation and removal of alginate biocompatible microvalves for flow control in microfluidics. <i>Sensors and Actuators B: Chemical</i> , 2016, 234, 1-7.	4.0	11
44	Adaptive coatings based on polyaniline for direct 2D observation of diffusion processes in microfluidic systems. <i>Sensors and Actuators B: Chemical</i> , 2016, 231, 744-751.	4.0	7
45	Fluidic flow delay by ionogel passive pumps in microfluidic paper-based analytical devices. <i>Sensors and Actuators B: Chemical</i> , 2016, 233, 402-408.	4.0	47
46	Low-cost origami fabrication of 3D self-aligned hybrid microfluidic structures. <i>Microfluidics and Nanofluidics</i> , 2016, 20, 1.	1.0	12
47	Microcantilever arrays functionalised with spiropyran photoactive moieties as systems to measure photo-induced surface stress changes. <i>Sensors and Actuators B: Chemical</i> , 2016, 237, 479-486.	4.0	17
48	Porous self-protonating spiropyran-based NIPAAm gels with improved reswelling kinetics. <i>Journal of Materials Science</i> , 2016, 51, 1392-1399.	1.7	31
49	Sensing parasites: Proteomic and advanced bio-detection alternatives. <i>Journal of Proteomics</i> , 2016, 136, 145-156.	1.2	22
50	Opto-Smart Systems in Microfluidics. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2016, , 265-288.	0.2	2
51	Wearable Bio and Chemical Sensors. , 2014, , 65-83.		23
52	Swelling and shrinking behaviour of photoresponsive phosphonium-based ionogel microstructures. <i>Sensors and Actuators B: Chemical</i> , 2014, 194, 105-113.	4.0	38
53	Self-assembled solvato-morphologically controlled photochromic crystals. <i>Chemical Communications</i> , 2014, 50, 924-926.	2.2	20
54	Probing the specific ion effects of biocompatible hydrated choline ionic liquids on lactate oxidase biofunctionality in sensor applications. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 1841-1849.	1.3	29

#	ARTICLE	IF	CITATIONS
55	Photo-Responsive Chemopropulsion - Light-Stimulated Movement of Microdroplets. <i>Advanced Materials</i> , 2014, 26, 7339-7345.	11.1	64
56	Modular microfluidic valve structures based on reversible thermoresponsive ionogel actuators. <i>Lab on A Chip</i> , 2014, 14, 3530-3538.	3.1	55
57	Smartphone-Based Simultaneous pH and Nitrite Colorimetric Determination for Paper Microfluidic Devices. <i>Analytical Chemistry</i> , 2014, 86, 9554-9562.	3.2	348
58	Self-protonating spiropyran-co-NIPAM-co-acrylic acid hydrogel photoactuators. <i>Soft Matter</i> , 2013, 9, 8754.	1.2	83
59	CMAS: fully integrated portable centrifugal microfluidic analysis system for on-site colorimetric analysis. <i>RSC Advances</i> , 2013, 3, 15928.	1.7	37
60	Fast prototyping of paper-based microfluidic devices by contact stamping using indelible ink. <i>RSC Advances</i> , 2013, 3, 18811.	1.7	80
61	Polyaniline coated micro-capillaries for continuous flow analysis of aqueous solutions. <i>Analytica Chimica Acta</i> , 2013, 759, 1-7.	2.6	12
62	Spiropyran Polymeric Microcapillary Coatings for Photodetection of Solvent Polarity. <i>Langmuir</i> , 2013, 29, 2790-2797.	1.6	66
63	Portable integrated microfluidic analytical platform for the monitoring and detection of nitrite. <i>Talanta</i> , 2013, 116, 997-1004.	2.9	52
64	Dynamic pH mapping in microfluidic devices by integrating adaptive coatings based on polyaniline with colorimetric imaging techniques. <i>Lab on A Chip</i> , 2013, 13, 1079.	3.1	49
65	LED-LED portable oxygen gas sensor. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2851-2858.	1.9	20
66	Organic electrochemical transistor incorporating an ionogel as a solid state electrolyte for lactate sensing. <i>Journal of Materials Chemistry</i> , 2012, 22, 4440.	6.7	248
67	Synthesis and characterisation of spiropyran-polymer brushes in micro-capillaries: Towards an integrated optical sensor for continuous flow analysis. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 92-99.	4.0	45
68	Photo-Responsive Polymeric Structures Based on Spiropyran. <i>Macromolecular Materials and Engineering</i> , 2012, 297, 1148-1159.	1.7	102
69	Real-time sweat pH monitoring based on a wearable chemical barcode micro-fluidic platform incorporating ionic liquids. <i>Sensors and Actuators B: Chemical</i> , 2012, 171-172, 1327-1334.	4.0	174
70	Concept and development of an autonomous wearable micro-fluidic platform for real time pH sweat analysis. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 263-270.	4.0	101
71	Optical sensing system based on wireless paired emitter detector diode device and ionogels for lab-on-a-disc water quality analysis. <i>Lab on A Chip</i> , 2012, 12, 5069.	3.1	57
72	Photo-Detection of Solvent Polarities using Non-Invasive Coatings in Capillaries. <i>Procedia Engineering</i> , 2011, 25, 1545-1548.	1.2	5

#	ARTICLE	IF	CITATIONS
73	Real-Time Sweat Analysis: Concept and Development of an Autonomous Wearable Micro-Fluidic Platform. <i>Procedia Engineering</i> , 2011, 25, 1561-1564.	1.2	5
74	A new light emitting diode light emitting diode portable carbon dioxide gas sensor based on an interchangeable membrane system for industrial applications. <i>Analytica Chimica Acta</i> , 2011, 699, 216-222.	2.6	46
75	Electrochemical transistors with ionic liquids for enzymatic sensing. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
76	Wearable electrochemical sensors for monitoring performance athletes. <i>Proceedings of SPIE</i> , 2011, , .	0.8	15
77	Fibers and Fabrics for Chemical and Biological Sensing. <i>Research Journal of Textile and Apparel</i> , 2010, 14, 63-72.	0.6	9
78	Photochromic spiropyran monolithic polymers: Molecular photo-controllable electroosmotic pumps for micro-fluidic devices. <i>Sensors and Actuators B: Chemical</i> , 2010, 148, 569-576.	4.0	13
79	Characterisation and analytical potential of a photo-responsive polymeric material based on spiropyran. <i>Biosensors and Bioelectronics</i> , 2010, 26, 1392-1398.	5.3	38
80	Materials science and the sensor revolution. <i>Materials Today</i> , 2010, 13, 16-23.	8.3	44
81	The use of scanning contactless conductivity detection for the characterisation of stationary phases in micro-fluidic chips. <i>Lab on A Chip</i> , 2010, 10, 1777.	3.1	12
82	Inogel-based light-actuated valves for controlling liquid flow in micro-fluidic manifolds. <i>Lab on A Chip</i> , 2010, 10, 195-201.	3.1	94
83	Electrochemical transistors with ionic liquids for enzymatic sensing. <i>Chemical Communications</i> , 2010, 46, 7972.	2.2	110
84	& , 2010, , .		2
85	Simple Barcode System Based on Inonogels for Real Time pH-Sweat Monitoring. , 2010, , .		4
86	Optically addressable single-use microfluidic valves by laser printer lithography. <i>Lab on A Chip</i> , 2010, 10, 2680.	3.1	93
87	Photoswitchable Stationary Phase Based on Packed Spiropyran Functionalized Silica Microbeads. <i>E-Journal of Surface Science and Nanotechnology</i> , 2009, 7, 649-652.	0.1	5
88	Molecules with Multiple Personalities: How Switchable Materials Could Revolutionize Chemical Sensing. <i>ECS Transactions</i> , 2009, 19, 199-210.	0.3	3
89	Spiropyran modified micro-fluidic chip channels as photonically controlled self-indicating system for metal ion accumulation and release. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 295-303.	4.0	38
90	Pump Less Wearable Microfluidic Device for Real Time pH Sweat Monitoring. <i>Procedia Chemistry</i> , 2009, 1, 1103-1106.	0.7	37

#	ARTICLE	IF	CITATIONS
91	Fluorescent sensor array in a microfluidic chip. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 307-315.	1.9	24
92	High pressure in organic chemistry on the way to miniaturization. <i>Tetrahedron</i> , 2008, 64, 10023-10040.	1.0	79
93	Substantial rate enhancements of the esterification reaction of phthalic anhydride with methanol at high pressure and using supercritical CO ₂ as a co-solvent in a glass microreactor. <i>Lab on A Chip</i> , 2007, 7, 1345.	3.1	55
94	Synthesis, Characterization, and Redox Behavior of Mixed 1,3-Diyne Dicobalt/Triosmium and Dicobalt/Triruthenium Carbonyl Clusters. <i>Organometallics</i> , 2007, 26, 5199-5208.	1.1	8
95	Fabrication, mechanical testing and application of high-pressure glass microreactor chips. <i>Chemical Engineering Journal</i> , 2007, 131, 163-170.	6.6	117
96	Syntheses, structures and comparative electrochemical study of η^6 -acetylene complexes of cobalt. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 138-149.	0.8	8
97	Fabrication and mechanical testing of glass chips for high-pressure synthetic or analytical chemistry. <i>Microsystem Technologies</i> , 2006, 12, 450-454.	1.2	27
98	Measuring reaction kinetics in a lab-on-a-chip by microcoil NMR. <i>Lab on A Chip</i> , 2005, 5, 280.	3.1	149
99	Optical fiber-based on-line UV/Vis spectroscopic monitoring of chemical reaction kinetics under high pressure in a capillary microreactor. <i>Chemical Communications</i> , 2005, , 2857.	2.2	62
100	Incorporation of Acrylate Based Spiropyran Monoliths in Micro-Fluidic Devices for Photo-Controlled Electroosmotic Flow. <i>Advances in Science and Technology</i> , 0, , .	0.2	2
101	Underwater Magneto Driven Air De-bubbler. <i>Journal of Materials Chemistry A</i> , 0, , .	5.2	1