

Valentina Cambiano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7515957/valentina-cambiano-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

1,090
citations

17
h-index

27
g-index

27
ext. papers

1,300
ext. citations

7.1
avg, IF

3.76
L-index

#	Paper	IF	Citations
27	Trends in HIV incidence between 2013-2019 and association of baseline factors with subsequent incident HIV among gay, bisexual, and other men who have sex with men attending sexual health clinics in England: A prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003677	11.6	2
26	Use of HIV pre-exposure prophylaxis among men who have sex with men in England: data from the AURAH2 prospective study. <i>Lancet Public Health</i> , 2020 , 5, e501-e511	22.4	7
25	Optimizing HIV testing services in sub-Saharan Africa: cost and performance of verification testing with HIV self-tests and tests for triage. <i>Journal of the International AIDS Society</i> , 2019 , 22 Suppl 1, e25237	5.4	5
24	The impact and cost-effectiveness of community-based HIV self-testing in sub-Saharan Africa: a health economic and modelling analysis. <i>Journal of the International AIDS Society</i> , 2019 , 22 Suppl 1, e25243	5.4	41
23	Changes in chemsex and sexual behaviour over time, among a cohort of MSM in London and Brighton: Findings from the AURAH2 study. <i>International Journal of Drug Policy</i> , 2019 , 68, 54-61	5.5	37
22	Cost-per-diagnosis as a metric for monitoring cost-effectiveness of HIV testing programmes in low-income settings in southern Africa: health economic and modelling analysis. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25325	5.4	13
21	Strengthening the scale-up and uptake of effective interventions for sex workers for population impact in Zimbabwe. <i>Journal of the International AIDS Society</i> , 2019 , 22 Suppl 4, e25320	5.4	13
20	How Can Programs Better Support Female Sex Workers to Avoid HIV Infection in Zimbabwe? A Prevention Cascade Analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 24-35	3.1	19
19	Cost-effectiveness of public-health policy options in the presence of pretreatment NNRTI drug resistance in sub-Saharan Africa: a modelling study. <i>Lancet HIV,the</i> , 2018 , 5, e146-e154	7.8	45
18	Targeted combination prevention to support female sex workers in Zimbabwe accessing and adhering to antiretrovirals for treatment and prevention of HIV (SAPPH-IRE): a cluster-randomised trial. <i>Lancet HIV,the</i> , 2018 , 5, e417-e426	7.8	56
17	90-90-90 by 2020? Estimation and projection of the adult HIV epidemic and ART programme in Zimbabwe - 2017 to 2020. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25205	5.4	7
16	Changes in recreational drug use, drug use associated with chemsex, and HIV-related behaviours, among HIV-negative men who have sex with men in London and Brighton, 2013-2016. <i>Sexually Transmitted Infections</i> , 2018 , 94, 494-501	2.8	48
15	Poly drug use, chemsex drug use, and associations with sexual risk behaviour in HIV-negative men who have sex with men attending sexual health clinics. <i>International Journal of Drug Policy</i> , 2017 , 43, 33-43	5.5	117
14	The HIV Care Cascade Among Female Sex Workers in Zimbabwe: Results of a Population-Based Survey From the Sisters Antiretroviral Therapy Programme for Prevention of HIV, an Integrated Response (SAPPH-IRE) Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74, 375-382	3.1	56
13	Statistical design and analysis plan for an impact evaluation of an HIV treatment and prevention intervention for female sex workers in Zimbabwe: a study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 6	2.8	20
12	Identifying Key Drivers of the Impact of an HIV Cure Intervention in Sub-Saharan Africa. <i>Journal of Infectious Diseases</i> , 2016 , 214, 73-9	7	8
11	Attitudes to and Understanding of Risk of Acquisition of HIV Over Time: Design and Methods for an Internet-based Prospective Cohort Study Among UK Men Who Have Sex With Men (the AURAH2 Study). <i>JMIR Research Protocols</i> , 2016 , 5, e128	2	5

10	What do we know about the cost-effectiveness of HIV preexposure prophylaxis, and is it affordable?. <i>Current Opinion in HIV and AIDS</i> , 2016 , 11, 56-66	4.2	30
9	O1 Is pre-exposure prophylaxis for hiv prevention cost-effective in men who have sex with men who engage in condomless sex in the uk?. <i>Sexually Transmitted Infections</i> , 2015 , 91, A1.1-A1	2.8	13
8	Potential impact on HIV incidence of higher HIV testing rates and earlier antiretroviral therapy initiation in MSM. <i>Aids</i> , 2015 , 29, 1855-62	3.5	43
7	Sustainable HIV treatment in Africa through viral-load-informed differentiated care. <i>Nature</i> , 2015 , 528, S68-76	50.4	118
6	Assessment of the Potential Impact and Cost-effectiveness of Self-Testing for HIV in Low-Income Countries. <i>Journal of Infectious Diseases</i> , 2015 , 212, 570-7	7	39
5	Potential future impact of a partially effective HIV vaccine in a southern African setting. <i>PLoS ONE</i> , 2014 , 9, e107214	3.7	16
4	Predicted levels of HIV drug resistance: potential impact of expanding diagnosis, retention, and eligibility criteria for antiretroviral therapy initiation. <i>Aids</i> , 2014 , 28 Suppl 1, S15-23	3.5	39
3	Transmission of drug resistant HIV and its potential impact on mortality and treatment outcomes in resource-limited settings. <i>Journal of Infectious Diseases</i> , 2013 , 207 Suppl 2, S57-62	7	54
2	Increased HIV incidence in men who have sex with men despite high levels of ART-induced viral suppression: analysis of an extensively documented epidemic. <i>PLoS ONE</i> , 2013 , 8, e55312	3.7	169
1	Effect on transmission of HIV-1 resistance of timing of implementation of viral load monitoring to determine switches from first to second-line antiretroviral regimens in resource-limited settings. <i>Aids</i> , 2011 , 25, 843-50	3.5	70