

# Oriel Mm Thekiso

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7516140/publications.pdf>

Version: 2024-02-01

65  
papers

1,804  
citations

218381

26  
h-index

276539

41  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1789  
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of acaricide resistance in tick populations of cattle: A systematic review and meta-analysis. <i>Heliyon</i> , 2022, 8, e08718.	1.4	43
2	Molecular Detection of Integrons, Colistin and $\beta$ -lactamase Resistant Genes in <i>Salmonella enterica</i> Serovars Enteritidis and Typhimurium Isolated from Chickens and Rats Inhabiting Poultry Farms. <i>Microorganisms</i> , 2022, 10, 313.	1.6	14
3	Ticks of domestic animals in Lesotho: Morphological and molecular characterization. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022, 29, 100691.	0.3	3
4	Detection of pathogens of veterinary importance harboured by <i>Stomoxys calcitrans</i> in South African feedlots. <i>Scientific African</i> , 2022, 15, e01112.	0.7	3
5	Hematology and biochemical values in equines naturally infected with <i>Theileria equi</i> in Nigeria. <i>Tropical Animal Health and Production</i> , 2022, 54, 103.	0.5	3
6	One Health Perspective of <i>Salmonella</i> Serovars in South Africa Using Pooled Prevalence: Systematic Review and Meta-Analysis. <i>International Journal of Microbiology</i> , 2022, 2022, 1-12.	0.9	10
7	<i>Campylobacter jejuni</i> from Slaughter Age Broiler Chickens: Genetic Characterization, Virulence, and Antimicrobial Resistance Genes. <i>International Journal of Microbiology</i> , 2022, 2022, 1-13.	0.9	3
8	Molecular survey for tick-borne pathogens and associated risk factors in sheep and goats in Kano Metropolis, Nigeria. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022, 33, 100753.	0.3	1
9	Application of culture, PCR, and PacBio sequencing for determination of microbial composition of milk from subclinical mastitis dairy cows of smallholder farms. <i>Open Life Sciences</i> , 2021, 16, 800-808.	0.6	4
10	Anthelmintic resistance and prevalence of gastrointestinal nematodes infecting sheep in Limpopo Province, South Africa. <i>Veterinary World</i> , 2021, 14, 302-313.	0.7	13
11	Serosurvey for equine piroplasms in horses and donkeys from North-Western Nigeria using IFAT and ELISA. <i>Journal of Immunoassay and Immunochemistry</i> , 2021, 42, 1-14.	0.5	4
12	<i>Azadirachta indica</i> aqueous leaf extracts ameliorates coccidiosis in broiler chickens experimentally infected with <i>Eimeria</i> oocysts. <i>Scientific African</i> , 2021, 13, e00851.	0.7	4
13	Isolation and antibiotic sensitivity of <i>Campylobacter</i> species from fecal samples of broiler chickens in North West Province, South Africa. <i>Veterinary World</i> , 2021, 14, 2929-2935.	0.7	4
14	Prevalence of Antibiotic Resistance in <i>Salmonella</i> Serotypes Concurrently Isolated from the Environment, Animals, and Humans in South Africa: A Systematic Review and Meta-Analysis. <i>Antibiotics</i> , 2021, 10, 1435.	1.5	8
15	An ethnobotanical survey of traditional medicinal plants used against elephantiasis in the or Tambo District, Eastern Cape, South Africa. <i>Pharmacognosy Magazine</i> , 2021, 17, 915.	0.3	0
16	Equine piroplasmosis: an insight into global exposure of equids from 1990 to 2019 by systematic review and meta-analysis. <i>Parasitology</i> , 2020, 147, 1411-1424.	0.7	12
17	Molecular detection of virulence genes in <i>Salmonella</i> spp. isolated from chicken faeces in Mafikeng, South Africa. <i>Journal of the South African Veterinary Association</i> , 2020, 91, e1-e7.	0.2	8
18	Parasites of veterinary importance from domestic animals in uMkhanyakude district of KwaZulu-Natal province. <i>Journal of the South African Veterinary Association</i> , 2020, 91, e1-e11.	0.2	4

#	ARTICLE	IF	CITATIONS
19	Prevalence and molecular characterization of ticks and tick-borne pathogens of one-humped camels ( <i>Camelus dromedarius</i> ) in Nigeria. <i>Parasites and Vectors</i> , 2020, 13, 428.	1.0	24
20	Mosquito identification and haemosporidian parasites detection in the enclosure of the African penguins ( <i>Spheniscus demersus</i> ) at the SANBI zoological garden. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020, 13, 98-105.	0.6	2
21	Molecular evidence of <i>Babesia caballi</i> and <i>Theileria equi</i> in equines and ticks in Nigeria: prevalence and risk factors analysis. <i>Parasitology</i> , 2020, 147, 1238-1248.	0.7	11
22	Molecular detection and characterization of tick-borne haemoparasites among cattle on Zanzibar Island, Tanzania. <i>Acta Tropica</i> , 2020, 211, 105598.	0.9	9
23	Molecular detection and genetic characterisation of pathogenic <i>Theileria</i> , <i>Anaplasma</i> and <i>Ehrlichia</i> species among apparently healthy sheep in central and western Kenya. <i>Onderstepoort Journal of Veterinary Research</i> , 2019, 86, e1-e8.	0.6	14
24	Molecular characterization of a new <i>Trypanosoma</i> ( <i>Megatrypanum</i> ) <i>theileri</i> isolate supports the two main phylogenetic lineages of this species in Japanese cattle. <i>Parasitology Research</i> , 2019, 118, 1927-1935.	0.6	9
25	A Review on Equine Piroplasmiasis: Epidemiology, Vector Ecology, Risk Factors, Host Immunity, Diagnosis and Control. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1736.	1.2	78
26	Genetic characterization of tick-borne pathogens in ticks infesting cattle and sheep from three South African provinces. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 875-882.	1.1	29
27	Short- and long-term effects of orally administered azithromycin on <i>Trypanosoma brucei</i> brucei-infected mice. <i>Experimental Parasitology</i> , 2019, 199, 40-46.	0.5	3
28	Risk factors associated with occurrence of anthelmintic resistance in sheep of resource-poor farmers in Limpopo province, South Africa. <i>Tropical Animal Health and Production</i> , 2019, 51, 555-563.	0.5	5
29	Confirmation of Antimicrobial Resistance by Using Resistance Genes of Isolated <i>Salmonella</i> spp. in Chicken Houses of North West, South Africa.. <i>Journal of World's Poultry Research</i> , 2019, 9, 158-165.	0.2	8
30	Molecular analysis of tick-borne protozoan and rickettsial pathogens in small ruminants from two South African provinces. <i>Parasitology International</i> , 2018, 67, 144-149.	0.6	36
31	Molecular detection and characterization of tick-borne protozoan and rickettsial pathogens isolated from cattle on Pemba Island, Tanzania. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1437-1445.	1.1	26
32	Loop-Mediated Isothermal Amplification for Detection of the 5.8S Ribosomal Ribonucleic Acid Internal Transcribed Spacer 2 Gene Found in <i>Trypanosoma brucei gambiense</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 96, 275-279.	0.6	7
33	Characterization of tabanid flies (Diptera: Tabanidae) in South Africa and Zambia and detection of protozoan parasites they are harbouring. <i>Parasitology</i> , 2017, 144, 1162-1178.	0.7	31
34	Sero-prevalence of <i>Taenia</i> spp. infections in cattle and pigs in rural farming communities in Free State and Gauteng provinces, South Africa. <i>Acta Tropica</i> , 2017, 172, 91-96.	0.9	5
35	Importance of bovine mastitis in Africa. <i>Animal Health Research Reviews</i> , 2017, 18, 58-69.	1.4	30
36	Molecular occurrence of trypanosomes, erythrocyte and serum sialic acid concentrations of Muturu and Bunaji cattle in Benue State, Nigeria. <i>Veterinary Parasitology</i> , 2017, 242, 10-13.	0.7	8

#	ARTICLE	IF	CITATIONS
37	An ethnobotanical survey of traditional medicinal plants used against lymphatic filariasis in South Africa. <i>South African Journal of Botany</i> , 2017, 111, 12-16.	1.2	32
38	Occurrence of <i>Coxiella burnetii</i> , <i>Ehrlichia canis</i> , <i>Rickettsia</i> species and <i>Anaplasma phagocytophilum</i> -like bacterium in ticks collected from dogs and cats in South Africa. <i>Journal of the South African Veterinary Association</i> , 2017, 88, e1-e6.	0.2	27
39	Epidemiology and evolution of the genetic variability of <i>Anaplasma marginale</i> in South Africa. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 624-631.	1.1	34
40	Geographic distribution of <i>Theileria</i> sp. (buffalo) and <i>Theileria</i> sp. (bougasvlei) in Cape buffalo ( <i>Syncerus caffer</i> ) in southern Africa: implications for speciation. <i>Parasitology</i> , 2014, 141, 411-424.	0.7	18
41	Parasitic infection among HIV/AIDS patients at Bela-Bela clinic, Limpopo province, South Africa with special reference to <i>Cryptosporidium</i> . <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2014, 45, 783-95.	1.0	9
42	A PCR Based Survey of <i>Babesia ovata</i> in Cattle from Various Asian, African and South American Countries. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 211-214.	0.3	26
43	Use of reverse transcriptase loop-mediated isothermal amplification assay for field detection of Newcastle disease virus using less invasive samples. <i>Veterinary World</i> , 2012, 5, 206.	0.7	9
44	Using Detergent to Enhance Detection Sensitivity of African Trypanosomes in Human CSF and Blood by Loop-Mediated Isothermal Amplification (LAMP). <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1249.	1.3	29
45	The Hybrid II assay: a sensitive and specific real-time hybridization assay for the diagnosis of <i>Theileria parva</i> infection in Cape buffalo ( <i>Syncerus caffer</i> ) and cattle. <i>Parasitology</i> , 2011, 138, 1935-1944.	0.7	14
46	Mixed <i>Theileria</i> infections in free-ranging buffalo herds: implications for diagnosing <i>Theileria parva</i> infections in Cape buffalo ( <i>Syncerus caffer</i> ). <i>Parasitology</i> , 2011, 138, 884-895.	0.7	26
47	Serological survey of <i>Babesia bovis</i> and <i>Babesia bigemina</i> in cattle in South Africa. <i>Veterinary Parasitology</i> , 2011, 182, 337-342.	0.7	32
48	Prevalence of <i>Trypanosoma</i> sp. in cattle from Tanzania estimated by conventional PCR and loop-mediated isothermal amplification (LAMP). <i>Parasitology Research</i> , 2011, 109, 1735-1739.	0.6	35
49	Loop-mediated isothermal amplification (LAMP) assays for detection of <i>Theileria parva</i> infections targeting the PIM and p150 genes. <i>International Journal for Parasitology</i> , 2010, 40, 55-61.	1.3	27
50	Detection of <i>Trypanosoma cruzi</i> and <i>T. rangeli</i> Infections from <i>Rhodnius pallescens</i> Bugs by Loop-Mediated Isothermal Amplification (LAMP). <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 855-860.	0.6	33
51	Comparative Diagnosis of Malaria Infections by Microscopy, Nested PCR, and LAMP in Northern Thailand. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 56-60.	0.6	84
52	<i>Toxoplasma gondii</i> : Sensitive and rapid detection of infection by loop-mediated isothermal amplification (LAMP) method. <i>Experimental Parasitology</i> , 2009, 122, 47-50.	0.5	83
53	The effect of $\alpha$ -tocopherol transfer protein gene disruption on <i>Trypanosoma congolense</i> infection in mice. <i>Free Radical Biology and Medicine</i> , 2009, 47, 1408-1413.	1.3	10
54	Stability of Loop-Mediated Isothermal Amplification (LAMP) Reagents and its Amplification Efficiency on Crude Trypanosome DNA Templates. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 471-475.	0.3	69

#	ARTICLE	IF	CITATIONS
55	A Field study to Estimate the Prevalence of Bovine African Trypanosomosis in Butaleja District, Uganda. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 525-527.	0.3	6
56	Sensitive and specific detection of <i>Cryptosporidium</i> species in PCR-negative samples by loop-mediated isothermal DNA amplification and confirmation of generated LAMP products by sequencing. <i>Veterinary Parasitology</i> , 2008, 158, 11-22.	0.7	103
57	The development and evaluation of a loop-mediated isothermal amplification (LAMP) method for detection of <i>Babesia</i> spp. infective to sheep and goats in China. <i>Experimental Parasitology</i> , 2008, 120, 39-44.	0.5	46
58	Development and Preliminary Evaluation of a Loop-Mediated Isothermal Amplification Procedure for Sensitive Detection of <i>Cryptosporidium</i> Oocysts in Fecal and Water Samples. <i>Applied and Environmental Microbiology</i> , 2007, 73, 5660-5662.	1.4	109
59	A trypanosome species isolated from naturally infected <i>Haemaphysalis hystricisticks</i> in Kagoshima Prefecture, Japan. <i>Parasitology</i> , 2007, 134, 967-974.	0.7	30
60	Species-specific loop-mediated isothermal amplification (LAMP) for diagnosis of trypanosomosis. <i>Acta Tropica</i> , 2007, 102, 182-189.	0.9	105
61	Development of a multiplex loop-mediated isothermal amplification (mLAMP) method for the simultaneous detection of bovine <i>Babesia</i> parasites. <i>Journal of Microbiological Methods</i> , 2007, 71, 281-287.	0.7	151
62	Development of loop-mediated isothermal amplification (LAMP) method for diagnosis of equine piroplasmosis. <i>Veterinary Parasitology</i> , 2007, 143, 155-160.	0.7	69
63	Comparative evaluation of the sensitivity of LAMP, PCR and in vitro culture methods for the diagnosis of equine piroplasmosis. <i>Parasitology Research</i> , 2007, 100, 1165-1168.	0.6	44
64	Evaluation of loop-mediated isothermal amplification (LAMP), PCR and parasitological tests for detection of <i>Trypanosoma evansi</i> in experimentally infected pigs. <i>Veterinary Parasitology</i> , 2005, 130, 327-330.	0.7	68
65	Species distribution, prevalence, and risk factors associated with tick infestations of equines in Nigeria. <i>International Journal of Acarology</i> , 0, , 1-6.	0.3	0