Peijun Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7516521/publications.pdf Version: 2024-02-01



DEILINILI

#	Article	IF	CITATIONS
1	Disrupted myelination network in the cingulate cortex of Parkinson's disease. IET Systems Biology, 2022, 16, 98-119.	1.5	9
2	Doublecortin facilitates the elongation of the somatic Golgi apparatus into proximal dendrites. Molecular Biology of the Cell, 2021, 32, 422-434.	2.1	9
3	Neferine Protects against Hypoxic-Ischemic Brain Damage in Neonatal Rats by Suppressing NLRP3-Mediated Inflammasome Activation. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-19.	4.0	28
4	Stopping the Clock on Seizures!. Trends in Neurosciences, 2021, 44, 422-423.	8.6	0
5	Dl-3-n-butylphthalide attenuates hypoxic-ischemic brain injury through inhibiting endoplasmic reticulum stress-induced cell apoptosis and alleviating blood-brain barrier disruption in newborn rats. Brain Research, 2020, 1747, 147046.	2.2	5
6	3′UTRs Regulate Mouse Ntrk2 mRNA Distribution in Cortical Neurons. Journal of Molecular Neuroscience, 2020, 70, 1858-1870.	2.3	1
7	Kcnn2 blockade reverses learning deficits in a mouse model of fetal alcohol spectrum disorders. Nature Neuroscience, 2020, 23, 533-543.	14.8	26
8	Protective effects of FGF10 on neurovascular unit in a rat model of neonatal hypoxic-ischemic brain injury. Experimental Neurology, 2020, 332, 113393.	4.1	13
9	Glycine Protects against Hypoxic-Ischemic Brain Injury by Regulating Mitochondria-Mediated Autophagy via the AMPK Pathway. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-29.	4.0	33
10	Loss of CLOCK Results in Dysfunction of Brain Circuits Underlying Focal Epilepsy. Neuron, 2017, 96, 387-401.e6.	8.1	66
11	Metformin treatment after the hypoxia-ischemia attenuates brain injury in newborn rats. Oncotarget, 2017, 8, 75308-75325.	1.8	30
12	Embryonic transcription factor expression in mice predicts medial amygdala neuronal identity and sex-specific responses to innate behavioral cues. ELife, 2017, 6, .	6.0	34
13	GABAergic regulation of cerebellar NG2 cell development is altered in perinatal white matter injury. Nature Neuroscience, 2015, 18, 674-682.	14.8	167
14	Two functional inhibitory circuits are comprised of a heterogeneous population of fast-spiking cortical interneurons. Neuroscience, 2014, 265, 60-71.	2.3	19
15	Experience-dependent regulation of NG2 progenitors in the developing barrel cortex. Nature Neuroscience, 2012, 15, 1192-1194.	14.8	126
16	Chronic Perinatal Hypoxia Reduces Glutamate–Aspartate Transporter Function in Astrocytes through the Janus Kinase/Signal Transducer and Activator of Transcription Pathway. Journal of Neuroscience, 2011, 31, 17864-17871.	3.6	62
17	Long-term sensory deprivation selectively rearranges functional inhibitory circuits in mouse barrel cortex. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 12156-12161.	7.1	38
18	Identification of distinct telencephalic progenitor pools for neuronal diversity in the amygdala. Nature Neuroscience, 2009, 12, 141-149.	14.8	139

#	Article	IF	CITATIONS
19	Tonically Active Inhibition Selectively Controls Feedforward Circuits in Mouse Barrel Cortex. Journal of Neurophysiology, 2008, 100, 932-944.	1.8	34