

V Pedrazzi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7516699/v-pedrazzi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

993
citations

18
h-index

28
g-index

77
ext. papers

1,144
ext. citations

3.3
avg. IF

4.01
L-index

#	Paper	IF	Citations
70	Bacterial adhesion on the titanium and zirconia abutment surfaces. <i>Clinical Oral Implants Research</i> , 2014 , 25, 337-343	4.8	86
69	Removable occlusal overlay splint in the management of tooth wear: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2000 , 83, 392-5	4	57
68	Microbiome of titanium and zirconia dental implants abutments. <i>Dental Materials</i> , 2016 , 32, 93-101	5.7	56
67	Mouthrinses for the treatment of halitosis. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD006701		53
66	Tongue-cleaning methods: a comparative clinical trial employing a toothbrush and a tongue scraper. <i>Journal of Periodontology</i> , 2004 , 75, 1009-12	4.6	46
65	Leakage of saliva through the implant-abutment interface: in vitro evaluation of three different implant connections under unloaded and loaded conditions. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 551-60	2.8	45
64	In vitro characterization of chitosan gels for buccal delivery of celecoxib: influence of a penetration enhancer. <i>AAPS PharmSciTech</i> , 2012 , 13, 101-11	3.9	38
63	Adapted version of the McGill Pain Questionnaire to Brazilian Portuguese. <i>Brazilian Dental Journal</i> , 2006 , 17, 328-35	1.9	37
62	Influence of repeated screw tightening on bacterial leakage along the implant-abutment interface. <i>Clinical Oral Implants Research</i> , 2009 , 20, 1394-7	4.8	36
61	Microleakage into and from two-stage implants: an in vitro comparative study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 56-62	2.8	34
60	Needle-free buccal anesthesia using iontophoresis and amino amide salts combined in a mucoadhesive formulation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 136, 1193-201	6	29
59	Marginal fit and microbial leakage along the implant-abutment interface of fixed partial prostheses: An in vitro analysis using Checkerboard DNA-DNA hybridization. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 831-8	4	26
58	Bacterial leakage along the implant-abutment interface: culture and DNA Checkerboard hybridization analyses. <i>Clinical Oral Implants Research</i> , 2012 , 23, 1168-72	4.8	23
57	Evaluation of Mucoadhesive Gels with Propolis (EPP-AF) in Preclinical Treatment of Candidiasis Vulvovaginal Infection. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 641480	2.3	23
56	Mouthwashes for the control of supragingival biofilm and gingivitis in orthodontic patients: evidence-based recommendations for clinicians. <i>Brazilian Oral Research</i> , 2014 , 28, 1-8	2.6	21
55	Bacterial survival rate on toothbrushes and their decontamination with antimicrobial solutions. <i>Journal of Applied Oral Science</i> , 2004 , 12, 99-103	3.3	20
54	Oral bacterial colonization on dental implants restored with titanium or zirconia abutments: 6-month follow-up. <i>Clinical Oral Investigations</i> , 2018 , 22, 2335-2343	4.2	19

53	Metronidazole-containing gel for the treatment of periodontitis: an in vivo evaluation. <i>Brazilian Oral Research</i> , 2008 , 22, 145-50	2.6	19
52	In vivo evaluation of Candida spp. adhesion on titanium or zirconia abutment surfaces. <i>Archives of Oral Biology</i> , 2013 , 58, 853-61	2.8	18
51	Prosthetic platforms in implant dentistry. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 2327-31	1.2	18
50	Oral biofilm formation on the titanium and zirconia substrates. <i>Microscopy Research and Technique</i> , 2013 , 76, 126-32	2.8	17
49	Herbal mouthwash containing extracts of Baccharis dracunculifolia as agent for the control of biofilm: clinical evaluation in humans. <i>Scientific World Journal, The</i> , 2015 , 2015, 712683	2.2	17
48	Antimicrobial mouthrinse use as an adjunct method in peri-implant biofilm control. <i>Brazilian Oral Research</i> , 2014 , 28 Spec No,	2.6	17
47	Combining amino amide salts in mucoadhesive films enhances needle-free buccal anesthesia in adults. <i>Journal of Controlled Release</i> , 2017 , 266, 205-215	11.7	14
46	In vivo evaluation of a metronidazole-containing gel for the adjuvant treatment of chronic periodontitis: preliminary results. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 1611-8	5.3	13
45	Microbial complexes levels in conventional and self-ligating brackets. <i>Clinical Oral Investigations</i> , 2017 , 21, 1037-1046	4.2	12
44	Microbial diversity of the supra- and subgingival biofilm of healthy individuals after brushing with chlorhexidine- or silver-coated toothbrush bristles. <i>Canadian Journal of Microbiology</i> , 2015 , 61, 112-23	3.2	12
43	A simple and high-resolution HPLC-PDA method for simultaneous quantification of local anesthetics in in vitro buccal permeation enhancement studies. <i>Biomedical Chromatography</i> , 2016 , 30, 857-66	1.7	12
42	Analgesia evaluation of 2 NSAID drugs as adjuvant in management of chronic temporomandibular disorders. <i>Scientific World Journal, The</i> , 2015 , 2015, 359152	2.2	11
41	Bone repair using mineral trioxide aggregate combined to a material carrier, associated or not with calcium hydroxide in bone defects. <i>Micron</i> , 2008 , 39, 868-74	2.3	11
40	Mouthrinse recommendation for prosthodontic patients. <i>Brazilian Oral Research</i> , 2014 , 28 Spec No,	2.6	9
39	Oral health in Brazil--part II: dental specialty centers (CEOs). <i>Brazilian Oral Research</i> , 2008 , 22 Suppl 1, 18-23	2.6	9
38	How to deal with morning bad breath: A randomized, crossover clinical trial. <i>Journal of Indian Society of Periodontology</i> , 2013 , 17, 757-61	1.1	9
37	In vitro evaluation of bacterial leakage along the implant-abutment interface of an external-hex implant after saliva incubation. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 782-7	2.8	9
36	Genome analysis and clinical implications of the bacterial communities in early biofilm formation on dental implants restored with titanium or zirconia abutments. <i>Biofouling</i> , 2018 , 34, 173-182	3.3	8

35	Effectiveness of three antimicrobial mouthrinses on the disinfection of toothbrushes stored in closed containers: a randomized clinical investigation by DNA Checkerboard and Culture. <i>Gerodontology</i> , 2014 , 31, 227-36	2.8	8
34	Effect of occlusal splint thickness on electrical masticatory muscle activity during rest and clenching. <i>Brazilian Oral Research</i> , 2011 , 25, 506-11	2.6	8
33	Synergy between surfactants and mucoadhesive polymers enhances the transbuccal permeation of local anesthetics from freeze-dried tablets. <i>Materials Science and Engineering C</i> , 2020 , 108, 110373	8.3	7
32	Experimental conical-head abutment screws on the microbial leakage through the implant-abutment interface: an in vitro analysis using target-specific DNA probes. <i>Clinical Oral Implants Research</i> , 2017 , 28, e68-e75	4.8	6
31	In vitro evaluation of the microbial contamination on new toothbrushes: a preliminary study. <i>Microscopy Research and Technique</i> , 2012 , 75, 42-5	2.8	6
30	Microbiological and clinical assessment of the abutment and non-abutment teeth of partial removable denture wearers. <i>Archives of Oral Biology</i> , 2017 , 75, 74-80	2.8	6
29	Different sealing materials preventing the microbial leakage into the screw-retained implant restorations: an in vitro analysis by DNA checkerboard hybridization. <i>Clinical Oral Implants Research</i> , 2017 , 28, 242-250	4.8	5
28	Genomic identification and quantification of microbial species adhering to toothbrush bristles after disinfection: A cross-over study. <i>Archives of Oral Biology</i> , 2015 , 60, 1039-47	2.8	5
27	Effect of alveolex on the bone defects repair stimulated by rhBMP-2: Histomorphometric study. <i>Microscopy Research and Technique</i> , 2012 , 75, 36-41	2.8	5
26	A comparison of the bleaching effectiveness of chlorine dioxide and hydrogen peroxide on dental composite. <i>Brazilian Dental Journal</i> , 2014 , 25, 524-7	1.9	5
25	Impact of temperature and time storage on the microbial detection of oral samples by Checkerboard DNA-DNA hybridization method. <i>Archives of Oral Biology</i> , 2014 , 59, 12-21	2.8	5
24	Effect of whitening toothpaste on titanium and titanium alloy surfaces. <i>Brazilian Oral Research</i> , 2012 , 26, 498-504	2.6	4
23	In vitro Fluoride Release and Tensile Bond Strength of a Polymeric Intra-Buccal Bioadhesive. <i>International Journal of Morphology</i> , 2009 , 27,	0.5	3
22	Towards the advance of a novel iontophoretic patch for needle-free buccal anesthesia. <i>Materials Science and Engineering C</i> , 2021 , 122, 111778	8.3	3
21	Local anesthetic improves individuals affected with herpes simplex type 1 labialis. <i>Journal of Medical Virology</i> , 2020 , 92, 3638	19.7	2
20	A 3-year longitudinal prospective study assessing microbial profile and clinical outcomes of single-unit cement-retained implant restorations: Zirconia versus titanium abutments. <i>Clinical Implant Dentistry and Related Research</i> , 2020 , 22, 301-310	3.9	2
19	Iodoform and silver-coated abutments preventing bacterial leakage through the implant-abutment interfaces: In vitro analysis using molecular-based method. <i>Archives of Oral Biology</i> , 2019 , 105, 65-71	2.8	2
18	Clinical evaluation of residual tetrasodium pyrophosphate released from two different anticalculus flosses. <i>Brazilian Dental Journal</i> , 2015 , 26, 116-20	1.9	2

17	Hand and ultrasonic instrumentation for orthograde root canal treatment of permanent teeth. <i>Journal of Applied Oral Science</i> , 2010 , 18, 268-72	3.3	2
16	Hand and ultrasonic instrumentation for orthograde root canal treatment of permanent teeth. <i>The Cochrane Library</i> , 2008 , CD006384	5.2	2
15	Evaluation of Some Biological Aspects of the Presence of Abrasive Silica and Thickening Silica in Basic Formulations of Dentifrices. <i>International Journal of Morphology</i> , 2009 , 27,	0.5	2
14	Histological Evaluation of the Bone Repair Using Mineral Trioxide Aggregate Combined to a Material Carrier. <i>International Journal of Morphology</i> , 2007 , 25,	0.5	2
13	A New Approach to Ex Vivo Permeation Studies in In-Situ Film-Forming Systems. <i>AAPS PharmSciTech</i> , 2020 , 21, 257	3.9	2
12	Interventions for managing halitosis. <i>The Cochrane Library</i> , 2016 ,	5.2	2
11	Construction and evaluation of an inexpensive device that simulates oral clearance. <i>Brazilian Dental Journal</i> , 2001 , 12, 183-6	1.9	2
10	Topical pilocarpine for xerostomia in patients with head and neck cancer treated with radiotherapy. <i>Oral Diseases</i> , 2020 , 26, 1209	3.5	1
9	Ultrasonic versus hand instrumentation for orthograde root canal treatment of permanent teeth. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD006384		1
8	Mouthrinses for the treatment of halitosis 2007 ,		1
7	Tensile bond strength of a polymeric intra-buccal bioadhesive: the mucin role. <i>Bollettino Chimico Farmaceutico</i> , 2001 , 140, 471-4		1
6	Herpes Labialis: A New Possibility for Topical Treatment with Well-Elucidated Drugs. <i>Journal of Pharmaceutical Sciences</i> , 2021 , 110, 3450-3456	3.9	0
5	Tratamiento Periodontal Quirúrgico en Rehabilitación Oral Estética: Reporte de Caso Clínico. <i>International Journal of Odontostomatology</i> , 2012 , 6, 363-368	0.6	
4	Needle-free anesthesia: clinical efficacy of a mucoadhesive patch for atraumatic anesthesia in dental procedures.. <i>Brazilian Oral Research</i> , 2021 , 35, e131	2.6	
3	Influence of a Retentive Shoulder Design to Prevent Early Failure of Three Core Build-Ups. <i>Brazilian Dental Journal</i> , 2019 , 30, 569-576	1.9	
2	Surrogate endpoints: when to use and when not to use? A critical appraisal of current evidences. <i>Brazilian Oral Research</i> , 2020 , 34 Suppl 2, e074	2.6	
1	Shear-bond strength between a new format of intra-buccal acrylic bioadhesive drug delivery system and adhesive systems. <i>Minerva Stomatologica: A Journal on Dentistry and Maxillofacial Surgery</i> , 2009 , 58, 145-50	1	