

Eun Bong Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7517411/eun-bong-lee-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

4,110
citations

28
h-index

62
g-index

115
ext. papers

4,899
ext. citations

5.2
avg, IF

5.08
L-index

#	Paper	IF	Citations
105	Tofacitinib or adalimumab versus placebo in rheumatoid arthritis. <i>New England Journal of Medicine</i> , 2012 , 367, 508-19	59.2	658
104	Tofacitinib versus methotrexate in rheumatoid arthritis. <i>New England Journal of Medicine</i> , 2014 , 370, 2377-86	59.2	495
103	Phase IIb dose-ranging study of the oral JAK inhibitor tofacitinib (CP-690,550) or adalimumab monotherapy versus placebo in patients with active rheumatoid arthritis with an inadequate response to disease-modifying antirheumatic drugs. <i>Arthritis and Rheumatism</i> , 2012 , 64, 617-29		296
102	Long-term safety of tofacitinib for the treatment of rheumatoid arthritis up to 8.5 years: integrated analysis of data from the global clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1253-1262	2.4	257
101	Safety and efficacy of tofacitinib, an oral janus kinase inhibitor, for the treatment of rheumatoid arthritis in open-label, longterm extension studies. <i>Journal of Rheumatology</i> , 2014 , 41, 837-52	4.1	223
100	The effect of tofacitinib on pneumococcal and influenza vaccine responses in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 687-95	2.4	119
99	Tofacitinib, an oral Janus kinase inhibitor: analysis of malignancies across the rheumatoid arthritis clinical development programme. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 831-41	2.4	105
98	Prophylactic effect of trimethoprim-sulfamethoxazole for pneumocystis pneumonia in patients with rheumatic diseases exposed to prolonged high-dose glucocorticoids. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 644-649	2.4	99
97	HLA-DPB1 and DPB2 are genetic loci for systemic sclerosis: a genome-wide association study in Koreans with replication in North Americans. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3807-14		97
96	Adiponectin is a potential catabolic mediator in osteoarthritis cartilage. <i>Arthritis Research and Therapy</i> , 2010 , 12, R231	5.7	96
95	Genome-wide association study identifies GIMAP as a novel susceptibility locus for Behcet's disease. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1510-6	2.4	88
94	Impact of temporary methotrexate discontinuation for 2 weeks on immunogenicity of seasonal influenza vaccination in patients with rheumatoid arthritis: a randomised clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 898-904	2.4	85
93	Myositis autoantibodies in Korean patients with inflammatory myositis: anti-140-kDa polypeptide antibody is primarily associated with rapidly progressive interstitial lung disease independent of clinically amyopathic dermatomyositis. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 223	2.8	65
92	Effect of methotrexate discontinuation on efficacy of seasonal influenza vaccination in patients with rheumatoid arthritis: a randomised clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1559-1565	2.4	57
91	Points to consider for the treatment of immune-mediated inflammatory diseases with Janus kinase inhibitors: a consensus statement. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 71-87	2.4	50
90	Hepatitis B virus reactivation in rheumatoid arthritis and ankylosing spondylitis patients treated with anti-TNF α agents: a retrospective analysis of 49 cases. <i>Clinical Rheumatology</i> , 2012 , 31, 931-6	3.9	48
89	Tofacitinib or adalimumab versus placebo: patient-reported outcomes from a phase 3 study of active rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 1031-41	3.9	46

88	TNF and TNF receptor polymorphisms in Korean Behcet's disease patients. <i>Human Immunology</i> , 2003 , 64, 614-20	2.3	44
87	Association of TLR4 polymorphisms with Behcet's disease in a Korean population. <i>Rheumatology</i> , 2009 , 48, 638-42	3.9	42
86	Systemic sclerosis and the COVID-19 pandemic: World Scleroderma Foundation preliminary advice for patient management. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 724-726	2.4	38
85	Long-term safety of tofacitinib up to 9.5 years: a comprehensive integrated analysis of the rheumatoid arthritis clinical development programme. <i>RMD Open</i> , 2020 , 6,	5.9	36
84	Salivary chemokine levels in patients with primary Sjogren's syndrome. <i>Rheumatology</i> , 2010 , 49, 1747-52	3.9	35
83	Effect of Hydroxychloroquine Treatment on Dry Eyes in Subjects with Primary Sjogren's Syndrome: a Double-Blind Randomized Control Study. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1127-35	4.7	35
82	Tramadol 37.5-mg/acetaminophen 325-mg combination tablets added to regular therapy for rheumatoid arthritis pain: a 1-week, randomized, double-blind, placebo-controlled trial. <i>Clinical Therapeutics</i> , 2006 , 28, 2052-60	3.5	33
81	Association between anti- <i>Porphyromonas gingivalis</i> or anti- <i>Penicillium</i> antibody and severity of periodontitis or rheumatoid arthritis (RA) disease activity in RA. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 190	2.8	32
80	Autoantibodies in primary Sjogren's syndrome patients induce internalization of muscarinic type 3 receptors. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 161-7	6.9	31
79	A novel bioassay platform using ferritin-based nanoprobe hydrogel. <i>Advanced Materials</i> , 2012 , 24, 4739-44, 4730	2.4	30
78	Associations between the HLA-A polymorphism and the clinical manifestations of Behcet's disease. <i>Arthritis Research and Therapy</i> , 2011 , 13, R49	5.7	30
77	Potential role and mechanism of IFN-gamma inducible protein-10 on receptor activator of nuclear factor kappa-B ligand (RANKL) expression in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2011 , 13, R104	5.7	28
76	Head-to-head comparison of udenafil vs amlodipine in the treatment of secondary Raynaud's phenomenon: a double-blind, randomized, cross-over study. <i>Rheumatology</i> , 2014 , 53, 658-64	3.9	27
75	COVID-19 Vaccination in Patients with Autoimmune Inflammatory Rheumatic Diseases: Clinical Guidance of the Korean College of Rheumatology. <i>Journal of Korean Medical Science</i> , 2021 , 36, e95	4.7	26
74	Interleukin-18 promoter polymorphisms in patients with Behcet's disease. <i>Human Immunology</i> , 2006 , 67, 812-8	2.3	25
73	Identification of autoantibody against poly (ADP-ribose) polymerase (PARP) fragment as a serological marker in systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2004 , 22, 87-94	15.5	25
72	The efficacy of diacerein in hand osteoarthritis: a double-blind, randomized, placebo-controlled study. <i>Clinical Therapeutics</i> , 2013 , 35, 431-9	3.5	24
71	Clinical risk factors for adverse events in allopurinol users. <i>Journal of Clinical Pharmacology</i> , 2013 , 53, 211-6	2.9	24

70	A sensitive diagnostic assay of rheumatoid arthritis using three-dimensional ZnO nanorod structure. <i>Biosensors and Bioelectronics</i> , 2011 , 28, 378-85	11.8	23
69	The prognostic factors of systemic sclerosis for survival among Koreans. <i>Clinical Rheumatology</i> , 2010 , 29, 297-302	3.9	23
68	Evidence of potential interaction of chemokine genes in susceptibility to systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2443-8		23
67	HLA-B51 Carriers are Susceptible to Ocular Symptoms of Behçet Disease and the Association between the Two Becomes Stronger towards the East along the Silk Road: A Literature Survey. <i>Ocular Immunology and Inflammation</i> , 2017 , 25, 37-40	2.8	22
66	Apolipoprotein B binds to enolase-1 and aggravates inflammation in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1480-1489	2.4	21
65	Downregulation of heat shock protein 70 protects rheumatoid arthritis fibroblast-like synoviocytes from nitric oxide-induced apoptosis. <i>Arthritis Research and Therapy</i> , 2009 , 11, R130	5.7	21
64	Radiation synovectomy using ¹⁸⁸ Re-tin colloid improves knee synovitis as shown by MRI in refractory rheumatoid arthritis. <i>Nuclear Medicine Communications</i> , 2007 , 28, 239-44	1.6	21
63	Evaluation of the Short-, Mid-, and Long-Term Effects of Tofacitinib on Lymphocytes in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 685-695	9.5	21
62	Optimal time between the last methotrexate administration and seasonal influenza vaccination in rheumatoid arthritis: post hoc analysis of a randomised clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1283-1284	2.4	20
61	Evaluation of osteoarthritis induced by treadmill-running exercise using the modified Mankin and the new OARSI assessment system. <i>Rheumatology International</i> , 2011 , 31, 1571-6	3.6	20
60	Clinical features of polyarteritis nodosa in Korea. <i>Journal of Korean Medical Science</i> , 2006 , 21, 591-5	4.7	20
59	Impact of Dose Tapering of Tumor Necrosis Factor Inhibitor on Radiographic Progression in Ankylosing Spondylitis. <i>PLoS ONE</i> , 2016 , 11, e0168958	3.7	20
58	Pneumocystis pneumonia in patients with rheumatic diseases receiving prolonged, non-high-dose steroids-clinical implication of primary prophylaxis using trimethoprim-sulfamethoxazole. <i>Arthritis Research and Therapy</i> , 2019 , 21, 207	5.7	19
57	The clinical significance of serum N-terminal pro-brain natriuretic peptide in systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2008 , 27, 437-42	3.9	18
56	Comparative cardiovascular risk of allopurinol versus febuxostat in patients with gout: a nation-wide cohort study. <i>Rheumatology</i> , 2019 , 58, 2122-2129	3.9	17
55	The correlation between durometer score and modified Rodnan skin score in systemic sclerosis. <i>Rheumatology International</i> , 2012 , 32, 2465-70	3.6	17
54	Cost of illness and quality of life of patients with rheumatoid arthritis in South Korea. <i>Value in Health</i> , 2012 , 15, S43-9	3.3	16
53	Risk factors for acute kidney injury by non-steroidal anti-inflammatory drugs in patients with hyperuricaemia. <i>Rheumatology</i> , 2011 , 50, 2278-82	3.9	16

52	Fcγ receptor IIIA polymorphism in Korean patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2002 , 21, 222-6	3.6	16
51	Cost-of-illness and quality of life in patients with ankylosing spondylitis at a tertiary hospital in Korea. <i>Journal of Korean Medical Science</i> , 2014 , 29, 190-7	4.7	15
50	Association between matrix metalloproteinase 9 promoter polymorphisms and Behçet's disease. <i>Human Immunology</i> , 2010 , 71, 717-22	2.3	15
49	Role of Stem Cell-Like Memory T Cells in Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1459-1469	9.5	13
48	Outcome of patients with connective tissue disease requiring intensive care for respiratory failure. <i>Rheumatology International</i> , 2012 , 32, 3353-8	3.6	12
47	Elevated Erythrocyte Sedimentation Rate Is Predictive of Interstitial Lung Disease and Mortality in Dermatomyositis: a Korean Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2016 , 31, 389-96	4.7	12
46	Interaction between B-cell activation factor and methotrexate impacts immunogenicity of seasonal influenza vaccination in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 282-284	2.4	12
45	Serum elastin-derived peptides and anti-elastin antibody in patients with systemic sclerosis. <i>Journal of Korean Medical Science</i> , 2012 , 27, 484-8	4.7	11
44	The diagnostic utilities of anti-agalactosyl IgG antibodies, anti-cyclic citrullinated peptide antibodies, and rheumatoid factors in rheumatoid arthritis. <i>Rheumatology International</i> , 2011 , 31, 315-9	3.6	11
43	Effect of short-term methotrexate discontinuation on rheumatoid arthritis disease activity: post-hoc analysis of two randomized trials. <i>Clinical Rheumatology</i> , 2020 , 39, 375-379	3.9	10
42	The clinicopathologic characteristics of granulomatosis with polyangiitis (Wegener's): a retrospective study of 45 patients in Korea. <i>Modern Rheumatology</i> , 2013 , 23, 864-871	3.3	9
41	Gene expression profile during chondrogenesis in human bone marrow derived mesenchymal stem cells using a cDNA microarray. <i>Journal of Korean Medical Science</i> , 2011 , 26, 851-8	4.7	9
40	Anti-cyclic citrullinated peptide antibody is associated with radiographic erosion in rheumatoid arthritis independently of shared epitope status. <i>Rheumatology International</i> , 2009 , 29, 251-6	3.6	9
39	Risk factors for the recurrence of IgG4-related Sclerosing disease without autoimmune pancreatitis. <i>Journal of Clinical Rheumatology</i> , 2011 , 17, 392-4	1.1	8
38	Matrix metalloproteinase-9 promoter polymorphisms in Korean patients with systemic lupus erythematosus. <i>Human Immunology</i> , 2008 , 69, 374-9	2.3	8
37	Prevalence and clinical features of arthralgia/arthritis in healthy pregnant women. <i>Rheumatology International</i> , 2008 , 28, 1111-5	3.6	8
36	Pattern of inflammatory immune response determines the clinical course and outcome of COVID-19: unbiased clustering analysis. <i>Scientific Reports</i> , 2021 , 11, 8080	4.9	8
35	Efficacy and safety of tofacitinib for the treatment of rheumatoid arthritis in patients from the Asia-Pacific region: Post-hoc analyses of pooled clinical study data. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1094-1106	2.3	7

34	Mannose-binding lectin 2 gene haplotype analysis in Korean patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2012 , 32, 2251-5	3.6	7
33	Decreased serum level of antibody against human cytomegalovirus in patients with Behçet's disease. <i>Rheumatology International</i> , 2005 , 25, 33-6	3.6	7
32	Efficacy and Tolerability of GCSB-5 for Hand Osteoarthritis: A Randomized, Controlled Trial. <i>Clinical Therapeutics</i> , 2016 , 38, 1858-1868.e2	3.5	7
31	Copy number variation of ðdefensin genes in Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S20-3	2.2	7
30	Elderly Patients Exhibit Stronger Inflammatory Responses during Gout Attacks. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1967-1973	4.7	6
29	Proteomic biomarkers in mid-trimester amniotic fluid associated with adverse pregnancy outcomes in patients with systemic lupus erythematosus. <i>PLoS ONE</i> , 2020 , 15, e0235838	3.7	5
28	Profile of common inflammatory markers in treatment-naïve patients with systemic rheumatic diseases. <i>Clinical Rheumatology</i> , 2020 , 39, 2899-2906	3.9	5
27	Preventive effect of tumor necrosis factor inhibitors versus nonsteroidal anti-inflammatory drugs on uveitis in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2018 , 37, 2763-2770	3.9	4
26	Tocilizumab Increases Body Weight and Serum Adipokine Levels in Patients with Rheumatoid Arthritis Independently of Their Treatment Response: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2020 , 35, e155	4.7	4
25	Impact of EUSTAR standardized training on accuracy of modified Rodnan skin score in patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 96-102	2.3	4
24	Replication of a microsatellite genome-wide association study of Behçet's disease in a Korean population. <i>Rheumatology</i> , 2012 , 51, 983-6	3.9	3
23	Predictors of a placebo response in patients with hand osteoarthritis: post-hoc analysis of two randomized controlled trials. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 244	2.8	3
22	Nonthrombotic proliferative vasculopathy associated with antiphospholipid antibodies: A case report and literature review. <i>Modern Rheumatology</i> , 2019 , 29, 388-392	3.3	3
21	Management of Women with Antiphospholipid Antibodies or Antiphospholipid Syndrome during Pregnancy. <i>Journal of Korean Medical Science</i> , 2021 , 36, e24	4.7	3
20	SRM-MS Method Development for Hepcidin-25 Peptide. <i>Journal of Analytical Methods in Chemistry</i> , 2018 , 2018, 9653747	2	3
19	Performance of the 2015 American College of Rheumatology/European League against Rheumatism Classification Criteria for Gout in Korean Patients with Acute Arthritis. <i>Journal of Korean Medical Science</i> , 2019 , 34, e155	4.7	2
18	A clinical comparison of an endothelin receptor antagonist and phosphodiesterase type 5 inhibitors for treating digital ulcers of systemic sclerosis. <i>Rheumatology</i> , 2021 , 60, 5814-5819	3.9	2
17	Clinical Management of Herpes Zoster in Patients With Rheumatoid Arthritis or Psoriatic Arthritis Receiving Tofacitinib Treatment. <i>Rheumatology and Therapy</i> , 2021 , 9, 243	4.4	2

16	Development of an Automatic Instrument for Efficient Measuring the Joint Range of Motion. <i>International Journal of Control, Automation and Systems</i> , 2019 , 17, 2722-2733	2.9	1
15	A case of renal crisis in a Korean scleroderma patient with anti-RNA polymerase I and III antibodies. <i>Journal of Korean Medical Science</i> , 2006 , 21, 1121-3	4.7	1
14	Risk-benefit analysis of isoniazid monotherapy to prevent tuberculosis in patients with rheumatic diseases exposed to prolonged, high-dose glucocorticoids. <i>PLoS ONE</i> , 2020 , 15, e0244239	3.7	1
13	Tuberculosis risk with biologics by screening-guided preventive strategy in rheumatoid arthritis under intermediate tuberculosis burden. <i>Rheumatology</i> , 2021 , 60, 2755-2764	3.9	1
12	CD47 Potentiates Inflammatory Response in Systemic Lupus Erythematosus. <i>Cells</i> , 2021 , 10,	7.9	1
11	Proinflammatory Features of Stem Cell-like Memory T Cells from Human Patients with Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2021 , 207, 381-388	5.3	1
10	Raynaud's phenomenon and anti-nuclear antibody are associated with pulmonary function decline in patients with dermatomyositis and polymyositis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 507-515	2.3	1
9	Quality Indicators for Evaluating the Health Care of Patients with Rheumatoid Arthritis: a Korean Expert Consensus. <i>Journal of Korean Medical Science</i> , 2021 , 36, e109	4.7	1
8	Soluble Fas ligand drives autoantibody-induced arthritis by binding to DR5/TRAIL-R2. <i>ELife</i> , 2021 , 10,	8.9	1
7	Practical Utility of D-dimer Test for Venous Thromboembolism in Systemic Lupus Erythematosus Depends on Disease Activity: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2020 , 35, e356	4.7	0
6	Exome-Wide Association Analysis Suggests LRP2BP as a Susceptibility Gene for Endothelial Injury in Systemic Sclerosis in the Han Chinese Population. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1254-1263.e6	4.3	0
5	Endoscopic Features of Upper Gastrointestinal Tract in Patients with Systemic Sclerosis Compared to the Healthy Control. <i>Journal of Rheumatic Diseases</i> , 2019 , 26, 66	1.2	
4	Biomedical Applications: A Novel Bioassay Platform Using Ferritin-Based Nanoprobe Hydrogel (Adv. Mater. 35/2012). <i>Advanced Materials</i> , 2012 , 24, 4730-4730	24	
3	A Case of Macrophagic Myofasciitis Initially Thought to Be a Metastatic Infection. <i>Journal of Rheumatic Diseases</i> , 2012 , 19, 285	1.2	
2	Assessment on Treatments With Conventional Synthetic Disease-modifying Drugs Before Initiating Biologics in Patients With Rheumatoid Arthritis in Korea: A Population-based Study. <i>Journal of Rheumatic Diseases</i> , 2022 , 29, 79-88	1.2	
1	Infectious risk of add-on leflunomide or tacrolimus versus TNF inhibitors among patients with rheumatoid arthritis receiving background methotrexate: A population-based cohort study.. <i>Seminars in Arthritis and Rheumatism</i> , 2022 , 55, 152019	5.3	