

Zhi-Xin Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7518412/publications.pdf>

Version: 2024-02-01

29
papers

251
citations

932766

10
h-index

1058022

14
g-index

30
all docs

30
docs citations

30
times ranked

341
citing authors

#	ARTICLE	IF	CITATIONS
1	Asymptomatic Cerebral Microbleeds in Adult Patients with Moyamoya Disease: A Prospective Cohort Study with 2 Years of Follow-Up. <i>Cerebrovascular Diseases</i> , 2013, 35, 469-475.	0.8	37
2	Microbleeds in ischemic stroke are associated with lower serum adiponectin and higher soluble E-selectin levels. <i>Journal of the Neurological Sciences</i> , 2013, 334, 83-87.	0.3	24
3	Lifestyles correlate with stroke recurrence in Chinese inpatients with first-ever acute ischemic stroke. <i>Journal of Neurology</i> , 2019, 266, 1194-1202.	1.8	22
4	Early neurological deterioration in acute ischemic stroke: A propensity score analysis. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 865-870.	0.6	19
5	The associations between subjective and objective cognitive functioning across manic or hypomanic, depressed, and euthymic states in Chinese bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 249, 73-81.	2.0	19
6	Admission Glucose Levels May Increase the Risk for Early Neurological Deterioration in Females With Acute Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020, 11, 548892.	1.1	18
7	Acute Diffusion-Weighted Imaging Lesion Patterns Predict Progressive Small Subcortical Infarct in the Perforator Territory of the Middle Cerebral Artery. <i>International Journal of Stroke</i> , 2015, 10, 207-212.	2.9	16
8	The effects of cognitive reserve on predicting and moderating the cognitive and psychosocial functioning of patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 260, 222-231.	2.0	14
9	Risk factors for in-hospital mortality among acute ischemic stroke patients in China: a nationwide prospective study. <i>Neurological Research</i> , 2021, 43, 387-395.	0.6	14
10	Lower levels of plasma adiponectin and endothelial progenitor cells are associated with large artery atherosclerotic stroke. <i>International Journal of Neuroscience</i> , 2016, 126, 121-126.	0.8	10
11	Safety and efficacy of simultaneous bilateral carotid angioplasty and stenting. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 37, 202-209.	1.0	8
12	Advanced Glycated End Products Alter Neutrophil Effect on Regulation of CD4+ T Cell Differentiation Through Induction of Myeloperoxidase and Neutrophil Elastase Activities. <i>Inflammation</i> , 2019, 42, 559-571.	1.7	8
13	Association between NT-proBNP Level and the Severity of COVID-19 Pneumonia. <i>Cardiology Research and Practice</i> , 2021, 2021, 1-7.	0.5	8
14	CD34 ⁺ cells and endothelial progenitor cell subpopulations are associated with cerebral small vessel disease burden. <i>Biomarkers in Medicine</i> , 2021, 15, 191-200.	0.6	6
15	Essen Stroke Risk Score Predicts Carotid Atherosclerosis in Chinese Community Populations. <i>Risk Management and Healthcare Policy</i> , 2020, Volume 13, 2115-2123.	1.2	4
16	Nomogram for predicting recurrence and metastasis of stage IA lung adenocarcinoma treated by videoassisted thoracoscopic lobectomy. <i>Asian Journal of Surgery</i> , 2022, 45, 2691-2699.	0.2	4
17	A Dynamic Nomogram to Predict the 3-Month Unfavorable Outcome of Patients with Acute Ischemic Stroke. <i>Risk Management and Healthcare Policy</i> , 2022, Volume 15, 923-934.	1.2	4
18	Correlation between ABCD, ABCD2 Scores and Craniocervical Artery Stenosis in Patients with Transient Ischemic Attack. <i>European Neurology</i> , 2013, 70, 333-339.	0.6	3

#	ARTICLE	IF	CITATIONS
19	Reduced endothelial progenitor cells in extracranial arterial stenosis but not intracranial arterial stenosis. <i>Journal of Vascular Surgery</i> , 2015, 62, 1539-1545.	0.6	3
20	A Nomogram to Predict Lifestyle Factors for Recurrence of Large-Vessel Ischemic Stroke. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 365-377.	1.2	3
21	Anterior Borderzone Angle for Hemodynamic Collateral Metric in Patients with Symptomatic Middle Cerebral Artery Stenosis. <i>European Neurology</i> , 2018, 79, 45-53.	0.6	2
22	Peripheral blood CD4+ cell counts but not CD3+ and CD8+ cell counts are reduced in SARS-CoV-2 infection. <i>Journal of Affective Disorders</i> , 2020, 277, 375-378.	2.0	2
23	A Dynamic Nomogram for 3-Month Prognosis for Acute Ischemic Stroke Patients After Endovascular Therapy: A Pooled Analysis in Southern China. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 796434.	1.7	2
24	Effect of Huoxiang Zhengqi Pill on Early Neurological Deterioration in Patients with Acute Ischemic Stroke Undergoing Recanalization Therapy and Predictive Effect of Essen Score. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-6.	0.5	1
25	Relations of Serum Soluble E-selectin and Adiponectin with Enlarged Perivascular Spaces in Patients with Recent Lacunar Infarction. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 382-384.	1.9	0
26	Reply to. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 246.	0.6	0
27	Predictors of Recurrent Stroke in Patients with First-Ever Acute Ischemic Stroke: A Prospective Single-Institute Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
28	Peripheral Blood CD4+ Cells Are Associated with Increased Risk for 2019-nCoV Infection, But Not CD3+ and CD8+ Cells. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
29	Letter to the editor: Selection of appropriate statistical methods for prediction model. <i>Hepatology</i> , 2022, 75, 1348-1349.	3.6	0