

# Tiago Junior Pasquetti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/75191/publications.pdf>

Version: 2024-02-01

25

papers

113

citations

1478505

6

h-index

1372567

10

g-index

28

all docs

28

docs citations

28

times ranked

186

citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of supplemental L-methionine on growth performance and redox status of turkey pouls compared with the use of DL-methionine. <i>Poultry Science</i> , 2018, 97, 102-109.	3.4	27
2	Sunflower cake with or without enzymatic complex for broiler chickens feeding. <i>Asian-Australasian Journal of Animal Sciences</i> , 2017, 30, 410-416.	2.4	15
3	Nutritional requirements of digestible threonine for growing meat-type quails. <i>Revista Brasileira De Zootecnia</i> , 2013, 42, 504-510.	0.8	9
4	Effect of passion fruit seed meal on growth performance, carcass, and blood characteristics in starter pigs. <i>Tropical Animal Health and Production</i> , 2015, 47, 1397-1403.	1.4	8
5	Glicerina bruta para codornas de corte, de um a 14 e de 15 a 35 dias de idade. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014, 66, 1547-1556.	0.4	8
6	Lowering dietary cation-anion difference increases sow blood and milk calcium concentrations. <i>Journal of Animal Science</i> , 2019, 97, 2927-2939.	0.5	7
7	Passion fruit seed meal at growing and finishing pig (30-90 kg) feeding. <i>Ciencia E Agrotecnologia</i> , 2014, 38, 390-400.	1.5	5
8	Simultaneous determination of standardized ileal digestible tryptophan and lysine for barrows from 15 to 30kg live weight. <i>Livestock Science</i> , 2015, 181, 114-120.	1.6	5
9	Neutral semi-purified glycerin in growing and finishing pigs feeding. <i>Italian Journal of Animal Science</i> , 2016, 15, 87-93.	1.9	5
10	Avaliação nutricional da glicerina vegetal semipurificada para codornas de corte. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013, 65, 1783-1791.	0.4	5
11	196 Effects of feed grade L-methionine on intestinal redox status, intestinal development, and growth performance of turkey pouls compared with conventional DL-methionine. <i>Journal of Animal Science</i> , 2016, 94, 93-93.	0.5	3
12	Exigência de treonina digestível para codornas de corte no período de 15 a 35 dias de idade. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013, 65, 505-512.	0.4	3
13	Neutralized semi-purified glycerin in pre-starting piglet feeding (6 To 15 kg). <i>Semina: Ciencias Agrarias</i> , 2015, 36, 2839.	0.3	3
14	Desempenho, microbiota intestinal e peso de órgãos de leitões na fase inicial recebendo ração com simbiótico e probiotico. <i>Ciencia E Agrotecnologia</i> , 2010, 34, 1327-1334.	1.5	2
15	Adjustment of equations to predict the metabolizable energy of corn for meat type quails. <i>Semina: Ciencias Agrarias</i> , 2015, 36, 2861.	0.3	2
16	Standardized ileal digestible tryptophan and lysine for 15–30 kg gilts. <i>Journal of Agricultural Science</i> , 2020, 158, 624-631.	1.3	2
17	Semi-purified glycerin in the meat quails feeding. <i>Semina: Ciencias Agrarias</i> , 2014, 35, 3377.	0.3	1
18	Leucine levels in low protein diets for pigs in the initial phase. <i>Semina: Ciencias Agrarias</i> , 2017, 38, 3829.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Effect of including different levels of crude glycerin in feed on plasma triglyceride concentrations in pigs, and the composition and qualitative attributes of pork. Semina: Ciencias Agrarias, 2019, 40, 919.	0.3	1
20	Digestible tryptophan requirements of meat quails in the growth phase. Revista Brasileira De Zootecnia, 2012, 41, 1193-1201.	0.8	1
21	Validating prediction equations of metabolizable energy of soybean meal for growing pigs. Semina: Ciencias Agrarias, 2015, 36, 4541.	0.3	0
22	Rice co-products in pig feed during the starter phase (15 to 30 kg). Semina: Ciencias Agrarias, 2018, 39, 1695.	0.3	0
23	Pigs fed various levels of crude protein and raised above the thermoneutral zone: effects on protein metabolism and nitrogen balance. Research, Society and Development, 2021, 10, e21210111345.	0.1	0
24	The effects of tryptophan and pyridoxine supplied orally to nursing piglets on weight loss and social behavior after weaning. Semina: Ciencias Agrarias, 0, , 335-346.	0.3	0
25	Parâmetros bioquímicos sanguíneos, balanço de nitrogênio e metabolizabilidade da energia bruta em suínos alimentados com dietas contendo diferentes balanços eletrolíticos. Semina: Ciencias Agrarias, 2012, 33, 1599-1608.	0.3	0