

Yi Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7519192/yi-wang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

2,543
citations

24
h-index

50
g-index

53
ext. papers

3,245
ext. citations

7
avg, IF

5.33
L-index

#	Paper	IF	Citations
51	Cobalt with porous carbon architecture: Towards of 4-nitrophenol degradation and reduction. <i>Separation and Purification Technology</i> , 2022 , 288, 120595	8.3	3
50	Steam pretreatment-mediated catalytic activity modulation for ammonia borane hydrolysis over ruthenium nanoclusters on nitrogen/oxygen-rich carbon nanotubes. <i>Applied Surface Science</i> , 2022 , 579, 152158	6.7	13
49	Ultrafast, dry microwave-assisted surface property modulations to boost carbon stabilized Ru nanocatalyst for catalytic hydrogen evolution. <i>Fuel</i> , 2022 , 309, 122203	7.1	16
48	Low-temperature control over deposition of ultrafine Pd nanoparticles on porous carbon nanosheets for highly efficient dehydrogenation of ammonia borane. <i>Journal of Alloys and Compounds</i> , 2022 , 165076	5.7	0
47	Defect-dominated carbon deposited Pd nanoparticles enhanced catalytic performance of formic acid dehydrogenation. <i>Applied Surface Science</i> , 2022 , 153590	6.7	0
46	Carbon-nanosheet-driven spontaneous deposition of Au nanoparticles for efficient electrochemical utilizations toward H ₂ O ₂ generation and detection. <i>Chemical Engineering Journal</i> , 2022 , 445, 136586	14.7	2
45	The simplest and ultrafast microwave-mediated solid-state construction of cobalt oxide/carbon hybrid as an efficient peroxydisulfate activator for ciprofloxacin degradation. <i>Separation and Purification Technology</i> , 2022 , 121346	8.3	0
44	Universal low-temperature oxidative thermal redispersion strategy for green and sustainable fabrication of oxygen-rich carbons anchored metal nanoparticles for hydrogen evolution reactions. <i>Chemical Engineering Journal</i> , 2021 , 433, 133648	14.7	17
43	Alkaline ultrasonic irradiation-mediated boosted H ₂ production over O/N-rich porous carbon anchored Ru nanoclusters.. <i>Journal of Colloid and Interface Science</i> , 2021 , 612, 57-65	9.3	12
42	Catalytic Hydrolysis of Sodium Borohydride for Hydrogen Production Using Magnetic Recyclable CoFe ₂ O ₄ -Modified Transition-Metal Nanoparticles. <i>ACS Applied Nano Materials</i> , 2021 , 4, 11312-11320	5.6	3
41	Integrated quantitative susceptibility and R [*] mapping for evaluation of liver fibrosis: An ex vivo feasibility study. <i>NMR in Biomedicine</i> , 2021 , 34, e4412	4.4	2
40	Carbon nanopore and anchoring site-assisted general construction of encapsulated metal (Rh, Ru, Ir) nanoclusters for highly efficient hydrogen evolution in pH-universal electrolytes and natural seawater. <i>Green Chemistry</i> , 2021 , 23, 4551-4559	10	14
39	Sustainable one-pot construction of oxygen-rich nitrogen-doped carbon nanosheets stabilized ultrafine Rh nanoparticles for efficient ammonia borane hydrolysis. <i>Journal of Colloid and Interface Science</i> , 2021 , 594, 131-140	9.3	28
38	Air-engaged fabrication of nitrogen-doped carbon skeleton as an excellent platform for ultrafine well-dispersed RuNi alloy nanoparticles toward efficient hydrolysis of ammonia borane. <i>Fuel</i> , 2021 , 297, 120750	7.1	28
37	Facile, general and environmental-friendly fabrication of O/N-codoped porous carbon as a universal matrix for efficient hydrogen evolution electrocatalysts. <i>Chemical Engineering Journal</i> , 2021 , 420, 130483	14.7	17
36	Surface property and spatial confinement engineering for achieving Ru nanoclusters on O/N-doped hollow carbon towards enhanced hydrogen production. <i>Fuel</i> , 2021 , 306, 121722	7.1	5
35	Strong electrostatic adsorption-engaged fabrication of sub-3.0 nm PtRu alloy nanoparticles as synergistic electrocatalysts toward hydrogen evolution. <i>Nanoscale</i> , 2021 , 13, 10044-10050	7.7	3

34	Amino-group and space-confinement assisted synthesis of small and well-defined Rh nanoparticles as efficient catalysts toward ammonia borane hydrolysis. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 2204-2212	6.7	13
33	Bagasse-derived Carbon-supported Ru nanoparticles as Catalyst for Efficient Dehydrogenation of Ammonia Borane. <i>ChemNanoMat</i> , 2020 , 6, 1251-1259	3.5	18
32	A simple and straightforward strategy for synthesis of N,P co-doped porous carbon: an efficient support for Rh nanoparticles for dehydrogenation of ammonia borane and catalytic application. <i>Nanoscale Advances</i> , 2020 , 2, 1685-1693	5.1	9
31	Salt template-assisted in situ construction of Ru nanoclusters and porous carbon: excellent catalysts toward hydrogen evolution, ammonia-borane hydrolysis, and 4-nitrophenol reduction. <i>Green Chemistry</i> , 2020 , 22, 835-842	10	89
30	Ultrasmall rhodium nanoclusters anchored on nitrogen-doped carbon nanotubes with embedded nickel nanoparticles as magnetically recyclable catalysts for efficient ammonia-borane hydrolysis. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 1640-1648	6.7	12
29	Air-mediated construction of O, N-rich carbon: An efficient support of palladium nanoparticles toward catalytic formic acid dehydrogenation and 4-nitrophenol reduction. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 29034-29045	6.7	9
28	Efficient hydrogen evolution from ammonia borane hydrolysis with Rh decorated on phosphorus-doped carbon. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 16548-16556	6.7	31
27	Ultrasmall Rh nanoparticles decorated on carbon nanotubes with encapsulated Ni nanoparticles as excellent and pH-universal electrocatalysts for hydrogen evolution reaction. <i>Applied Surface Science</i> , 2019 , 495, 143569	6.7	11
26	Rapid automated liver quantitative susceptibility mapping. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 50, 725-732	5.6	14
25	Ultrahigh Catalytic Activity of L-Proline-Functionalized Rh Nanoparticles for Methanolysis of Ammonia Borane. <i>ChemSusChem</i> , 2019 , 12, 535-541	8.3	32
24	Nitrogen-Doped Carbon-Stabilized Ru Nanoclusters as Excellent Catalysts for Hydrogen Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 1178-1184	8.3	49
23	Multicenter reproducibility of quantitative susceptibility mapping in a gadolinium phantom using MEDI+0 automatic zero referencing. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1229-1236	4.4	22
22	Ruthenium coordinated with triphenylphosphine-hyper-crosslinked polymer: An efficient catalyst for hydrogen evolution reaction and hydrolysis of ammonia borane. <i>Applied Surface Science</i> , 2019 , 466, 193-201	6.7	34
21	Quantitative susceptibility mapping (QSM) minimizes interference from cellular pathology in R2* estimation of liver iron concentration. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 48, 1069-1079	5.6	31
20	Carbon-supported small Rh nanoparticles prepared with sodium citrate: Toward high catalytic activity for hydrogen evolution from ammonia borane hydrolysis. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 2718-2725	6.7	52
19	Hyper-cross-linked polymer supported rhodium: an effective catalyst for hydrogen evolution from ammonia borane. <i>Dalton Transactions</i> , 2018 , 47, 2561-2567	4.3	50
18	MEDI+0: Morphology enabled dipole inversion with automatic uniform cerebrospinal fluid zero reference for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2795-2803	4.4	73
17	Facile synthesis of effective Ru nanoparticles on carbon by adsorption-low temperature pyrolysis strategy for hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 14380-14386	13	63

16	Towards High-Efficiency Hydrogen Production through in situ Formation of Well-Dispersed Rhodium Nanoclusters. <i>ChemSusChem</i> , 2018 , 11, 3253-3258	8.3	44
15	Well-Defined Ru Nanoclusters Anchored on Carbon: Facile Synthesis and High Electrochemical Activity toward Alkaline Water Splitting. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 11487-11492	8.3	39
14	Catalytically active rhodium nanoparticles stabilized by nitrogen doped carbon for the hydrolysis of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 22273-22280	6.7	22
13	Fluorescent Zn Chemosensor Mediated by a 1,8-Naphthyridine Derivative and Its Photophysical Properties. <i>ChemistryOpen</i> , 2018 , 7, 639-644	2.3	2
12	Ruthenium nanoclusters distributed on phosphorus-doped carbon derived from hypercrosslinked polymer networks for highly efficient hydrolysis of ammonia-borane. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 18253-18260	6.7	22
11	Ultrafine and highly dispersed Ru nanoparticles supported on nitrogen-doped carbon nanosheets: Efficient catalysts for ammonia borane hydrolysis. <i>Applied Surface Science</i> , 2018 , 455, 326-332	6.7	53
10	Clinical quantitative susceptibility mapping (QSM): Biometal imaging and its emerging roles in patient care. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 951-971	5.6	128
9	Alumina nanofiber-stabilized ruthenium nanoparticles: Highly efficient catalytic materials for hydrogen evolution from ammonia borane hydrolysis. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 24142-24149	6.7	26
8	Preconditioned total field inversion (TFI) method for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 303-315	4.4	75
7	Reproducibility of quantitative susceptibility mapping in the brain at two field strengths from two vendors. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 1592-600	5.6	69
6	Simultaneous phase unwrapping and removal of chemical shift (SPURS) using graph cuts: application in quantitative susceptibility mapping. <i>IEEE Transactions on Medical Imaging</i> , 2015 , 34, 531-40	11.7	62
5	Morphology enabled dipole inversion for quantitative susceptibility mapping using structural consistency between the magnitude image and the susceptibility map. <i>NeuroImage</i> , 2012 , 59, 2560-8	7.9	303
4	A novel background field removal method for MRI using projection onto dipole fields (PDF). <i>NMR in Biomedicine</i> , 2011 , 24, 1129-36	4.4	256
3	Quantitative susceptibility map reconstruction from MR phase data using bayesian regularization: validation and application to brain imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 194-206	4.4	457
2	Quantitative MR susceptibility mapping using piece-wise constant regularized inversion of the magnetic field. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1003-9	4.4	207
1	Maximizing hydrogen production by AB hydrolysis with Pt@cobalt oxide/N,O-rich carbon and alkaline ultrasonic irradiation. <i>Inorganic Chemistry Frontiers</i> ,	6.8	3