

# Giovanni Miniutti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7519468/publications.pdf>

Version: 2024-02-01

144  
papers

6,850  
citations

50170

46  
h-index

69108

77  
g-index

145  
all docs

145  
docs citations

145  
times ranked

3031  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Disk Instability Model for the Quasi-periodic Eruptions of GSN 069. <i>Astrophysical Journal Letters</i> , 2022, 928, L18.	3.0	18
2	The complex time and energy evolution of quasi-periodic eruptions in eRO-QPE1. <i>Astronomy and Astrophysics</i> , 2022, 662, A49.	2.1	14
3	Possible X-Ray Quasi-periodic Eruptions in a Tidal Disruption Event Candidate. <i>Astrophysical Journal Letters</i> , 2021, 921, L40.	3.0	50
4	Rapid late-time X-ray brightening of the tidal disruption event OGLE16aaa. <i>Astronomy and Astrophysics</i> , 2020, 639, A100.	2.1	27
5	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2020, 635, L5.	2.1	20
6	Estimating the Jet Power of Mrk 231 during the 2017–2018 Flare. <i>Astrophysical Journal</i> , 2020, 891, 59.	1.6	7
7	A dynamic black hole corona in an active galaxy through X-ray reverberation mapping. <i>Nature Astronomy</i> , 2020, 4, 597-602.	4.2	70
8	X-ray quasi-periodic eruptions from the galactic nucleus of RX J1301.9+2747. <i>Astronomy and Astrophysics</i> , 2020, 636, L2.	2.1	79
9	Nine-hour X-ray quasi-periodic eruptions from a low-mass black hole galactic nucleus. <i>Nature</i> , 2019, 573, 381-384.	13.7	128
10	Observatory science with eXTP. <i>Science China: Physics, Mechanics and Astronomy</i> , 2019, 62, 1.	2.0	50
11	Accretion in strong field gravity with eXTP. <i>Science China: Physics, Mechanics and Astronomy</i> , 2019, 62, 1.	2.0	27
12	The remarkable X-ray variability of IRAS 13224+3809 I. The variability process. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 482, 2088-2106.	1.6	56
13	A high-velocity component to the complex absorption in IRAS 13349+2438. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 2365-2376.	1.6	17
14	Disentangling the complex broad-band X-ray spectrum of IRAS 13197+1627 with NuSTAR, XMM-Newton and Suzaku. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 4377-4391.	1.6	14
15	A Changing-Look AGN to Be Probed by X-ray Polarimetry. <i>Galaxies</i> , 2018, 6, 52.	1.1	1
16	Is there a UV/X-ray connection in IRAS 13224+3809?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 2306-2313.	1.6	19
17	The 1.5-Ms observing campaign on IRAS 13224+3809 I. X-ray spectral analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 477, 3711-3726.	1.6	71
18	The hyperluminous Compton-thick $z \approx 2$ quasar nucleus of the hot DOG W1835+4355 observed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2018, 618, A28.	2.1	18

#	ARTICLE	IF	CITATIONS
19	The ATHENA x-ray integral field unit (X-IFU). , 2018, , .		120
20	The Relativistic Jet-accretion Flowâ€“wind Connection in Mrk 231. <i>Astrophysical Journal</i> , 2017, 836, 155.	1.6	12
21	The response of relativistic outflowing gas to the inner accretion disk of a black hole. <i>Nature</i> , 2017, 543, 83-86.	13.7	110
22	Direct probe of the inner accretion flow around the supermassive black hole in NGCâ€“2617. <i>Astronomy and Astrophysics</i> , 2017, 597, A66.	2.1	13
23	Galaxy Evolution Studies with the <i>SPace IR Telescope for Cosmology and Astrophysics</i> (<i>SPICA</i>): The Power of IR Spectroscopy. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .	1.3	32
24	Feedback and Feeding in the Context of Galaxy Evolution with<i>SPICA</i>: Direct Characterisation of Molecular Outflows and Inflows. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .	1.3	13
25	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2017, 608, A51.	2.1	66
26	Highly variable AGN from the<i>XMM-Newton</i>slew survey. <i>Astronomy and Astrophysics</i> , 2016, 592, A74.	2.1	22
27	Highly ionized disc and transient outflows in the Seyfert galaxy IRAS 18325â€“5926. <i>Astronomy and Astrophysics</i> , 2016, 592, A98.	2.1	6
28	XIPE: the x-ray imaging polarimetry explorer. , 2016, , .		16
29	The LOFT mission concept: a status update. <i>Proceedings of SPIE</i> , 2016, , .	0.8	9
30	Eclipsing the innermost accretion disc regions in AGN. <i>Astronomische Nachrichten</i> , 2016, 337, 546-551.	0.6	4
31	The ionized X-ray outflowing torus in ESOâˆ“323âˆ“G77: low-ionization clumps confined by homogeneous warm absorbers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 510-524.	1.6	4
32	The hidden quasar nucleus of a WISE-selected, hyperluminous, dust-obscured galaxy at<i>z</i>~ 2.3. <i>Astronomy and Astrophysics</i> , 2015, 574, L9.	2.1	39
33	X-ray spectral and variability properties of low-mass active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 2112-2122.	1.6	29
34	A variable-density absorption event in NGC 3227 mapped with<i>Suzaku</i>and<i>Swift</i>. <i>Astronomy and Astrophysics</i> , 2015, 584, A82.	2.1	17
35	An X-ray and UV flare from the galaxy XMMSL1 J061927.1-655311. <i>Astronomy and Astrophysics</i> , 2014, 572, A1.	2.1	23
36	Relativistic reflection in the average X-ray spectrum of active galactic nuclei in the VÃ©ron-Cetty and VÃ©ron catalogue. <i>Astronomy and Astrophysics</i> , 2014, 568, A15.	2.1	15

#	ARTICLE	IF	CITATIONS
37	THE BROADBAND SPECTRAL VARIABILITY OF MCG 6-30-15 OBSERVED BY NUSTAR AND XMM-NEWTON. <i>Astrophysical Journal</i> , 2014, 787, 83.	1.6	89
38	The properties of the clumpy torus and BLR in the polar-scattered Seyfert 1 galaxy ESO 323-G77 through X-ray absorption variability. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 1776-1790.	1.6	41
39	Absorption at the dust sublimation radius and the dichotomy between X-ray and optical classification in the Seyfert galaxy H0557-385. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 1788-1801.	1.6	8
40	Simultaneous NuSTAR and XMM-Newton 0.5-80 keV spectroscopy of the narrow-line Seyfert 1 galaxy SWIFT J2127.4+5654. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 2347-2356.	1.6	85
41	The Large Observatory for x-ray timing. <i>Proceedings of SPIE</i> , 2014, , .	0.8	10
42	The changing X-ray time lag in MCG-6-30-15. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 56-65.	1.6	21
43	Black hole spin and size of the X-ray-emitting region(s) in the Seyfert 1.5 galaxy ESO 362-G18. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 2862-2873.	1.6	27
44	X-RAY VARIABILITY STUDY OF POLAR SCATTERED SEYFERT1 GALAXIES. <i>Acta Polytechnica</i> , 2014, 54, 266-270.	0.3	0
45	Long XMM observation of the narrow-line Seyfert 1 galaxy IRAS 13224-3809: rapid variability, high spin and a soft lag. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 429, 2917-2923.	1.6	103
46	A blurred reflection interpretation for the intermediate flux state in Mrk 335. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 1191-1200.	1.6	54
47	Revealing the X-ray source in IRAS 13224-3809 through flux-dependent reverberation lags. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 430, 1408-1413.	1.6	74
48	Discovery of a relation between black hole mass and soft X-ray time lags in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 2441-2452.	1.6	199
49	The size of the X-ray emitting region in SWIFT J2127.4+5654 via a broad line region cloud X-ray eclipse. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 1588-1594.	1.6	39
50	Suzaku reveals X-ray continuum piercing the nuclear absorber in Markarian 231. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 1185-1190.	1.6	15
51	Time lags in the ultraluminous X-ray source NGC 5408 X-1: implications for the black hole mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 3782-3791.	1.6	36
52	A Chandra view of the clumpy reflector at the heart of the Circinus galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 2500-2504.	1.6	33
53	VLT/FORS2 observations of four high-luminosity ULX candidates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 681-687.	1.6	9
54	DISCOVERY OF Fe K $\alpha$ X-RAY REVERBERATION AROUND THE BLACK HOLES IN MCG-5-23-16 AND NGC 7314. <i>Astrophysical Journal</i> , 2013, 767, 121.	1.6	60

#	ARTICLE	IF	CITATIONS
55	A high Eddington-ratio, true Seyfert 2 galaxy candidate: implications for broad-line region models. Monthly Notices of the Royal Astronomical Society, 2013, 433, 1764-1777.	1.6	45
56	Ultraluminous X-ray source XMMUJ132218.3-164247 is in fact a type I Quasar. Astronomy and Astrophysics, 2013, 559, A86.	2.1	9
57	THE NATURE OF THE BRIGHT ULX X-2 IN NGC 3921: A CHANDRA POSITION AND HST CANDIDATE COUNTERPART. Astrophysical Journal, 2012, 758, 28.	1.6	26
58	Insights on the X-ray weak quasar phenomenon from XMM-Newton monitoring of PHL 1092. Monthly Notices of the Royal Astronomical Society, 2012, 425, 1718-1737.	1.6	34
59	GRAVITAS: general relativistic astrophysics via timing and spectroscopy. Experimental Astronomy, 2012, 34, 445-462.	1.6	0
60	LOFT: the Large Observatory For X-ray Timing. Proceedings of SPIE, 2012, , .	0.8	29
61	Origin of the X-ray disc-reflection steep radial emissivity. Astronomy and Astrophysics, 2012, 545, A106.	2.1	40
62	1H $\alpha$ 0707 $\alpha$ ~495 in 2011: an X-ray source within a gravitational radius of the event horizon. Monthly Notices of the Royal Astronomical Society, 2012, 419, 116-123.	1.6	114
63	The X-ray variability history of Markarian 3. Astronomy and Astrophysics, 2012, 547, A31.	2.1	13
64	The X-ray spectral signatures from the complex circumnuclear regions in the Compton thick AGN NGC 424. Astronomy and Astrophysics, 2011, 526, A36.	2.1	21
65	Extreme warm absorber variability in the Seyfert galaxy Mrk 704. Astronomy and Astrophysics, 2011, 533, A1.	2.1	9
66	Multi-epoch X-ray observations of the Seyfert 1.2 galaxy Mrk 79: bulk motion of the illuminating X-ray source. Monthly Notices of the Royal Astronomical Society, 2011, 411, 607-619.	1.6	47
67	The quasar PG 0844+349 in an X-ray weak state. Monthly Notices of the Royal Astronomical Society, 2011, 412, 161-170.	1.6	22
68	Narrow-line Seyfert 1 galaxies at hard X-rays.... Monthly Notices of the Royal Astronomical Society, 2011, 417, 2426-2439.	1.6	48
69	PG 1211+143: probing high-frequency lags in a high-mass active galactic nucleus. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 417, L98-L102.	1.2	55
70	SUZAKU BROADBAND SPECTROSCOPY OF SWIFT J1753.5 $\alpha$ 0127 IN THE LOW-HARD STATE. Astrophysical Journal, 2010, 709, 358-368.	1.6	25
71	Spectral energy distribution of hyperluminous infrared galaxies. Astronomy and Astrophysics, 2010, 515, A99.	2.1	20
72	INVESTIGATING THE COMPLEX X-RAY SPECTRUM OF A BROAD-LINE 2MASS RED QUASAR: XMM-NEWTON OBSERVATION OF FTM 0830+3759. Astrophysical Journal, 2010, 710, 992-1002.	1.6	6

#	ARTICLE	IF	CITATIONS
73	Does the X-ray emission of the luminous quasar RBS 1124 originate in a mildly relativistic outflowing corona?. Monthly Notices of the Royal Astronomical Society, 2010, 401, 1315-1324.	1.6	17
74	Relativistic disc reflection in the extreme NLS1 IRAS13224~3809. Monthly Notices of the Royal Astronomical Society, 2010, 406, 2591-2604.	1.6	67
75	A bright off-nuclear X-ray source: a type II supernova, a bright ULX or a recoiling supermassive black hole in CXO J122518.6+144545. Monthly Notices of the Royal Astronomical Society, 2010, 407, 645-650.	1.6	54
76	Broad iron L line and X-ray reverberation in 1H0707-495. Monthly Notices of the Royal Astronomical Society, 2010, 401, 2419-2432.	1.6	199
77	FERO: Finding extreme relativistic objects. Astronomy and Astrophysics, 2010, 524, A50.	2.1	104
78	Type 1 Active Galactic Nuclei: spectroscopy and timing. , 2010, , .		0
79	VARIABLE PARTIAL COVERING AND A RELATIVISTIC IRON LINE IN NGC 1365. Astrophysical Journal, 2009, 696, 160-171.	1.6	127
80	CONSTRAINING THE SPIN OF THE BLACK HOLE IN FAIRALL 9 WITH SUZAKU. Astrophysical Journal, 2009, 703, 2171-2176.	1.6	66
81	Probing variability patterns of the Fe K line complex in bright nearby AGNs. Astronomy and Astrophysics, 2009, 507, 159-169.	2.1	26
82	STELLAR-MASS BLACK HOLE SPIN CONSTRAINTS FROM DISK REFLECTION AND CONTINUUM MODELING. Astrophysical Journal, 2009, 697, 900-912.	1.6	193
83	X-Ray Spectral Variability of the Seyfert Galaxy NGC 4051 Observed with Suzaku. Publication of the Astronomical Society of Japan, 2009, 61, S299-S316.	1.0	29
84	Study of the Variability of the Reflection Component in Seyfert 1 Galaxies: Connecting the Fe K Variability with the Compton Hump. , 2009, , .		0
85	The XMM-Newton view of AGN with intermediate-mass black holes. Monthly Notices of the Royal Astronomical Society, 2009, 394, 443-453.	1.6	71
86	XMM-Newton and Suzaku analysis of the Fe K complex in the type 1 Seyfert galaxy Mrk 509. Monthly Notices of the Royal Astronomical Society, 2009, 394, 1487-1495.	1.6	24
87	An intermediate black hole spin in the NLS1 galaxy SWIFT J2127.4+5654: chaotic accretion or spin energy extraction?. Monthly Notices of the Royal Astronomical Society, 2009, 398, 255-262.	1.6	61
88	Broad line emission from iron K- and L-shell transitions in the active galaxy 1H0707-495. Nature, 2009, 459, 540-542.	13.7	465
89	The XMM-Newton long look of NGC 1365: uncovering of the obscured X-ray source. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 393, L1-L5.	1.2	82
90	PHL 1092 as a transient extreme X-ray weak quasar. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 396, L85-L89.	1.2	15

#	ARTICLE	IF	CITATIONS
91	Constraints on the absorption-dominated model for the X-ray spectrum of MCG 6-30-15. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 397, L21-L25.	1.2	29
92	Suzaku observations of Markarian 335: evidence for a distributed reflector. Monthly Notices of the Royal Astronomical Society, 2008, 384, 1316-1326.	1.6	35
93	A systematic look at the very high and lowhard state of GX3394: constraining the black hole spin with a new reflection model. Monthly Notices of the Royal Astronomical Society, 2008, 387, 1489-1498.	1.6	128
94	Weighing the black holes in ultraluminous X-ray sources through timing. Monthly Notices of the Royal Astronomical Society, 2008, 387, 1707-1711.	1.6	38
95	On the peculiar properties of the narrow-line quasar PG 1543+489. Monthly Notices of the Royal Astronomical Society, 2008, 388, 761-769.	1.6	8
96	Exploring the discjet interaction in the radio-loud quasar 4C74.26 with Suzaku. Monthly Notices of the Royal Astronomical Society, 2008, , ???-???.	1.6	13
97	Wide-Band Spectroscopy of the Compton Thick Seyfert2 Galaxy Markarian 3 with Suzaku. Publication of the Astronomical Society of Japan, 2008, 60, S293-S305.	1.0	27
98	X-ray reflection: spectra and variability in accreting black holes. AIP Conference Proceedings, 2008, , .	0.3	0
99	The Suzaku Observation of NGC3516: Complex Absorption and the Broad and Narrow FeK Lines. Publication of the Astronomical Society of Japan, 2008, 60, S277-S291.	1.0	26
100	Initial Measurements of Black Hole Spin in GX 339-4 from <i>Suzaku</i> Spectroscopy. Astrophysical Journal, 2008, 679, L113-L116.	1.6	75
101	<i>XMM-Newton</i> Observations of the Narrow-Line Seyfert 1 Galaxy Mrk 335 in a Historical Low X-Ray Flux State. Astrophysical Journal, 2008, 681, 982-997.	1.6	70
102	Heavy absorption and soft X-ray emission lines in the XMM-Newton spectrum of the type 2 radio-loud quasar 3C 234. Astronomy and Astrophysics, 2008, 480, 671-676.	2.1	19
103	A SELF-CONSISTENT MODEL OF THE ISOLATED NEUTRON STAR RX J0720.4-3125. , 2008, , .		0
104	Suzaku Observations of the Hard X-Ray Variability of MCG 6-30-15: the Effects of Strong Gravity around a Kerr Black Hole. Publication of the Astronomical Society of Japan, 2007, 59, S315-S325.	1.0	140
105	Suzaku Observation of 1H0707-495: Puzzling Spectral Drop around 7 keV. Progress of Theoretical Physics Supplement, 2007, 169, 269-273.	0.2	0
106	The Long Suzaku Observation of MCG-6-30-15. Progress of Theoretical Physics Supplement, 2007, 169, 260-264.	0.2	0
107	Strong gravity effects on the X-ray emission from active galaxies and X-ray binaries. , 2007, , .		0
108	Revealing the High Energy Emission from the Obscured Seyfert Galaxy MCG 5-5-23 16 with Suzaku. Publication of the Astronomical Society of Japan, 2007, 59, S301-S314.	1.0	60

#	ARTICLE	IF	CITATIONS
109	Correlated modulation between the redshifted Fe K $\pm$ line and the continuum emission in NGC 3783. <i>Astronomy and Astrophysics</i> , 2007, 467, 1057-1063.	2.1	15
110	IRAS 13197-1627 has them all: Compton-thin absorption, photoionized gas, thermal plasmas and a broad Fe line. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 375, 227-239.	1.6	27
111	Exploring the X-ray spectral variability of MCG-6-30-15 with XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 376, 348-352.	1.6	8
112	Towards self-consistent models of isolated neutron stars. <i>Astrophysics and Space Science</i> , 2007, 308, 247-257.	0.5	8
113	A Prominent Accretion Disk in the Low-Hard State of the Black Hole Candidate SWIFT J1753.5-0127. <i>Astrophysical Journal</i> , 2006, 652, L113-L116.	1.6	108
114	Have we detected the most luminous ULX so far?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 373, L1-L5.	1.2	12
115	Discovery of a relativistic Fe line in PG 1425+267 with XMM-Newton and study of its short time-scale variability. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 366, 115-124.	1.6	32
116	XMM-Newton study of the complex and variable spectrum of NGC 4051. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 368, 903-916.	1.6	129
117	Fe emission and ionized excess absorption in the luminous quasar 3C 109 with XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 371, 283-292.	1.6	5
118	Light bending models in AGNs. <i>Astronomische Nachrichten</i> , 2006, 327, 969-976.	0.6	4
119	An ionized disc reflection component for the X-ray spectrum of NGC 4051 and IRAS13224? <i>Astronomische Nachrichten</i> , 2006, 327, 1055-1058.	0.6	4
120	Suzaku observations of iron lines and reflection in AGN. <i>Astronomische Nachrichten</i> , 2006, 327, 1079-1086.	0.6	29
121	Suzaku observation of NGC 3516: complex absorption and the broad and narrow Fe K lines. <i>Astronomische Nachrichten</i> , 2006, 327, 1087-1090.	0.6	7
122	A self-consistent model of isolated neutron stars: the case of the X-ray pulsar RX J0720.4-3125. <i>Astronomy and Astrophysics</i> , 2006, 459, 175-185.	2.1	29
123	Fe K emission in the ultraluminous infrared galaxy Arp 220. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 357, 565-571.	1.6	73
124	The XMM-Newton view of Mrk 3 and IXO 30. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 360, 380-389.	1.6	67
125	X-ray reflection in the Seyfert galaxy 1H 0419 $\alpha$ 577 revealing strong relativistic effects in the vicinity of a Kerr black hole. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 361, 795-802.	1.6	76
126	Flux and energy modulation of iron emission due to relativistic effects in NGC 3516. <i>AIP Conference Proceedings</i> , 2005, , .	0.3	0



#	ARTICLE	IF	CITATIONS
127	The Simon and Simonâ€™s Mars tensors for stationary Einsteinâ€™s Maxwell fields. <i>Classical and Quantum Gravity</i> , 2004, 21, 1987-1998.	1.5	7
128	Nonadiabatic oscillations of compact stars in general relativity. <i>Physical Review D</i> , 2004, 70, .	1.6	8
129	Broad Iron Lines in AGN: The Case of MCGâ€™6-30-15. <i>Progress of Theoretical Physics Supplement</i> , 2004, 155, 247-258.	0.2	0
130	A light bending model for the X-ray temporal and spectral properties of accreting black holes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 349, 1435-1448.	1.6	412
131	The relativistic Fe emission line in XTE J1650-500 with BeppoSAX: evidence for black hole spin and light-bending effects?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 351, 466-472.	1.6	82
132	Flux and energy modulation of redshifted iron emission in NGC 3516: implications for the black hole mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 355, 1073-1079.	1.6	94
133	X-ray reflection in the narrow-line Seyfert 1 galaxy 1H 0707-495. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 353, 1071-1077.	1.6	137
134	Non-radial oscillation modes as a probe of density discontinuities in neutron stars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 338, 389-400.	1.6	76
135	Gravitational waves from newly born, hot neutron stars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 342, 629-638.	1.6	86
136	The lack of variability of the iron line in MCG-6-30-15: general relativistic effects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 344, L22-L26.	1.6	163
137	Gravitational waves from neutron stars at different evolutionary stages. <i>Classical and Quantum Gravity</i> , 2003, 20, S841-S851.	1.5	16
138	Are post-Newtonian templates faithful and effectual in detecting gravitational signals from neutron star binaries?. <i>Physical Review D</i> , 2002, 66, .	1.6	12
139	Gravitational signals emitted by a point mass orbiting a neutron star: Effects of stellar structure. <i>Physical Review D</i> , 2002, 65, .	1.6	44
140	ELECTROMAGNETIC-LIKE BOOST TRANSFORMATIONS OF WEYL AND MINIMAL SUPER-ENERGY OBSERVERS IN BLACK HOLE SPACETIMES. <i>International Journal of Modern Physics D</i> , 2002, 11, 1439-1450.	0.9	11
141	The Cotton, Simonâ€™s Mars and Cottonâ€™s York tensors in stationary spacetimes. <i>Classical and Quantum Gravity</i> , 2001, 18, 4969-4981.	1.5	34
142	Gravitational signals emitted by a point mass orbiting a neutron star: A perturbative approach. <i>Physical Review D</i> , 2001, 64, .	1.6	32
143	Constraints on light bending and reflection from the hard X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, 382, 1005-1018.	1.6	30
144	Swift, NuStar and XMM-Newton observations of the NLS1 galaxy RXJ2317.8â€™4422 in an extreme X-ray low flux state. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, .	1.6	2