Daniela Cabibi

List of Publications by Citations

Source: https://exaly.com/author-pdf/751976/daniela-cabibi-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

2,756
citations

h-index

49
g-index

111
3,257
ext. papers

4.3
avg, IF

L-index

#	Paper	IF	Citations
106	Low vitamin D serum level is related to severe fibrosis and low responsiveness to interferon-based therapy in genotype 1 chronic hepatitis C. <i>Hepatology</i> , 2010 , 51, 1158-67	11.2	318
105	Insulin resistance and diabetes increase fibrosis in the liver of patients with genotype 1 HCV infection. <i>American Journal of Gastroenterology</i> , 2008 , 103, 1136-44	0.7	149
104	The severity of steatosis influences liver stiffness measurement in patients with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2015 , 62, 1101-10	11.2	131
103	Epicardial fat, cardiac geometry and cardiac function in patients with non-alcoholic fatty liver disease: association with the severity of liver disease. <i>Journal of Hepatology</i> , 2015 , 62, 928-33	13.4	115
102	Carotid atherosclerosis and chronic hepatitis C: a prospective study of risk associations. <i>Hepatology</i> , 2012 , 55, 1317-23	11.2	105
101	The combination of liver stiffness measurement and NAFLD fibrosis score improves the noninvasive diagnostic accuracy for severe liver fibrosis in patients with nonalcoholic fatty liver disease. <i>Liver International</i> , 2015 , 35, 1566-73	7.9	94
100	Glucokinase regulatory protein gene polymorphism affects liver fibrosis in non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2014 , 9, e87523	3.7	83
99	Fine-needle aspiration molecular analysis for the diagnosis of papillary thyroid carcinoma through BRAF V600E mutation and RET/PTC rearrangement. <i>Thyroid</i> , 2007 , 17, 1109-15	6.2	81
98	Visceral adiposity index is associated with histological findings and high viral load in patients with chronic hepatitis C due to genotype 1. <i>Hepatology</i> , 2010 , 52, 1543-52	11.2	76
97	BRAF V600E mutation and p27 kip1 expression in papillary carcinomas of the thyroid . <i>Cancer</i> , 2007 , 110, 1218-26	6.4	73
96	IL28B and PNPLA3 polymorphisms affect histological liver damage in patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2012 , 56, 1356-62	13.4	72
95	Interferon lambda 4 rs368234815 TT>L variant is associated with liver damage in patients with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2017 , 66, 1885-1893	11.2	59
94	Hepatic steatosis and insulin resistance are associated with severe fibrosis in patients with chronic hepatitis caused by HBV or HCV infection. <i>Liver International</i> , 2011 , 31, 507-15	7.9	58
93	Steatosis affects the performance of liver stiffness measurement for fibrosis assessment in patients with genotype 1 chronic hepatitis C. <i>Journal of Hepatology</i> , 2014 , 61, 523-9	13.4	57
92	Retinol-binding protein 4: a new marker of virus-induced steatosis in patients infected with hepatitis c virus genotype 1. <i>Hepatology</i> , 2008 , 48, 28-37	11.2	49
91	PNPLA3 GG genotype and carotid atherosclerosis in patients with non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2013 , 8, e74089	3.7	47
90	Noninvasive assessment of liver fibrosis in thalassaemia major patients by transient elastography (TE) - lack of interference by iron deposition. <i>British Journal of Haematology</i> , 2010 , 148, 476-9	4.5	45

(2019-2014)

presence on the plasma membrane of oncocytes point to the chaperonin as an immunopathogenic factor in Hashimotoß thyroiditis. <i>Cell Stress and Chaperones</i> , 2014 , 19, 343-53	4	43	
Liver disease in chelated transfusion-dependent thalassemics: the role of iron overload and chronic hepatitis C. <i>Haematologica</i> , 2008 , 93, 1243-6	6.6	41	
BRAF(V600E) mutation influences hypoxia-inducible factor-1alpha expression levels in papillary thyroid cancer. <i>Modern Pathology</i> , 2010 , 23, 1052-60	9.8	38	
Secretory breast carcinoma with metastatic sentinel lymph node. <i>World Journal of Surgical Oncology</i> , 2006 , 4, 88	3.4	35	
Increased expression of transketolase-like-1 in papillary thyroid carcinomas smaller than 1.5 cm in diameter is associated with lymph-node metastases. <i>Cancer</i> , 2008 , 113, 936-44	6.4	32	
Fibronectin Type III Domain-Containing Protein 5 rs3480 A>G Polymorphism, Irisin, and Liver Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2660-2669	5.6	30	
Clinical features and outcomes of patients with drug-induced autoimmune hepatitis: a retrospective cohort study. <i>Digestive and Liver Disease</i> , 2014 , 46, 1116-20	3.3	28	
Industrial, not fruit fructose intake is associated with the severity of liver fibrosis in genotype 1 chronic hepatitis C patients. <i>Journal of Hepatology</i> , 2013 , 59, 1169-76	13.4	28	
Vitamin D levels and IL28B polymorphisms are related to rapid virological response to standard of care in genotype 1 chronic hepatitis C. <i>Antiviral Therapy</i> , 2012 , 17, 823-31	1.6	28	
Analysis of tissue and circulating microRNA expression during metaplastic transformation of the esophagus. <i>Oncotarget</i> , 2016 , 7, 47821-47830	3.3	28	
Amphiregulin activates human hepatic stellate cells and is upregulated in non alcoholic steatohepatitis. <i>Scientific Reports</i> , 2015 , 5, 8812	4.9	27	
Caucasian lean subjects with non-alcoholic fatty liver disease share long-term prognosis of non-lean: time for reappraisal of BMI-driven approach?. <i>Gut</i> , 2021 ,	19.2	27	
The Presence of White Matter Lesions Is Associated With the Fibrosis Severity of Nonalcoholic Fatty Liver Disease. <i>Medicine (United States)</i> , 2016 , 95, e3446	1.8	25	
Serum Eglutamyl transferase levels, insulin resistance and liver fibrosis in patients with chronic liver diseases. <i>PLoS ONE</i> , 2012 , 7, e51165	3.7	24	
High liver RBP4 protein content is associated with histological features in patients with genotype 1 chronic hepatitis C and with nonalcoholic steatohepatitis. <i>Digestive and Liver Disease</i> , 2011 , 43, 404-10	3.3	24	
Intrahepatic IgG/IgM plasma cells ratio helps in classifying autoimmune liver diseases. <i>Digestive and Liver Disease</i> , 2010 , 42, 585-92	3.3	24	
Immunomorphological Pattern of Molecular Chaperones in Normal and Pathological Thyroid Tissues and Circulating Exosomes: Potential Use in Clinics. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	23	
Evaluating the association of serum ferritin and hepatic iron with disease severity in non-alcoholic fatty liver disease. <i>Liver International</i> , 2019 , 39, 1325-1334	7.9	23	
	Factor in Hashimotoß thyroiditis. <i>Cell Stress and Chaperones</i> , 2014 , 19, 343-53 Liver disease in chelated transfusion-dependent thalassemics: the role of iron overload and chronic hepatitis <i>C. Haematologica</i> , 2008 , 93, 1243-5 BRAF(V600E) mutation influences hypoxia-inducible factor-1alpha expression levels in papillary thyroid cancer. <i>Modern Pathology</i> , 2010 , 23, 1052-60 Secretory breast carcinoma with metastatic sentinel lymph node. <i>World Journal of Surgical Oncology</i> , 2006 , 4, 88 Increased expression of transketolase-like-1 in papillary thyroid carcinomas smaller than 1.5 cm in diameter is associated with lymph-node metastases. <i>Cancer</i> , 2008 , 113, 936-44 Fibronectin Type III Domain-Containing Protein S r33480 A>G Polymorphism, Irisin, and Liver Fibrosis in Patients With Nonatoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2660-2669 Clinical features and outcomes of patients with drug-induced autoimmune hepatitis: a retrospective cohort study. <i>Digestive and Liver Disease</i> , 2014 , 46, 1116-20 Industrial, not fruit fructose intake is associated with the severity of liver fibrosis in genotype 1 chronic hepatitis C patients. <i>Journal of Hepatology</i> , 2013 , 59, 1169-76 Vitamin D levels and IL28B polymorphisms are related to rapid virological response to standard of care in genotype 1 chronic hepatitis C. <i>Antiviral Therapy</i> , 2012 , 17, 823-31 Analysis of tissue and circulating microRNA expression during metaplastic transformation of the esophagus. <i>Oncolarget</i> , 2016 , 7, 47821-47830 Amphiregulin activates human hepatic stellate cells and is upregulated in non alcoholic steatohepatitis. <i>Scientific Reports</i> , 2015 , 5, 8812 Caucasian lean subjects with non-alcoholic fatty liver disease share long-term prognosis of non-lean: time for reappraisal of BMI-driven approach?. <i>Gut</i> , 2021 . The Presence of White Matter Lesions Is Associated With the Fibrosis in patients with genotype 1 chronic hepatitis C and with nonalcoholic steatohepatitis. <i>Di</i>	Factor in Hashimoto B thyroiditis. Cell Stress and Chaperones, 2014, 19, 343-53 Liver disease in chelated transfusion-dependent thalassemics: the role of iron overload and chronic hepatitis C. Haematologica, 2008, 93, 1243-6 BRAF(V600E) mutation influences hypoxia-inducible factor-1alpha expression levels in papillary thyroid cancer. Modern Pathology, 2010, 23, 1052-60 Secretory breast carcinoma with metastatic sentinel lymph node. World Journal of Surgical Oncology, 2006, 4, 88 Increased expression of transketolase-like-1 in papillary thyroid carcinomas smaller than 1.5 cm in diameter is associated with lymph-node metastases. Cancer, 2008, 113, 936-44 Fibronectin Type III Domain-Containing Protein S rs3480 A-C Polymorphism, Irisin, and Liver Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2660-2669 Clinical features and outcomes of patients with drug-induced autoimmune hepatitis: a retrospective cohort study. Digestive and Liver Disease, 2014, 46, 1116-20 Industrial, not fruit fructose intake is associated with the severity of liver fibrosis in genotype 1 chronic hepatitis C patients. Journal of Hepatology, 2013, 59, 1169-76 Vitamin D levels and IL28B polymorphisms are related to rapid virological response to standard of care in genotype 1 chronic hepatitis C. Antiviral Therapy, 2012, 17, 823-31 Analysis of tissue and circulating microRNA expression during metaplastic transformation of the esophagus. Oncolarge, 2016, 7, 47821-47830 Amphiregulin activates human hepatic stellate cells and is upregulated in non alcoholic steatohepatitis. Scientific Reports, 2015, 5, 8812 Caucasian lean subjects with non-alcoholic fatty liver disease share long-term prognosis of non-lean: time for reappraisal of BMI-driven approach?. Gut, 2021. The Presence of White Matter Lesions Is Associated with the Fibrosis Severity of Nonalcoholic fatty Liver Disease. Medicine (United States), 2016, 95, e3446 Serum Eglutamyl transferase levels, insulin resi	Factor in Hashimotob Hyroiditis. Cell Stress and Chaperones, 2014, 19, 343-53 Liver disease in chelated transform-dependent thalassemics: the role of iron overload and chronic hepatitis C. Haematologica, 2008, 93, 1243-6 BRAFIV800E) mutation influences hypoxia-inducible factor-1alpha expression levels in papillary thyroid cancer. Modern Pathology, 2010, 23, 1052-60 Secretory breast carcinoma with metastatic sentinel lymph node. World Journal of Surgical Oncology, 2006, 4, 88 Increased expression of transketolase-like-1 in papillary thyroid carcinomas smaller than 1.5 cm in diameter is associated with lymph-node metastases. Cancer, 2008, 113, 936-44 Fibronectin Type III Domain-Containing Protein 5 rs3480 A>C Polymorphism, Irisin, and Liver Fibrosis in Patients With Nonalcoholic Fatry Liver Disease. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2660-2659 Clinical features and outcomes of patients with drug-induced autoimmune hepatitis: a retrospective cohort study. Digestive and Liver Disease, 2014, 46, 1116-20 Industrial, not fruit fructose intake is associated with the severity of liver fibrosis in genotype 1 chronic hepatitis C patients. Journal of Hepatology, 2013, 59, 1169-76 Vitamin D levels and IL 28B polymorphisms are related to rapid virological response to standard of care in genotype 1 chronic hepatitis C. Antiviral Therapy, 2012, 17, 823-31 Analysis of tissue and circulating microRNA expression during metaplastic transformation of the esophagus. Oncotorget, 2016, 7, 47821-47830 Amphiregulin activates human hepatic stellate cells and is upregulated in non alcoholic steatohepatitis. Scientific Reports, 2015, 5, 8812 Caucasian lean subjects with non-alcoholic fatty liver disease share long-term prognosis of non-lean: time for reapptraisal of BMI-driven approach?. Gut, 2021, The Presence of White Matter Lesions Is Associated with histological features in patients with chronic liver Disease. Medicine (United States), 2016, 95, e3446 Serum Eglutamyl transferase levels, insulin re

71	markers of liver disease in subjects with non-alcoholic fatty liver disease (NAFLD): a case control study. <i>Cardiovascular Diabetology</i> , 2018 , 17, 28	8.7	22
70	The hepatic expression of vitamin D receptor is inversely associated with the severity of liver damage in genotype 1 chronic hepatitis C patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 193-200	5.6	21
69	Long-term outcomes and predictive ability of non-invasive scoring systems in patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2021 , 75, 786-794	13.4	21
68	Carcinosarcoma of monoclonal origin arising in a dermoid cyst of ovary: a case report. <i>BMC Cancer</i> , 2006 , 6, 47	4.8	20
67	Unexpectedly high frequency of genital involvement in women with clinical and histological features of oral lichen planus. <i>Acta Dermato-Venereologica</i> , 2006 , 86, 433-8	2.2	20
66	Surgical pathology and the diagnosis of invasive visceral yeast infection: two case reports and literature review. World Journal of Emergency Surgery, 2013, 8, 38	9.2	19
65	Associations between Notch-2, Akt-1 and HER2/neu expression in invasive human breast cancer: a tissue microarray immunophenotypic analysis on 98 patients. <i>Pathobiology</i> , 2007 , 74, 317-22	3.6	19
64	Solid variant of mammary "adenoid cystic carcinoma with basaloid features" merging with "small cell carcinoma". <i>Pathology Research and Practice</i> , 2005 , 201, 705-11	3.4	18
63	Time course of insulin resistance during antiviral therapy in non-diabetic, non-cirrhotic patients with genotype 1 HCV infection. <i>Antiviral Therapy</i> , 2009 , 14, 631-639	1.6	18
62	TyG index, HOMA score and viral load in patients with chronic hepatitis C due to genotype 1. <i>Journal of Viral Hepatitis</i> , 2011 , 18, e372-80	3.4	17
61	Discordance rate of HER2 status in primary breast carcinomas versus synchronous axillary lymph node metastases: a multicenter retrospective investigation. <i>OncoTargets and Therapy</i> , 2014 , 7, 1267-72	4.4	16
60	The accuracy of sentinel lymph node biopsy in the treatment of multicentric invasive breast cancer using a subareolar injection of tracer. <i>World Journal of Surgery</i> , 2008 , 32, 2483-7	3.3	16
59	Expression of cytokeratin 7 and 20 in pathological conditions of the bile tract. <i>Pathology Research and Practice</i> , 2003 , 199, 65-70	3.4	16
58	Hyperuricaemia: another metabolic feature affecting the severity of chronic hepatitis because of HCV infection. <i>Liver International</i> , 2012 , 32, 1443-50	7.9	15
57	Liver eosinophilic infiltrate is a significant finding in patients with chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2008 , 15, 523-30	3.4	15
56	Comparison of Histochemical Stainings in Evaluation of Liver Fibrosis and Correlation with Transient Elastography in Chronic Hepatitis. <i>Analytical Cellular Pathology</i> , 2015 , 2015, 431750	3.4	13
55	The value of intraoperative frozen section examination of sentinel lymph nodes in surgical management of breast carcinoma. <i>Langenbeckm Archives of Surgery</i> , 2010 , 395, 685-91	3.4	13
54	Autoimmune hepatitis following Epstein-Barr virus infection. <i>BMJ Case Reports</i> , 2008 , 2008, bcr0620080	06751	13

53	Mild exacerbation of obesity- and age-dependent liver disease progression by senolytic cocktail dasatinib + quercetin. <i>Cell Communication and Signaling</i> , 2021 , 19, 44	7.5	13
52	TM6SF2 rs58542926 is not associated with steatosis and fibrosis in largeltohort of patients with genotype 1 chronic hepatitis C. <i>Liver International</i> , 2016 , 36, 198-204	7.9	12
51	Thyroid sarcoidosis as a unique localization. <i>Thyroid</i> , 2006 , 16, 1175-7	6.2	11
50	High sCD36 plasma level is associated with steatosis and its severity in patients with genotype 1 chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2013 , 20, 174-82	3.4	10
49	Multimodal surgical and medical treatment for extensive rhinocerebral mucormycosis in an elderly diabetic patient: a case report and literature review. <i>Case Reports in Medicine</i> , 2014 , 2014, 527062	0.7	10
48	Body mass index and liver stiffness affect accuracy of ultrasonography in detecting steatosis in patients with chronic hepatitis C virus genotype 1 infection. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 878-884.e1	6.9	10
47	Keratin 7 expression as an early marker of reflux-related columnar mucosa without intestinal metaplasia in the esophagus. <i>Medical Science Monitor</i> , 2009 , 15, CR203-210	3.2	10
46	Differing expression of metalloprotease and of adhesion molecules in signet-ring cell and intestinal colorectal carcinoma. <i>Anticancer Research</i> , 2009 , 29, 4417-22	2.3	10
45	CD10 and HHF35 actin in the differential diagnosis between Collagenous spherulosis and adenoid-cystic carcinoma of the breast. <i>Pathology Research and Practice</i> , 2012 , 208, 405-9	3.4	9
44	₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱ ₱	4.6	9
43	Solitary necrotic nodule of the liver: different pathological findings express a different histogenesis. <i>Case Reports in Gastroenterology</i> , 2008 , 2, 149-54	1	9
42	Current Role of Intraoperative Frozen Section Examination of Sentinel Lymph Node in Early Breast Cancer. <i>Anticancer Research</i> , 2020 , 40, 1711-1717	2.3	8
41	Methylenetetrahydrofolate reductase homozygosis and low-density lipoproteins in patients with genotype 1 chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2012 , 19, 465-72	3.4	8
40	Comparison of Histochemical Staining Methods and Correlation with Transient Elastography in Acute Hepatitis. <i>Pathobiology</i> , 2015 , 82, 48-52	3.6	8
39	Liver follicular helper T-cells predict the achievement of virological response following interferon-based treatment in HCV-infected patients. <i>Antiviral Therapy</i> , 2012 , 17, 111-8	1.6	8
38	A case of bowel schistosomiasis not adhering to endoscopic findings. <i>World Journal of Gastroenterology</i> , 2005 , 11, 7044-7	5.6	8
37	Hepatic and circulating levels of PCSK9 in morbidly obese patients: Relation with severity of liver steatosis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158792	5	8
36	Are Long Noncoding RNAs New Potential Biomarkers in Gastrointestinal Stromal Tumors (GISTs)? The Role of H19 and MALAT1. <i>Journal of Oncology</i> , 2019 , 2019, 5458717	4.5	8

35	The Prevalence of NAFLD and Fibrosis in Bariatric Surgery Patients and the Reliability of Noninvasive Diagnostic Methods. <i>BioMed Research International</i> , 2020 , 2020, 5023157	3	7
34	Gastric and Rectal Metastases from Malignant Melanoma Presenting with Hypochromic Anemia and Treated with Immunotherapy. <i>Case Reports in Oncological Medicine</i> , 2017 , 2017, 2079068	0.9	7
33	Metastatic seeding of colon adenocarcinoma manifesting as synchronous breast and chest wall localization: report of a case. <i>Surgery Today</i> , 2011 , 41, 242-6	3	7
32	Overexpression of cyclin D1 and interaction between p27Kip1 and tumour thickness predict lymph node metastases occurrence in lower lip squamous cell carcinoma. <i>Oral Oncology</i> , 2005 , 41, 268-75	4.4	7
31	Immunohistochemical/histochemical double staining method in the study of the columnar metaplasia of the oesophagus. <i>European Journal of Histochemistry</i> , 2014 , 58, 2326	2.1	6
30	Glut-1 expression and in situ CD1a/CD57 immunologic deficit in keratoacanthoma and squamous cell carcinoma of immunocompetent patients. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2011 , 19, 239-45	1.9	6
29	Cystic mucinous adenocarcinoma of the lung: a case report. <i>Journal of Cardiothoracic Surgery</i> , 2011 , 6, 128	1.6	6
28	GDF11 induces mild hepatic fibrosis independent of metabolic health. <i>Aging</i> , 2020 , 12, 20024-20046	5.6	6
27	Cervico-Facial Actinomycosis: Epidemiological and Clinical Comments. <i>American Journal of Infectious Diseases</i> , 2008 , 4, 204-208	0.4	6
26	CD1A-positive cells and HSP60 (HSPD1) levels in keratoacanthoma and squamous cell carcinoma. <i>Cell Stress and Chaperones</i> , 2016 , 21, 131-137	4	6
25	Diagnostic and prognostic value of CD10 in peripheral nerve sheath tumors. <i>Anticancer Research</i> , 2009 , 29, 3149-55	2.3	6
24	TTF-1/p63-Positive Poorly Differentiated NSCLC: A Histogenetic Hypothesis from the Basal Reserve Cell of the Terminal Respiratory Unit. <i>Diagnostics</i> , 2020 , 10,	3.8	5
23	Malignant tumor-like gastric lesion due to Candida albicans in a diabetic patient treated with cyclosporin: a case report and review of the literature. <i>Clinical and Experimental Medicine</i> , 2012 , 12, 2016	- 4 .9	5
22	Immunohistochemistry differentiates papillary thyroid carcinoma arising in ectopic thyroid tissue from secondary lymph node metastases. <i>Thyroid</i> , 2007 , 17, 603-7	6.2	5
21	Difference in Ki67 and thymidylate synthase expression in primary tumour compared with metastatic nodes in breast cancer patients. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2006 , 25, 1193-6	1.4	5
20	Presence of Serum Antinuclear Antibodies Does Not Impact Long-Term Outcomes in Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1289-1292	0.7	5
19	Type and Gene Location of Mutations Predict Progression-Free Survival to First-Line Imatinib in Gastrointestinal Stromal Tumors: A Look into the Exon. <i>Cancers</i> , 2021 , 13,	6.6	5
18	Pleural epithelioid angiosarcoma with lymphatic differentiation arisen after radiometabolic therapy for thyroid carcinoma: immunohistochemical findings and review of the literature. <i>Diagnostic Pathology</i> , 2017 , 12, 60	3	4

LIST OF PUBLICATIONS

1	17	Post-bronchoscopy fatal endobronchial hemorrhage in a woman with bronchopulmonary mucormycosis: a case report. <i>Journal of Medical Case Reports</i> , 2010 , 4, 398	1.2	4	
1	16	TargetPlex FFPE-Direct DNA Library Preparation Kit for SiRe NGS panel: an international performance evaluation study. <i>Journal of Clinical Pathology</i> , 2021 ,	3.9	4	
1	15	Effectiveness and safety of lomitapide in a patient with familial chylomicronemia syndrome. <i>Endocrine</i> , 2021 , 71, 344-350	4	4	
1	٤4	Antimitochondrial antibody -M2 positive autoimmune hepatitis during standard of care for chronic hepatitis C. <i>Hepatology Research</i> , 2012 , 42, 428-32	5.1	3	
1	13	Morphological and biomolecular characteristics of subcentimetric invasive breast carcinomas in Sicily: A multicentre retrospective study in relation to trastuzumab treatment. <i>Oncology Letters</i> , 2012 , 3, 141-146	2.6	3	
1	[2	Quantitative Immunomorphological Analysis of Heat Shock Proteins in Thyroid Follicular Adenoma and Carcinoma Tissues Reveals Their Potential for Differential Diagnosis and Points to a Role in Carcinogenesis. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 4324	2.6	3	
1	[1	Nodular histiocytic/mesothelial hyperplasia as consequence of chronic mesothelium irritation by subphrenic abscess. <i>Future Oncology</i> , 2015 , 11, 51-5	3.6	2	
1	ίΟ	Re: Low-grade fibromyxoid sarcoma arising in the big toe. <i>Pathology International</i> , 2007 , 57, 458; author reply 459-60	1.8	2	
9)	Primary biliary cirrhosis and hereditary hemorrhagic telangiectasia: When two rare diseases coexist. <i>World Journal of Hepatology</i> , 2013 , 5, 288-91	3.4	2	
8	3	Accuracy of the water-siphon test associated to barium study in a high prevalence gastro-oesophageal reflux disease population: a novel statistical approach. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 550-5	2.5	1	
7	7	A Case of Follicular Tumor of Uncertain Malignant Potential (FT-UMP) with Glomeruloid Features Showing Capsular Mucinous Degeneration. <i>Case Reports in Pathology</i> , 2021 , 2021, 1686025	0.9	1	
ϵ	5	NUPR1 protects liver from lipotoxic injury by improving the endoplasmic reticulum stress response. <i>FASEB Journal</i> , 2021 , 35, e21395	0.9	1	
5	5	Hsp60 Quantification in Human Gastric Mucosa Shows Differences between Pathologies with Various Degrees of Proliferation and Malignancy Grade. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3582	2.6	0	
4	1	Not all 557/558 codons mutations have the same prognostic influence on recurrence-free survival: breaking the exon 11 mutations in gastrointestinal stromal tumors (GISTs). <i>Therapeutic Advances in Medical Oncology</i> , 2021 , 13, 17588359211049779	5.4	O	
3	3	Glypican-3 and Hep Par-1 are Useful Biomarkers in the Cytologic Assessment of Ascites. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 65-69	1.9		
2	2	The oral melanoma: atypical immunophenotype in the metastatic area. <i>Melanoma Research</i> , 2008 , 18, 70-2	3.3		
1	Ĺ	Fever and dyspnoea in a tracheostomised patient. <i>Breathe</i> , 2020 , 16, 200115	1.8		