

Alan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7519786/publications.pdf>

Version: 2024-02-01

175
papers

15,477
citations

22548

61
h-index

22488

117
g-index

180
all docs

180
docs citations

180
times ranked

14088
citing authors

#	ARTICLE	IF	CITATIONS
1	Towards circular phosphorus: The need of inter- and transdisciplinary research to close the broken cycle. <i>Ambio</i> , 2022, 51, 611-622.	2.8	19
2	Organic anions facilitate the mobilization of soil organic phosphorus and its subsequent lability to phosphatases. <i>Plant and Soil</i> , 2022, 476, 161-180.	1.8	11
3	Phosphorus fertiliser value of sewage sludge ash applied to soils differing in phosphate buffering and phosphate sorption capacity. <i>Nutrient Cycling in Agroecosystems</i> , 2022, 124, 279-297.	1.1	5
4	Phosphate-solubilising microorganisms for improved crop productivity: a critical assessment. <i>New Phytologist</i> , 2021, 229, 1268-1277.	3.5	98
5	Litter decomposition and microbial communities alters depending on litter type and overstory species in revegetated agricultural land. <i>Pedobiologia</i> , 2021, 84, 150702.	0.5	3
6	Soil organic matter in a stressed world. <i>Soil Research</i> , 2021, 59, i.	0.6	1

7

#	ARTICLE	IF	CITATIONS
19	Microorganisms and nutrient stoichiometry as mediators of soil organic matter dynamics. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 117, 273-298.	1.1	68
20	Soil carbon dynamics following the transition of permanent pasture to cereal cropping: influence of initial soil fertility, lime application and nutrient addition. <i>Crop and Pasture Science</i> , 2020, 71, 23.	0.7	4
21	Lime and Nutrient Addition Affects the Dynamics and Fractions of Soil Carbon in a Short-term Incubation Study With ¹³ C-Labeled Wheat Straw. <i>Soil Science</i> , 2019, 184, 43-51.	0.9	2
22	Comparative effect of alternative fertilisers on pasture production, soil properties and soil microbial community structure. <i>Crop and Pasture Science</i> , 2019, 70, 1110.	0.7	4
23	Biotic strategies to increase plant availability of sewage sludge ash phosphorus. <i>Journal of Plant Nutrition and Soil Science</i> , 2019, 182, 175-186.	1.1	6
24	Drawing a Line: Grasses and Boundaries. <i>Plants</i> , 2019, 8, 4.	1.6	23
25	Soil carbon sequestration to depth in response to long-term phosphorus fertilization of grazed pasture. <i>Geoderma</i> , 2019, 338, 226-235.	2.3	25
26	The impact of sugarcane filter cake on the availability of P in the rhizosphere and associated microbial community structure. <i>Soil Use and Management</i> , 2019, 35, 334-345.	2.6	11
27	Temperature related pull-out performance of chemical anchor bolts in fibre concrete. <i>Construction and Building Materials</i> , 2019, 196, 478-484.	3.2	8
28	Phosphorus acquisition by citrate- and phytase-exuding <i>Nicotiana tabacum</i> plant mixtures depends on soil phosphorus availability and root intermingling. <i>Physiologia Plantarum</i> , 2018, 163, 356-371.	2.6	35
29	Do longer root hairs improve phosphorus uptake? Testing the hypothesis with transgenic <i>Brachypodium distachyon</i> lines overexpressing endogenous RSL genes. <i>New Phytologist</i> , 2018, 217, 1654-1666.	3.5	68
30	The carboxylate composition of rhizosheath and root exudates from twelve species of grassland and crop legumes with special reference to the occurrence of citramalate. <i>Plant and Soil</i> , 2018, 424, 389-403.	1.8	28
31	Differences in nutrient foraging among <i>Trifolium subterraneum</i> cultivars deliver improved P-acquisition efficiency. <i>Plant and Soil</i> , 2018, 424, 539-554.	1.8	34
32	Earthworm-induced shifts in microbial diversity in soils with rare versus established invasive earthworm populations. <i>FEMS Microbiology Ecology</i> , 2018, 94, .	1.3	19
33	Organic phosphorus in the terrestrial environment: a perspective on the state of the art and future priorities. <i>Plant and Soil</i> , 2018, 427, 191-208.	1.8	145
34	A sterile hydroponic system for characterising root exudates from specific root types and whole-root systems of large crop plants. <i>Plant Methods</i> , 2018, 14, 114.	1.9	25
35	Effects of <i>Penicillium bilaii</i> on maize growth are mediated by available phosphorus. <i>Plant and Soil</i> , 2018, 431, 159-173.	1.8	21
36	Linking microbial co-occurrences to soil ecological processes across a woodland-grassland ecotone. <i>Ecology and Evolution</i> , 2018, 8, 8217-8230.	0.8	38

#	ARTICLE	IF	CITATIONS
37	Intrinsic capacity for nutrient foraging predicts critical external phosphorus requirement of 12 pasture legumes. <i>Crop and Pasture Science</i> , 2018, 69, 174.	0.7	17
38	High turnover of extracellular matrix reflected by specific protein fragments measured in serum is associated with poor outcomes in two metastatic breast cancer cohorts. <i>International Journal of Cancer</i> , 2018, 143, 3027-3034.	2.3	41
39	Root morphology acclimation to phosphorus supply by six cultivars of <i>Trifolium subterraneum</i> L. <i>Plant and Soil</i> , 2017, 412, 21-34.	1.8	19
40	Variation in root traits associated with nutrient foraging among temperate pasture legumes and grasses. <i>Grass and Forage Science</i> , 2017, 72, 93-103.	1.2	38
41	Does the combination of citrate and phytase exudation in <i>Nicotiana tabacum</i> promote the acquisition of endogenous soil organic phosphorus?. <i>Plant and Soil</i> , 2017, 412, 43-59.	1.8	25
42	A Self-Regulatory Intervention for Patients with Head and Neck Cancer: Pilot Randomized Trial. <i>Annals of Behavioral Medicine</i> , 2017, 51, 629-641.	1.7	9
43	Wildfire impact: Natural experiment reveals differential short-term changes in soil microbial communities. <i>Soil Biology and Biochemistry</i> , 2017, 109, 1-13.	4.2	68
44	Plants in constrained canopy micro-swards compensate for decreased root biomass and soil exploration with increased amounts of rhizosphere carboxylates. <i>Functional Plant Biology</i> , 2017, 44, 552.	1.1	8
45	Direct recovery of 33 P-labelled fertiliser phosphorus in subterranean clover (<i>Trifolium</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 <i>Ecosystems and Environment</i> , 2017, 246, 144-156.	2.5	13
46	Belowground solutions to global challenges: special issue from the 9th symposium of the International Society of Root Research. <i>Plant and Soil</i> , 2017, 412, 1-5.	1.8	4
47	Linking the depletion of rhizosphere phosphorus to the heterologous expression of a fungal phytase in <i>Nicotiana tabacum</i> as revealed by enzyme-labile P and solution ^{31}P NMR spectroscopy. <i>Rhizosphere</i> , 2017, 3, 82-91.	1.4	12
48	Corrigendum to "Micellar liquid chromatography of terephthalic acid impurities". <i>Chrom. A</i> 1491 (2017) 67-74. <i>Journal of Chromatography A</i> , 2017, 1516, 142.	1.8	0
49	Unwrapping the rhizosheath. <i>Plant and Soil</i> , 2017, 418, 129-139.	1.8	94
50	Hydrophilic interaction liquid chromatography of hydroxy aromatic carboxylic acid positional isomers. <i>Analytica Chimica Acta</i> , 2017, 996, 98-105.	2.6	5
51	Linking fungal-bacterial co-occurrences to soil ecosystem function. <i>Current Opinion in Microbiology</i> , 2017, 37, 135-141.	2.3	117
52	Response-based selection of barley cultivars and legume species for complementarity: Root morphology and exudation in relation to nutrient source. <i>Plant Science</i> , 2017, 255, 12-28.	1.7	41
53	Root morphology and its contribution to a large root system for phosphorus uptake by <i>Rytidosperma</i> species (wallaby grass). <i>Plant and Soil</i> , 2017, 412, 7-19.	1.8	18
54	The chemical nature of organic phosphorus that accumulates in fertilized soils of a temperate pasture as determined by solution ^{31}P NMR spectroscopy. <i>Journal of Plant Nutrition and Soil Science</i> , 2017, 180, 27-38.	1.1	19

#	ARTICLE	IF	CITATIONS
55	Impacts of Nitrogen and Phosphorus: From Genomes to Natural Ecosystems and Agriculture. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, .	1.1	168
56	Biological and morphological traits of sugarcane roots in relation to phosphorus uptake. <i>Journal of Soil Science and Plant Nutrition</i> , 2016, , 0-0.	1.7	2
57	Determinants of bacterial communities in Canadian agroforestry systems. <i>Environmental Microbiology</i> , 2016, 18, 1805-1816.	1.8	202
58	Phosphorus-utilisation efficiency and leaf-morphology traits of <i>Rytidosperma</i> species (wallaby) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Botany, 2016, 64, 65.	0.3	5
59	Soil C and N as causal factors of spatial variation in extracellular enzyme activity across grassland-woodland ecotones. <i>Applied Soil Ecology</i> , 2016, 105, 1-8.	2.1	48
60	Archaeal ammonia oxidizers respond to soil factors at smaller spatial scales than the overall archaeal community does in a high Arctic polar oasis. <i>Canadian Journal of Microbiology</i> , 2016, 62, 485-491.	0.8	6
61	Network analysis reveals functional redundancy and keystone taxa amongst bacterial and fungal communities during organic matter decomposition in an arable soil. <i>Soil Biology and Biochemistry</i> , 2016, 97, 188-198.	4.2	617
62	Accurate measurement of resistant soil organic matter and its stoichiometry. <i>European Journal of Soil Science</i> , 2016, 67, 695-705.	1.8	8
63	Plant roots: understanding structure and function in an ocean of complexity. <i>Annals of Botany</i> , 2016, 118, 555-559.	1.4	55
64	Root morphological traits that determine phosphorus-acquisition efficiency and critical external phosphorus requirement in pasture species. <i>Functional Plant Biology</i> , 2016, 43, 815.	1.1	62
65	Rhizosheaths on wheat grown in acid soils: phosphorus acquisition efficiency and genetic control. <i>Journal of Experimental Botany</i> , 2016, 67, 3709-3718.	2.4	42
66	Rhizosphere carboxylates and morphological root traits in pasture legumes and grasses. <i>Plant and Soil</i> , 2016, 402, 77-89.	1.8	38
67	Growth and root dry matter allocation by pasture legumes and a grass with contrasting external critical phosphorus requirements. <i>Plant and Soil</i> , 2016, 407, 67-79.	1.8	46
68	The fate of fertiliser P in soil under pasture and uptake by subterranean clover – a field study using 33P-labelled single superphosphate. <i>Plant and Soil</i> , 2016, 401, 23-38.	1.8	23
69	High variation in the percentage of root length colonised by arbuscular mycorrhizal fungi among 139 lines representing the species subterranean clover (<i>Trifolium subterraneum</i>). <i>Applied Soil Ecology</i> , 2016, 98, 221-232.	2.1	28
70	Differential growth response of <i>Rytidosperma</i> species (wallaby grass) to phosphorus application and its implications for grassland management. <i>Grass and Forage Science</i> , 2016, 71, 245-258.	1.2	9
71	Inorganic Nutrients Increase Humification Efficiency and C-Sequestration in an Annually Cropped Soil. <i>PLoS ONE</i> , 2016, 11, e0153698.	1.1	75
72	An assessment of various measures of soil phosphorus and the net accumulation of phosphorus in fertilized soils under pasture. <i>Journal of Plant Nutrition and Soil Science</i> , 2015, 178, 543-554.	1.1	36

#	ARTICLE	IF	CITATIONS
73	Management of soil phosphorus fertility determines the phosphorus budget of a temperate grazing system and is the key to improving phosphorus efficiency. <i>Agriculture, Ecosystems and Environment</i> , 2015, 212, 263-277.	2.5	55
74	Soil nitrogen pools and turnover in native woodland and managed pasture soils. <i>Soil Biology and Biochemistry</i> , 2015, 85, 63-71.	4.2	13
75	Phosphate Mobilisation by Soil Microorganisms. , 2015, , 225-234.		29
76	Spectral sensitivity of solution ³¹ P NMR spectroscopy is improved by narrowing the soil to solution ratio to 1:4 for pasture soils of low organic P content. <i>Geoderma</i> , 2015, 257-258, 48-57.	2.3	16
77	C/N Ratio Drives Soil Actinobacterial Cellobiohydrolase Gene Diversity. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3016-3028.	1.4	46
78	Land use and soil factors affecting accumulation of phosphorus species in temperate soils. <i>Geoderma</i> , 2015, 257-258, 29-39.	2.3	133
79	Complex Forms of Soil Organic Phosphorusâ€”A Major Component of Soil Phosphorus. <i>Environmental Science & Technology</i> , 2015, 49, 13238-13245.	4.6	97
80	The role of gluconate production by <i>Pseudomonas</i> spp. in the mineralization and bioavailability of calciumâ€”phytate to <i>Nicotiana tabacum</i> . <i>Canadian Journal of Microbiology</i> , 2015, 61, 885-897.	0.8	10
81	Evolution of bacterial communities in the wheat crop rhizosphere. <i>Environmental Microbiology</i> , 2015, 17, 610-621.	1.8	297
82	Network analysis reveals that bacteria and fungi form modules that correlate independently with soil parameters. <i>Environmental Microbiology</i> , 2015, 17, 2677-2689.	1.8	166
83	Persistence traits in perennial pasture grasses: the case of phalaris (<i>Phalaris aquatica</i> L.). <i>Crop and Pasture Science</i> , 2014, 65, 1165.	0.7	13
84	The inorganic nutrient cost of building soil carbon. <i>Carbon Management</i> , 2014, 5, 265-268.	1.2	49
85	Using organic phosphorus to sustain pasture productivity: A perspective. <i>Geoderma</i> , 2014, 221-222, 11-19.	2.3	111
86	Nutrient availability limits carbon sequestration in arable soils. <i>Soil Biology and Biochemistry</i> , 2014, 68, 402-409.	4.2	240
87	Plant assimilation of phosphorus from an insoluble organic form is improved by addition of an organic anion producing <i>Pseudomonas</i> sp.. <i>Soil Biology and Biochemistry</i> , 2014, 68, 263-269.	4.2	48
88	Can citrate efflux from roots improve phosphorus uptake by plants? Testing the hypothesis with nearâ€”isogenic lines of wheat. <i>Physiologia Plantarum</i> , 2014, 151, 230-242.	2.6	71
89	Rhizosphere microbial communities associated with Rhizoctonia damage at the field and disease patch scale. <i>Applied Soil Ecology</i> , 2014, 78, 37-47.	2.1	42
90	Pasture plants and soil fertility management to improve the efficiency of phosphorus fertiliser use in temperate grassland systems. <i>Crop and Pasture Science</i> , 2014, 65, 556.	0.7	53

#	ARTICLE	IF	CITATIONS
91	Bacterial community structure and detection of putative plant growth-promoting rhizobacteria associated with plants grown in Chilean agro-ecosystems and undisturbed ecosystems. <i>Biology and Fertility of Soils</i> , 2014, 50, 1141-1153.	2.3	41
92	Land-use and management practices affect soil ammonia oxidiser community structure, activity and connectedness. <i>Soil Biology and Biochemistry</i> , 2014, 78, 138-148.	4.2	24
93	Performance of dovetailed synthetic fibers in concrete. <i>Emerging Materials Research</i> , 2014, 3, 52-66.	0.4	4
94	Phytate addition to soil induces changes in the abundance and expression of <i>Bacillus</i> propeller phytase genes in the rhizosphere. <i>FEMS Microbiology Ecology</i> , 2013, 83, 352-360.	1.3	29
95	Tackling the phosphorus challenge: Time for reflection on three key limitations. <i>Environmental Development</i> , 2013, 8, 137-144.	1.8	5
96	Role of legacy phosphorus in improving global phosphorus-use efficiency. <i>Environmental Development</i> , 2013, 8, 147-148.	1.8	41
97	Carbon-nutrient stoichiometry to increase soil carbon sequestration. <i>Soil Biology and Biochemistry</i> , 2013, 60, 77-86.	4.2	278
98	Bacterial community response to tillage and nutrient additions in a long-term wheat cropping experiment. <i>Soil Biology and Biochemistry</i> , 2013, 58, 281-292.	4.2	43
99	Soil microbial biomass and the fate of phosphorus during long-term ecosystem development. <i>Plant and Soil</i> , 2013, 367, 225-234.	1.8	176
100	Effect of nitrogen and waterlogging on denitrifier gene abundance, community structure and activity in the rhizosphere of wheat. <i>FEMS Microbiology Ecology</i> , 2013, 83, 568-584.	1.3	81
101	Transposon-Mediated Alteration of <i>TaMATE1B</i> Expression in Wheat Confers Constitutive Citrate Efflux from Root Apices. <i>Plant Physiology</i> , 2013, 161, 880-892.	2.3	127
102	Organic Anion-Driven Solubilization of Precipitated and Sorbed Phytate Improves Hydrolysis by Phytases and Bioavailability to <i>Nicotiana tabacum</i> . <i>Soil Science</i> , 2012, 177, 591-598.	0.9	38
103	Recovering Phosphorus from Soil: A Root Solution?. <i>Environmental Science & Technology</i> , 2012, 46, 1977-1978.	4.6	116
104	Investigation of organic anions in tree root exudates and rhizosphere microbial communities using in situ and destructive sampling techniques. <i>Plant and Soil</i> , 2012, 359, 149-163.	1.8	20
105	Field application of a DNA-based assay to the measurement of roots of perennial grasses. <i>Plant and Soil</i> , 2012, 358, 183-199.	1.8	12
106	Methanotrophic communities in Australian woodland soils of varying salinity. <i>FEMS Microbiology Ecology</i> , 2012, 80, 685-695.	1.3	22
107	Freeze/thaw protection of concrete with optimum rubber crumb content. <i>Journal of Cleaner Production</i> , 2012, 23, 96-103.	4.6	108
108	Long-term land use effects on soil microbial community structure and function. <i>Applied Soil Ecology</i> , 2011, 51, 66-78.	2.1	163

#	ARTICLE	IF	CITATIONS
109	Stable soil organic matter: A comparison of C:N:P:S ratios in Australian and other world soils. <i>Geoderma</i> , 2011, 163, 197-208.	2.3	350
110	Effect of soil acidity, soil strength and macropores on root growth and morphology of perennial grass species differing in acid soil resistance. <i>Plant, Cell and Environment</i> , 2011, 34, 444-456.	2.8	77
111	Damage to roots of <i>Trifolium subterraneum</i> L. (subterranean clover), failure of seedlings to establish and the presence of root pathogens during autumn-winter. <i>Grass and Forage Science</i> , 2011, 66, 585-605.	1.2	30
112	The influence of sampling strategies and spatial variation on the detected soil bacterial communities under three different land-use types. <i>FEMS Microbiology Ecology</i> , 2011, 78, 70-79.	1.3	55
113	Effects of selected root exudate components on soil bacterial communities. <i>FEMS Microbiology Ecology</i> , 2011, 77, 600-610.	1.3	316
114	In situ sampling of low molecular weight organic anions from rhizosphere of radiata pine (<i>Pinus</i>)	2.0	43
115	Direct measurement of roots in soil for single and mixed species using a quantitative DNA-based method. <i>Plant and Soil</i> , 2011, 348, 123-137.	1.8	55
116	Strategies and agronomic interventions to improve the phosphorus-use efficiency of farming systems. <i>Plant and Soil</i> , 2011, 349, 89-120.	1.8	343
117	Plant and microbial strategies to improve the phosphorus efficiency of agriculture. <i>Plant and Soil</i> , 2011, 349, 121-156.	1.8	678
118	Soil Microorganisms Mediating Phosphorus Availability Update on Microbial Phosphorus. <i>Plant Physiology</i> , 2011, 156, 989-996.	2.3	1,059
119	Characterisation of HvALMT1 function in transgenic barley plants. <i>Functional Plant Biology</i> , 2011, 38, 163.	1.1	35
120	Effect of lime on root growth, morphology and the rhizosheath of cereal seedlings growing in an acid soil. <i>Plant and Soil</i> , 2010, 327, 199-212.	1.8	84
121	Root morphology, root-hair development and rhizosheath formation on perennial grass seedlings is influenced by soil acidity. <i>Plant and Soil</i> , 2010, 335, 457-468.	1.8	83
122	Interaction of phytases with minerals and availability of substrate affect the hydrolysis of inositol phosphates. <i>Soil Biology and Biochemistry</i> , 2010, 42, 491-498.	4.2	123
123	Life history determines biogeographical patterns of soil bacterial communities over multiple spatial scales. <i>Molecular Ecology</i> , 2010, 19, 4315-4327.	2.0	138
124	HvALMT1 from barley is involved in the transport of organic anions. <i>Journal of Experimental Botany</i> , 2010, 61, 1455-1467.	2.4	92
125	Regulating the phosphorus nutrition of plants: molecular biology meeting agronomic needs. <i>Plant and Soil</i> , 2009, 322, 17-24.	1.8	65
126	Acquisition of phosphorus and nitrogen in the rhizosphere and plant growth promotion by microorganisms. <i>Plant and Soil</i> , 2009, 321, 305-339.	1.8	1,391

#	ARTICLE	IF	CITATIONS
127	Extracellular release of a heterologous phytase from roots of transgenic plants: does manipulation of rhizosphere biochemistry impact microbial community structure?. FEMS Microbiology Ecology, 2009, 70, 433-445.	1.3	44
128	Transgenic barley (<i>Hordeum vulgare</i> L.) expressing the wheat aluminium resistance gene (<i>TaALMT1</i>) shows enhanced phosphorus nutrition and grain production when grown on an acid soil. Plant Biotechnology Journal, 2009, 7, 391-400.	4.1	149
129	Plant mechanisms to optimise access to soil phosphorus. Crop and Pasture Science, 2009, 60, 124.	0.7	367
130	Variation in root-associated phosphatase activities in wheat contributes to the utilization of organic P substrates in vitro, but does not explain differences in the P-nutrition of plants when grown in soils. Environmental and Experimental Botany, 2008, 64, 239-249.	2.0	90
131	Potential and limitations to improving crops for enhanced phosphorus utilization. Plant Ecophysiology, 2008, , 247-270.	1.5	49
132	Localization of myo-inositol-1-phosphate synthase to the endosperm in developing seeds of Arabidopsis. Journal of Experimental Botany, 2008, 59, 3069-3076.	2.4	42
133	Localization of myo-inositol-1-phosphate synthase to the endosperm in developing seeds of Arabidopsis.. Journal of Experimental Botany, 2008, 59, 4059-4059.	2.4	0
134	Variation in early phosphorus-uptake efficiency among wheat genotypes grown on two contrasting Australian soils. Australian Journal of Agricultural Research, 2008, 59, 157.	1.5	53
135	Accumulation and phosphatase-lability of organic phosphorus in fertilised pasture soils. Australian Journal of Agricultural Research, 2007, 58, 47.	1.5	43
136	A role for the <i>AtMTP11</i> gene of Arabidopsis in manganese transport and tolerance. Plant Journal, 2007, 51, 198-210.	2.8	235
137	Differential interaction of <i>Aspergillus niger</i> and <i>Peniophora lycii</i> phytases with soil particles affects the hydrolysis of inositol phosphates. Soil Biology and Biochemistry, 2007, 39, 793-803.	4.2	94
138	Nomenclature and terminology of inositol phosphates: clarification and a glossary of terms.. , 2007, , 1-6.		10
139	Plant utilization of inositol phosphates.. , 2007, , 242-260.		29
140	Depletion of organic phosphorus from Oxisols in relation to phosphatase activities in the rhizosphere. European Journal of Soil Science, 2006, 57, 47-57.	1.8	98
141	Expression of a fungal phytase gene in <i>Nicotiana tabacum</i> improves phosphorus nutrition of plants grown in amended soils. Plant Biotechnology Journal, 2005, 3, 129-140.	4.1	135
142	Behaviour of plant-derived extracellular phytase upon addition to soil. Soil Biology and Biochemistry, 2005, 37, 977-988.	4.2	123
143	Limitations to the Potential of Transgenic <i>Trifolium subterraneum</i> L. Plants that Exude Phytase when Grown in Soils with a Range of Organic P Content. Plant and Soil, 2005, 278, 263-274.	1.8	51
144	Utilization of soil organic phosphorus by higher plants.. , 2005, , 165-184.		93

#	ARTICLE	IF	CITATIONS
145	Identification of <i>scyllo</i> -inositol Phosphates in Soil by Solution Phosphorus-31 Nuclear Magnetic Resonance Spectroscopy. Soil Science Society of America Journal, 2004, 68, 802-808.	1.2	100
146	Characterization of promoter expression patterns derived from the Pht1 phosphate transporter genes of barley (<i>Hordeum vulgare</i> L.). Journal of Experimental Botany, 2004, 55, 855-865.	2.4	140
147	Promoter Analysis of the Barley Pht1;1 Phosphate Transporter Gene Identifies Regions Controlling Root Expression and Responsiveness to Phosphate Deprivation. Plant Physiology, 2004, 136, 4205-4214.	2.3	131
148	Characterization of transgenic <i>Trifolium subterraneum</i> L. which expresses phyA and releases extracellular phytase: growth and P nutrition in laboratory media and soil. Plant, Cell and Environment, 2004, 27, 1351-1361.	2.8	116
149	Identification of <i>scyllo</i> -inositol Phosphates in Soil by Solution Phosphorus-31 Nuclear Magnetic Resonance Spectroscopy. Soil Science Society of America Journal, 2004, 68, 802.	1.2	23
150	Effects of altered citrate synthase and isocitrate dehydrogenase expression on internal citrate concentrations and citrate efflux from tobacco (<i>Nicotiana tabacum</i> L.) roots. Plant and Soil, 2003, 248, 137-144.	1.8	46
151	Root-specific and phosphate-regulated expression of phytase under the control of a phosphate transporter promoter enables <i>Arabidopsis</i> to grow on phytate as a sole P source. Plant Science, 2003, 165, 871-878.	1.7	102
152	Prospects for using soil microorganisms to improve the acquisition of phosphorus by plants. Functional Plant Biology, 2001, 28, 897.	1.1	298
153	Extracellular secretion of <i>Aspergillus</i> phytase from <i>Arabidopsis</i> roots enables plants to obtain phosphorus from phytate. Plant Journal, 2001, 25, 641-649.	2.8	310
154	Title is missing!. Plant and Soil, 2001, 229, 47-56.	1.8	173
155	Root Exudates in Phosphorus Acquisition by Plants. , 2001, , 71-100.		19
156	Acid phosphomonoesterase and phytase activities of wheat (<i>Triticum aestivum</i> L.) roots and utilization of organic phosphorus substrates by seedlings grown in sterile culture. Plant, Cell and Environment, 2000, 23, 397-405.	2.8	224
157	Title is missing!. Plant and Soil, 2000, 220, 165-174.	1.8	122
158	Components of organic phosphorus in soil extracts that are hydrolysed by phytase and acid phosphatase. Biology and Fertility of Soils, 2000, 32, 279-286.	2.3	177
159	Soil factors affecting the sustainability and productivity of perennial and annual pastures in the high rainfall zone of south-eastern Australia. Australian Journal of Experimental Agriculture, 2000, 40, 267.	1.0	63
160	Phytase and acid phosphatase activities in extracts from roots of temperate pasture grass and legume seedlings. Functional Plant Biology, 1999, 26, 801.	1.1	114
161	Elevated atmospheric CO ₂ concentrations increase wheat root phosphatase activity when growth is limited by phosphorus. Functional Plant Biology, 1998, 25, 87.	1.1	62
162	PCR as an ecological tool to determine the establishment and persistence of <i>Rhizobium</i> strains introduced into the field as seed inoculant Diane. Australian Journal of Agricultural Research, 1998, 49, 923.	1.5	21

#	ARTICLE	IF	CITATIONS
163	Soil isolates of <i>Pseudomonas</i> spp. that utilize inositol phosphates. Canadian Journal of Microbiology, 1997, 43, 509-516.	0.8	177
164	Differentiation of Rhizobium strains using the polymerase chain reaction with random and directed primers. Soil Biology and Biochemistry, 1995, 27, 515-524.	4.2	82
165	Studies of the Physiological and Genetic Basis of Acid Tolerance in <i>Rhizobium leguminosarum</i> biovar trifolii. Applied and Environmental Microbiology, 1993, 59, 1798-1804.	1.4	42
166	Construction of an Acid-Tolerant <i>Rhizobium leguminosarum</i> Biovar Trifolii Strain with Enhanced Capacity for Nitrogen Fixation. Applied and Environmental Microbiology, 1991, 57, 2005-2011.	1.4	47
167	Acid-tolerance and symbiotic effectiveness of Rhizobium trifolii associated with a Trifolium subterraneum L.-based pasture growing in an acid soil. Soil Biology and Biochemistry, 1989, 21, 87-96.	4.2	55
168	Expression of Nodulation Genes in Rhizobium and Acid-Sensitivity of Nodule Formation. Functional Plant Biology, 1989, 16, 117.	1.1	14
169	Effects of pH, Ca and Al on the exudation from clover seedlings of compounds that induce the expression of nodulation genes in Rhizobium trifolii. Plant and Soil, 1988, 109, 37-47.	1.8	89
170	Enumeration and distribution of Rhizobium trifolii under a subterranean clover-based pasture growing in an acid soil. Soil Biology and Biochemistry, 1988, 20, 431-438.	4.2	59
171	Consequences of soil acidity and the effect of lime on the nodulation of Trifolium subterraneum L. Growing in an acid soil. Soil Biology and Biochemistry, 1988, 20, 439-445.	4.2	32
172	Expression of Nodulation Genes in <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> Is Affected by Low pH and by Ca and Al Ions. Applied and Environmental Microbiology, 1988, 54, 2541-2548.	1.4	102
173	Rhizosphere Microorganisms and Plant Phosphorus Uptake. Agronomy, 0, , 437-494.	0.2	21
174	Isolation and assessment of microorganisms that utilize phytate.. , 0, , 61-77.		24
175	Interactions between phytases and soil constituents: implications for the hydrolysis of inositol phosphates.. , 0, , 221-241.		14