

# K-H Ladwig

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7520748/publications.pdf>

Version: 2024-02-01

219  
papers

9,282  
citations

41323

49  
h-index

62565

80  
g-index

253  
all docs

253  
docs citations

253  
times ranked

14892  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortisol Awakening Reaction and Anxiety in Depressed Coronary Artery Disease Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 374.	1.0	5
2	Mental health-related risk factors and interventions in patients with heart failure: a position paper endorsed by the European Association of Preventive Cardiology (EAPC). <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1124-1141.	0.8	24
3	Impact of prenatal and childhood adversity—effects around World War II on multimorbidity: results from the KORA-Age study. <i>BMC Geriatrics</i> , 2022, 22, 115.	1.1	6
4	Symptom Severity and Health-Related Quality of Life in Patients with Atrial Fibrillation: Findings from the Observational ARENA Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1140.	1.0	5
5	Mind and body interventions in cardiology. <i>Herz</i> , 2022, 47, 103-109.	0.4	5
6	Depression Mediates the Association Between Childhood Emotional Abuse and the Onset of Type 2 Diabetes: Findings From German Multi-Cohort Prospective Studies. <i>Frontiers in Psychiatry</i> , 2022, 13, 825678.	1.3	5
7	Does social support prevent suicidal ideation in women and men? Gender-sensitive analyses of an important protective factor within prospective community cohorts. <i>Journal of Affective Disorders</i> , 2022, 306, 157-166.	2.0	15
8	Dysregulated diurnal cortisol patterns are associated with cardiovascular mortality: Findings from the KORA-F3 study. <i>Psychoneuroendocrinology</i> , 2022, 141, 105753.	1.3	2
9	Married but lonely. Impact of poor marital quality on diurnal cortisol patterns in older people: findings from the cross-sectional KORA-Age study. <i>Stress</i> , 2021, 24, 36-43.	0.8	7
10	Combined effect of work stress and impaired sleep on coronary and cardiovascular mortality in hypertensive workers: The MONICA/KORA cohort study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 220-226.	0.8	18
11	Living longer but less healthy: The female disadvantage in health expectancy. Results from the KORA-Age study. <i>Experimental Gerontology</i> , 2021, 145, 111196.	1.2	5
12	Alcohol consumption is associated with widespread changes in blood DNA methylation: Analysis of cross-sectional and longitudinal data. <i>Addiction Biology</i> , 2021, 26, e12855.	1.4	49
13	Associated factors of white matter hyperintensity volume: a machine-learning approach. <i>Scientific Reports</i> , 2021, 11, 2325.	1.6	14
14	Similarities and Differences of Mental Health in Women and Men: A Systematic Review of Findings in Three Large German Cohorts. <i>Frontiers in Public Health</i> , 2021, 9, 553071.	1.3	63
15	Cardiac Rehabilitation in German Speaking Countries of Europe—Evidence-Based Guidelines from Germany, Austria and Switzerland LLKardReha-DACH—Part 1. <i>Journal of Clinical Medicine</i> , 2021, 10, 2192.	1.0	23
16	Bidimensional structure and measurement equivalence of the Patient Health Questionnaire-9: sex-sensitive assessment of depressive symptoms in three representative German cohort studies. <i>BMC Psychiatry</i> , 2021, 21, 238.	1.1	12
17	Generalized anxiety disorder symptoms and type 2 diabetes onset: Findings from the Prospective Cooperative Health Research in the Region of Augsburg F4 and FF4 studies. <i>Journal of Psychosomatic Research</i> , 2021, 145, 110480.	1.2	11
18	White matter hyperintensity volume in pre-diabetes, diabetes and normoglycemia. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002050.	1.2	8

#	ARTICLE	IF	CITATIONS
19	A metabolome-wide association study in the general population reveals decreased levels of serum laurycarnitine in people with depression. <i>Molecular Psychiatry</i> , 2021, 26, 7372-7383.	4.1	23
20	Chronic Inflammation Mediates the Association between Cortisol and Hyperglycemia: Findings from the Cross-Sectional Population-Based KORA Age Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2751.	1.0	5
21	The relation between childhood adversity and adult obesity in a population-based study in women and men. <i>Scientific Reports</i> , 2021, 11, 14068.	1.6	16
22	East vs. West: Differences in the prevalence of child maltreatment in Germany before the reunification. , 2021, 83, .		0
23	Validating biomarkers and models for epigenetic inference of alcohol consumption from blood. <i>Clinical Epigenetics</i> , 2021, 13, 198.	1.8	7
24	Depression, anxiety, and vital exhaustion are associated with pro-coagulant markers in depressed patients with coronary artery disease – A cross sectional and prospective secondary analysis of the SPIRR-CAD trial. <i>Journal of Psychosomatic Research</i> , 2021, 151, 110659.	1.2	6
25	Impact of meteorological parameters on suicide mortality rates: A case-crossover analysis in Southern Germany (1990–2006). <i>Science of the Total Environment</i> , 2020, 707, 136053.	3.9	18
26	Evaluation of antenatal risk factors for postpartum depression: a secondary cohort analysis of the cluster-randomised GeliS trial. <i>BMC Medicine</i> , 2020, 18, 227.	2.3	18
27	Association of generalized and central obesity with serum and salivary cortisol secretion patterns in the elderly: findings from the cross sectional KORA-Age study. <i>Scientific Reports</i> , 2020, 10, 14321.	1.6	9
28	Subjective mental health, incidence of depressive symptoms in later life, and the role of epigenetics: results from two longitudinal cohort studies. <i>Translational Psychiatry</i> , 2020, 10, 323.	2.4	5
29	Psychological aspects of atrial fibrillation: A systematic narrative review. <i>Current Cardiology Reports</i> , 2020, 22, 137.	1.3	32
30	Different information needs in subgroups of people with diabetes mellitus: a latent class analysis. <i>BMC Public Health</i> , 2020, 20, 1901.	1.2	4
31	Length Polymorphisms in the Angiotensin I-Converting Enzyme Gene and the Serotonin-Transporter-Linked Polymorphic Region Constitute a Risk Haplotype for Depression in Patients with Coronary Artery Disease. <i>Biochemical Genetics</i> , 2020, 58, 631-648.	0.8	6
32	Machine-learning based exploration of determinants of gray matter volume in the KORA-MRI study. <i>Scientific Reports</i> , 2020, 10, 8363.	1.6	3
33	The times we are born into and our lifestyle choices determine our health trajectories in older age - Results from the KORA -Age study. <i>Preventive Medicine</i> , 2020, 133, 106025.	1.6	5
34	Anxiety boosts progression of prediabetes to type 2 diabetes: findings from the prospective Cooperative Health Research in the Region of Augsburg F4 and FF4 studies. <i>Diabetic Medicine</i> , 2020, 37, 1737-1741.	1.2	14
35	Psychosocial and physical long-term outcome in patients with a history of takotsubo cardiomyopathy or myocardial infarction - a multi-centered case control study. <i>Psychology, Health and Medicine</i> , 2020, 25, 989-1003.	1.3	4
36	A multi-cohort consortium for Gender-Sensitive Analyses of mental health trajectories and implications for prevention (GESA) in the general population in Germany. <i>BMJ Open</i> , 2020, 10, e034220.	0.8	10

#	ARTICLE	IF	CITATIONS
37	Malnutrition and related risk factors in older adults from different health-care settings: an enable study. <i>Public Health Nutrition</i> , 2020, 23, 446-456.	1.1	25
38	A systematic review of educational interventions aiming to reduce prehospital delay in patients with acute coronary syndrome. <i>Open Heart</i> , 2020, 7, e001175.	0.9	25
39	The impact of the Type D Personality pattern on prehospital delay in patients suffering from acute myocardial infarction. <i>Journal of Thoracic Disease</i> , 2020, 12, 4680-4689.	0.6	6
40	Medical Utilization. , 2020, , 1359-1360.		0
41	Psychometric Evaluation of the Major Depression Inventory (MDI) as a Depression Severity Scale in Chinese Patients With Coronary Artery Disease. Findings From the MEDEA FAR-EAST Study.. <i>Frontiers in Psychiatry</i> , 2019, 10, 493.	1.3	5
42	Longitudinal relationship between B-type natriuretic peptide and anxiety in coronary heart disease patients with depression. <i>Journal of Psychosomatic Research</i> , 2019, 123, 109728.	1.2	7
43	Validated inference of smoking habits from blood with a finite DNA methylation marker set. <i>European Journal of Epidemiology</i> , 2019, 34, 1055-1074.	2.5	31
44	Epigenetic upregulation of FKBP5 by aging and stress contributes to NF- $\kappa$ B-driven inflammation and cardiovascular risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 11370-11379.	3.3	193
45	The MEDEA FAR-EAST Study: Conceptual framework, methods and first findings of a multicenter cross-sectional observational study. <i>BMC Emergency Medicine</i> , 2019, 19, 31.	0.7	5
46	Different Psychosocial Factors Are Associated with Seasonal and Perennial Allergies in Adults: Cross-Sectional Results of the KORA FF4 Study. <i>International Archives of Allergy and Immunology</i> , 2019, 179, 262-272.	0.9	11
47	Being born in the aftermath of World War II increases the risk for health deficit accumulation in older age: results from the KORA-Age study. <i>European Journal of Epidemiology</i> , 2019, 34, 675-687.	2.5	12
48	Somatic and sociodemographic predictors of depression outcome among depressed patients with coronary artery disease - a secondary analysis of the SPIRR-CAD study. <i>BMC Psychiatry</i> , 2019, 19, 57.	1.1	10
49	Placebo and Nocebo Effects in Patients With Takotsubo Cardiomyopathy and Heart-Healthy Controls. <i>Frontiers in Psychiatry</i> , 2019, 10, 549.	1.3	2
50	Incidence Rates of Type 2 Diabetes in People With Impaired Fasting Glucose (ADA vs. WHO Criteria) and Impaired Glucose Tolerance: Results From an Older Population (KORA S4/F4/FF4 Study). <i>Diabetes Care</i> , 2019, 42, e18-e20.	4.3	8
51	Anxiety weights down the heart – New evidence for a toxic cardiovascular risk factor. <i>International Journal of Cardiology</i> , 2019, 278, 261-262.	0.8	0
52	Association of hypertension cut-off values with 10-year cardiovascular mortality and clinical consequences: a real-world perspective from the prospective MONICA/KORA study. <i>European Heart Journal</i> , 2019, 40, 732-738.	1.0	34
53	The relationship between attachment orientations and the course of depression in coronary artery disease patients: A secondary analysis of the SPIRR-CAD trial. <i>Journal of Psychosomatic Research</i> , 2018, 108, 39-46.	1.2	9
54	Impact of generalized anxiety disorder (GAD) on prehospital delay of acute myocardial infarction patients. Findings from the multicenter MEDEA study. <i>Clinical Research in Cardiology</i> , 2018, 107, 471-478.	1.5	19

#	ARTICLE	IF	CITATIONS
55	Socioeconomic factors in coronary artery disease – Results from the SPIRR-CAD study. <i>Journal of Psychosomatic Research</i> , 2018, 105, 125-131.	1.2	10
56	Life satisfaction is a protective factor against the onset of Type 2 diabetes in men but not in women: findings from the <sc>MONICA</sc>/<sc>KORA</sc> cohort study. <i>Diabetic Medicine</i> , 2018, 35, 323-331.	1.2	7
57	Bivariate Genome-Wide Association Study of Depressive Symptoms With Type 2 Diabetes and Quantitative Glycemic Traits. <i>Psychosomatic Medicine</i> , 2018, 80, 242-251.	1.3	31
58	OP II – 5 – Impact of meteorological parameters on suicide rates: a case-crossover study in southern germany (1990 – 2006). , 2018, , .		0
59	Physical activity, muscular strength, and polypharmacy among older multimorbid persons: Results from the <sc>KORA</sc>-Age study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 604-612.	1.3	28
60	Anxiety Associated Increased CpG Methylation in the Promoter of Asb1: A Translational Approach Evidenced by Epidemiological and Clinical Studies and a Murine Model. <i>Neuropsychopharmacology</i> , 2018, 43, 342-353.	2.8	43
61	Prevalence of mental disorders among depressed coronary patients with and without Type D personality. Results of the multi-center SPIRR-CAD trial. <i>General Hospital Psychiatry</i> , 2018, 50, 69-75.	1.2	26
62	Cumulative effect of depressed mood and obesity on type II diabetes incidence: Findings from the MONICA/KORA cohort study. <i>Journal of Psychosomatic Research</i> , 2018, 115, 66-70.	1.2	13
63	Prevalence, Determinants, and Consequences of Vestibular Hypofunction. Results From the KORA-FF4 Survey. <i>Frontiers in Neurology</i> , 2018, 9, 1076.	1.1	32
64	Gender differences in psychosocial outcomes of psychotherapy trial in patients with depression and coronary artery disease. <i>Journal of Psychosomatic Research</i> , 2018, 113, 89-99.	1.2	14
65	Associations of NT-proBNP and parameters of mental health in depressed coronary artery disease patients. <i>Psychoneuroendocrinology</i> , 2018, 96, 188-194.	1.3	16
66	DNA Methylation Signatures of Depressive Symptoms in Middle-aged and Elderly Persons. <i>JAMA Psychiatry</i> , 2018, 75, 949.	6.0	78
67	Lack of supportive leadership behavior predicts suboptimal self-rated health independent of job strain after 10 years of follow-up: findings from the population-based MONICA/KORA study. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 623-631.	1.1	25
68	Determinants of Incident Malnutrition in Community-dwelling Older Adults: A MaNuEL Multicohort Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2335-2343.	1.3	63
69	The impact of job insecurity on long-term self-rated health – results from the prospective population-based MONICA/KORA study. <i>BMC Public Health</i> , 2018, 18, 754.	1.2	5
70	Sarcopenia is associated with disability status – results from the KORA-Age study. <i>Osteoporosis International</i> , 2017, 28, 2069-2079.	1.3	29
71	Sex differences in the association of social network satisfaction and the risk for type 2 diabetes. <i>BMC Public Health</i> , 2017, 17, 379.	1.2	11
72	Relationship between sleep disturbances and multimorbidity among community-dwelling men and women aged 65 – 93 years: results from the KORA Age Study. <i>Sleep Medicine</i> , 2017, 33, 151-159.	0.8	42

#	ARTICLE	IF	CITATIONS
73	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.	0.7	84
74	Room for depressed and exhausted mood as a risk predictor for all-cause and cardiovascular mortality beyond the contribution of the classical somatic risk factors in men. <i>Atherosclerosis</i> , 2017, 257, 224-231.	0.4	37
75	Comparison of Delay Times Between Symptom Onset of an Acute ST-elevation Myocardial Infarction and Hospital Arrival in Men and Women <65 Years Versus ≥65 Years of Age.. <i>American Journal of Cardiology</i> , 2017, 120, 2128-2134.	0.7	29
76	â€œIn the mood for ageingâ€: determinants of subjective well-being in older men and women of the population-based KORA-Age study. <i>BMC Geriatrics</i> , 2017, 17, 126.	1.1	48
77	Male sex and poverty predict abrupt health decline: Deficit accumulation patterns and trajectories in the KORA-Age cohort study. <i>Preventive Medicine</i> , 2017, 102, 31-38.	1.6	9
78	What is the impact of different spirometric criteria on the prevalence of spirometrically defined COPD and its comorbidities? Results from the population-based KORA study. <i>International Journal of COPD</i> , 2016, Volume 11, 1881-1894.	0.9	12
79	The Association of Social Inhibition and Posttraumatic Stress Disorder. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 261-266.	0.5	4
80	Gender differences in the association between grip strength and mortality in older adults: results from the KORA-age study. <i>BMC Geriatrics</i> , 2016, 16, 201.	1.1	70
81	Handgrip strength is inversely and independently associated with multimorbidity among older women: Results from the KORA-Age study. <i>European Journal of Internal Medicine</i> , 2016, 31, 35-40.	1.0	43
82	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. <i>Nature Genetics</i> , 2016, 48, 624-633.	9.4	870
83	Sex-related differences in the association of salivary cortisol levels and type 2 diabetes. Findings from the cross-sectional population based KORA-age study. <i>Psychoneuroendocrinology</i> , 2016, 69, 133-141.	1.3	17
84	Cognitive Impairment Is Associated with a Low Omega-3 Index in the Elderly: Results from the KORA-Age Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 236-245.	0.7	36
85	Patientsâ€™ knowledge about symptoms and adequate behaviour during acute myocardial infarction and its impact on delay time. <i>Patient Education and Counseling</i> , 2016, 99, 1845-1851.	1.0	38
86	Is denial a maladaptive coping mechanism which prolongs pre-hospital delay in patients with ST-segment elevation myocardial infarction?. <i>Journal of Psychosomatic Research</i> , 2016, 91, 68-74.	1.2	18
87	Genome-wide association study in essential tremor identifies three new loci. <i>Brain</i> , 2016, 139, 3163-3169.	3.7	78
88	Impaired Sleep Predicts Cognitive Decline in Old People: Findings from the Prospective KORA Age Study. <i>Sleep</i> , 2016, 39, 217-226.	0.6	58
89	A Stepwise Psychotherapy Intervention for Reducing Risk in Coronary Artery Disease (SPIRR-CAD): Results of an Observer-Blinded, Multicenter, Randomized Trial in Depressed Patients With Coronary Artery Disease. <i>Psychosomatic Medicine</i> , 2016, 78, 704-715.	1.3	83
90	Resilience moderates the association between chronic pain and depressive symptoms in the elderly. <i>European Journal of Pain</i> , 2016, 20, 1253-1265.	1.4	57

#	ARTICLE	IF	CITATIONS
91	Poor structural social support is associated with an increased risk of Type 2 diabetes mellitus: findings from the MONICA/KORA Augsburg cohort study. <i>Diabetic Medicine</i> , 2016, 33, 47-54.	1.2	26
92	The association of air pollution and depressed mood in 70,928 individuals from four European cohorts. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 212-219.	2.1	126
93	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. <i>Nature Communications</i> , 2016, 7, 10494.	5.8	153
94	Frequency and covariates of fear of death during myocardial infarction and its impact on prehospital delay: findings from the multicentre MEDEA Study. <i>Clinical Research in Cardiology</i> , 2016, 105, 135-144.	1.5	21
95	Mid-life job insecurity associated with subjective well-being in old age: results from the population-based MONICA/KORA study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 170-174.	1.7	17
96	Depressed mood amplifies heart-related symptoms in persistent and paroxysmal atrial fibrillation patients: a longitudinal analysisâ€”data from the German Competence Network on Atrial Fibrillation. <i>Europace</i> , 2015, 17, 1354-1362.	0.7	45
97	Health-related quality of life in women and men with type 2 diabetes: a comparison across treatment groups. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 203-211.	1.2	25
98	Sex specific impact of prodromal chest pain on pre-hospital delay time during an acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015, 201, 581-586.	0.8	14
99	Prospective association of vitamin D with frailty status and all-cause mortality in older adults: Results from the KORA-Age Study. <i>Preventive Medicine</i> , 2015, 73, 40-46.	1.6	45
100	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015, 350, g7772-g7772.	3.0	152
101	What prevents old people living alone from feeling lonely? Findings from the KORA-Age-study. <i>Aging and Mental Health</i> , 2015, 19, 773-780.	1.5	41
102	Association between muscular strength and inflammatory markers among elderly persons with cardiac disease: results from the KORA-Age study. <i>Clinical Research in Cardiology</i> , 2015, 104, 982-989.	1.5	29
103	Oxytocin-induced coping with stressful life events in old age depends on attachment: Findings from the cross-sectional KORA Age study. <i>Psychoneuroendocrinology</i> , 2015, 56, 132-142.	1.3	11
104	Mitochondrial genetic variants identified to be associated with posttraumatic stress disorder. <i>Translational Psychiatry</i> , 2015, 5, e524-e524.	2.4	33
105	No Correlation Between Rates of Suicidal Ideation and Completed Suicides in Europe: Analysis of 49,008 Participants (55+ Years) Based on the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>European Psychiatry</i> , 2015, 30, 874-879.	0.1	14
106	Lower morning to evening cortisol ratio is associated with cognitive impairment in men but not women: An analysis of 733 older subjects of the cross-sectional KORA-Age study. <i>Psychoneuroendocrinology</i> , 2015, 51, 296-306.	1.3	23
107	Symptoms of Insomnia and Sleep Duration and Their Association with Incident Strokes: Findings from the Population-Based MONICA/KORA Augsburg Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0134480.	1.1	54
108	A pattern of unspecific somatic symptoms as long-term premonitory signs of type 2 diabetes: findings from the population-based MONICA/KORA cohort study, 1984-2009. <i>BMC Endocrine Disorders</i> , 2014, 14, 87.	0.9	11



#	ARTICLE	IF	CITATIONS
109	Aging Without Depression: A Cross-Sectional Study. <i>Psychodynamic Psychiatry</i> , 2014, 42, 5-22.	0.1	14
110	Mind over hormones; Sex differences in associations of well-being with IGF-I, IGFBP-3 and physical activity in the KORA-Age study. <i>Experimental Gerontology</i> , 2014, 59, 58-64.	1.2	13
111	Prevalence of Use and Level of Awareness of CAM in Older People - Results from the KORA-Age Study. <i>Research in Complementary Medicine</i> , 2014, 21, 2-2.	2.2	2
112	How much does it hurt to be lonely? Mental and physical differences between older men and women in the KORA-Age Study. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 245-252.	1.3	83
113	Determinants of completed railway suicides by psychiatric in-patients: case-control study. <i>British Journal of Psychiatry</i> , 2014, 205, 398-406.	1.7	23
114	Job Strain as a Risk Factor for the Onset of Type 2 Diabetes Mellitus. <i>Psychosomatic Medicine</i> , 2014, 76, 562-568.	1.3	49
115	Kritische Lebensereignisse. <i>Public Health Forum</i> , 2014, 22, 10-12.	0.1	2
116	Stable time patterns of railway suicides in Germany: comparative analysis of 7,187 cases across two observation periods (1995-1998; 2005-2008). <i>BMC Public Health</i> , 2014, 14, 124.	1.2	16
117	Blunted Diurnal Cortisol Pattern Is Associated With Frailty: A Cross-Sectional Study of 745 Participants Aged 65 to 90 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E464-E468.	1.8	66
118	Association of adiponectin and leptin with relative telomere length in seven independent cohorts including 11,448 participants. <i>European Journal of Epidemiology</i> , 2014, 29, 629-638.	2.5	23
119	Adverse conditions at the workplace are associated with increased suicide risk. <i>Journal of Psychiatric Research</i> , 2014, 57, 90-95.	1.5	38
120	Are psychosocial stressors associated with the relationship of alcohol consumption and all-cause mortality?. <i>BMC Public Health</i> , 2014, 14, 312.	1.2	11
121	Depression in paroxysmal and persistent atrial fibrillation patients: a cross-sectional comparison of patients enrolled in two large clinical trials. <i>Europace</i> , 2014, 16, 812-819.	0.7	45
122	Living alone, obesity, and smoking increase risk for suicide independently of depressive mood findings from the population-based MONICA/KORA Augsburg cohort study. <i>Journal of Affective Disorders</i> , 2014, 152-154, 416-421.	2.0	52
123	Position paper on the importance of psychosocial factors in cardiology: Update 2013. <i>GMS German Medical Science</i> , 2014, 12, Doc09.	2.7	62
124	Lifetime traumatic experiences and their impact on PTSD: a general population study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 525-532.	1.6	60
125	The association of smoking status with healthcare utilisation, productivity loss and resulting costs: results from the population-based KORA F4 study. <i>BMC Health Services Research</i> , 2013, 13, 278.	0.9	52
126	Metabolomic profiles in individuals with negative affectivity and social inhibition: A population-based study of Type D personality. <i>Psychoneuroendocrinology</i> , 2013, 38, 1299-1309.	1.3	37



#	ARTICLE	IF	CITATIONS
127	Multi-morbidity and disability, findings from the KORA-Age study. BMC Proceedings, 2013, 7, S10.	1.8	6
128	Feasibility, internal consistency and covariates of TICS <sup>em</sup> (telephone interview for cognitive status <sup>â€</sup> ) Tj ETQq0 0 0 rgBT /Overlock 10 Geriatric Psychiatry, 2013, 28, 971-978.	1.3	30
129	Association of anxious and depressive symptoms with medication nonadherence in patients with stable coronary artery disease. Journal of Psychosomatic Research, 2013, 74, 122-127.	1.2	50
130	Train suicide mortality and availability of trains: A tale of two countries. Psychiatry Research, 2013, 209, 466-470.	1.7	13
131	Relationship between posttraumatic stress disorder and Type 2 Diabetes in a population-based cross-sectional study with 2970 participants. Journal of Psychosomatic Research, 2013, 74, 340-345.	1.2	79
132	Hypertension and depressed symptomatology: A cluster related to the activation of the renin <sup>â€</sup> angiotensin <sup>â€</sup> aldosterone system (RAAS). Findings from population based KORA F4 study. Psychoneuroendocrinology, 2013, 38, 2065-2074.	1.3	23
133	Predictors of discordance between physicians' and patients' appraisals of health-related quality of life in atrial fibrillation patients: Findings from the Angiotensin II Antagonist in Paroxysmal Atrial Fibrillation Trial. American Heart Journal, 2013, 166, 589-596.e1.	1.2	14
134	No evidence for an association of posttraumatic stress disorder with circulating levels of CRP and IL-18 in a population-based study. Cytokine, 2013, 63, 201-208.	1.4	20
135	A Genome-Wide Association Study of Depressive Symptoms. Biological Psychiatry, 2013, 73, 667-678.	0.7	149
136	Validation and development of a shorter version of the resilience scale RS-11: results from the population-based KORA <sup>â€</sup> age study. BMC Psychology, 2013, 1, 25.	0.9	31
137	Association between sleep disturbances and falls among the elderly: results from the German Cooperative Health Research in the Region of Augsburg-Age study. Sleep Medicine, 2013, 14, 1356-1363.	0.8	54
138	Decline in Gait Performance Detected by an Electronic Walkway System in 907 Older Adults of the Population-Based KORA <sup>â€</sup> Age Study. Gerontology, 2013, 59, 165-173.	1.4	16
139	Job Strain <sup>â€</sup> Associated Inflammatory Burden and Long-Term Risk of Coronary Events. Psychosomatic Medicine, 2013, 75, 317-325.	1.3	34
140	Diagnostic utility of a one-item question to screen for depressive disorders: results from the KORA F3 study. BMC Family Practice, 2013, 14, 198.	2.9	15
141	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118 <sup>â€</sup> 000 Working Adults. American Journal of Public Health, 2013, 103, 2090-2097.	1.5	114
142	Posttraumatic Stress Disorder and Not Depression Is Associated with Shorter Leukocyte Telomere Length: Findings from 3,000 Participants in the Population-Based KORA F4 Study. PLoS ONE, 2013, 8, e64762.	1.1	54
143	Job Strain and Cardiovascular Disease Risk Factors: Meta-Analysis of Individual-Participant Data from 47,000 Men and Women. PLoS ONE, 2013, 8, e67323.	1.1	144
144	Relation between depressed mood, somatic comorbidities and health service utilisation in older adults: results from the KORA-Age study. Age and Ageing, 2012, 41, 183-190.	0.7	26

#	ARTICLE	IF	CITATIONS
145	Determinants and trajectory of phobic anxiety in patients living with an implantable cardioverter defibrillator. <i>Heart</i> , 2012, 98, 806-812.	1.2	14
146	Sleep disturbances and depressed mood: A harmful combination associated with increased leptin levels in women with normal weight. <i>Biological Psychology</i> , 2012, 89, 163-169.	1.1	34
147	Job strain associated CRP is mediated by leisure time physical activity: Results from the MONICA/KORA study. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 1077-1084.	2.0	40
148	Association between schizophrenia and common variation in neurocan (NCAN), a genetic risk factor for bipolar disorder. <i>Schizophrenia Research</i> , 2012, 138, 69-73.	1.1	70
149	Patterns of Multimorbidity in the Aged Population. Results from the KORA-Age Study. <i>PLoS ONE</i> , 2012, 7, e30556.	1.1	202
150	Suicide Mortality in Comparison to Traffic Accidents and Homicides as Causes of Unnatural Death. An Analysis of 14,441 Cases in Germany in the Year 2010. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 924-931.	1.2	20
151	Prospective Assessment of Short- and Long-Term Quality of Life After Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 121-127.	0.8	60
152	The railway suicide death of a famous German football player: Impact on the subsequent frequency of railway suicide acts in Germany. <i>Journal of Affective Disorders</i> , 2012, 136, 194-198.	2.0	53
153	To live alone and to be depressed, an alarming combination for the renin-angiotensin-aldosterone-system (RAAS). <i>Psychoneuroendocrinology</i> , 2012, 37, 230-237.	1.3	50
154	Effects of verbal suggestion on coronary arteries: Results of a randomized controlled experimental investigation during coronary angiography. <i>American Heart Journal</i> , 2011, 162, 507-511.	1.2	24
155	Association between social isolation and inflammatory markers in depressed and non-depressed individuals: Results from the MONICA/KORA study. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1701-1707.	2.0	57
156	Sex and age specific time patterns and long term time trends of pre-hospital delay of patients presenting with acute ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011, 152, 350-355.	0.8	45
157	A Stepwise Psychotherapy Intervention for Reducing Risk in Coronary Artery Disease (SPIRR-CAD) – Rationale and design of a multicenter, randomized trial in depressed patients with CAD. <i>Journal of Psychosomatic Research</i> , 2011, 71, 215-222.	1.2	50
158	Exhaled nitric oxide and influencing factors in a random population sample. <i>Respiratory Medicine</i> , 2011, 105, 713-718.	1.3	26
159	SP3-73 Increase of railway suicides in Germany after the railway suicide death of Robert Enke, a famous German football player. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A428-A428.	2.0	0
160	Effect of Depression on Mortality in Implantable Cardioverter Defibrillator Recipients – Findings from the Prospective LICAD Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 991-997.	0.5	29
161	Jumping, lying, wandering: Analysis of suicidal behaviour patterns in 1,004 suicidal acts on the German railway net. <i>Journal of Psychiatric Research</i> , 2011, 45, 121-125.	1.5	27
162	Social isolation and depressed mood are associated with elevated serum leptin levels in men but not in women. <i>Psychoneuroendocrinology</i> , 2011, 36, 200-209.	1.3	37

#	ARTICLE	IF	CITATIONS
163	Association of daily tar and nicotine intake with incident myocardial infarction: Results from the population-based MONICA/KORA Augsburg Cohort Study 1984 - 2002. <i>BMC Public Health</i> , 2011, 11, 273.	1.2	10
164	Chronic posttraumatic stress and its predictors in patients living with an implantable cardioverter defibrillator. <i>Journal of Affective Disorders</i> , 2011, 131, 344-352.	2.0	54
165	The effect of risky alcohol use and smoking on suicide risk: findings from the German MONICA/KORA-Augsburg Cohort Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1127-1132.	1.6	26
166	Behaviour patterns preceding a railway suicide: Explorative study of German Federal Police officers' experiences. <i>BMC Public Health</i> , 2011, 11, 620.	1.2	25
167	Do diabetes and depressed mood affect associations between obesity and quality of life in postmenopause? Results of the KORA-F3 Augsburg population study. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 97.	1.0	5
168	P1-88 Decrease of railway suicides between 1998 and 2006: evaluation of the German railway suicide prevention project. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A91-A91.	2.0	3
169	Flattened Circadian Cortisol Rhythm in Type 2 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2011, 119, 573-575.	0.6	41
170	Increasing railway suicide acts after media coverage of a fatal railway accident? An ecological study of 747 suicidal acts. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 825-828.	2.0	25
171	Association of plasma aldosterone with the metabolic syndrome in two German populations. <i>European Journal of Endocrinology</i> , 2011, 164, 751-758.	1.9	51
172	Gender Differences in Risk Assessment of Death Wishes and Suicidal Ideation in the Community. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 52-58.	0.5	23
173	Clustering of Negative Affectivity and Social Inhibition in the Community: Prevalence of Type D Personality as a Cardiovascular Risk Marker. <i>Psychosomatic Medicine</i> , 2010, 72, 163-171.	1.3	71
174	Somatosensory amplification mediates sex differences in psychological distress among cardioverter-defibrillator patients.. <i>Health Psychology</i> , 2010, 29, 477-483.	1.3	18
175	Socio-economic differences in life expectancy among persons with diabetes mellitus or myocardial infarction: results from the German MONICA/KORA study. <i>BMC Public Health</i> , 2010, 10, 135.	1.2	21
176	Prevalence of chronic migraine and medication overuse headache in Germany – the German DMKG headache study. <i>Cephalgia</i> , 2010, 30, 207-213.	1.8	137
177	Salivary cortisol in a middle-aged community sample: results from 990 men and women of the KORA-F3 Augsburg study. <i>European Journal of Endocrinology</i> , 2010, 163, 443-451.	1.9	38
178	Determinants of Heavy Cigarette Smoking: Are There Differences in Men and Women? Results From the Population-Based MONICA/KORA Augsburg Surveys. <i>Nicotine and Tobacco Research</i> , 2010, 12, 1220-1227.	1.4	19
179	Screening for multiple somatic complaints in a population-based survey: Does excessive symptom reporting capture the concept of somatic symptom disorders?. <i>Journal of Psychosomatic Research</i> , 2010, 68, 427-437.	1.2	33
180	Regional Variations in the Prevalence of Migraine and Tension-Type Headache Applying the new IHS Criteria: The German DMKG Headache Study. <i>Cephalgia</i> , 2009, 29, 48-57.	1.8	75

#	ARTICLE	IF	CITATIONS
181	Living Alone Is Associated With an Increased Risk of Type 2 Diabetes Mellitus in Men but Not Women From the General Population: The MONICA/KORA Augsburg Cohort Study. <i>Psychosomatic Medicine</i> , 2009, 71, 784-788.	1.3	44
182	Time trends in suicide mortality vary in choice of methods. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 913-919.	1.6	25
183	Sex- and age-related increase in prevalence rates of death wishes and suicidal ideation in the community: Results from the KORA-F3 Augsburg Study with 3154 men and women, 35 to 84 years of age. <i>Psychiatry Research</i> , 2008, 161, 248-252.	1.7	29
184	Posttraumatic Stress Symptoms and Predicted Mortality in Patients With Implantable Cardioverter-Defibrillators. <i>Archives of General Psychiatry</i> , 2008, 65, 1324.	13.8	199
185	The Causes of Prehospital Delay in Myocardial Infarction. <i>Deutsches Arzteblatt International</i> , 2008, 105, 286-91.	0.6	43
186	Psychophysiologic and Affective Parameters Associated With Pain Intensity of Cardiac Cardioverter Defibrillator Shock Discharges. <i>Psychosomatic Medicine</i> , 2006, 68, 591-597.	1.3	16
187	Ten-year incidence and time trends of railway suicides in Germany from 1991 to 2000. <i>European Journal of Public Health</i> , 2006, 16, 173-178.	0.1	42
188	Synergistic effects of depressed mood and obesity on long-term cardiovascular risks in 1510 obese men and women: results from the MONICA-KORA Augsburg Cohort Study 1984-1998. <i>International Journal of Obesity</i> , 2006, 30, 1408-1414.	1.6	39
189	Characteristics Associated with Low Treatment Satisfaction in Patients with Implanted Cardioverter Defibrillators: Results from the LICAD Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 506-513.	0.5	19
190	Factors associated with failed and completed railway suicides. <i>Journal of Affective Disorders</i> , 2005, 88, 137-143.	2.0	31
191	Sex- and age-specific trends in mortality from suicide and undetermined death in Germany 1991-2002. <i>BMC Public Health</i> , 2005, 5, 61.	1.2	17
192	C-reactive protein, depressed mood, and the prediction of coronary heart disease in initially healthy men: results from the MONICA-KORA Augsburg Cohort Study 1984-1998. <i>European Heart Journal</i> , 2005, 26, 2537-2542.	1.0	70
193	Contemplating to quit current smoking status: differences in behavioural and psychosocial patterns in a population-based cohort of current smokers. <i>Preventive Medicine</i> , 2005, 41, 134-140.	1.6	16
194	Functional and Cognitive Consequences of Silent Stroke Discovered Using Brain Magnetic Resonance Imaging in an Elderly Population. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1045-1050.	1.3	78
195	The Impact of Event Scale-Revised: evaluation of the subscales and correlations to psychophysiological startle response patterns in survivors of a life-threatening cardiac event. <i>Journal of Affective Disorders</i> , 2004, 82, 29-41.	2.0	51
196	Sex-specific time patterns of suicidal acts on the German railway system. An analysis of 4003 cases. <i>Journal of Affective Disorders</i> , 2004, 83, 1-9.	2.0	59
197	Patterns of suicidal behaviour in a metro subway system: A study of 306 cases injured by the Munich subway, 1980-1999. <i>European Journal of Public Health</i> , 2004, 14, 291-295.	0.1	24
198	Case-finding for depressive and exhausted mood in the general population: reliability and validity of a symptom-driven diagnostic scale. results from the prospective MONICA/KORA Augsburg Study. <i>Annals of Epidemiology</i> , 2004, 14, 332-338.	0.9	45

#	ARTICLE	IF	CITATIONS
199	Alexithymia is no risk factor for exacerbation in spasmodic torticollis patients. <i>Journal of Psychosomatic Research</i> , 2004, 56, 699-705.	1.2	6
200	Absence of an impact of emotional distress on the perception of intracardiac shock discharges. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 56-65.	0.8	15
201	Treatment satisfaction of internal versus external cardioversion in patients with chronic atrial fibrillation-A randomized, prospective, 28-day follow-up study. <i>Clinical Cardiology</i> , 2003, 26, 10-16.	0.7	2
202	Effekte eines neurofeedbackgestützten EEG-Alphastrainings bei chronischem Tinnitus. <i>Verhaltenstherapie</i> , 2003, 13, 115-120.	0.3	10
203	Influence of depressive mood on the association of CRP and obesity in 3205 middle aged healthy men. <i>Brain, Behavior, and Immunity</i> , 2003, 17, 268-275.	2.0	101
204	HIGH PSYCHIATRIC COMORBIDITY IN SPASMODIC TORTICOLLIS: A CONTROLLED STUDY. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 465-473.	0.5	98
205	Exaggerated Electrodermal Startle Responses After Intracardiac Shock Discharges in Patients With Implanted Cardioverter Defibrillators. <i>Psychosomatic Medicine</i> , 2003, 65, 222-228.	1.3	9
206	Psychophysiological Correlates of Peritraumatic Dissociative Responses in Survivors of Life-Threatening Cardiac Events. <i>Psychopathology</i> , 2002, 35, 241-248.	1.1	41
207	Identifying Somatization Disorder in a Population-Based Health Examination Survey: Psychosocial Burden and Gender Differences. <i>Psychosomatics</i> , 2001, 42, 511-518.	2.5	74
208	Gender differences of symptom reporting and medical health care utilization in the German population. <i>European Journal of Epidemiology</i> , 2000, 16, 511-518.	2.5	254
209	Gender differences in emotional disability and negative health perception in cardiac patients 6 months after stent implantation. <i>Journal of Psychosomatic Research</i> , 2000, 48, 501-508.	1.2	24
210	Long-Acting Psychotraumatic Properties of a Cardiac Arrest Experience. <i>American Journal of Psychiatry</i> , 1999, 156, 912-919.	4.0	79
211	GENDER DIFFERENCES AND ILLNESS BEHAVIOR OF SOMATIZATION IN A REPRESENTATIVE GERMAN HEALTH EXAMINATION SURVEY. <i>Psychosomatic Medicine</i> , 1999, 61, 101.	1.3	0
212	EXAGGERATED STARTLE RESPONSES IN AICD PATIENTS AFTER SHOCK DELIVERY. <i>Psychosomatic Medicine</i> , 1999, 61, 126.	1.3	0
213	Effects of Early Defibrillation by Ambulance Personnel on Short- and Long-term Outcome of Cardiac Arrest Survival. <i>Chest</i> , 1997, 112, 1584-1591.	0.4	46
214	Gender differences in the decline of mortality rates of acute myocardial infarction in West Germany. <i>European Heart Journal</i> , 1997, 18, 582-587.	1.0	10
215	Editorial. <i>Journal of Psychosomatic Research</i> , 1997, 43, 559-564.	1.2	3
216	Post-infarction depression and incomplete recovery 6 months after acute myocardial infarction. <i>Lancet</i> , The, 1994, 343, 20-23.	6.3	232

#	ARTICLE	IF	CITATIONS
217	Factors which provoke post-infarction depression: Results from the post-infarction late potential study (PILP). Journal of Psychosomatic Research, 1992, 36, 723-729.	1.2	62
218	Affective disorders and survival after acute myocardial infarction. Results from the post-infarction late potential study. European Heart Journal, 1991, 12, 959-64.	1.0	202
219	Gesundheit am Arbeitsplatz: Wie Stress im Beruf das Herz schädigt. , 0, , .		1