

John Kinuthia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/752091/publications.pdf>

Version: 2024-02-01

147
papers

2,831
citations

212478

28
h-index

299063

42
g-index

158
all docs

158
docs citations

158
times ranked

3351
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlates of cervical cancer screening among women living with HIV in Kenya: A cross-sectional study. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 156, 151-158.	1.0	3
2	Acceptability and uptake of HIV self-testing in emergency care settings: A systematic review and meta-analysis. <i>Academic Emergency Medicine</i> , 2022, 29, 95-104.	0.8	5
3	Higher prevalence of stunting and poor growth outcomes in HIV-exposed uninfected than HIV-unexposed infants in Kenya. <i>Aids</i> , 2022, 36, 605-610.	1.0	14
4	Prevalence and factors associated with hypertension among adults with and without HIV in Western Kenya. <i>PLoS ONE</i> , 2022, 17, e0262400.	1.1	11
5	Assessment of Clinical Outcomes Among Children and Adolescents Hospitalized With COVID-19 in 6 Sub-Saharan African Countries. <i>JAMA Pediatrics</i> , 2022, 176, e216436.	3.3	44
6	Cultivable vaginal <i>Lactobacillus</i> is not associated with fecundability in Kenyan women attempting to conceive. <i>Fertility and Sterility</i> , 2022, , .	0.5	0
7	Vaginal washing behaviour and fecundability among Kenyan women in a prospective preconception cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2022, , .	0.8	0
8	Past intimate partner violence (<sc>IPV</sc>) predicts incident <sc>IPV</sc> during pregnancy and postpartum in pregnant women in Kisumu, Kenya. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 159, 290-296.	1.0	2
9	An Unstructured Supplementary Service Data-Based mHealth App Providing On-Demand Sexual Reproductive Health Information for Adolescents in Kibra, Kenya: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2022, 10, e31233.	1.8	5
10	Mental health problems and service gaps experienced by pregnant adolescents and young women in Sub-Saharan Africa: A systematic review. <i>EClinicalMedicine</i> , 2022, 44, 101289.	3.2	21
11	Implementation of HIV Retesting During Pregnancy and Postpartum in Kenya: A Cross-Sectional Study. <i>Global Health, Science and Practice</i> , 2022, 10, e2100451.	0.6	2
12	Trajectories of Depression Symptoms From Pregnancy Through 24 months Postpartum Among Kenyan Women Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022, 90, 473-481.	0.9	5
13	Dynamic Changes in Breast Milk Microbiome in the Early Postpartum Period of Kenyan Women Living with HIV Are Influenced by Antibiotics but Not Antiretrovirals. <i>Microbiology Spectrum</i> , 2022, 10, e0208021.	1.2	2
14	Comparable Pregnancy Outcomes for HIV-Uninfected and HIV-Infected Women on Antiretroviral Treatment in Kenya. <i>Journal of Infectious Diseases</i> , 2022, 226, 678-686.	1.9	8
15	A CD4+ TNF+ monofunctional memory T-cell response to BCG vaccination is associated with <i>Mycobacterium tuberculosis</i> infection in infants exposed to HIV. <i>EBioMedicine</i> , 2022, 80, 104023.	2.7	3
16	Cumulative <i>Mycobacterium tuberculosis</i> Infection Incidence (Measured Primarily by Tuberculin) Tj ETQq0 0 0 rgBT /Overlock 10 T an Isoniazid Prophylaxis Trial. <i>Clinical Infectious Diseases</i> , 2022, 75, 2253-2256.	2.9	1
17	<i>PrEP Gives the Woman the Control</i> Healthcare Worker Perspectives on Using pre-Exposure Prophylaxis (PrEP) During Pregnancy and Postpartum in Kenya. <i>Journal of the International Association of Providers of AIDS Care</i> , 2022, 21, 232595822211110.	0.6	6
18	Approaches to accelerating the study of new antiretrovirals in pregnancy. <i>Journal of the International AIDS Society</i> , 2022, 25, .	1.2	7

#	ARTICLE	IF	CITATIONS
19	Association between obstetric and medical risk factors and stillbirths in a low-income urban setting. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 154, 331-336.	1.0	1
20	Human Immunodeficiency Virus Is Associated With Higher Levels of Systemic Inflammation Among Kenyan Adults Despite Viral Suppression. <i>Clinical Infectious Diseases</i> , 2021, 73, e2034-e2042.	2.9	10
21	A Randomized Controlled Trial of Isoniazid to Prevent <i>Mycobacterium tuberculosis</i> Infection in Kenyan Human Immunodeficiency Virus-Exposed Uninfected Infants. <i>Clinical Infectious Diseases</i> , 2021, 73, e337-e344.	2.9	5
22	Challenges of Discrepant HIV Tests in Pregnant Women in the PrEP era—“to Treat or Not to Treat?”. <i>Journal of Infectious Diseases</i> , 2021, 223, 234-237.	1.9	3
23	Preferred HIV Testing Modalities Among Adolescent Girls and Young Women in Kenya. <i>Journal of Adolescent Health</i> , 2021, 68, 497-507.	1.2	12
24	Association between utilization and quality of antenatal care with stillbirths in four tertiary hospitals in a low-income urban setting. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 676-683.	1.3	4
25	Association between bacterial vaginosis and fecundability in Kenyan women planning pregnancies: a prospective preconception cohort study. <i>Human Reproduction</i> , 2021, 36, 1279-1287.	0.4	13
26	The Critical Need for Pooled Data on Coronavirus Disease 2019 in African Children: An AFREhealth Call for Action Through Multicountry Research Collaboration. <i>Clinical Infectious Diseases</i> , 2021, 73, 1913-1919.	2.9	14
27	Prevalence and correlates of dyslipidemia in HIV positive and negative adults in Western Kenya. <i>Medicine (United States)</i> , 2021, 100, e24800.	0.4	6
28	Influences on Early Discontinuation and Persistence of Daily Oral PrEP Use Among Kenyan Adolescent Girls and Young Women: A Qualitative Evaluation From a PrEP Implementation Program. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, e83-e89.	0.9	34
29	Derivation of an HIV Risk Score for African Women Who Engage in Sex Work. <i>AIDS and Behavior</i> , 2021, 25, 3292-3302.	1.4	4
30	Chlamydia, Gonorrhea, and Incident HIV Infection During Pregnancy Predict Preterm Birth Despite Treatment. <i>Journal of Infectious Diseases</i> , 2021, 224, 2085-2093.	1.9	14
31	Health Care Providers as Agents of Change: Integrating PrEP With Other Sexual and Reproductive Health Services for Adolescent Girls and Young Women. <i>Frontiers in Reproductive Health</i> , 2021, 3, .	0.6	8
32	SMS messaging to improve retention and viral suppression in prevention of mother-to-child HIV transmission (PMTCT) programs in Kenya: A 3-arm randomized clinical trial. <i>PLoS Medicine</i> , 2021, 18, e1003650.	3.9	20
33	Perceived Social Influences on Women's Decisions to use Medications not Studied in Pregnancy. A Qualitative Ethical Analysis of Preexposure Prophylaxis Implementation Research in Kenya. <i>Journal of Empirical Research on Human Research Ethics</i> , 2021, 16, 225-237.	0.6	3
34	Contraceptive Method Mix and HIV Risk Behaviors Among Kenyan Adolescent Girls and Young Women Seeking Family Planning Services: Implications for Integrating HIV Prevention. <i>Frontiers in Reproductive Health</i> , 2021, 3, .	0.6	2
35	Non-IFN γ Whole Blood Cytokine Responses to <i>Mycobacterium tuberculosis</i> Antigens in HIV-exposed Infants. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, 922-929.	1.1	4
36	HIV, Pulmonary Infections, and Risk of Chronic Lung Disease among Kenyan Adults. <i>Annals of the American Thoracic Society</i> , 2021, 18, 2090-2093.	1.5	6

#	ARTICLE	IF	CITATIONS
37	Late antiretroviral refills and condomless sex in a cohort of HIV-seropositive pregnant and postpartum Kenyan women. <i>PLoS ONE</i> , 2021, 16, e0254767.	1.1	2
38	“Spoiled” girls: Understanding social influences on adolescent contraceptive decision-making in Kenya. <i>PLoS ONE</i> , 2021, 16, e0255954.	1.1	13
39	“What is this PrEP?” Sources and accuracy of HIV Pre-Exposure Prophylaxis (PrEP) awareness among adolescent girls and young women attending family planning and maternal child health clinics in Western Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, Publish Ahead of Print, 356-360.	0.9	3
40	Contraceptive counseling experiences among women attending HIV care and treatment centers: A national survey in Kenya. <i>Contraception</i> , 2021, 104, 139-146.	0.8	0
41	Food insecurity, drug resistance and non-disclosure are associated with virologic non-suppression among HIV pregnant women on antiretroviral treatment. <i>PLoS ONE</i> , 2021, 16, e0256249.	1.1	6
42	Integrating Pre-Exposure Prophylaxis Delivery in Public Health Family Planning Clinics: Lessons Learned From a Programmatic Implementation Project in Kenya. <i>Frontiers in Reproductive Health</i> , 2021, 3, .	0.6	3
43	Antenatal depressive symptoms in Kenyan women living with HIV: contributions of recent HIV diagnosis, stigma, and partner violence. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, , 1-9.	0.6	4
44	Key influences on the decision to initiate PrEP among adolescent girls and young women within routine maternal child health and family planning clinics in Western Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, , 1-8.	0.6	6
45	Antiretroviral therapy reduces but does not normalize immune and vascular inflammatory markers in adults with chronic HIV infection in Kenya. <i>Aids</i> , 2021, 35, 45-51.	1.0	10
46	Recent Diagnosis, Lower Rates of HIV Disclosure, and High Technology Access in Pregnant Adolescent Girls and Young Women Living With HIV: A Descriptive Study. <i>Journal of the Association of Nurses in AIDS Care</i> , 2021, 32, 205-213.	0.4	0
47	Contributions of side effects to contraceptive discontinuation and method switch among Kenyan women: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, , .	1.1	9
48	Evaluation of a two-way SMS messaging strategy to reduce neonatal mortality: rationale, design and methods of the Mobile WACH NEO randomised controlled trial in Kenya. <i>BMJ Open</i> , 2021, 11, e056062.	0.8	2
49	Design and evaluation of strategies to implement HIV prevention interventions for pregnant women in community pharmacy settings in western Kenya: a mixed-methods study protocol. <i>BMJ Open</i> , 2021, 11, e052311.	0.8	1
50	Associations between vaginal bacteria implicated in HIV acquisition risk and proinflammatory cytokines and chemokines. <i>Sexually Transmitted Infections</i> , 2020, 96, 3-9.	0.8	21
51	Emerging evidence from a systematic review of safety of pre-exposure prophylaxis for pregnant and postpartum women: where are we now and where are we heading?. <i>Journal of the International AIDS Society</i> , 2020, 23, e25426.	1.2	67
52	Pre-exposure prophylaxis uptake and early continuation among pregnant and post-partum women within maternal and child health clinics in Kenya: results from an implementation programme. <i>Lancet HIV</i> , 2020, 7, e38-e48.	2.1	106
53	Brief Report: Incidence and Correlates of Pregnancy in HIV-Positive Kenyan Sex Workers. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 11-17.	0.9	1
54	Defining gaps in pre-exposure prophylaxis delivery for pregnant and post-partum women in high-burden settings using an implementation science framework. <i>Lancet HIV</i> , 2020, 7, e582-e592.	2.1	44

#	ARTICLE	IF	CITATIONS
55	Postpartum metabolic syndrome and high-sensitivity C-reactive protein after gestational hypertension and pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 443-449.	1.0	6
56	Elevation of cervical C-X-C motif chemokine ligand 10 levels is associated with HIV-1 acquisition in pregnant and postpartum women. <i>Aids</i> , 2020, 34, 1725-1733.	1.0	4
57	High Awareness, Yet Low Uptake, of Pre-Exposure Prophylaxis Among Adolescent Girls and Young Women Within Family Planning Clinics in Kenya. <i>AIDS Patient Care and STDs</i> , 2020, 34, 336-343.	1.1	39
58	Metabolic syndrome and 10-year cardiovascular risk among HIV-positive and HIV-negative adults. <i>Medicine (United States)</i> , 2020, 99, e20845.	0.4	21
59	A risk scoring tool for predicting Kenyan women at high risk of contraceptive discontinuation. <i>Contraception: X</i> , 2020, 2, 100045.	0.6	1
60	Reaching hard-to-reach men through home-based couple HIV testing among pregnant women and their male partners in western Kenya: a qualitative study. <i>BMC Public Health</i> , 2020, 20, 724.	1.2	3
61	Older age at infection and nulliparity are associated with long-term non-progression in female sex workers infected with non-subtype B HIV-1. <i>International Journal of STD and AIDS</i> , 2020, 31, 510-516.	0.5	0
62	Depression and HIV risk behaviors among adolescent girls and young women seeking family planning services in Western Kenya. <i>International Journal of STD and AIDS</i> , 2020, 31, 652-664.	0.5	13
63	Frequency and Predictors of Tenofovir-diphosphate Detection Among Young Kenyan Women in a Real-world Pre-exposure Prophylaxis Implementation Program. <i>Clinical Infectious Diseases</i> , 2020, 71, e509-e512.	2.9	13
64	Infant TB Infection Prevention Study (iTIPS): a randomised trial protocol evaluating isoniazid to prevent <i>M. tuberculosis</i> infection in HIV-exposed uninfected children. <i>BMJ Open</i> , 2020, 10, e034308.	0.8	7
65	Higher contraceptive uptake in HIV treatment centers offering integrated family planning services: A national survey in Kenya. <i>Contraception</i> , 2020, 102, 39-45.	0.8	9
66	Zika Virus Circulates at Low Levels in Western and Coastal Kenya. <i>Journal of Infectious Diseases</i> , 2020, 222, 847-852.	1.9	6
67	Two-Way Short Message Service (SMS) Communication May Increase Pre-Exposure Prophylaxis Continuation and Adherence Among Pregnant and Postpartum Women in Kenya. <i>Global Health, Science and Practice</i> , 2020, 8, 55-67.	0.6	26
68	Impact of preconception vaginal microbiota on women's risk of spontaneous preterm birth: protocol for a prospective case-cohort study. <i>BMJ Open</i> , 2020, 10, e035186.	0.8	16
69	Influenza-Induced Interferon Lambda Response Is Associated With Longer Time to Delivery Among Pregnant Kenyan Women. <i>Frontiers in Immunology</i> , 2020, 11, 452.	2.2	1
70	Alcohol use and viral suppression in HIV-positive Kenyan female sex workers on antiretroviral therapy. <i>PLoS ONE</i> , 2020, 15, e0242817.	1.1	10
71	The Utility of SMS to Report Male Partner HIV Self-testing Outcomes Among Women Seeking Reproductive Health Services in Kenya: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e15281.	1.8	2
72	Effect of SARS-CoV-2 Infection in Pregnancy on Maternal and Neonatal Outcomes in Africa: An AFREhealth Call for Evidence through Multicountry Research Collaboration. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, , .	0.6	17

#	ARTICLE	IF	CITATIONS
73	An Interactive Text Messaging Intervention to Improve Adherence to Option B+ Prevention of Mother-to-Child HIV Transmission in Kenya: Cost Analysis. JMIR MHealth and UHealth, 2020, 8, e18351.	1.8	4
74	The role of costing in the introduction and scale-up of HIV pre-exposure prophylaxis: evidence from integrating PrEP into routine maternal and child health and family planning clinics in western Kenya. Journal of the International AIDS Society, 2019, 22, e25296.	1.2	26
75	Acceptability, feasibility and utility of a Mobile health family planning decision aid for postpartum women in Kenya. Reproductive Health, 2019, 16, 97.	1.2	23
76	Specific Vaginal Bacteria Are Associated With an Increased Risk of Trichomonas vaginalis Acquisition in Women. Journal of Infectious Diseases, 2019, 220, 1503-1510.	1.9	20
77	Perinatal outcomes following maternal pre-exposure prophylaxis (PrEP) use during pregnancy: results from a large PrEP implementation program in Kenya. Journal of the International AIDS Society, 2019, 22, e25378.	1.2	23
78	Male partner antenatal clinic attendance is associated with increased uptake of maternal health services and infant BCG immunization: a national survey in Kenya. BMC Pregnancy and Childbirth, 2019, 19, 284.	0.9	16
79	Postpartum metabolic syndrome after gestational hypertension and preeclampsia, a prospective cohort study. Pregnancy Hypertension, 2019, 18, 35-41.	0.6	11
80	Prevalence and predictors of unmet contraceptive need in HIV-positive female sex workers in Mombasa, Kenya. PLoS ONE, 2019, 14, e0218291.	1.1	14
81	An mHealth SMS intervention on Postpartum Contraceptive Use Among Women and Couples in Kenya: A Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 934-941.	1.5	39
82	PrEP Implementation for Mothers in Antenatal Care (PrIMA): study protocol of a cluster randomised trial. BMJ Open, 2019, 9, e025122.	0.8	33
83	Engaging men in an mHealth approach to support postpartum family planning among couples in Kenya: a qualitative study. Reproductive Health, 2019, 16, 17.	1.2	31
84	1344. Interferon Gamma Release Assay (IGRA) Responses in HIV-Infected and -Uninfected Women in Pregnancy. Open Forum Infectious Diseases, 2019, 6, S486-S487.	0.4	0
85	Response to "Being prepared to evaluate pregnancy PrEP". Journal of the International AIDS Society, 2019, 22, e25440.	1.2	0
86	Distance to HIV and Antenatal Care: A Geospatial Analysis in Siaya County, Kenya. Journal of the Association of Nurses in AIDS Care, 2019, 30, 548-555.	0.4	6
87	Utilizing perspectives from HIV-infected women, male partners and healthcare providers to design family planning SMS in Kenya: a qualitative study. BMC Health Services Research, 2019, 19, 870.	0.9	6
88	Male Partner Linkage to Clinic-Based Services for Sexually Transmitted Infections and Human Immunodeficiency Virus Services Following Couple Home-Based Education and Testing. Sexually Transmitted Diseases, 2019, 46, 716-721.	0.8	2
89	Brief Report: High Programmatic Isoniazid Preventive Therapy (IPT) Use in Pregnancy Among HIV-Infected Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 41-45.	0.9	7
90	Acceptability and outcomes of distributing HIV self-tests for male partner testing in Kenyan maternal and child health and family planning clinics. Aids, 2019, 33, 1369-1378.	1.0	42

#	ARTICLE	IF	CITATIONS
91	Postpartum Depression and Prevention of Mother-to-Child Transmission of HIV in Kenya. <i>Journal of the Association of Nurses in AIDS Care</i> , 2019, 30, 675-681.	0.4	5
92	Sexually transmitted infections during pregnancy and subsequent risk of stillbirth and infant mortality in Kenya: a prospective study. <i>Sexually Transmitted Infections</i> , 2019, 95, 60-66.	0.8	45
93	Improving Information and Communications Technology (ICT) Knowledge and Skills to Develop Health Research Capacity in Kenya. <i>Online Journal of Public Health Informatics</i> , 2019, 11, e22.	0.4	5
94	Evaluation of the association between the concentrations of key vaginal bacteria and the increased risk of HIV acquisition in African women from five cohorts: a nested case-control study. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 554-564.	4.6	175
95	SMS messaging to improve ART adherence: perspectives of pregnant HIV-infected women in Kenya on HIV-related message content. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 500-505.	0.6	60
96	Motherhood increases support for family planning among Kenyan adolescents. <i>Sexual and Reproductive Healthcare</i> , 2018, 16, 124-131.	0.5	10
97	Consensus statement: Supporting Safer Conception and Pregnancy For Men And Women Living with and Affected by HIV. <i>AIDS and Behavior</i> , 2018, 22, 1713-1724.	1.4	50
98	Uptake and correlates of contraception among postpartum women in Kenya: results from a national cross-sectional survey. <i>Contraception</i> , 2018, 97, 227-235.	0.8	14
99	Non-disclosure to male partners and incomplete PMTCT regimens associated with higher risk of mother-to-child HIV transmission: a national survey in Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 765-773.	0.6	23
100	Higher likelihood of 6-months exclusive breastfeeding among HIV infected than uninfected mothers: a household survey in Kenya. <i>International Breastfeeding Journal</i> , 2018, 13, 51.	0.9	3
101	Brief Report: Integration of PrEP Services Into Routine Antenatal and Postnatal Care: Experiences From an Implementation Program in Western Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 590-595.	0.9	57
102	Preexposure Prophylaxis for Human Immunodeficiency Virus (HIV) Prevention Among HIV-uninfected Pregnant Women: Estimated Coverage Using Risk-based Versus Regional Prevalence Approaches. <i>Sexually Transmitted Diseases</i> , 2018, 45, e98-e100.	0.8	6
103	Male Partner Engagement in Family Planning SMS Conversations at Kenyan Health Clinics. , 2018, , .		19
104	Prevalence and correlates of non-disclosure of maternal HIV status to male partners: a national survey in Kenya. <i>BMC Public Health</i> , 2018, 18, 671.	1.2	28
105	HIV-Uninfected Kenyan Adolescent and Young Women Share Perspectives on Using Pre-Exposure Prophylaxis During Pregnancy. <i>AIDS Patient Care and STDs</i> , 2018, 32, 538-544.	1.1	37
106	You Will Know That Despite Being HIV Positive You Are Not Alone: Qualitative Study to Inform Content of a Text Messaging Intervention to Improve Prevention of Mother-to-Child HIV Transmission. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10671.	1.8	18
107	A risk assessment tool for identifying pregnant and postpartum women who may benefit from pre-exposure prophylaxis (PrEP). <i>Clinical Infectious Diseases</i> , 2017, 64, ciw850.	2.9	61
108	Male partner circumcision associated with lower <i>Trichomonas vaginalis</i> incidence among pregnant and postpartum Kenyan women: a prospective cohort study. <i>Sexually Transmitted Infections</i> , 2017, 93, 137-143.	0.8	12

#	ARTICLE	IF	CITATIONS
109	Sexual Behavior and Vaginal Practices During Pregnancy and Postpartum: Implications for HIV Prevention Strategies. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 74, 142-149.	0.9	30
110	Evaluation of mHealth strategies to optimize adherence and efficacy of Option B+ prevention of mother-to-child HIV transmission: Rationale, design and methods of a 3-armed randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2017, 57, 44-50.	0.8	43
111	O04.1â€¦Specific vaginal bacteria are associated with incident trichomonas vaginalis infection in women. , 2017, , .		0
112	Antenatal corticosteroids for women at risk of imminent preterm birth in low-resource countries: the case for equipoise and the need for efficacy trials. <i>BMJ Global Health</i> , 2017, 2, e000398.	2.0	44
113	Uptake of Home-Based Syphilis and Human Immunodeficiency Virus Testing Among Male Partners of Pregnant Women in Western Kenya. <i>Sexually Transmitted Diseases</i> , 2017, 44, 533-538.	0.8	13
114	Gaps in Adolescent Engagement in Antenatal Care and Prevention of Mother-to-Child HIV Transmission Services in Kenya. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 74, 30-37.	0.9	47
115	Establishment of reference intervals during normal pregnancy through six months postpartum in western Kenya. <i>PLoS ONE</i> , 2017, 12, e0175546.	1.1	8
116	Trial of labour or elective repeat caesarean delivery: are women making an informed decision at Kenyatta national hospital?. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 260.	0.9	17
117	Antiretroviral therapy in pregnant women living with HIV: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2017, 358, j3961.	2.4	16
118	Factors influencing the utilization of family planning services among HIV infected women in a Kenyan health facility. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017, 6, 1746.	0.0	8
119	Association between non-barrier modern contraceptive use and condomless sex among HIV-positive female sex workers in Mombasa, Kenya: A prospective cohort analysis. <i>PLoS ONE</i> , 2017, 12, e0187444.	1.1	6
120	Prevention of Mother-to-Child Transmission of HIV and Syphilis. , 2017, , 113-136.		7
121	Prevalence of HIV-Seropositivity and Associated Impact on Mortality among Injured Patients from Low-and Middle-Income Countries: A Systematic Review and Meta-Analysis. <i>Current HIV Research</i> , 2017, 15, 307-317.	0.2	8
122	Texting Condolences: Adapting mHealth Programs After Unexpected Pregnancy and Infant Outcomes. <i>JMIR MHealth and UHealth</i> , 2017, 5, e176.	1.8	10
123	Gender-Specific Combination HIV Prevention for Youth in High-Burden Settings: The MP3 Youth Observational Pilot Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e22.	0.5	8
124	Home-Based HIV Testing Among Pregnant Couples Increases Partner Testing and Identification of Serodiscordant Partnerships. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 72, S167-S173.	0.9	41
125	Modeling the Cost-Effectiveness of Home-Based HIV Testing and Education (HOPE) for Pregnant Women and Their Male Partners in Nyanza Province, Kenya. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 72, S174-S180.	0.9	21
126	HIV acquisition during pregnancy and postpartum is associated with genital infections and partnership characteristics. <i>Aids</i> , 2015, 29, 2025-2033.	1.0	71

#	ARTICLE	IF	CITATIONS
127	Patient-Delivered Partner Treatment for Chlamydia, Gonorrhea, and Trichomonas Infection Among Pregnant and Postpartum Women in Kenya. <i>Sexually Transmitted Diseases</i> , 2015, 42, 637-642.	0.8	16
128	Maternal Tenofovir Disoproxil Fumarate Use in Pregnancy and Growth Outcomes among HIV-Exposed Uninfected Infants in Kenya. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2015, 2015, 1-9.	0.4	19
129	Human NK cell repertoire diversity reflects immune experience and correlates with viral susceptibility. <i>Science Translational Medicine</i> , 2015, 7, 297ra115.	5.8	177
130	A community-based assessment of correlates of facility delivery among HIV-infected women in western Kenya. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 46.	0.9	21
131	Health care-seeking behaviour of HIV-infected mothers and male partners in Nairobi, Kenya. <i>Global Public Health</i> , 2015, 10, 1215-1226.	1.0	7
132	Engaging Pregnant Women in Kenya with a Hybrid Computer-Human SMS Communication System. , 2015, , .		76
133	Home-based HIV testing for men preferred over clinic-based testing by pregnant women and their male partners, a nested cross-sectional study. <i>BMC Infectious Diseases</i> , 2015, 15, 298.	1.3	30
134	Factors influencing uptake of contraceptive implants in the immediate postpartum period among HIV infected and uninfected women at two Kenyan District Hospitals. <i>BMC Women's Health</i> , 2015, 15, 62.	0.8	15
135	Role of male partners in the prevention of mother-to-child HIV transmission. <i>Research and Reports in Neonatology</i> , 2014, , 131.	0.2	4
136	132Active and Latent Tuberculosis Screening Among HIV-infected Pregnant Women, Nyanza Province, Kenya. <i>Open Forum Infectious Diseases</i> , 2014, 1, S15-S15.	0.4	0
137	Home visits during pregnancy enhance male partner HIV counselling and testing in Kenya. <i>Aids</i> , 2014, 28, 95-103.	1.0	84
138	Shame, Guilt, and Stress: Community Perceptions of Barriers to Engaging in Prevention of Mother to Child Transmission (PMTCT) Programs in Western Kenya. <i>AIDS Patient Care and STDs</i> , 2014, 28, 643-651.	1.1	45
139	Geographic distribution of HIV stigma among women of childbearing age in rural Kenya. <i>Aids</i> , 2014, 28, 1665-1672.	1.0	11
140	A Comparison of Adolescent and Adult Women's Use of Maternal Child Health (MCH) Services in Western Kenya. <i>Journal of Adolescent Health</i> , 2014, 54, S36-S37.	1.2	0
141	A Lifecycle Approach to HIV Prevention in African Women and Children. <i>Current HIV/AIDS Reports</i> , 2014, 11, 119-127.	1.1	8
142	Community-Based Evaluation of PMTCT Uptake in Nyanza Province, Kenya. <i>PLoS ONE</i> , 2014, 9, e110110.	1.1	31
143	Pregnant Women and Disclosure to Sexual Partners After Testing HIV-1â€“Seropositive During Antenatal Care. <i>AIDS Patient Care and STDs</i> , 2013, 27, 33-37.	1.1	28
144	Uptake of prevention of mother to child transmission interventions in Kenya: health systems are more influential than stigma. <i>Journal of the International AIDS Society</i> , 2011, 14, 61-61.	1.2	50

#	ARTICLE	IF	CITATIONS
145	Cofactors for HIV-1 Incidence during Pregnancy and Postpartum Period. <i>Current HIV Research</i> , 2010, 8, 510-514.	0.2	45
146	Sexually Transmitted Infections among HIV-1-Discordant Couples. <i>PLoS ONE</i> , 2009, 4, e8276.	1.1	21
147	Highly Active Antiretroviral Therapy versus Zidovudine/Nevirapine Effects on Early Breast Milk HIV Type-1 RNA: A Phase II Randomized Clinical Trial. <i>Antiviral Therapy</i> , 2008, 13, 799-807.	0.6	19