

Lars-ke Persson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7521049/lars-ake-persson-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

7,211
citations

49
h-index

80
g-index

185
ext. papers

8,000
ext. citations

5
avg, IF

5.6
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 174 | Breast-feeding protects against celiac disease. <i>American Journal of Clinical Nutrition</i> , 2002 , 75, 914-21 | 7 | 333 |
| 173 | Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle-income countries. <i>International Journal of Epidemiology</i> , 2013 , 42, 1340-55 | 7.8 | 283 |
| 172 | Arsenic exposure during pregnancy and size at birth: a prospective cohort study in Bangladesh. <i>American Journal of Epidemiology</i> , 2009 , 169, 304-12 | 3.8 | 201 |
| 171 | Iron and zinc supplementation promote motor development and exploratory behavior among Bangladeshi infants. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 903-10 | 7 | 189 |
| 170 | Association of arsenic exposure during pregnancy with fetal loss and infant death: a cohort study in Bangladesh. <i>American Journal of Epidemiology</i> , 2007 , 165, 1389-96 | 3.8 | 184 |
| 169 | Urinary arsenic concentration adjustment factors and malnutrition. <i>Environmental Research</i> , 2008 , 106, 212-8 | 7.9 | 175 |
| 168 | Gender and age differences in the metabolism of inorganic arsenic in a highly exposed population in Bangladesh. <i>Environmental Research</i> , 2008 , 106, 110-20 | 7.9 | 170 |
| 167 | Factors associated with spousal physical violence against women in Bangladesh. <i>Studies in Family Planning</i> , 2005 , 36, 289-300 | 3.4 | 170 |
| 166 | Effects of in utero arsenic exposure on child immunity and morbidity in rural Bangladesh. <i>Toxicology Letters</i> , 2009 , 185, 197-202 | 4.4 | 165 |
| 165 | A community-based randomized controlled trial of iron and zinc supplementation in Indonesian infants: effects on growth and development. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 729-36 | 7 | 159 |
| 164 | A community-based randomized controlled trial of iron and zinc supplementation in Indonesian infants: interactions between iron and zinc. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 883-90 | 7 | 158 |
| 163 | Physical violence by husbands: magnitude, disclosure and help-seeking behavior of women in Bangladesh. <i>Social Science and Medicine</i> , 2006 , 62, 2917-29 | 5.1 | 155 |
| 162 | Arsenic exposure in pregnancy increases the risk of lower respiratory tract infection and diarrhea during infancy in Bangladesh. <i>Environmental Health Perspectives</i> , 2011 , 119, 719-24 | 8.4 | 150 |
| 161 | Arsenic exposure and risk of spontaneous abortion, stillbirth, and infant mortality. <i>Epidemiology</i> , 2010 , 21, 797-804 | 3.1 | 147 |
| 160 | Arsenic in drinking water and adult mortality: a population-based cohort study in rural Bangladesh. <i>Epidemiology</i> , 2009 , 20, 824-30 | 3.1 | 146 |
| 159 | Prevalence of arsenic exposure and skin lesions. A population based survey in Matlab, Bangladesh. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 242-8 | 5.1 | 136 |
| 158 | The risk of arsenic induced skin lesions in Bangladeshi men and women is affected by arsenic metabolism and the age at first exposure. <i>Toxicology and Applied Pharmacology</i> , 2008 , 230, 9-16 | 4.6 | 134 |

| | | | |
|-----|--|------|-----|
| 157 | Effects of prenatal food and micronutrient supplementation on infant development: a randomized trial from the Maternal and Infant Nutrition Interventions, Matlab (MINIMat) study. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 704-11 | 7 | 129 |
| 156 | Effects of prenatal micronutrient and early food supplementation on maternal hemoglobin, birth weight, and infant mortality among children in Bangladesh: the MINIMat randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 2050-9 | 27.4 | 127 |
| 155 | Appropriate infant feeding practices result in better growth of infants and young children in rural Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1852-9 | 7 | 124 |
| 154 | Modifiers of the effect of maternal multiple micronutrient supplementation on stillbirth, birth outcomes, and infant mortality: a meta-analysis of individual patient data from 17 randomised trials in low-income and middle-income countries. <i>The Lancet Global Health</i> , 2017 , 5, e1090-e1100 | 13.6 | 119 |
| 153 | Measuring children's diets: evaluation of dietary assessment techniques in infancy and childhood. <i>International Journal of Epidemiology</i> , 1984 , 13, 506-17 | 7.8 | 109 |
| 152 | Simultaneous weekly supplementation of iron and zinc is associated with lower morbidity due to diarrhea and acute lower respiratory infection in Bangladeshi infants. <i>Journal of Nutrition</i> , 2003 , 133, 4150-7 | 4.1 | 101 |
| 151 | Environmental exposure to arsenic and cadmium during pregnancy and fetal size: a longitudinal study in rural Bangladesh. <i>Reproductive Toxicology</i> , 2012 , 34, 504-11 | 3.4 | 93 |
| 150 | Physical partner abuse during pregnancy: a risk factor for low birth weight in Nicaragua. <i>Obstetrics and Gynecology</i> , 2002 , 100, 700-5 | 4.9 | 90 |
| 149 | Nutritional status has marginal influence on the metabolism of inorganic arsenic in pregnant Bangladeshi women. <i>Environmental Health Perspectives</i> , 2008 , 116, 315-21 | 8.4 | 86 |
| 148 | Influence of iron and zinc status on cadmium accumulation in Bangladeshi women. <i>Toxicology and Applied Pharmacology</i> , 2007 , 222, 221-6 | 4.6 | 86 |
| 147 | Arsenic exposure in pregnancy: a population-based study in Matlab, Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2006 , 24, 236-45 | 2.5 | 85 |
| 146 | Effectiveness of the WHO/UNICEF guidelines on infant feeding for HIV-positive women: results from a prospective cohort study in South Africa. <i>Aids</i> , 2007 , 21, 1791-7 | 3.5 | 74 |
| 145 | Arsenic exposure and age and sex-specific risk for skin lesions: a population-based case-referent study in Bangladesh. <i>Environmental Health Perspectives</i> , 2006 , 114, 1847-52 | 8.4 | 73 |
| 144 | Distance decay in delivery care utilisation associated with neonatal mortality. A case referent study in northern Vietnam. <i>BMC Public Health</i> , 2010 , 10, 762 | 4.1 | 68 |
| 143 | Goodstart: a cluster randomised effectiveness trial of an integrated, community-based package for maternal and newborn care, with prevention of mother-to-child transmission of HIV in a South African township. <i>Tropical Medicine and International Health</i> , 2014 , 19, 256-266 | 2.3 | 67 |
| 142 | Household food security is associated with infant feeding practices in rural Bangladesh. <i>Journal of Nutrition</i> , 2008 , 138, 1383-90 | 4.1 | 67 |
| 141 | Efficacy and trial effectiveness of weekly and daily iron supplementation among pregnant women in rural Bangladesh: disentangling the issues. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 1392-400 | 7 | 66 |
| 140 | Screening of arsenic in tubewell water with field test kits: evaluation of the method from public health perspective. <i>Science of the Total Environment</i> , 2007 , 379, 167-75 | 10.2 | 64 |

| | | | |
|-----|--|------|----|
| 139 | Early infections are associated with increased risk for celiac disease: an incident case-referent study. <i>BMC Pediatrics</i> , 2012 , 12, 194 | 2.6 | 63 |
| 138 | Violence against women increases the risk of infant and child mortality: a case-referent study in Nicaragua. <i>Bulletin of the World Health Organization</i> , 2003 , 81, 10-6 | 8.2 | 63 |
| 137 | Impact of smoking and chewing tobacco on arsenic-induced skin lesions. <i>Environmental Health Perspectives</i> , 2010 , 118, 533-8 | 8.4 | 59 |
| 136 | Neuroendocrine response to violence during pregnancy--impact on duration of pregnancy and fetal growth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 818-23 | 3.8 | 58 |
| 135 | Early exposure to toxic metals has a limited effect on blood pressure or kidney function in later childhood, rural Bangladesh. <i>International Journal of Epidemiology</i> , 2013 , 42, 176-85 | 7.8 | 57 |
| 134 | Iron supplementation of iron-replete Indonesian infants is associated with reduced weight-for-age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 770-5 | 3.1 | 57 |
| 133 | Effects of prenatal food and micronutrient supplementation on child growth from birth to 54 months of age: a randomized trial in Bangladesh. <i>Nutrition Journal</i> , 2011 , 10, 134 | 4.3 | 56 |
| 132 | Use of stable-isotope techniques to validate infant feeding practices reported by Bangladeshi women receiving breastfeeding counseling. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1075-82 | 7 | 55 |
| 131 | Violence against pregnant women: prevalence and characteristics. A population-based study in Nicaragua. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 1243-8 | 3.7 | 55 |
| 130 | Selenium status in pregnancy influences children's cognitive function at 1.5 years of age. <i>Clinical Nutrition</i> , 2015 , 34, 923-30 | 5.9 | 53 |
| 129 | A longitudinal qualitative study of infant-feeding decision making and practices among HIV-positive women in South Africa. <i>Journal of Nutrition</i> , 2006 , 136, 2421-6 | 4.1 | 52 |
| 128 | Effect of Facilitation of Local Maternal-and-Newborn Stakeholder Groups on Neonatal Mortality: Cluster-Randomized Controlled Trial. <i>PLoS Medicine</i> , 2013 , 10, e1001445 | 11.6 | 51 |
| 127 | The Swedish coeliac disease epidemic with a prevailing twofold higher risk in girls compared to boys may reflect gender specific risk factors. <i>European Journal of Epidemiology</i> , 2003 , 18, 677-84 | 12.1 | 51 |
| 126 | Effects of weaning cereals with different phytate contents on hemoglobin, iron stores, and serum zinc: a randomized intervention in infants from 6 to 12 mo of age. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 168-75 | 7 | 49 |
| 125 | Dowry and Spousal Physical Violence Against Women in Bangladesh. <i>Journal of Family Issues</i> , 2010 , 31, 830-856 | 1.6 | 47 |
| 124 | Sexual abuse during childhood and adolescence among Nicaraguan men and women: a population-based anonymous survey. <i>Child Abuse and Neglect</i> , 2000 , 24, 1579-89 | 4.3 | 44 |
| 123 | Violence against women and the risk of under-five mortality: analysis of community-based data from rural Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 226-32 | 3.1 | 41 |
| 122 | Anaemia and iron deficiency during pregnancy in rural Bangladesh. <i>Public Health Nutrition</i> , 2004 , 7, 1065-70 | 3.7 | 39 |

| | | | |
|-----|--|------|----|
| 121 | Diet, growth, and the risk for type 1 diabetes in childhood: a matched case-referent study. <i>Diabetes Care</i> , 2004 , 27, 2784-9 | 14.6 | 39 |
| 120 | Comparative analysis of patterns of survival by season of birth in rural Bangladeshi and Gambian populations. <i>International Journal of Epidemiology</i> , 2004 , 33, 137-43 | 7.8 | 39 |
| 119 | Food Habits and Nutrient Intake in Childhood in Relation to Health and Socioeconomic Conditions. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1986 , 75, 1-56 | 3.1 | 39 |
| 118 | Unreported births and deaths, a severe obstacle for improved neonatal survival in low-income countries; a population based study. <i>BMC International Health and Human Rights</i> , 2008 , 8, 4 | 2.5 | 38 |
| 117 | Health system context and implementation of evidence-based practices-development and validation of the Context Assessment for Community Health (COACH) tool for low- and middle-income settings. <i>Implementation Science</i> , 2015 , 10, 120 | 8.4 | 37 |
| 116 | Review of the evidence regarding the use of antenatal multiple micronutrient supplementation in low- and middle-income countries. <i>Annals of the New York Academy of Sciences</i> , 2019 , 1444, 6-21 | 6.5 | 36 |
| 115 | An effectiveness study of an integrated, community-based package for maternal, newborn, child and HIV care in South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 236 | 2.8 | 36 |
| 114 | Spatial patterns of fetal loss and infant death in an arsenic-affected area in Bangladesh. <i>International Journal of Health Geographics</i> , 2010 , 9, 53 | 3.5 | 35 |
| 113 | Sex differences in iron stores of adolescents: what is normal?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1995 , 20, 215-24 | 2.8 | 35 |
| 112 | Stunted at 10 Years. Linear Growth Trajectories and Stunting from Birth to Pre-Adolescence in a Rural Bangladeshi Cohort. <i>PLoS ONE</i> , 2016 , 11, e0149700 | 3.7 | 33 |
| 111 | Temporal and seasonal variability of arsenic in drinking water wells in Matlab, southeastern Bangladesh: a preliminary evaluation on the basis of a 4 year study. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2011 , 46, 1177-84 | 2.3 | 32 |
| 110 | Persistent neonatal mortality despite improved under-five survival: a retrospective cohort study in northern Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 166-70 | 3.1 | 32 |
| 109 | The Nicaraguan Health and Demographic Surveillance Site, HDSS-Leon: a platform for public health research. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 318-25 | 3 | 32 |
| 108 | Combined food and micronutrient supplements during pregnancy have limited impact on child blood pressure and kidney function in rural Bangladesh. <i>Journal of Nutrition</i> , 2013 , 143, 728-34 | 4.1 | 31 |
| 107 | Evidence-based practice in neonatal health: knowledge among primary health care staff in northern Viet Nam. <i>Human Resources for Health</i> , 2009 , 7, 36 | 4.6 | 31 |
| 106 | Maternal multiple micronutrient supplementation has limited impact on micronutrient status of Bangladeshi infants compared with standard iron and folic acid supplementation. <i>Journal of Nutrition</i> , 2010 , 140, 618-24 | 4.1 | 30 |
| 105 | Implementing knowledge into practice for improved neonatal survival; a cluster-randomised, community-based trial in Quang Ninh province, Vietnam. <i>BMC Health Services Research</i> , 2011 , 11, 239 | 2.9 | 29 |
| 104 | A modified routine analysis of arsenic content in drinking-water in Bangladesh by hydride generation-atomic absorption spectrophotometry. <i>Journal of Health, Population and Nutrition</i> , 2006 , 24, 36-41 | 2.5 | 29 |

| | | | |
|-----|--|-----|----|
| 103 | Dietary iron intake is positively associated with hemoglobin concentration during infancy but not during the second year of life. <i>Journal of Nutrition</i> , 2004 , 134, 1064-70 | 4.1 | 28 |
| 102 | Ethnic inequity in neonatal survival: a case-referent study in northern Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 340-6 | 3.1 | 27 |
| 101 | Causes of neonatal death: results from NeoKIP community-based trial in Quang Ninh province, Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, 368-73 | 3.1 | 25 |
| 100 | Mental health of Bosnian refugee children: a comparison of clinician appraisal with parent, child and teacher reports. <i>Nordic Journal of Psychiatry</i> , 2008 , 62, 204-16 | 2.3 | 25 |
| 99 | Effect of prenatal food supplementation on birth weight: an observational study from Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 1355-61 | 7 | 25 |
| 98 | Social circumstances that drive early introduction of formula milk: an exploratory qualitative study in a peri-urban South African community. <i>Maternal and Child Nutrition</i> , 2014 , 10, 102-11 | 3.4 | 23 |
| 97 | Trends and social differentials in child mortality in Rwanda 1990-2010: results from three demographic and health surveys. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 834-40 | 5.1 | 22 |
| 96 | Early life arsenic exposure, infant and child growth, and morbidity: a systematic review. <i>Archives of Toxicology</i> , 2017 , 91, 3459-3467 | 5.8 | 21 |
| 95 | Infant anaemia is associated with infection, low birthweight and iron deficiency in rural Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 220-5 | 3.1 | 21 |
| 94 | Burning Centre Bolt Experiences of sexually transmitted infections and health care seeking behaviour described by street boys in Urban Kenya. <i>Children and Youth Services Review</i> , 2007 , 29, 600-617 | 2 | 20 |
| 93 | Urinary iodine concentrations of pregnant women in rural Bangladesh: a longitudinal study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014 , 24, 504-9 | 6.7 | 19 |
| 92 | Elevated manganese concentrations in drinking water may be beneficial for fetal survival. <i>PLoS ONE</i> , 2013 , 8, e74119 | 3.7 | 19 |
| 91 | Perinatal services and outcomes in Quang Ninh province, Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 1478-83 | 3.1 | 19 |
| 90 | Effects of mode of oral iron administration on serum ferritin and haemoglobin in infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 1055-60 | 3.1 | 19 |
| 89 | Effect of an integrated community-based package for maternal and newborn care on feeding patterns during the first 12 weeks of life: a cluster-randomized trial in a South African township. <i>Public Health Nutrition</i> , 2015 , 18, 2660-8 | 3.3 | 18 |
| 88 | Process evaluation of a knowledge translation intervention using facilitation of local stakeholder groups to improve neonatal survival in the Quang Ninh province, Vietnam. <i>Trials</i> , 2016 , 17, 23 | 2.8 | 18 |
| 87 | Women's autonomy and social support and their associations with infant and young child feeding and nutritional status: community-based survey in rural Nicaragua. <i>Public Health Nutrition</i> , 2015 , 18, 1979-90 | 3.3 | 18 |
| 86 | Anaemia among non-pregnant women in rural Bangladesh. <i>Public Health Nutrition</i> , 2001 , 4, 79-83 | 3.3 | 18 |

| | | | |
|----|---|-----|----|
| 85 | Cohort Profile: The Maternal and Infant Nutrition Interventions in Matlab (MINIMat) cohort in Bangladesh. <i>International Journal of Epidemiology</i> , 2018 , 47, 1737-1738e | 7.8 | 17 |
| 84 | Early prenatal food supplementation ameliorates the negative association of maternal stress with birth size in a randomised trial. <i>Maternal and Child Nutrition</i> , 2015 , 11, 537-49 | 3.4 | 17 |
| 83 | Maternal factors influencing the occurrence of low birthweight in northern Vietnam. <i>Annals of Tropical Paediatrics</i> , 1996 , 16, 327-33 | | 17 |
| 82 | Early invitation to food and/or multiple micronutrient supplementation in pregnancy does not affect body composition in offspring at 54 months: follow-up of the MINIMat randomised trial, Bangladesh. <i>Maternal and Child Nutrition</i> , 2015 , 11, 385-97 | 3.4 | 16 |
| 81 | Early vaccinations are not risk factors for celiac disease. <i>Pediatrics</i> , 2012 , 130, e63-70 | 7.4 | 16 |
| 80 | Effect of a randomised exclusive breastfeeding counselling intervention nested into the MINIMat prenatal nutrition trial in Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 49-54 | 3.1 | 14 |
| 79 | Intimate partner violence and early child growth: a community-based cohort study in Nicaragua. <i>BMC Pediatrics</i> , 2012 , 12, 82 | 2.6 | 14 |
| 78 | Improving quality and use of routine health information system data in low- and middle-income countries: A scoping review. <i>PLoS ONE</i> , 2020 , 15, e0239683 | 3.7 | 14 |
| 77 | Effects of prenatal micronutrient and early food supplementation on metabolic status of the offspring at 4.5 years of age. The MINIMat randomized trial in rural Bangladesh. <i>International Journal of Epidemiology</i> , 2016 , 45, 1656-1667 | 7.8 | 14 |
| 76 | Relative importance of prenatal and postnatal determinants of stunting: data mining approaches to the MINIMat cohort, Bangladesh. <i>BMJ Open</i> , 2019 , 9, e025154 | 3 | 14 |
| 75 | Equity in adherence to and effect of prenatal food and micronutrient supplementation on child mortality: results from the MINIMat randomized trial, Bangladesh. <i>BMC Public Health</i> , 2014 , 14, 5 | 4.1 | 13 |
| 74 | Body composition of Bangladeshi children: comparison and development of leg-to-leg bioelectrical impedance equation. <i>Journal of Health, Population and Nutrition</i> , 2012 , 30, 281-90 | 2.5 | 13 |
| 73 | Whom can I rely on? Mothers' approaches to support for feeding: an interview study in suburban Dar es Salaam, Tanzania. <i>Midwifery</i> , 2007 , 23, 172-83 | 2.8 | 13 |
| 72 | Stories of pre-war, war and exile: Bosnian refugee children in Sweden. <i>Medicine, Conflict and Survival</i> , 2001 , 17, 25-47 | 0.6 | 13 |
| 71 | Nutrition and health in childhood: causal and quantitative interpretations of dental caries. <i>Community Dentistry and Oral Epidemiology</i> , 1984 , 12, 390-7 | 2.8 | 13 |
| 70 | Geographic differences in maternal and child health care utilization in four Ethiopian regions; a cross-sectional study. <i>International Journal for Equity in Health</i> , 2019 , 18, 173 | 4.6 | 13 |
| 69 | Progress towards Millennium Development Goal 1 in northern rural Nicaragua: findings from a health and demographic surveillance site. <i>International Journal for Equity in Health</i> , 2012 , 11, 43 | 4.6 | 12 |
| 68 | Duration of exclusive breast-feeding and infant iron and zinc status in rural Bangladesh. <i>Journal of Nutrition</i> , 2009 , 139, 1562-7 | 4.1 | 12 |

| | | | |
|----|---|-----|----|
| 67 | Time trends and sociodemographic determinants of preterm births in pregnancy cohorts in Matlab, Bangladesh, 1990-2014. <i>BMJ Global Health</i> , 2019 , 4, e001462 | 6.6 | 12 |
| 66 | Health Extension Workers' diagnostic accuracy for common childhood illnesses in four regions of Ethiopia: a cross-sectional study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 2100-2106 | 3.1 | 11 |
| 65 | Protocol for the evaluation of a complex intervention aiming at increased utilisation of primary child health services in Ethiopia: a before and after study in intervention and comparison areas. <i>BMC Health Services Research</i> , 2020 , 20, 339 | 2.9 | 11 |
| 64 | Spatial modelling of individual arsenic exposure via well water: evaluation of arsenic in urine, main water source and influence of neighbourhood water sources in rural Bangladesh. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 1341-8 | | 11 |
| 63 | Wealth-based equity in maternal, neonatal, and child health services utilization: a cross-sectional study from Ethiopia. <i>International Journal for Equity in Health</i> , 2019 , 18, 201 | 4.6 | 11 |
| 62 | Free formula milk in the prevention of mother-to-child transmission programme: voices of a peri-urban community in South Africa on policy change. <i>Health Policy and Planning</i> , 2013 , 28, 761-8 | 3.4 | 10 |
| 61 | Newborn care and knowledge translation - perceptions among primary healthcare staff in northern Vietnam. <i>Implementation Science</i> , 2011 , 6, 29 | 8.4 | 10 |
| 60 | Cost-effectiveness of prenatal food and micronutrient interventions on under-five mortality and stunting: Analysis of data from the MINIMat randomized trial, Bangladesh. <i>PLoS ONE</i> , 2018 , 13, e0191260 | 6.7 | 10 |
| 59 | Early participation in a prenatal food supplementation program ameliorates the negative association of food insecurity with quality of maternal-infant interaction. <i>Journal of Nutrition</i> , 2012 , 142, 1095-101 | 4.1 | 9 |
| 58 | Contraceptive patterns among women and men in Leñ, Nicaragua. <i>Contraception</i> , 1996 , 54, 359-65 | 2.5 | 9 |
| 57 | Does a complex intervention targeting communities, health facilities and district health managers increase the utilisation of community-based child health services? A before and after study in intervention and comparison areas of Ethiopia. <i>BMJ Open</i> , 2020 , 10, e040868 | 3 | 9 |
| 56 | Insufficient referral practices of sick children in Ethiopia shown in a cross-sectional survey. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 1867-1874 | 3.1 | 9 |
| 55 | Stunting, recovery from stunting and puberty development in the MINIMat cohort, Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 122-133 | 3.1 | 9 |
| 54 | Routine health management information system data in Ethiopia: consistency, trends, and challenges. <i>Global Health Action</i> , 2021 , 14, 1868961 | 3 | 9 |
| 53 | Consumption of highly processed snacks, sugar-sweetened beverages and child feeding practices in a rural area of Nicaragua. <i>Maternal and Child Nutrition</i> , 2016 , 12, 164-76 | 3.4 | 8 |
| 52 | Rebuilding research capacity in fragile states: the case of a Somali-Swedish global health initiative. <i>Global Health Action</i> , 2017 , 10, 1348693 | 3 | 8 |
| 51 | Associations between oxidative parameters in pregnancy and birth anthropometry in a cohort of women and children in rural Bangladesh: the MINIMat-cohort. <i>Free Radical Research</i> , 2012 , 46, 253-64 | 4 | 8 |
| 50 | The growth chart--a road to health chart? Maternal comprehension of the growth chart in two Somali villages. <i>Paediatric and Perinatal Epidemiology</i> , 1990 , 4, 340-50 | 2.7 | 8 |

| | | | |
|----|--|------|---|
| 49 | Bridging the quality chasm in maternal, newborn, and child healthcare in low- and middle-income countries. <i>PLoS Medicine</i> , 2017 , 14, e1002465 | 11.6 | 8 |
| 48 | Socio-economic resources, young child feeding practices, consumption of highly processed snacks and sugar-sweetened beverages: a population-based survey in rural northwestern Nicaragua. <i>BMC Public Health</i> , 2015 , 15, 25 | 4.1 | 7 |
| 47 | Cost-effectiveness of invitation to food supplementation early in pregnancy combined with multiple micronutrients on infant survival: analysis of data from MINIMat randomized trial, Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 125 | 3.2 | 7 |
| 46 | Impact of daily and weekly iron supplementation to women in pregnancy and puerperium on haemoglobin and iron status six weeks postpartum: results from a community-based study in Bangladesh. <i>Scandinavian Journal of Nutrition</i> , 2003 , 47, 19-25 | | 7 |
| 45 | Gender and social patterning of health: the Norsj[Cardiovascular preventive programme in northern Sweden 1985-1990. <i>Scandinavian Journal of Primary Health Care</i> , 1994 , 12, 155-61 | 2.7 | 7 |
| 44 | Nutritional status and childhood wheezing in rural Bangladesh. <i>Public Health Nutrition</i> , 2014 , 17, 1570-7 | 3.3 | 6 |
| 43 | Health care providers' perceptions on harmful traditional health practices in Ethiopia. <i>Ethiopian Journal of Health Development</i> , 2003 , 17, 35 | | 6 |
| 42 | Effect of Facilitation of Local Stakeholder Groups on Equity in Neonatal Survival; Results from the NeoKIP Trial in Northern Vietnam. <i>PLoS ONE</i> , 2015 , 10, e0145510 | 3.7 | 6 |
| 41 | Implementation of the 'Optimising the Health Extension Program' Intervention in Ethiopia: A Process Evaluation Using Mixed Methods. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 6 |
| 40 | Breaking the cycles of poverty: Strategies, achievements, and lessons learned in Los Cuatro Santos, Nicaragua, 1990-2014. <i>Global Health Action</i> , 2017 , 10, 1272884 | 3 | 5 |
| 39 | Prenatal nutrition, socioenvironmental conditions, and child development. <i>The Lancet Global Health</i> , 2017 , 5, e127-e128 | 13.6 | 5 |
| 38 | Assessing the quality of care in sick child services at health facilities in Ethiopia. <i>BMC Health Services Research</i> , 2020 , 20, 574 | 2.9 | 5 |
| 37 | Assessing the Multiple Dimensions of Poverty. Data Mining Approaches to the 2004-14 Health and Demographic Surveillance System in Cuatro Santos, Nicaragua. <i>Frontiers in Public Health</i> , 2019 , 7, 409 | 6 | 5 |
| 36 | Prenatal early food and multiple micronutrient supplementation trial reduced infant mortality in Bangladesh, but did not influence morbidity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 1979-1986 | 3.1 | 5 |
| 35 | Tracking progress towards equitable child survival in a Nicaraguan community: neonatal mortality challenges to meet the MDG 4. <i>BMC Public Health</i> , 2011 , 11, 455 | 4.1 | 5 |
| 34 | Quality of clinical assessment and management of sick children by Health Extension Workers in four regions of Ethiopia: A cross-sectional survey. <i>PLoS ONE</i> , 2020 , 15, e0239361 | 3.7 | 5 |
| 33 | Prevention and treatment of suspected pneumonia in Ethiopian children less than five years from household to primary care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 602-610 | 3.1 | 5 |
| 32 | Food insecurity and self-rated health in rural Nicaraguan women of reproductive age: a cross-sectional study. <i>International Journal for Equity in Health</i> , 2018 , 17, 146 | 4.6 | 5 |

| | | | |
|----|--|------|---|
| 31 | Women's development group leaders' promotion of maternal, neonatal and child health care in Ethiopia: a cross-sectional study. <i>Global Health Action</i> , 2020 , 13, 1748845 | 3 | 4 |
| 30 | Comparing progress toward the millennium development goal for under-five mortality in Leñ and Cuatro Santos, Nicaragua, 1990-2008. <i>BMC Pediatrics</i> , 2014 , 14, 9 | 2.6 | 4 |
| 29 | Arsenic exposure from drinking water and mortality in Bangladesh. <i>Lancet, The</i> , 2010 , 376, 1641; author reply 1642 | 40 | 4 |
| 28 | Detecting arsenic-related skin lesions: experiences from a large community-based survey in Bangladesh. <i>International Journal of Environmental Health Research</i> , 2007 , 17, 141-9 | 3.6 | 4 |
| 27 | Secular trend, seasonality and effects of a community-based intervention on neonatal mortality: follow-up of a cluster-randomised trial in Quang Ninh province, Vietnam. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 776-782 | 5.1 | 4 |
| 26 | A cohort study of the association between prenatal arsenic exposure and age at menarche in a rural area, Bangladesh. <i>Environment International</i> , 2021 , 154, 106562 | 12.9 | 4 |
| 25 | With an open heart we receive the children—Caregivers' strategies for reaching and caring for street children in Kenya. <i>Journal of Social Work</i> , 2017 , 17, 579-598 | 1 | 3 |
| 24 | Antenatal multiple micronutrient supplementation: call to action for change in recommendation. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1465, 5-7 | 6.5 | 2 |
| 23 | Factors associated with the referral of children with severe illnesses at primary care level in Ethiopia: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e047640 | 3 | 2 |
| 22 | Embed capacity development within all global health research. <i>BMJ Global Health</i> , 2021 , 6, | 6.6 | 2 |
| 21 | Distance, difference in altitude and socioeconomic determinants of utilisation of maternal and child health services in Ethiopia: a geographic and multilevel modelling analysis. <i>BMJ Open</i> , 2021 , 11, e042095 | 3 | 2 |
| 20 | Association between a complex community intervention and quality of health extension workers' performance to correctly classify common childhood illnesses in four regions of Ethiopia. <i>PLoS ONE</i> , 2021 , 16, e0247474 | 3.7 | 2 |
| 19 | Child survival revolutions revisited - lessons learned from Bangladesh, Nicaragua, Rwanda and Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 871-877 | 3.1 | 1 |
| 18 | Reply to B Sreedhar. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 1226-1227 | 7 | 1 |
| 17 | Reply to FT Wieringa et al. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 789-790 | 7 | 1 |
| 16 | Caregivers' and Health Extension Workers' Perceptions and Experiences of Outreach Management of Childhood Illnesses in Ethiopia: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 15 | Strengthening routine health data analysis in Ethiopia: the Operational Research and Coaching for Analysts (ORCA) experience. <i>Global Health Action</i> , 2021 , 14, 1901390 | 3 | 1 |
| 14 | Exploring data quality and use of the routine health information system in Ethiopia: a mixed-methods study.. <i>BMJ Open</i> , 2021 , 11, e050356 | 3 | 1 |

| | | | |
|----|--|-----|---|
| 13 | Health extension workers' perceived health system context and health post preparedness to provide services: a cross-sectional study in four Ethiopian regions. <i>BMJ Open</i> , 2021 , 11, e048517 | 3 | 0 |
| 12 | Exploring women's development group leaders' support to maternal, neonatal and child health care: A qualitative study in Tigray region, Ethiopia. <i>PLoS ONE</i> , 2021 , 16, e0257602 | 3.7 | 0 |
| 11 | A mixed-methods study exploring adherence to the referral of severely sick children in primary health care in Southern Ethiopia. <i>Archives of Public Health</i> , 2021 , 79, 159 | 2.6 | 0 |
| 10 | The unfinished child survival revolution: the role of nutrition. <i>Scandinavian Journal of Nutrition</i> , 2005 , 49, 146-150 | | |
| 9 | Trends and factors related to adolescent pregnancies: an incidence trend and conditional inference trees analysis of northern Nicaragua demographic surveillance data. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 749 | 3.2 | |
| 8 | Timing of prenatal food supplementation influences birth outcomes in women experiencing stress in Bangladesh. <i>FASEB Journal</i> , 2010 , 24, 227.2 | 0.9 | |
| 7 | Using health and demographic surveillance for the early detection of cholera outbreaks: analysis of community- and hospital-based data from Matlab, Bangladesh. <i>Global Health Action</i> , 2016 , 9, 30834 | 3 | |
| 6 | The Epidemiology of Global Child Health. <i>Pediatric and Adolescent Medicine</i> , 2018 , 85-96 | 0.4 | |
| 5 | Improving quality and use of routine health information system data in low- and middle-income countries: A scoping review 2020 , 15, e0239683 | | |
| 4 | Improving quality and use of routine health information system data in low- and middle-income countries: A scoping review 2020 , 15, e0239683 | | |
| 3 | Improving quality and use of routine health information system data in low- and middle-income countries: A scoping review 2020 , 15, e0239683 | | |
| 2 | Improving quality and use of routine health information system data in low- and middle-income countries: A scoping review 2020 , 15, e0239683 | | |
| 1 | Health postservice readiness and use of preventive and curative services for suspected childhood pneumonia in Ethiopia: a cross-sectional study.. <i>BMJ Open</i> , 2022 , 12, e058055 | 3 | |