

AndrÃ© M Amorim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7521761/publications.pdf>

Version: 2024-02-01

126
papers

3,686
citations

471061

17
h-index

161609

54
g-index

127
all docs

127
docs citations

127
times ranked

4243
citing authors

#	ARTICLE	IF	CITATIONS
1	Growing knowledge: an overview of Seed Plant diversity in Brazil. <i>Rodriguesia</i> , 2015, 66, 1085-1113.	0.9	1,032
2	Brazilian Flora 2020: Innovation and collaboration to meet Target 1 of the Global Strategy for Plant Conservation (GSPC). <i>Rodriguesia</i> , 2018, 69, 1513-1527.	0.9	398
3	Phylogenomics and a posteriori data partitioning resolve the Cretaceous angiosperm radiation Malpighiales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17519-17524.	3.3	305
4	Plant endemism in two forests in southern Bahia, Brazil. <i>Biodiversity and Conservation</i> , 1998, 7, 311-322.	1.2	255
5	Amazon plant diversity revealed by a taxonomically verified species list. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10695-10700.	3.3	253
6	A hot-point within a hot-spot: a high diversity site in Brazil's Atlantic Forest. <i>Biodiversity and Conservation</i> , 2007, 16, 3111-3128.	1.2	198
7	Widespread ancient whole-genome duplications in Malpighiales coincide with Eocene global climatic upheaval. <i>New Phytologist</i> , 2019, 221, 565-576.	3.5	86
8	Angiospermas em remanescentes de floresta montana no sul da Bahia, Brasil. <i>Biota Neotropica</i> , 2009, 9, 313-348.	1.0	79
9	A comprehensive checklist of vascular epiphytes of the Atlantic Forest reveals outstanding endemic rates. <i>PhytoKeys</i> , 2016, 58, 65-79.	0.4	67
10	Dismantling Brazil's science threatens global biodiversity heritage. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 239-243.	1.0	60
11	Contribution of agroforests to landscape carbon storage. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2015, 20, 1175-1190.	1.0	43
12	<scp>ATLANTIC EPIPHYTES</scp>: a data set of vascular and non-vascular epiphyte plants and lichens from the Atlantic Forest. <i>Ecology</i> , 2019, 100, e02541.	1.5	38
13	<i>Physeterostemon</i> (Melastomataceae): a new genus and two new species from the Bahian Atlantic Forest, Brazil. <i>Taxon</i> , 2006, 55, 965-972.	0.4	33
14	Floristic patterns of epiphytes in the Brazilian Atlantic Forest, a biodiversity hotspot. <i>Botanical Journal of the Linnean Society</i> , 2015, 179, 587-601.	0.8	33
15	A New Species of <i>Physeterostemon</i> (Melastomataceae) from Bahia, Brazil, with Notes on the Phylogeny of the Genus. <i>Systematic Botany</i> , 2009, 34, 324-329.	0.2	25
16	Angiosperms and the Linnean shortfall: three new species from three lineages of Melastomataceae at one spot at the Atlantic Forest. <i>PeerJ</i> , 2016, 4, e1824.	0.9	24
17	Heterogeneidade altitudinal na Floresta Atlântica setentrional: um estudo de caso no sul da Bahia, Brasil. <i>Acta Botanica Brasilica</i> , 2012, 26, 309-327.	0.8	20
18	Ontogeny, structure and occurrence of interxylary cambia in Malpighiaceae. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 241, 46-60.	0.6	20

#	ARTICLE	IF	CITATIONS
19	Floristic composition of the Montane Forest in the Almadina-Barro Preto axis, Southern Bahia, Brazil. <i>Biota Neotropica</i> , 2014, 14, .	1.0	19
20	Demographic structure of a threatened palm (<i>Euterpe edulis</i> Mart.) in a fragmented landscape of Atlantic Forest in northeastern Brazil. <i>Acta Botanica Brasilica</i> , 2014, 28, 249-258.	0.8	19
21	Plastomes resolve generic limits within tribe Clusiaceae (<i>Clusiaceae</i>) and reveal the new genus <i>Arawakia</i> . <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 142-151.	1.2	19
22	Epiphytic angiosperms in a mountain forest in southern Bahia, Brazil. <i>Biota Neotropica</i> , 2014, 14, .	1.0	19
23	Resolving Recalcitrant Clades in the Pantropical <i>Ochnaceae</i> : Insights From Comparative Phylogenomics of Plastome and Nuclear Genomic Data Derived From Targeted Sequencing. <i>Frontiers in Plant Science</i> , 2021, 12, 638650.	1.7	18
24	Three new species of <i>Bertolonia</i> (<i>Melastomataceae</i>) from Espírito Santo, Brazil. <i>PeerJ</i> , 2016, 4, e2822.	0.9	18
25	Increased Sampling in Under-Collected Areas Sheds New Light on the Diversity and Distribution of <i>Bertolonia</i> , an Atlantic Forest Endemic Genus. <i>Systematic Botany</i> , 2018, 43, 767-792.	0.2	16
26	Flower morphology is correlated with distribution and phylogeny in <i>Bertolonia</i> (<i>Melastomataceae</i>), an herbaceous genus endemic to the Atlantic Forest. <i>Molecular Phylogenetics and Evolution</i> , 2020, 149, 106844.	1.2	16
27	Two new species of <i>Bertolonia</i> (<i>Melastomataceae</i>) from the Brazilian Atlantic Forest. <i>Kew Bulletin</i> , 2011, 66, 273-279.	0.4	15
28	Distribution of the xeric clade species of <i>Pitcairnioideae</i> (<i>Bromeliaceae</i>) in South America: a perspective based on areas of endemism. <i>Journal of Biogeography</i> , 2017, 44, 1994-2006.	1.4	15
29	A new infrageneric classification for <i>Amorimia</i> (<i>Malpighiaceae</i>) based on morphological, phytochemical and molecular evidence. <i>Phytotaxa</i> , 2017, 313, 231.	0.1	15
30	Five new species of <i>Heteropterys</i> (<i>Malpighiaceae</i>) from Central and South America. <i>Brittonia</i> , 2002, 54, 217.	0.8	14
31	A generic synopsis of <i>Malpighiaceae</i> in the Atlantic Forest. <i>Nordic Journal of Botany</i> , 2016, 34, 285-301.	0.2	14
32	Endemic angiosperms in Bahia Coastal Forests, Brazil: an update using a newly delimited area. <i>Biota Neotropica</i> , 2018, 18, .	0.2	14
33	Phylogenomics of the tropical plant family <i>Ochnaceae</i> using targeted enrichment of nuclear genes and 250+ taxa. <i>Taxon</i> , 2021, 70, 48-71.	0.4	14
34	Reproductive phenology of <i>Miconia mirabilis</i> (<i>Melastomataceae</i>) within three distinct physiognomies of Atlantic Forest, Bahia, Brazil. <i>Biota Neotropica</i> , 2012, 12, 49-56.	1.0	13
35	A new <i>Heteropterys</i> (<i>Malpighiaceae</i>) from semideciduous forest, with notes on wood anatomy. <i>Plant Systematics and Evolution</i> , 2017, 303, 177-185.	0.3	13
36	Functional role and evolutionary contributions of floral gland morphoanatomy in the Paleotropical genus <i>Acridocarpus</i> (<i>Malpighiaceae</i>). <i>PLoS ONE</i> , 2019, 14, e0222561.	1.1	13

#	ARTICLE	IF	CITATIONS
37	The anomalous-stemmed species of <i>Heteropterys</i> subsect. <i>Aptychia</i> (Malpighiaceae). <i>Brittonia</i> , 2003, 55, 127-145.	0.8	12
38	Phylogenetic relationships among morphotypes of <i>Caesalpinia echinata</i> Lam. (Caesalpinioideae:). <i>Tj ETQq0 0 0 rgBT/Overlock, 10 Tf 50 7</i>	0.6	12
39	<i>Stigmaphyllon mikanifolium</i> (Malpighiaceae), a new species from Espírito Santo State, Brazil. <i>Kew Bulletin</i> , 2015, 70, 1.	0.4	12
40	A new species of <i>Bertolonia</i> (Melastomataceae) from southern Bahia, Brazil. <i>Phytotaxa</i> , 2016, 265, 251.	0.1	12
41	A First Record of <i>Freziera</i> (Pentaphragmataceae) from the Brazilian Atlantic Forest, with the Description of a New Species. <i>Systematic Botany</i> , 2016, 40, 1075-1080.	0.2	12
42	Composição florística e estrutura do componente arbóreo de uma área transicional de Floresta Atlântica no sul da Bahia, Brasil. <i>Revista Brasileira De Botanica</i> , 2009, 32, .	0.5	11
43	<i>Tovomitia</i> (Clusiaceae) from the Brazilian Atlantic Forest: Taxonomy and Utility of Leaf Venation Characters at the Species Level. <i>Systematic Botany</i> , 2016, 41, 758-774.	0.2	11
44	Leaf anatomy and macro-morphology uncover a new species of <i>Amorimia</i> (Malpighiaceae) from Southeastern Brazil. <i>Phytotaxa</i> , 2017, 305, 179.	0.1	11
45	Timing the origin and past connections between Andean and Atlantic Seasonally Dry Tropical Forests in South America: Insights from the biogeographical history of <i>Amorimia</i> (Malpighiaceae). <i>Taxon</i> , 2018, 67, 739-751.	0.4	11
46	Variação anual na abertura do dossel, temperatura e umidade do ar no sub-bosque de trópicos ambientes florestais no sul da Bahia, Brasil. <i>Ciencia Florestal</i> , 2013, 23, 107-116.	0.1	11
47	A remarkable new <i>Manihot</i> (Euphorbiaceae) from the coastal sand plains of Sergipe, Brazil. <i>Phytotaxa</i> , 2015, 32, 57.	0.1	10
48	Untangling the <i>Amorimia rigida</i> complex, a puzzling group of lianescent Malpighiaceae from Eastern Brazil. <i>Phytotaxa</i> , 2016, 284, 1.	0.1	10
49	Two new species of <i>Quesnelia</i> (Bromeliaceae: Bromelioideae) from the Atlantic Rainforest of Bahia, Brazil. <i>Brittonia</i> , 2009, 61, 14-21.	0.8	9
50	<i>Physeterostemon gomesii</i> (Melastomataceae): the fourth species of this endemic genus in Bahia, Brazil. <i>Phytotaxa</i> , 2014, 175, 45.	0.1	9
51	Flora do Espírito Santo: <i>Bertolonia</i> (Melastomataceae). <i>Rodriguesia</i> , 2017, 68, 1663-1676.	0.9	9
52	Using online databases to produce comprehensive accounts of the vascular plants from the Brazilian protected areas: The Parque Nacional do Itatiaia as a case study. <i>Biodiversity Data Journal</i> , 2020, 8, e50837.	0.4	9
53	A new species of <i>Heteropterys</i> (Malpighiaceae) from the semideciduous forests of Bahia, Brazil. <i>Brittonia</i> , 2004, 56, 143-146.	0.8	8
54	What's New in <i>Manihot</i> (Euphorbiaceae)? <i>Systematic Botany</i> , 2014, 39, 485-489.	0.2	8

#	ARTICLE	IF	CITATIONS
55	<i>Stigmaphyllon caatingicola</i> (Malpighiaceae), a new species from Seasonally Dry Tropical Forests in Brazil. <i>Phytotaxa</i> , 2014, 174, 82.	0.1	8
56	<i>Tovomita megantha</i> : A new species of Clusiaceae from the Brazilian Atlantic Forest. <i>Brittonia</i> , 2016, 68, 55-60.	0.8	8
57	The hydrochorous Amazonian genus <i>Glandonia</i> (Malpighiaceae): new records, morphoanatomy updates and taxonomic contributions. <i>Phytotaxa</i> , 2018, 345, 13.	0.1	8
58	Leaf structure in <i>Amorimia</i> and closely related Neotropical genera and implications for their systematics and leaf evolution in Malpighiaceae. <i>Botanical Journal of the Linnean Society</i> , 2019, 191, 102-127.	0.8	8
59	Pollen morphology of Menispermaceae in the state of Bahia, Brazil. <i>Acta Botanica Brasilica</i> , 2013, 27, 436-444.	0.8	7
60	<i>Clusia heterocolorata</i> (Clusiaceae), a new species from the Brazilian Atlantic Forest. <i>Phytotaxa</i> , 2015, 220, 83.	0.1	7
61	A new species of <i>Tovomita</i> Aubl. (Clusiaceae) from the Brazilian Atlantic Forest. <i>Phytotaxa</i> , 2015, 207, 193.	0.1	7
62	An Unexpected <i>Mcvaughia</i> (Malpighiaceae) Species from Sandy Coastal Plains in Northeastern Brazil. <i>Systematic Botany</i> , 2015, 40, 534-538.	0.2	7
63	Biogeographic breaks in the Atlantic Forest: evidence for Oligocene/Miocene diversification in <i>Bertolonia</i> (Melastomataceae). <i>Botanical Journal of the Linnean Society</i> , 2022, 199, 128-143.	0.8	7
64	<i>Croton Thomasii</i> Riina & P. E. Berry (Euphorbiaceae), a New Species from the Atlantic Forest in the State of Bahia (Brazil) and Typification of <i>Croton Sapiifolius</i> Mill. Arg.. <i>Candollea</i> , 2010, 65, 101.	0.1	6
65	Description of <i>Tovomita clarkii</i> (Clusiaceae), an endemic species from Venezuela. <i>Phytotaxa</i> , 2016, 261, 87.	0.1	6
66	Three new species of <i>Tovomita</i> (Clusiaceae) from the Amazon River basin and first record of papillae for <i>Tovomita</i> . <i>Plant Systematics and Evolution</i> , 2016, 302, 1121-1134.	0.3	6
67	A Remarkable New Bifoliolate Species of <i>Inga</i> (Leguminosae) from the Brazilian Atlantic Forest. <i>Systematic Botany</i> , 2017, 42, 516-521.	0.2	6
68	Angiosperm endemism in a Brazilian Atlantic Forest biodiversity hot-point. <i>Revista Brasileira De Botanica</i> , 2020, 43, 397-404.	0.5	6
69	Phenological synchrony and seasonality of understory Rubiaceae in the Atlantic Forest, Bahia, Brazil. <i>Acta Botanica Brasilica</i> , 2013, 27, 195-204.	0.8	5
70	<i>Heteropterys arcuata</i> (Malpighiaceae): a new species from the dry forests of northeastern Brazil. <i>Phytotaxa</i> , 2016, 260, 83.	0.1	5
71	<i>Vismia atlantica</i> (Hypericaceae), a new species previously thought to be well-known from the Brazilian Atlantic Forest. <i>Journal of the Torrey Botanical Society</i> , 2016, 143, 330-337.	0.1	5
72	Novelties in <i>Tapura</i> (Dichapetalaceae) from the Brazilian Atlantic Forest. <i>Systematic Botany</i> , 2016, 41, 747-757.	0.2	5

#	ARTICLE	IF	CITATIONS
73	A new species of <i>Bernardia</i> (Euphorbiaceae) from the Chapada Diamantina, Bahia State, Brazil. <i>Phytotaxa</i> , 2017, 317, 69.	0.1	5
74	First report of laticifers in lianas of Malpighiaceae and their phylogenetic implications. <i>American Journal of Botany</i> , 2019, 106, 1156-1172.	0.8	5
75	Novelties in <i>Bertolonia</i> (Melastomataceae) from northeastern Brazil. <i>Revista Brasileira De Botanica</i> , 2020, 43, 563-574.	0.5	5
76	Flora da Bahia: Malpighiaceae 2 - Heteropterys. <i>Sitientibus, Sã©rie Ciãncias Biolã³gicas</i> , 0, 14, .	0.2	5
77	HETEROPTERYS JARDIMII (MALPIGHIACEAE), UMA NOVA ESPãCIE PARA A BAHIA, BRASIL. <i>Rodriguesia</i> , 2005, 56, 175-178.	0.9	5
78	TAXONOMIC NOVELTIES IN HETEROPTERYS GROUP APTYCHIA (MALPIGHIACEAE) FROM THE BRAZILIAN ATLANTIC FOREST. <i>Edinburgh Journal of Botany</i> , 2020, 77, 271-279.	0.4	5
79	Redescrã£o de <i>Heteropterys bahiensis</i> (Malpighiaceae). <i>Rodriguesia</i> , 2009, 60, 367-370.	0.9	4
80	<i>Paullinia unifoliolata</i> , a remarkable new species of Sapindaceae from the Atlantic Forest of southern Bahia, Brazil. <i>Brittonia</i> , 2012, 64, 114-118.	0.8	4
81	Antifungal Constituents from the Roots of <i>Piper dilatatum</i> Rich.. <i>Journal of Chemistry</i> , 2013, 2013, 1-5.	0.9	4
82	A New <i>Sorocea</i> (Moraceae) From The Atlantic Rainforest, Brazil. <i>Systematic Botany</i> , 2013, 38, 687-691.	0.2	4
83	<i>Erythroxyllum riparium</i> (Erythroxyllaceae), a new species from the Brazilian Atlantic Forest. <i>Phytotaxa</i> , 2015, 230, 75.	0.1	4
84	A new species of <i>Hirtella</i> (Chrysobalanaceae), and redescription of a closely related taxon, from the Atlantic Forest, Brazil. <i>Phytotaxa</i> , 2016, 265, 259.	0.1	4
85	A New Bristle-leaved Species of <i>Sauvagesia</i> (Ochnaceae) Endemic to the EspinhaãSo Range, Brazil. <i>Systematic Botany</i> , 2017, 42, 346-350.	0.2	4
86	<i>Heteropterys parvifructa</i> : a new species segregated from the widely distributed <i>H. syringifolia</i> (Malpighiaceae). <i>Webbia</i> , 2019, 74, 281-286.	0.1	4
87	A first record of <i>Loricalepis</i> (Melastomataceae) from the Brazilian Atlantic Forest, with the description of a new species from Bahia. <i>Brittonia</i> , 2020, 72, 308-316.	0.8	4
88	First records of <i>Tovomita stergiosii</i> Cuello (Clusiaceae: Clusieae) in Brazil. <i>Check List</i> , 2014, 10, 1570.	0.1	4
89	<i>Andersoniella</i> : A New Genus of Neotropical Malpighiaceae. <i>Harvard Papers in Botany</i> , 2020, 25, 51.	0.1	4
90	A new species of <i>Sauvagesia</i> (Ochnaceae) from the northern EspinhaãSo Range, Brazil, and an emended description of <i>Sauvagesia paganuccii</i> (Malpighiaceae). <i>Phytotaxa</i> , 2017, 316, 59.	0.1	3

#	ARTICLE	IF	CITATIONS
91	Resolving the last combination in <i>Tovomitidium</i> , a synonym for <i>Tovomita</i> (Clusiaceae). <i>Phytotaxa</i> , 2018, 340, .	0.1	3
92	Floral synorganization in acmantheroid clade suggests hypotheses to explain elaiophore suppression in Malpighiaceae. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 281, 151870.	0.6	3
93	<i>Andersoniodoxa</i> , a replacement name for <i>Andersoniella</i> (Malpighiaceae). <i>Phytotaxa</i> , 2020, 470, 121-122.	0.1	3
94	Flora das cangas da Serra dos Carajás, Pará, Brasil: Hypericaceae. <i>Rodriguesia</i> , 2017, 68, 979-986.	0.9	3
95	A gold mine: four more new species of <i>Tovomita</i> (Clusiaceae: Clusiaceae) from Amazonia. <i>Willdenowia</i> , 2019, 49, 343.	0.5	3
96	Novelties in Bromeliaceae from the northeastern Brazilian Atlantic Rainforest. <i>Journal of the Torrey Botanical Society</i> , 2012, 139, 34-45.	0.1	2
97	A new species of <i>Stephanopodium</i> (Dichapetalaceae) from eastern Brazil. <i>Brittonia</i> , 2012, 64, 153-156.	0.8	2
98	<i>Erythroxyllum</i> (Erythroxyllaceae) na Mata Atlântica da Bahia, Brasil. <i>Rodriguesia</i> , 2014, 65, 637-658.	0.9	2
99	The taxonomic significance of pollen morphology in <i>Tovomita</i> Aubl. (Clusiaceae: Clusiaceae) and related genera. <i>Plant Systematics and Evolution</i> , 2015, 301, 1759-1766.	0.3	2
100	Flora das cangas da Serra dos Carajás, Pará, Brasil: Calophyllaceae. <i>Rodriguesia</i> , 2016, 67, 1277-1280.	0.9	2
101	Can soil types explain species distributions? Evaluating the woody understory component of a tropical forest in Brazil. <i>Revista Brasileira De Botanica</i> , 2016, 39, 251-259.	0.5	2
102	<i>Manihot macrocarpa</i> (Euphorbiaceae), an unusual rain forest species from Brazil. <i>Phytotaxa</i> , 2017, 309, 179.	0.1	2
103	Two More Elegant Species of the Neglected <i>Sauvagesia elegantissima</i> Complex (Ochnaceae). <i>Systematic Botany</i> , 2018, 43, 221-230.	0.2	2
104	Flora das cangas da Serra dos Carajás, Pará, Brasil: Malpighiaceae. <i>Rodriguesia</i> , 2018, 69, 1221-1235.	0.9	2
105	Stirring up a Wasp Nest: Two New Species of the Taxonomically Complex Genus <i>Ouratea</i> (Ochnaceae). <i>Systematic Botany</i> , 2018, 43, 760-766.	0.2	2
106	A tribute to the Orixás: A new <i>Couepia</i> Aubl. (Chrysobalanaceae) from Bahia, Brazil. <i>Journal of the Torrey Botanical Society</i> , 2018, 145, 271-277.	0.1	2
107	<i>Tovomita nebulosa</i> (Clusiaceae), a new species from Cerro de la Neblina, Venezuela. <i>Acta Amazonica</i> , 2020, 50, 149-154.	0.3	2
108	Predominantly Eastward Long-Distance Dispersal in Pantropical Ochnaceae Inferred From Ancestral Range Estimation and Phylogenomics. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	1.1	2

#	ARTICLE	IF	CITATIONS
109	A new name and nomenclatural adjustments in <i>Erythroxylum</i> (Erythroxylaceae). <i>Phytotaxa</i> , 2017, 306, 66.	0.1	1
110	<i>Manihot alterniflora</i> and <i>M. elongata</i> spp. nov. (Euphorbiaceae) and the rediscovery of <i>M. quinquefolia</i> in Caatinga (semiarid) vegetation in Brazil. <i>Nordic Journal of Botany</i> , 2018, 36, njb-01615.	0.2	1
111	A new species and putative hybrids of <i>Manihot</i> (Euphorbiaceae) from Brazil. <i>Plant Systematics and Evolution</i> , 2019, 305, 663-674.	0.3	1
112	A New <i>Bernardia</i> (Euphorbiaceae) with Stellate Trichomes from the Brazilian Cerrado. <i>Systematic Botany</i> , 2019, 44, 826-831.	0.2	1
113	Pollen morphology of some Brazilian species of <i>Hirtella</i> L. (Chrysobalanaceae). <i>Palynology</i> , 2019, 43, 530-537.	0.7	1
114	Phylogenetic Relationships of <i>Tovomita</i> (Clusiaceae): Carpel Number and Geographic Distribution Speak Louder than Venation Pattern. <i>Systematic Botany</i> , 2021, 46, 102-108.	0.2	1
115	Clarifying the nomenclatural history of <i>Tovomitopsis</i> , a Brazilian endemic genus of Clusiaceae. <i>PhytoKeys</i> , 2021, 181, 49-64.	0.4	1
116	Flora das cangas da Serra dos Carajás, Pará, Brasil: Lacistemataceae. <i>Rodriguesia</i> , 2016, 67, 1377-1380.	0.9	1
117	<i>Miconia bahiana</i> (Melastomataceae, Miconieae), a new species from semideciduous forest in Bahia, Brazil. <i>Plant Ecology and Evolution</i> , 2020, 153, 152-159.	0.3	1
118	Floristic survey of vascular plants of a poorly known area in the Brazilian Atlantic Forest (Flona do Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.4	1
119	Deciphering the <i>Heteropterys pannosa</i> species complex (Malpighiaceae). <i>PeerJ</i> , 2022, 10, e12937.	0.9	1
120	Talmon Soares dos Santos (1935-2012). <i>Taxon</i> , 2012, 61, 1139-1140.	0.4	0
121	Malpighiaceae in the Raso da Catarina Ecoregion, Bahia, Brazil. <i>Biota Neotropica</i> , 2018, 18, .	0.2	0
122	A new species of <i>Ouratea</i> (Ochnaceae) from the Atlantic Forest in Northeastern Brazil. <i>Phytotaxa</i> , 2018, 373, 86.	0.1	0
123	Three new species of <i>Bernardia</i> (Euphorbiaceae) from coastal forests of Bahia, Brazil. <i>Brittonia</i> , 2021, 73, 323.	0.8	0
124	<i>Lacistema ligiae</i> (Lacistemataceae), a new species from Chapada Diamantina, Bahia, Brazil, with notes on micromorphology. <i>Phytotaxa</i> , 2021, 514, 140-148.	0.1	0
125	Sapindaceae em remanescentes de florestas montanas no sul da Bahia, Brasil. <i>Rodriguesia</i> , 2014, 65, 987-1002.	0.9	0
126	THE GENUS <i>BERTOLONIA</i> (MELASTOMATACEAE) IN THE STATE OF BAHIA, BRAZIL. <i>Phytotaxa</i> , 2022, 548, 153-183.	0.1	0