

Kozo Kaibuchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7522637/kozo-kaibuchi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

194
papers

20,088
citations

72
h-index

140
g-index

205
ext. papers

22,084
ext. citations

8.4
avg, IF

6.34
L-index

#	Paper	IF	Citations
194	NMDA-induced activation of the CaMKII-RhoA-Rho-kinase pathway regulates aversive learning. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2022 , 95, 1-P-027	0	
193	Microtubule-dependent mechanism of anti-inflammatory effect of SOCS1 in endothelial dysfunction and lung injury. <i>FASEB Journal</i> , 2021 , 35, e21388	0.9	1
192	Striatal TRPV1 activation by acetaminophen ameliorates dopamine D2 receptor antagonist-induced orofacial dyskinesia. <i>JCI Insight</i> , 2021 , 6,	9.9	1
191	Cyclin D1 controls development of cerebellar granule cell progenitors through phosphorylation and stabilization of ATOH1. <i>EMBO Journal</i> , 2021 , 40, e105712	13	5
190	Accumbal D2R-medium spiny neurons regulate aversive behaviors through PKA-Rap1 pathway. <i>Neurochemistry International</i> , 2021 , 143, 104935	4.4	2
189	SOCS3-microtubule interaction via CLIP-170 and CLASP2 is critical for modulation of endothelial inflammation and lung injury. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100239	5.4	3
188	Dynamic subcellular localization and transcription activity of the SRF cofactor MKL2 in the striatum are regulated by MAPK. <i>Journal of Neurochemistry</i> , 2021 , 157, 1774-1788	6	1
187	The CD44/COL17A1 pathway promotes the formation of multilayered, transformed epithelia. <i>Current Biology</i> , 2021 , 31, 3086-3097.e7	6.3	1
186	Dopamine Receptor Dop1R2 Stabilizes Appetitive Olfactory Memory through the Raf/MAPK Pathway in. <i>Journal of Neuroscience</i> , 2020 , 40, 2935-2942	6.6	3
185	Advances in defining signaling networks for the establishment of neuronal polarity. <i>Current Opinion in Cell Biology</i> , 2020 , 63, 76-87	9	6
184	Molecular Mechanism of KCNQ Channels For Reward Behavior. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020 , 93, 1-P-011	0	
183	Phosphorylation of Npas4 by MAPK regulates reward-related gene expression and behaviors. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020 , 93, 1-YIA-26	0	
182	Prickle2 and Igsf9b Coordinately Regulate the Cytoarchitecture of the Axon Initial Segment. <i>Cell Structure and Function</i> , 2020 , 45, 143-154	2.2	1
181	Protein kinases phosphorylate long disordered regions in intrinsically disordered proteins. <i>Protein Science</i> , 2020 , 29, 564-571	6.3	8
180	GDP-Bound Rab27a Dissociates from the Endocytic Machinery in a Phosphorylation-Dependent Manner after Insulin Secretion. <i>Biological and Pharmaceutical Bulletin</i> , 2019 , 42, 1532-1537	2.3	1
179	Phosphorylation of Gephyrin in Zebrafish Mauthner Cells Governs Glycine Receptor Clustering and Behavioral Desensitization to Sound. <i>Journal of Neuroscience</i> , 2019 , 39, 8988-8997	6.6	6
178	Pathological Progression Induced by the Frontotemporal Dementia-Associated R406W Tau Mutation in Patient-Derived iPSCs. <i>Stem Cell Reports</i> , 2019 , 13, 684-699	8	20

177	Hyaluronan synthesis supports glutamate transporter activity. <i>Journal of Neurochemistry</i> , 2019 , 150, 249-263	6	2
176	LRRK1 phosphorylation of Rab7 at S72 links trafficking of EGFR-containing endosomes to its effector RILP. <i>Journal of Cell Science</i> , 2019 , 132,	5.3	15
175	IRR is involved in glucose-induced endocytosis after insulin secretion. <i>Journal of Pharmacological Sciences</i> , 2019 , 140, 300-304	3.7	3
174	Neuronal Polarity: Positive and Negative Feedback Signals. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 69	5.7	20
173	Protein Kinase N Promotes Stress-Induced Cardiac Dysfunction Through Phosphorylation of Myocardin-Related Transcription Factor A and Disruption of Its Interaction With Actin. <i>Circulation</i> , 2019 , 140, 1737-1752	16.7	10
172	Phosphorylation of Npas4 by MAPK Regulates Reward-Related Gene Expression and Behaviors. <i>Cell Reports</i> , 2019 , 29, 3235-3252.e9	10.6	15
171	Comprehensive analysis of kinase-oriented phospho-signalling pathways. <i>Journal of Biochemistry</i> , 2019 , 165, 301-307	3.1	6
170	In Vivo Identification of Protein Kinase Substrates by Kinase-Oriented Substrate Screening (KIOSS). <i>Current Protocols in Chemical Biology</i> , 2019 , 11, e60	1.8	4
169	Balance between dopamine and adenosine signals regulates the PKA/Rap1 pathway in striatal medium spiny neurons. <i>Neurochemistry International</i> , 2019 , 122, 8-18	4.4	15
168	Targeting Tyro3 ameliorates a model of PGRN-mutant FTLD-TDP via tau-mediated synaptic pathology. <i>Nature Communications</i> , 2018 , 9, 433	17.4	15
167	Phosphorylation of Shank3 by Rho-Kinase regulates surface translocation of NMDA and AMPA receptors in PSD. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO4-1-85	0	
166	KANPHOS Platform: A comprehensive database for kinase-associated neural phosphorylation signaling. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO4-9-104		
165	Neuropeptide Y neuronal network dysfunction in the frontal lobe of a genetic mouse model of schizophrenia. <i>Neuropeptides</i> , 2017 , 62, 27-35	3.3	6
164	Phospholipid localization implies microglial morphology and function via Cdc42 in vitro. <i>Glia</i> , 2017 , 65, 740-755	9	13
163	Daple Coordinates Planar Polarized Microtubule Dynamics in Ependymal Cells and Contributes to Hydrocephalus. <i>Cell Reports</i> , 2017 , 20, 960-972	10.6	36
162	Discovery of long-range inhibitory signaling to ensure single axon formation. <i>Nature Communications</i> , 2017 , 8, 33	17.4	41
161	NMDA receptor antagonist prevents cell death in the hippocampal dentate gyrus induced by hyponatremia accompanying adrenal insufficiency in rats. <i>Experimental Neurology</i> , 2017 , 287, 65-74	5.7	7
160	A FRET Biosensor for ROCK Based on a Consensus Substrate Sequence Identified by KISS Technology. <i>Cell Structure and Function</i> , 2017 , 42, 1-13	2.2	14

159	Phosphorylation Signals in Striatal Medium Spiny Neurons. <i>Trends in Pharmacological Sciences</i> , 2016 , 37, 858-871	13.2	31
158	Survival of corticostriatal neurons by Rho/Rho-kinase signaling pathway. <i>Neuroscience Letters</i> , 2016 , 630, 45-52	3.3	35
157	Immunohistochemical evaluation of the GABAergic neuronal system in the prefrontal cortex of a DISC1 knockout mouse model of schizophrenia. <i>Synapse</i> , 2016 , 70, 508-518	2.4	16
156	Focused Proteomics Revealed a Novel Rho-kinase Signaling Pathway in the Heart. <i>Cell Structure and Function</i> , 2016 , 41, 105-20	2.2	6
155	Phosphoproteomics of the Dopamine Pathway Enables Discovery of Rap1 Activation as a Reward Signal In Vivo. <i>Neuron</i> , 2016 , 89, 550-65	13.9	52
154	Regulation of neuronal migration, an emerging topic in autism spectrum disorders. <i>Journal of Neurochemistry</i> , 2016 , 136, 440-56	6	72
153	PAR3-aPKC regulates Tiam1 by modulating suppressive internal interactions. <i>Molecular Biology of the Cell</i> , 2016 , 27, 1511-23	3.5	17
152	Single-Cell Memory Regulates a Neural Circuit for Sensory Behavior. <i>Cell Reports</i> , 2016 , 14, 11-21	10.6	37
151	PI3K regulates endocytosis after insulin secretion by mediating signaling crosstalk between Arf6 and Rab27a. <i>Journal of Cell Science</i> , 2016 , 129, 637-49	5.3	16
150	Stimulation of Synaptic Vesicle Exocytosis by the Mental Disease Gene DISC1 is Mediated by N-Type Voltage-Gated Calcium Channels. <i>Frontiers in Synaptic Neuroscience</i> , 2016 , 8, 15	3.5	10
149	Catecholaminergic neuronal network dysfunction in the frontal lobe of a genetic mouse model of schizophrenia. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 117-23	3.9	4
148	Identification of Protein Kinase Substrates by the Kinase-Interacting Substrate Screening (KISS) Approach. <i>Current Protocols in Cell Biology</i> , 2016 , 72, 14.16.1-14.16.12	2.3	6
147	A new approach for the direct visualization of the membrane cytoskeleton in cryo-electron microscopy: a comparative study with freeze-etching electron microscopy. <i>Microscopy (Oxford, England)</i> , 2016 , 65, 488-498	1.3	9
146	Role for Daple in non-canonical Wnt signaling during gastric cancer invasion and metastasis. <i>Cancer Science</i> , 2016 , 107, 133-9	6.9	33
145	PAR3 and aPKC regulate Golgi organization through CLASP2 phosphorylation to generate cell polarity. <i>Molecular Biology of the Cell</i> , 2015 , 26, 751-61	3.5	14
144	Neuronal polarization. <i>Development (Cambridge)</i> , 2015 , 142, 2088-93	6.6	94
143	Developing novel methods to search for substrates of protein kinases such as Rho-kinase. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015 , 1854, 1663-6	4	11
142	Kinase-interacting substrate screening is a novel method to identify kinase substrates. <i>Journal of Cell Biology</i> , 2015 , 209, 895-912	7.3	49

141	Extracellular and Intracellular Signaling for Neuronal Polarity. <i>Physiological Reviews</i> , 2015 , 95, 995-1024	47.9	64
140	Disrupted-in-schizophrenia 1 regulates transport of ITPR1 mRNA for synaptic plasticity. <i>Nature Neuroscience</i> , 2015 , 18, 698-707	25.5	45
139	Radial Glial Cell-Neuron Interaction Directs Axon Formation at the Opposite Side of the Neuron from the Contact Site. <i>Journal of Neuroscience</i> , 2015 , 35, 14517-32	6.6	46
138	Deubiquitinating enzymes regulate Hes1 stability and neuronal differentiation. <i>FEBS Journal</i> , 2015 , 282, 2411-23	5.7	26
137	TTBK2 with EB1/3 regulates microtubule dynamics in migrating cells through KIF2A phosphorylation. <i>Journal of Cell Biology</i> , 2015 , 210, 737-51	7.3	31
136	Identification of Rare, Single-Nucleotide Mutations in NDE1 and Their Contributions to Schizophrenia Susceptibility. <i>Schizophrenia Bulletin</i> , 2015 , 41, 744-53	1.3	20
135	Identification of the novel autoantigen candidate Rab GDP dissociation inhibitor alpha in isolated adrenocorticotropin deficiency. <i>Endocrine Journal</i> , 2015 , 62, 153-60	2.9	12
134	Disrupted-in-schizophrenia-1 (DISC1) Regulates Endoplasmic Reticulum Calcium Dynamics. <i>Scientific Reports</i> , 2015 , 5, 8694	4.9	24
133	Phosphoproteomic Analysis Using the WW and FHA Domains as Biological Filters. <i>Cell Structure and Function</i> , 2015 , 40, 95-104	2.2	7
132	In vivo screening for substrates of protein kinase A using a combination of proteomic approaches and pharmacological modulation of kinase activity. <i>Cell Structure and Function</i> , 2015 , 40, 1-12	2.2	11
131	IQGAPs as Key Regulators of Actin-cytoskeleton Dynamics. <i>Cell Structure and Function</i> , 2015 , 40, 69-77	2.2	51
130	Regulation of vascular endothelial growth factor receptor function in angiogenesis by numb and numb-like. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1815-25	9.4	12
129	LRRK1-phosphorylated CLIP-170 regulates EGFR trafficking by recruiting p150Glued to microtubule plus ends. <i>Journal of Cell Science</i> , 2015 , 128, 385-96	5.3	16
128	Pioneering axons regulate neuronal polarization in the developing cerebral cortex. <i>Neuron</i> , 2014 , 81, 814-29	13.9	104
127	14-3-3 ϵ and ζ regulate neurogenesis and differentiation of neuronal progenitor cells in the developing brain. <i>Journal of Neuroscience</i> , 2014 , 34, 12168-81	6.6	74
126	The polymorphism of YWHAE, a gene encoding 14-3-3epsilon, and orbitofrontal sulcogyral pattern in patients with schizophrenia and healthy subjects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 166-71	5.5	14
125	Synaptic dysregulation in a human iPS cell model of mental disorders. <i>Nature</i> , 2014 , 515, 414-8	50.4	376
124	Neuronal polarization in vivo: Growing in a complex environment. <i>Current Opinion in Neurobiology</i> , 2014 , 27, 215-23	7.6	37

123	Preferential targeting of p39-activated Cdk5 to Rac1-induced lamellipodia. <i>Molecular and Cellular Neurosciences</i> , 2014 , 61, 34-45	4.8	7
122	Plk1 phosphorylates CLIP-170 and regulates its binding to microtubules for chromosome alignment. <i>Cell Structure and Function</i> , 2014 , 39, 45-59	2.2	12
121	The polymorphism of YWHAE, a gene encoding 14-3-3epsilon, and brain morphology in schizophrenia: a voxel-based morphometric study. <i>PLoS ONE</i> , 2014 , 9, e103571	3.7	13
120	Speed control for neuronal migration in the postnatal brain by Gmip-mediated local inactivation of RhoA. <i>Nature Communications</i> , 2014 , 5, 4532	17.4	34
119	Regulation of cargo-selective endocytosis by dynamin 2 GTPase-activating protein girdin. <i>EMBO Journal</i> , 2014 , 33, 2098-112	13	27
118	Alterations of GABAergic and dopaminergic systems in mutant mice with disruption of exons 2 and 3 of the Disc1 gene. <i>Neurochemistry International</i> , 2014 , 74, 74-83	4.4	35
117	Cytoskeletal regulation by AUTS2 in neuronal migration and neuritogenesis. <i>Cell Reports</i> , 2014 , 9, 2166-79.6	19.6	81
116	TRIM27/MRTF-B-dependent integrin β expression defines leading cells in cancer cell collectives. <i>Cell Reports</i> , 2014 , 7, 1156-67	10.6	29
115	ERK2-mediated phosphorylation of Par3 regulates neuronal polarization. <i>Journal of Neuroscience</i> , 2013 , 33, 13270-85	6.6	28
114	Proteomic analysis of Girdin-interacting proteins in migrating new neurons in the postnatal mouse brain. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 442, 16-21	3.4	3
113	TAG-1-assisted progenitor elongation streamlines nuclear migration to optimize subapical crowding. <i>Nature Neuroscience</i> , 2013 , 16, 1556-66	25.5	69
112	Astroglial IFITM3 mediates neuronal impairments following neonatal immune challenge in mice. <i>Glia</i> , 2013 , 61, 679-93	9	39
111	Neuronal Per Arnt Sim (PAS) domain protein 4 (NPAS4) regulates neurite outgrowth and phosphorylation of synapsin I. <i>Journal of Biological Chemistry</i> , 2013 , 288, 2655-64	5.4	26
110	Spatial regulation of VEGF receptor endocytosis in angiogenesis. <i>Nature Cell Biology</i> , 2013 , 15, 249-60	23.4	190
109	Analysis of the VAV3 as candidate gene for schizophrenia: evidences from voxel-based morphometry and mutation screening. <i>Schizophrenia Bulletin</i> , 2013 , 39, 720-8	1.3	15
108	RhoGEF12 controls cardiac remodeling by integrating G protein- and integrin-dependent signaling cascades. <i>Journal of Experimental Medicine</i> , 2013 , 210, 665-73	16.6	24
107	Activated Cdc42-bound IQGAP1 determines the cellular endocytic site. <i>Molecular and Cellular Biology</i> , 2013 , 33, 4834-43	4.8	22
106	RhoGEF-mediated vasoconstriction in hypertension. <i>Hypertension Research</i> , 2013 , 36, 930-1	4.7	1

105	IQGAP1 suppresses TRII-mediated myofibroblastic activation and metastatic growth in liver. <i>Journal of Clinical Investigation</i> , 2013 , 123, 1138-56	15.9	65
104	RhoGEF12 controls cardiac remodeling by integrating G protein and integrin-dependent signaling cascades. <i>Journal of Cell Biology</i> , 2013 , 201, i1-i1	7.3	
103	Tiam1 interaction with the PAR complex promotes talin-mediated Rac1 activation during polarized cell migration. <i>Journal of Cell Biology</i> , 2012 , 199, 331-45	7.3	57
102	Proteomic screening for Rho-kinase substrates by combining kinase and phosphatase inhibitors with 14-3-3 affinity chromatography. <i>Cell Structure and Function</i> , 2012 , 37, 39-48	2.2	22
101	Involvement of Girdin in the determination of cell polarity during cell migration. <i>PLoS ONE</i> , 2012 , 7, e36681	9.7	43
100	Distinct distribution and localization of Rho-kinase in mouse epithelial, muscle and neural tissues. <i>Cell Structure and Function</i> , 2012 , 37, 155-75	2.2	41
99	Resequencing and association analysis of the KALRN and EPHB1 genes and their contribution to schizophrenia susceptibility. <i>Schizophrenia Bulletin</i> , 2012 , 38, 552-60	1.3	59
98	The inositol 5-phosphatase SHIP2 is an effector of RhoA and is involved in cell polarity and migration. <i>Molecular Biology of the Cell</i> , 2012 , 23, 2593-604	3.5	38
97	Reconstitution of dynamic microtubules with Drosophila XMAP215, EB1, and Sentin. <i>Journal of Cell Biology</i> , 2012 , 199, 849-62	7.3	45
96	The Dishevelled-associating protein Daple controls the non-canonical Wnt/Rac pathway and cell motility. <i>Nature Communications</i> , 2012 , 3, 859	17.4	62
95	Genome-wide association study of schizophrenia in a Japanese population. <i>Biological Psychiatry</i> , 2011 , 69, 472-8	7.9	145
94	Role of a tyrosine phosphorylation of SMG-9 in binding of SMG-9 to IQGAP and the NMD complex. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 410, 29-33	3.4	5
93	Flexible search for single-axon morphology during neuronal spontaneous polarization. <i>PLoS ONE</i> , 2011 , 6, e19034	3.7	12
92	NMDA receptor regulates migration of newly generated neurons in the adult hippocampus via Disrupted-In-Schizophrenia 1 (DISC1). <i>Journal of Neurochemistry</i> , 2011 , 118, 34-44	6	50
91	Impairment of the tyrosine hydroxylase neuronal network in the orbitofrontal cortex of a genetically modified mouse model of schizophrenia. <i>Brain Research</i> , 2011 , 1392, 47-53	3.7	17
90	Beneficial compaction of spinal cord lesion by migrating astrocytes through glycogen synthase kinase-3 inhibition. <i>EMBO Molecular Medicine</i> , 2011 , 3, 682-96	12	45
89	The role of selective transport in neuronal polarization. <i>Developmental Neurobiology</i> , 2011 , 71, 445-57	3.2	22
88	EB1 promotes microtubule dynamics by recruiting Sentin in Drosophila cells. <i>Journal of Cell Biology</i> , 2011 , 193, 973-83	7.3	42

87	Numb controls E-cadherin endocytosis through p120 catenin with aPKC. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3103-19	3.5	83
86	Thioredoxin mediates oxidation-dependent phosphorylation of CRMP2 and growth cone collapse. <i>Science Signaling</i> , 2011 , 4, ra26	8.8	82
85	Girdin is an intrinsic regulator of neuroblast chain migration in the rostral migratory stream of the postnatal brain. <i>Journal of Neuroscience</i> , 2011 , 31, 8109-22	6.6	57
84	Behavioral alterations associated with targeted disruption of exons 2 and 3 of the Disc1 gene in the mouse. <i>Human Molecular Genetics</i> , 2011 , 20, 4666-83	5.6	116
83	Protein kinase G signaling disrupts Rac1-dependent focal adhesion assembly in liver specific pericytes. <i>American Journal of Physiology - Cell Physiology</i> , 2011 , 301, C66-74	5.4	17
82	Local application of neurotrophins specifies axons through inositol 1,4,5-trisphosphate, calcium, and Ca ²⁺ /calmodulin-dependent protein kinases. <i>Science Signaling</i> , 2011 , 4, ra76	8.8	43
81	Binding of APC and dishevelled mediates Wnt5a-regulated focal adhesion dynamics in migrating cells. <i>EMBO Journal</i> , 2010 , 29, 1192-204	13	80
80	AMPK controls the speed of microtubule polymerization and directional cell migration through CLIP-170 phosphorylation. <i>Nature Cell Biology</i> , 2010 , 12, 583-90	23.4	147
79	Dysfunction of dopamine release in the prefrontal cortex of dysbindin deficient sandy mice: an in vivo microdialysis study. <i>Neuroscience Letters</i> , 2010 , 470, 134-8	3.3	33
78	Migration defects by DISC1 knockdown in C57BL/6, 129X1/SvJ, and ICR strains via in utero gene transfer and virus-mediated RNAi. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 400, 631-74	3.74	37
77	Identification of focal adhesion kinase (FAK) and phosphatidylinositol 3-kinase (PI3-kinase) as Par3 partners by proteomic analysis. <i>Cytoskeleton</i> , 2010 , 67, 297-308	2.4	16
76	Rho-kinase/ROCK: A key regulator of the cytoskeleton and cell polarity. <i>Cytoskeleton</i> , 2010 , 67, 545-54	2.4	591
75	A proteomic approach for comprehensively screening substrates of protein kinases such as Rho-kinase. <i>PLoS ONE</i> , 2010 , 5, e8704	3.7	30
74	Phosphorylation of CLASP2 by GSK-3beta regulates its interaction with IQGAP1, EB1 and microtubules. <i>Journal of Cell Science</i> , 2009 , 122, 2969-79	5.3	102
73	Cadherin-mediated intercellular adhesion and signaling cascades involving small GTPases. <i>Cold Spring Harbor Perspectives in Biology</i> , 2009 , 1, a003020	10.2	61
72	Rho-kinase contributes to sustained RhoA activation through phosphorylation of p190A RhoGAP. <i>Journal of Biological Chemistry</i> , 2009 , 284, 5067-76	5.4	48
71	Proteomic analysis reveals novel binding partners of dysbindin, a schizophrenia-related protein. <i>Journal of Neurochemistry</i> , 2009 , 110, 1567-74	6	26
70	CRMP-2 directly binds to cytoplasmic dynein and interferes with its activity. <i>Journal of Neurochemistry</i> , 2009 , 111, 380-90	6	46

69	Anterograde transport of TrkB in axons is mediated by direct interaction with Slp1 and Rab27. <i>Developmental Cell</i> , 2009 , 16, 675-86	10.2	143
68	Roles of disrupted-in-schizophrenia 1-interacting protein girdin in postnatal development of the dentate gyrus. <i>Neuron</i> , 2009 , 63, 774-87	13.9	138
67	Rho-kinase phosphorylates PAR-3 and disrupts PAR complex formation. <i>Developmental Cell</i> , 2008 , 14, 205-15	10.2	127
66	Identification of YWHAЕ, a gene encoding 14-3-3epsilon, as a possible susceptibility gene for schizophrenia. <i>Human Molecular Genetics</i> , 2008 , 17, 3212-22	5.6	88
65	Roles of IQGAP1 in Cell Polarization and Migration. <i>Novartis Foundation Symposium</i> , 2008 , 92-105		14
64	Neuronal polarity: from extracellular signals to intracellular mechanisms. <i>Nature Reviews Neuroscience</i> , 2007 , 8, 194-205	13.5	506
63	Structural basis for tubulin recognition by cytoplasmic linker protein 170 and its autoinhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 10346-51	11.5	94
62	DISC1 regulates neurotrophin-induced axon elongation via interaction with Grb2. <i>Journal of Neuroscience</i> , 2007 , 27, 4-14	6.6	90
61	IQGAP3, a novel effector of Rac1 and Cdc42, regulates neurite outgrowth. <i>Journal of Cell Science</i> , 2007 , 120, 567-77	5.3	117
60	Dia1 and IQGAP1 interact in cell migration and phagocytic cup formation. <i>Journal of Cell Biology</i> , 2007 , 178, 193-200	7.3	152
59	DISC1 regulates the transport of the NUDEL/LIS1/14-3-3epsilon complex through kinesin-1. <i>Journal of Neuroscience</i> , 2007 , 27, 15-26	6.6	194
58	2P021 Structural and functional studies of CLIP-170(Proteins-structure and structure-function relationship,Poster Presentations). <i>Seibutsu Butsuri</i> , 2007 , 47, S118	0	
57	Rho-kinase modulates the function of STEF, a Rac GEF, through its phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 355, 788-94	3.4	23
56	Numb controls integrin endocytosis for directional cell migration with aPKC and PAR-3. <i>Developmental Cell</i> , 2007 , 13, 15-28	10.2	280
55	Characterization and function of MYPT2, a target subunit of myosin phosphatase in heart. <i>Cellular Signalling</i> , 2006 , 18, 1408-16	4.9	47
54	Molecular mechanism for the regulation of rho-kinase by dimerization and its inhibition by fasudil. <i>Structure</i> , 2006 , 14, 589-600	5.2	120
53	Role of numb in dendritic spine development with a Cdc42 GEF intersectin and EphB2. <i>Molecular Biology of the Cell</i> , 2006 , 17, 1273-85	3.5	86
52	Interaction between ROCK II and nucleophosmin/B23 in the regulation of centrosome duplication. <i>Molecular and Cellular Biology</i> , 2006 , 26, 9016-34	4.8	80

51	Nuclear Rho kinase, ROCK2, targets p300 acetyltransferase. <i>Journal of Biological Chemistry</i> , 2006 , 281, 15320-9	5.4	77
50	Ras regulates neuronal polarity via the PI3-kinase/Akt/GSK-3beta/CRMP-2 pathway. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 340, 62-8	3.4	136
49	Essential roles for GSK-3s and GSK-3-primed substrates in neurotrophin-induced and hippocampal axon growth. <i>Neuron</i> , 2006 , 52, 981-96	13.9	195
48	Sema4D/plexin-B1 activates GSK-3beta through R-Ras GAP activity, inducing growth cone collapse. <i>EMBO Reports</i> , 2006 , 7, 704-9	6.5	111
47	GSK-3beta regulates phosphorylation of CRMP-2 and neuronal polarity. <i>Cell</i> , 2005 , 120, 137-49	56.2	734
46	Akt/PKB regulates actin organization and cell motility via Girdin/APE. <i>Developmental Cell</i> , 2005 , 9, 389-400	20.2	336
45	Key regulators in neuronal polarity. <i>Neuron</i> , 2005 , 48, 881-4	13.9	119
44	Tubulin and CRMP-2 complex is transported via Kinesin-1. <i>Journal of Neurochemistry</i> , 2005 , 93, 1371-82	6	173
43	Regulatory machinery of UNC-33 Ce-CRMP localization in neurites during neuronal development in <i>Caenorhabditis elegans</i> . <i>Journal of Neurochemistry</i> , 2005 , 95, 1629-41	6	30
42	PAR-6-PAR-3 mediates Cdc42-induced Rac activation through the Rac GEFs STEF/Tiam1. <i>Nature Cell Biology</i> , 2005 , 7, 270-7	23.4	307
41	Regulation of microtubules in cell migration. <i>Trends in Cell Biology</i> , 2005 , 15, 76-83	18.3	244
40	Phosphorylation by Rho kinase regulates CRMP-2 activity in growth cones. <i>Molecular and Cellular Biology</i> , 2005 , 25, 9973-84	4.8	210
39	CRMP-2 is involved in kinesin-1-dependent transport of the Sra-1/WAVE1 complex and axon formation. <i>Molecular and Cellular Biology</i> , 2005 , 25, 9920-35	4.8	205
38	IQGAP1: a key regulator of adhesion and migration. <i>Journal of Cell Science</i> , 2005 , 118, 2085-92	5.3	292
37	Positive role of IQGAP1, an effector of Rac1, in actin-meshwork formation at sites of cell-cell contact. <i>Molecular Biology of the Cell</i> , 2004 , 15, 1065-76	3.5	118
36	Role of the PAR-3-KIF3 complex in the establishment of neuronal polarity. <i>Nature Cell Biology</i> , 2004 , 6, 328-34	23.4	236
35	PIP3 is involved in neuronal polarization and axon formation. <i>Journal of Neurochemistry</i> , 2004 , 89, 109-18	18	174
34	Microtubule disassembly induces cytoskeletal remodeling and lung vascular barrier dysfunction: role of Rho-dependent mechanisms. <i>Journal of Cellular Physiology</i> , 2004 , 201, 55-70	7	151

33	Role of CRMP-2 in neuronal polarity. <i>Journal of Neurobiology</i> , 2004 , 58, 34-47		149
32	Novel role of microtubules in thrombin-induced endothelial barrier dysfunction. <i>FASEB Journal</i> , 2004 , 18, 1879-90	0.9	169
31	Interaction with IQGAP1 links APC to Rac1, Cdc42, and actin filaments during cell polarization and migration. <i>Developmental Cell</i> , 2004 , 7, 871-83	10.2	381
30	Roles of Rho-family GTPases in cell polarisation and directional migration. <i>Current Opinion in Cell Biology</i> , 2003 , 15, 590-7	9	392
29	Identification of Tau and MAP2 as novel substrates of Rho-kinase and myosin phosphatase. <i>Journal of Neurochemistry</i> , 2003 , 87, 780-90	6	82
28	CRMP-2 regulates polarized Numb-mediated endocytosis for axon growth. <i>Nature Cell Biology</i> , 2003 , 5, 819-26	23.4	211
27	Parallel coiled-coil association of the RhoA-binding domain in Rho-kinase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 46046-51	5.4	46
26	CRMP-2 binds to tubulin heterodimers to promote microtubule assembly. <i>Nature Cell Biology</i> , 2002 , 4, 583-91	23.4	616
25	Rac1 and Cdc42 capture microtubules through IQGAP1 and CLIP-170. <i>Cell</i> , 2002 , 109, 873-85	56.2	487
24	In vivo gene transfer of dominant-negative rho-kinase induces regression of coronary arteriosclerosis in pigs. <i>Annals of the New York Academy of Sciences</i> , 2001 , 947, 407-11	6.5	13
23	CRMP-2 induces axons in cultured hippocampal neurons. <i>Nature Neuroscience</i> , 2001 , 4, 781-2	25.5	457
22	Rho-family GTPases in cadherin-mediated cell-cell adhesion. <i>Nature Reviews Molecular Cell Biology</i> , 2001 , 2, 887-97	48.7	357
21	Rho-kinase--mediated contraction of isolated stress fibers. <i>Journal of Cell Biology</i> , 2001 , 153, 569-84	7.3	265
20	Involvement of IQGAP1, an effector of Rac1 and Cdc42 GTPases, in cell-cell dissociation during cell scattering. <i>Molecular and Cellular Biology</i> , 2001 , 21, 2165-83	4.8	81
19	Purification and in vitro activity of Rho-associated kinase. <i>Methods in Enzymology</i> , 2000 , 325, 149-55	1.7	16
18	Phosphorylation of ERM proteins at filopodia induced by Cdc42. <i>Genes To Cells</i> , 2000 , 5, 571-81	2.3	95
17	Phosphorylation of collapsin response mediator protein-2 by Rho-kinase. Evidence for two separate signaling pathways for growth cone collapse. <i>Journal of Biological Chemistry</i> , 2000 , 275, 23973-80	5.4	272
16	RhoA and rho kinase regulate the epithelial Na ⁺ /H ⁺ exchanger NHE3. Role of myosin light chain phosphorylation. <i>Journal of Biological Chemistry</i> , 2000 , 275, 28599-606	5.4	56

15	The COOH terminus of Rho-kinase negatively regulates rho-kinase activity. <i>Journal of Biological Chemistry</i> , 1999 , 274, 32418-24	5.4	208
14	Phosphorylation of adducin by Rho-kinase plays a crucial role in cell motility. <i>Journal of Cell Biology</i> , 1999 , 145, 347-61	7.3	256
13	Phosphorylation of myosin-binding subunit (MBS) of myosin phosphatase by Rho-kinase in vivo. <i>Journal of Cell Biology</i> , 1999 , 147, 1023-38	7.3	479
12	Cdc42 and Rac1 regulate the interaction of IQGAP1 with beta-catenin. <i>Journal of Biological Chemistry</i> , 1999 , 274, 26044-50	5.4	175
11	The structural basis of Rho effector recognition revealed by the crystal structure of human RhoA complexed with the effector domain of PKN/PRK1. <i>Molecular Cell</i> , 1999 , 4, 793-803	17.6	146
10	Distribution of Rho-kinase in the bovine brain. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 263, 575-9	3.4	61
9	Myosin II activation promotes neurite retraction during the action of Rho and Rho-kinase. <i>Genes To Cells</i> , 1998 , 3, 177-88	2.3	222
8	Role of IQGAP1, a target of the small GTPases Cdc42 and Rac1, in regulation of E-cadherin-mediated cell-cell adhesion. <i>Science</i> , 1998 , 281, 832-5	33.3	400
7	Regulation of the association of adducin with actin filaments by Rho-associated kinase (Rho-kinase) and myosin phosphatase. <i>Journal of Biological Chemistry</i> , 1998 , 273, 5542-8	5.4	161
6	Association of the myosin-binding subunit of myosin phosphatase and moesin: dual regulation of moesin phosphorylation by Rho-associated kinase and myosin phosphatase. <i>Journal of Cell Biology</i> , 1998 , 141, 409-18	7.3	188
5	Rho-kinase phosphorylates COOH-terminal threonines of ezrin/radixin/moesin (ERM) proteins and regulates their head-to-tail association. <i>Journal of Cell Biology</i> , 1998 , 140, 647-57	7.3	725
4	Regulation of cross-linking of actin filament by IQGAP1, a target for Cdc42. <i>Journal of Biological Chemistry</i> , 1997 , 272, 29579-83	5.4	157
3	Identification of IQGAP as a putative target for the small GTPases, Cdc42 and Rac1. <i>Journal of Biological Chemistry</i> , 1996 , 271, 23363-7	5.4	254
2	Phosphorylation and activation of myosin by Rho-associated kinase (Rho-kinase). <i>Journal of Biological Chemistry</i> , 1996 , 271, 20246-9	5.4	1556
1	CRMP-2 binds to tubulin heterodimers to promote microtubule assembly		1