## Ling Gao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7522909/publications.pdf

Version: 2024-02-01

516215 476904 3,625 31 16 29 h-index citations g-index papers 33 33 33 9294 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Remdesivir in adults with severe COVID-19: a randomised, double-blind, placebo-controlled, multicentre trial. Lancet, The, 2020, 395, 1569-1578.	6.3	2,875
2	Role of Uncoupled Endothelial Nitric Oxide Synthase in Abdominal Aortic Aneurysm Formation. Hypertension, 2012, 59, 158-166.	1.3	102
3	New Perspective in Diabetic Neuropathy: From the Periphery to the Brain, a Call for Early Detection, and Precision Medicine. Frontiers in Endocrinology, 2019, 10, 929.	1.5	76
4	Evaluation of the efficacy and safety of intravenous remdesivir in adult patients with severe COVID-19: study protocol for a phase 3 randomized, double-blind, placebo-controlled, multicentre trial. Trials, 2020, 21, 422.	0.7	59
5	Tetramethylpyrazine attenuates blood-brain barrier disruption in ischemia/reperfusion injury through the JAK/STAT signaling pathway. European Journal of Pharmacology, 2019, 854, 289-297.	1.7	50
6	Tumor necrosis factor receptor-associated factor 5 (Traf5) acts as an essential negative regulator of hepatic steatosis. Journal of Hepatology, 2016, 65, 125-136.	1.8	41
7	Endothelium as a Potential Target for Treatment of Abdominal Aortic Aneurysm. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-12.	1.9	36
8	Differential Roles of Protein Complexes NOX1-NOXO1 and NOX2-p47phox in Mediating Endothelial Redox Responses to Oscillatory and Unidirectional Laminar Shear Stress. Journal of Biological Chemistry, 2016, 291, 8653-8662.	1.6	35
9	Methazolamide improves neurological behavior by inhibition of neuron apoptosis in subarachnoid hemorrhage mice. Scientific Reports, 2016, 6, 35055.	1.6	34
10	Gastrointestinal Symptoms Associated With Unfavorable Prognosis of COVID-19 Patients: A Retrospective Study. Frontiers in Medicine, 2020, 7, 608259.	1.2	34
11	NOTCH2 negatively regulates metastasis and epithelial-Mesenchymal transition via TRAF6/AKT in nasopharyngeal carcinoma. Journal of Experimental and Clinical Cancer Research, 2019, 38, 456.	3.5	32
12	The impact of type 2 diabetes and its management on the prognosis of patients with severe <scp>COVID</scp> â€19. Journal of Diabetes, 2020, 12, 909-918.	0.8	27
13	The association between serum uric acid and diabetic complications in patients with type 2 diabetes mellitus by gender: a cross-sectional study. PeerJ, 2021, 9, e10691.	0.9	23
14	Combination of asprosin and adiponectin as a novel marker for diagnosing non-alcoholic fatty liver disease. Cytokine, 2020, 134, 155184.	1.4	22
15	Distinguishable Immunologic Characteristics of COVID-19 Patients with Comorbid Type 2 Diabetes Compared with Nondiabetic Individuals. Mediators of Inflammation, 2020, 2020, 1-10.	1.4	21
16	A potential impact of SARS-CoV-2 on pituitary glands and pituitary neuroendocrine tumors. Endocrine, 2021, 72, 340-348.	1.1	20
17	Dickkopfâ€'3 upregulation mediates the cardioprotective effects of curcumin on chronic heart failure. Molecular Medicine Reports, 2018, 17, 7249-7257.	1.1	19
18	Aquaporin 4 Blockade Attenuates Acute Lung Injury Through Inhibition of Th17 Cell Proliferation in Mice. Inflammation, 2019, 42, 1401-1412.	1.7	15

#	Article	IF	CITATIONS
19	Prevalence of Allergic Rhinitis and Associated Risk Factors in 6 to 12 Years Schoolchildren From Wuhan in Central China: A Cross-sectional Study. American Journal of Rhinology and Allergy, 2020, 34, 632-641.	1.0	14
20	Differences in the Clinical and Hematological Characteristics of COVID-19 Patients with and without Type 2 Diabetes. Journal of Diabetes Research, 2020, 2020, 1-9.	1.0	14
21	NOX1 abet mesangial fibrogenesis via iNOS induction in diabetes. Molecular and Cellular Biochemistry, 2013, 382, 185-191.	1.4	12
22	A novel and reliable method for tetrahydrobiopterin quantification: Benzoyl chloride derivatization coupled with liquid chromatography-tandem mass spectrometry analysis. Free Radical Biology and Medicine, 2018, 118, 119-125.	1.3	12
23	YAP Levels Combined with Plasma CEA Levels Are Prognostic Biomarkers for Early-Clinical-Stage Patients of Colorectal Cancer. BioMed Research International, 2019, 2019, 1-8.	0.9	11
24	Far-red light-activated human islet-like designer cells enable sustained fine-tuned secretion of insulin for glucose control. Molecular Therapy, 2022, 30, 341-354.	3.7	10
25	GLP-1 preserves $\hat{l}^2$ cell function via improvement on islet insulin signaling in high fat diet feeding mice. Neuropeptides, 2021, 85, 102110.	0.9	8
26	Newly established LC-MS/MS method for measurement of plasma BH4 as a predictive biomarker for kidney injury in diabetes. Free Radical Biology and Medicine, 2022, 178, 1-6.	1.3	8
27	Pigment epithelium-derived factor protects human glomerular mesangial cells from diabetes via NOXO1-iNOS suppression. Molecular Medicine Reports, 2017, 16, 7855-7863.	1.1	5
28	eNOS Uncoupling: A Therapeutic Target For Ischemic Foot of Diabetic Rat. Experimental and Clinical Endocrinology and Diabetes, 2019, 127, 303-310.	0.6	4
29	A Multicenter Study of Prevalence and Risk Factors for Allergic Rhinitis in Primary School Children in 5 Cities of Hubei Province, China. International Archives of Allergy and Immunology, 2021, , 1-11.	0.9	4
30	Early Hospitalization Improves the Covid-19 Patients' Prognosis. Tobacco Regulatory Science (discontinued), 2021, 7, 2742-2747.	0.2	0
31	The Predictive Value of Serum Calcium on Heart Rate Variability and Cardiac Function in Type 2 Diabetes Patients. Frontiers in Endocrinology, 2022, 13, 864008.	1.5	O