

# Andrew Bell

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7523006/andrew-bell-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

310  
papers

6,848  
citations

39  
h-index

62  
g-index

330  
ext. papers

9,071  
ext. citations

5  
avg, IF

1.8  
L-index

#	Paper	IF	Citations
310	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ( $\sqrt{s} = 13$ , {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
309	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
308	Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into $W^{\pm}W^{\pm}$ or ZZ in Fully Hadronic Final States from $\sqrt{s}=13$ TeV pp Collisions Recorded with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 121802	7.4	2
307	Longitudinal Flow Decorrelations in Xe+Xe Collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 122301	7.4	2
306	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
305	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
304	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5
303	Measurement of the CP-violating phase $\phi_s$ in $B_s^0 \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81,	4.2	1
302	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
301	Search for heavy resonances decaying into a pair of Z bosons in the ( $\ell^+ \ell^- \ell^+ \ell^-$ ) and ( $\ell^+ \ell^- \ell^+ \nu_{\bar{\nu}}$ ) final states using 139 fb of proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	8
300	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the ( $\ell \ell \bar{b} b$ ) and ( $\ell \ell W W$ ) final states in pp collisions at ( $\sqrt{s}=13$ ) (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
299	Search for charged Higgs bosons decaying into a top quark and a bottom quark at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
298	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
297	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 819-825	16.2	4
296	Test of the universality of lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 813-818	16.2	1
295	Search for supersymmetry in events with four or more charged leptons in 139 fb of ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
294	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0

293	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at ( $\sqrt{s}$ )=13 TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	13
292	Measurement of hadronic event shapes in high-pT multijet final states at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
291	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 812, 135980	4.2	21
290	Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 072301	7.4	3
289	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb <sup>-1</sup> of ( $\sqrt{s}$ ) = 13 TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
288	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5
287	Measurements of WH and ZH production in the ( $H \rightarrow \bar{b}b$ ) decay channel in pp collisions at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
286	Search for dark matter in association with an energetic photon in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
285	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	0
284	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
283	Jet energy scale and resolution measured in proton-proton collisions at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	11
282	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
281	Exclusive dimuon production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{NN}}$ =5.02 TeV with ATLAS. <i>Physical Review C</i> , <b>2021</b> , 104,	2.7	2
280	Search for dark matter produced in association with a single top quark in ( $\sqrt{s}$ )=13 TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	4
279	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
278	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
277	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
276	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 221802	7.4	6

275	Higgs boson production cross-section measurements and their EFT interpretation in the ( $4\ell\ell$ ) decay channel at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	12
274	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
273	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P04003-P04003	1	16
272	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 222002	7.4	4
271	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at $\sqrt{s}$ =13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 082301	7.4	8
270	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
269	Search for dijet resonances in events with an isolated charged lepton using ( $\sqrt{s}$ ) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
268	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 031802	7.4	15
267	Measurement of the $Z(\rightarrow\mu\mu)$ production cross-section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
266	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at ( $\sqrt{s}$ )=8) and 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
265	Transverse momentum and process dependent azimuthal anisotropies in ( $\sqrt{s_{\text{NN}}}$ )=8.16) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
264	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}$ =13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 251802	7.4	3
263	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , <b>2020</b> , 125, 261801	7.4	5
262	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	30
261	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ( $\sqrt{s}$ )=13) (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	50
260	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at ( $\sqrt{s}$ )=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	1
259	Evidence for ( $t\bar{t}$ ) production in the multilepton final state in proton-proton collisions at ( $\sqrt{s}$ )=13) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
258	Search for heavy diboson resonances in semileptonic final states in pp collisions at ( $\sqrt{s}$ )=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4

257	Search for light long-lived neutral particles produced in pp collisions at ( $\sqrt{s} = 13 \text{ TeV}$ ) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
256	Search for a scalar partner of the top quark in the all-hadronic ( $t\bar{t}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	17
255	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
254	Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s} = 8 \text{ TeV}$ ) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
253	Measurement of $J/\psi$ production in association with a $W\bar{\nu}$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	4
252	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s} = 13 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
251	Search for ( $\overline{t}$ ) resonances in fully hadronic final states in pp collisions at ( $\sqrt{s} = 13 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
250	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
249	Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13 \text{ TeV}$ pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 131801	7.4	15
248	Measurements of inclusive and differential cross-sections of combined ( $\overline{t}\gamma$ ) and $tW\bar{\nu}$ production in the $e\bar{\nu}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
247	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
246	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
245	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell)$ decay channel at ( $\sqrt{s} = 13 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	9
244	Fluctuations of anisotropic flow in Pb+Pb collisions at ( $\sqrt{\langle s \rangle_{NN}} = 5.02 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
243	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P09015-P09015	1	13
242	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
241	Measurement of differential cross sections for single diffractive dissociation in ( $\sqrt{s} = 8 \text{ TeV}$ ) collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
240	Measurement of isolated-photon plus two-jet production in pp collisions at ( $\sqrt{s} = 13 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2

239	CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}\overline{H}$ and $tH$ Processes Using $H\rightarrow b\bar{b}$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 061802	7.4	15
238	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
237	Search for the $HH\rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
236	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
235	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
234	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 125, 051801	7.4	30
233	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
232	Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at $(\sqrt{s}) = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
231	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	11
230	Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 161801	7.4	26
229	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
228	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	37
227	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
226	Observation of electroweak $W\pm Z$ boson pair production in association with two jets in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 469-492	4.2	22
225	Search for invisible Higgs boson decays in vector boson fusion at $s = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 499-519	4.2	21
224	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
223	Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at $(\sqrt{s}) = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
222	Search for top-quark decays $t\rightarrow Hq$ with 36 $\text{fb}^{-1}$ of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13

221	Measurement of $VH$ , ( $\mathit{H}$ to $\mathit{b}\overline{\mathit{b}}$ ) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
220	. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
219	. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
218	Measurements of W and Z boson production in pp collisions at ( $\sqrt{s}=5.02$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	12
217	Performance of top-quark and ( $\mathit{W}$ )-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	19
216	Measurements of inclusive and differential fiducial cross-sections of ( $\mathit{t}\overline{\mathit{t}}\gamma$ ) production in leptonic final states at ( $\sqrt{s}=13\sim\text{TeV}$ ) in ATLAS. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
215	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2019</b> , 122, 151801	7.4	5
214	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017	1	25
213	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4.2	20
212	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
211	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
210	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26
209	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at ( $\sqrt{s}$ ) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
208	Measurement of the top quark mass in the ( $\mathit{t}\overline{\mathit{t}}\rightarrow$ ) lepton+jets channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	24
207	Search for pair production of Higgs bosons in the ( $\mathit{b}\overline{\mathit{b}}\mathit{b}\overline{\mathit{b}}$ ) final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
206	Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s}$ ) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
205	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , <b>2019</b> , 123, 042001	7.4	12
204	Search for long-lived neutral particles in pp collisions at ( $\sqrt{s} = 13\sim\text{TeV}$ ) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	18

203	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
202	Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 052001	7.4	41
201	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
200	Measurement of $(W^{\pm}Z)$ production cross sections and gauge boson polarisation in pp collisions at $(\sqrt{s} = 13\text{-text \{TeV\}})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	20
199	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2019</b> , 122, 231801	7.4	45
198	Searches for third-generation scalar leptoquarks in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
197	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
196	Search for diboson resonances in hadronic final states in 139 fb $^{-1}$ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
195	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13\text{-text \{TeV\}}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	3
194	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\text{-text \{TeV\}}$ . <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	11
193	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	3
192	Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
191	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow \ell\ell$ decay channel in pp collisions at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 508-529	4.2	27
190	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	14
189	Measurement of the top-quark mass in $(\overline{t}) + 1\text{-jet}$ events collected with the ATLAS detector in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
188	Measurement of fiducial and differential $(W^+W^-)$ production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
187	Measurement of ZZ production in the $\ell\ell$ final state with the ATLAS detector in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
186	Measurement of $(W^{\pm})$ -boson and Z-boson production cross-sections in pp collisions at $(\sqrt{s}=2.76)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2



185	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P12006-P12006	1	51
184	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
183	Measurement of $(W^{\pm} \mu^{\pm})$ boson production in Pb+Pb collisions at $(\sqrt{s_{\text{NN}}}) = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
182	ATLAS b-jet identification performance and efficiency measurement with $(t\bar{t})$ events in pp collisions at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	43
181	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $(\sqrt{s_{\text{NN}}}) = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
180	Measurements of top-quark pair differential and double-differential cross-sections in the $(\ell\ell)+\text{jets}$ channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	13
179	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
178	Search for High-Mass Resonances Decaying to $\mu\mu$ in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 120, 161802	7.4	18
177	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
176	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $(\sqrt{s}=13)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
175	Measurement of the $Z$ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4.2	59
174	Search for new phenomena in high-mass final states with a photon and a jet from collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
173	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
172	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
171	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35
170	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5
169	Search for heavy resonances in the $(\ell\ell)$ and $(\ell\ell)+\text{jets}$ final states using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4.2	41
168	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28

167	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	26
166	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4.2	47
165	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129	4.2	11
164	Search for W W/W Z resonance production in $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
163	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	36
162	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 780, 557-577	4.2	14
161	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
160	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
159	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
158	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4.2	3
157	Searches for heavy ZZ and ZW resonances in the $\bar{q}q$ and $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	17
156	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
155	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 173-191	4.2	118
154	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
153	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7$ , $\sqrt{s}=13$ TeV) with the ATLAS detector <b>2018</b> , 78, 1		1
152	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}=13$ , $\sqrt{s}=13$ TeV) <b>2018</b> , 78, 1		1
151	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1		1
150	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow bb$ channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14

149	Measurement of the ( $Z \rightarrow \nu \bar{\nu}$ ) production cross section in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
148	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8
147	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
146	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4.2	5
145	Angular analysis of $B \rightarrow D^* \ell \bar{\nu}_\ell$ decays in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	44
144	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 211801	7.4	48
143	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 212301	7.4	18
142	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401	4.2	23
141	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b} \rightarrow \gamma\gamma$ Decay Channel in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 191801	7.4	23
140	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
139	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
138	Search for Higgs boson pair production in the ( $\gamma\gamma b\bar{b}$ ) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
137	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
136	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997	4.2	21
135	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4.2	66
134	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995	4.2	49
133	Search for charged Higgs bosons decaying into top and bottom quarks at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
132	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13

131	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
130	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
129	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
128	Combined measurement of differential and total cross sections in the H $\rightarrow$ bb and the H $\rightarrow$ ZZ $\rightarrow$ 4 $\ell$ decay channels at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 114-133	4.2	14
127	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	48
126	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
125	Observation of H $\rightarrow$ bb decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 59-86	4.2	87
124	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ $\rightarrow$ 4 $\ell$ and ZZ $\rightarrow$ 2 $\ell$ 2 $\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 223-244	4.2	28
123	Search for charged Higgs bosons decaying via H $\rightarrow$ t $\bar{t}$ in the $\ell$ jets and $\ell$ lepton final states with 36 fb <sup>-1</sup> of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
122	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
121	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 152002	7.4	9
120	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
119	Measurement of the Higgs boson mass in the H $\rightarrow$ ZZ $\rightarrow$ 4 $\ell$ and H $\rightarrow$ tt channels with s=13 TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 345-366	4.2	41
118	Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
117	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $\overline{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	31
116	Search for flavour-changing neutral current top-quark decays t $\rightarrow$ tqZ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
115	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4.2	5
114	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2018</b> , 121, 081801	7.4	29

113	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
112	Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 092001	7.4	24
111	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625	4.2	15
110	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 211802	7.4	27
109	Search for a Structure in the $B_{s^0}$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 202007	7.4	28
108	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
107	Measurement of the $[Formula: see text]$ and $[Formula: see text]$ production cross sections in multilepton final states using 3.2 fb $[Formula: see text]$ of $[Formula: see text]$ collisions at $[Formula: see text] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14
106	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
105	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
104	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4.2	5
103	Measurement of the boson polarisation in $[Formula: see text]$ events from collisions at $[Formula: see text] = 8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
102	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61
101	Measurements of top-quark pair differential cross-sections in the $[Formula: see text]$ channel in collisions at $[Formula: see text]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
100	Measurement of the prompt $[Formula: see text]$ pair production cross-section in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
99	Search for triboson $[Formula: see text]$ production in collisions at $[Formula: see text]$ $[Formula: see text]$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
98	Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27
97	Measurements of electroweak $[Formula: see text]$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
96	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4.2	42

95	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
94	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 051802	7.4	29
93	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using $36 \text{ fb}^{-1}$ of pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 181804	7.4	25
92	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 191803	7.4	30
91	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
90	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 775, 206-228	4.2	12
89	Measurement of lepton differential distributions and the top quark mass in production in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11
88	Measurement of the ( $\overline{t}\gamma$ ) production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
87	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
86	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
85	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8
84	Measurement of the ZZ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the $ZZ \rightarrow 2\ell 2\nu$ and ( $ZZ \rightarrow \ell\ell^+\ell\ell^-\nu\overline{\nu}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
83	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
82	Measurements of $\Upsilon(2S)$ and $X(3872) \rightarrow b\bar{b} \Upsilon$ production in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
81	Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s}=13$ ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
80	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52
79	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
78	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29

77	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
76	Precision measurement and interpretation of inclusive , and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
75	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
74	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52
73	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
72	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
71	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
70	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10
69	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
68	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
67	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
66	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
65	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16
64	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15
63	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s}=13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
62	Searches for the Z decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
61	Studies of Z production in association with a high-mass dijet system in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
60	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12

59	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \mu\mu$ in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
58	Study of $t\bar{t}$ production in collisions at $\sqrt{s}=13$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4.2	11
57	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
56	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
55	Top-quark mass measurement in the all-hadronic ( $t\bar{t}$ ) decay channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
54	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
53	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	30
52	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
51	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
50	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P12009-P12009	1	19
49	Measurement of the $k_t$ splitting scales in $Z \rightarrow \mu\mu$ events in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3
48	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
47	Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	50
46	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	126
45	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4.2	19
44	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P05002-P05002	1	7
43	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P11020-P11020	1	7
42	Search for Higgs and Z Boson Decays to $\tau\tau$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2016</b> , 117, 111802	7.4	5



41	Measurement of the ZZ Production Cross Section in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2016</b> , 116, 101801	7.4	25
40	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , <b>2016</b> , 117, 182002	7.4	92
39	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	364
38	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4.2	35
37	Measurement of jet activity in top quark events using the eFinal state with two b-tagged jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
36	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow b\bar{b}$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
35	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
34	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
33	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
32	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7
31	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
30	Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
29	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
28	Search for the Standard Model Higgs boson decaying into ( $\overline{b}b$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
27	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] = 13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53
26	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24
25	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
24	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12

23	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
22	Study of hard double-parton scattering in four-jet events in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
21	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
20	Measurement of event-shape observables in $[Formula: see text]$ events in collisions at $[Formula: see text]$ TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4.2	5
19	Charged-particle distributions in interactions at $[Formula: see text]$ measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
18	Charged-particle distributions at low transverse momentum in $[Formula: see text]$ TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4.2	37
17	Search for bottom squark pair production in proton-proton collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
16	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $[Formula: see text]$ boson in the $[Formula: see text]$ final state produced in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
15	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
14	Measurement of the $[Formula: see text]$ dijet cross section in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4.2	7
13	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
12	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4.2	7
11	Search for the Higgs boson produced in association with a boson and decaying to four $q$ -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16
10	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $[Formula: see text]=13$ TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263
9	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
8	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $[Formula: see text] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20
7	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
6	Measurement of $W^{\pm}$ and Z-boson production cross sections in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 759, 601-621	4.2	64

5	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4.2	27
4	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=3$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4.2	17
3	Search for resonances in diphoton events at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	49
2	Measurement of the top quark mass in the $t\bar{t}$ -dilepton channel from $\sqrt{s}=8$ TeV ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 761, 350-371	4.2	42
1	Measurement of the relative width difference of the ( $\{B\}^0$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5