

Abdolmohamad Rostami

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7523667/abdolmohamad-rostami-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

7,515
citations

46
h-index

83
g-index

158
ext. papers

8,473
ext. citations

6.1
avg, IF

5.72
L-index

#	Paper	IF	Citations
152	CSF-1 maintains pathogenic but not homeostatic myeloid cells in the central nervous system during autoimmune neuroinflammation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2111804119	11.5	0
151	Oral D-mannose treatment suppresses experimental autoimmune encephalomyelitis via induction of regulatory T cells. <i>Journal of Neuroimmunology</i> , 2021 , 362, 577778	3.5	0
150	The effect of 2-amino-3-carboxymuconate-6-semialdehyde decarboxylase gene overexpression in the kynurenine pathway on the expression levels of indoleamine 2,3-dioxygenase 1 and interferon- γ in inflammatory conditions: an in vitro study. <i>Molecular Biology Reports</i> , 2021 , 1	2.8	1
149	CRISPR-mediated rapid generation of neural cell-specific knockout mice facilitates research in neurophysiology and pathology. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021 , 20, 755-764	6.4	0
148	IFN- γ Acts on Monocytes to Ameliorate CNS Autoimmunity by Inhibiting Proinflammatory Cross-Talk Between Monocytes and Th Cells. <i>Frontiers in Immunology</i> , 2021 , 12, 679498	8.4	1
147	Role of extracellular vesicles in neurodegenerative diseases. <i>Progress in Neurobiology</i> , 2021 , 201, 102022	10.9	8
146	Chloroquine reduces Th17 cell differentiation by stimulating T-bet expression in T cells. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 779-780	15.4	1
145	P7C3 attenuates CNS autoimmunity by inhibiting Th17 cell differentiation. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 1565-1567	15.4	
144	Montelukast alleviates inflammation in experimental autoimmune encephalomyelitis by altering Th17 differentiation in a mouse model. <i>Immunology</i> , 2021 , 163, 185-200	7.8	3
143	The SNX-482 peptide from <i>Hysterocrates gigas</i> spider acts as an immunomodulatory molecule activating macrophages. <i>Peptides</i> , 2021 , 146, 170648	3.8	0
142	Oligodendrocyte-derived extracellular vesicles as antigen-specific therapy for autoimmune neuroinflammation in mice. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	18
141	Dimethyl fumarate suppresses granulocyte macrophage colony-stimulating factor-producing Th1 cells in CNS neuroinflammation. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020 , 7,	9.1	4
140	A serine protease inhibitor suppresses autoimmune neuroinflammation by activating the STING/IFN- β axis in macrophages. <i>Cellular and Molecular Immunology</i> , 2020 , 17, 1278-1280	15.4	4
139	RNA-Binding Protein HuR Promotes Th17 Cell Differentiation and Can Be Targeted to Reduce Autoimmune Neuroinflammation. <i>Journal of Immunology</i> , 2020 , 204, 2076-2087	5.3	9
138	Primaquine elicits Foxp3 regulatory T cells with a superior ability to limit CNS autoimmune inflammation. <i>Journal of Autoimmunity</i> , 2020 , 114, 102505	15.5	1
137	Evaluation of the effect of GM-CSF blocking on the phenotype and function of human monocytes. <i>Scientific Reports</i> , 2020 , 10, 1567	4.9	8
136	Potential roles of extracellular vesicles in the pathophysiology, diagnosis, and treatment of autoimmune diseases. <i>International Journal of Biological Sciences</i> , 2020 , 16, 620-632	11.2	34

135	A dual effect of ursolic acid to the treatment of multiple sclerosis through both immunomodulation and direct remyelination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 9082-9093	11.5	30
134	Bone marrow dendritic cells deficient for CD40 and IL-23p19 are tolerogenic. <i>Iranian Journal of Basic Medical Sciences</i> , 2020 , 23, 287-292	1.8	
133	A serine protease inhibitor induces type 1 regulatory T cells through IFN- γ /STAT1 signaling. <i>Cellular and Molecular Immunology</i> , 2020 , 17, 1004-1006	15.4	3
132	IL-9 Controls Central Nervous System Autoimmunity by Suppressing GM-CSF Production. <i>Journal of Immunology</i> , 2020 , 204, 531-539	5.3	4
131	A distinct GM-CSF T helper cell subset requires T-bet to adopt a T1 phenotype and promote neuroinflammation. <i>Science Immunology</i> , 2020 , 5,	28	7
130	Interferon- γ /Interleukin-27 Axis Induces Programmed Death Ligand 1 Expression in Monocyte-Derived Dendritic Cells and Restores Immune Tolerance in Central Nervous System Autoimmunity. <i>Frontiers in Immunology</i> , 2020 , 11, 576752	8.4	2
129	Roles of GM-CSF in the Pathogenesis of Autoimmune Diseases: An Update. <i>Frontiers in Immunology</i> , 2019 , 10, 1265	8.4	59
128	Generation of Oligodendrocyte Progenitor Cells From Mouse Bone Marrow Cells. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 247	6.1	7
127	The selective retinoic acid receptor- β agonist AM580 fails to control autoimmune neuroinflammation. <i>Cellular and Molecular Immunology</i> , 2019 , 16, 727-729	15.4	2
126	Combination Therapy With Fingolimod and Neural Stem Cells Promotes Functional Myelination Through a Non-immunomodulatory Mechanism. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 14	6.1	4
125	Chloroquine-treated dendritic cells require STAT1 signaling for their tolerogenic activity. <i>European Journal of Immunology</i> , 2018 , 48, 1228-1234	6.1	8
124	Elevated expression of granulocyte-macrophage colony-stimulating factor receptor in multiple sclerosis lesions. <i>Journal of Neuroimmunology</i> , 2018 , 317, 45-54	3.5	23
123	Distinct Role of IL-27 in Immature and LPS-Induced Mature Dendritic Cell-Mediated Development of CD4 CD127 ⁺ CD11 Regulatory T Cell Subset. <i>Frontiers in Immunology</i> , 2018 , 9, 2562	8.4	9
122	LINGO-1-Fc-Transduced Neural Stem Cells Are Effective Therapy for Chronic Stage Experimental Autoimmune Encephalomyelitis. <i>Molecular Neurobiology</i> , 2017 , 54, 4365-4378	6.2	24
121	1,25-Dihydroxyvitamin D suppressed experimental autoimmune encephalomyelitis through both immunomodulation and oligodendrocyte maturation. <i>Experimental and Molecular Pathology</i> , 2017 , 102, 515-521	4.4	16
120	Effect of Fingolimod on Neural Stem Cells: A Novel Mechanism and Broadened Application for Neural Repair. <i>Molecular Therapy</i> , 2017 , 25, 401-415	11.7	29
119	LPS-treated bone marrow-derived dendritic cells induce immune tolerance through modulating differentiation of CD4 regulatory T cell subpopulations mediated by 3G11 and CD127. <i>Immunologic Research</i> , 2017 , 65, 630-638	4.3	8
118	DABIL-2 recombinant fusion toxin effect on lymphocyte- and macrophage-producing cytokine subpopulation cells in experimentally induced demyelinating disease in mice. <i>Immunopharmacology and Immunotoxicology</i> , 2017 , 39, 318-329	3.2	1

117	Interaction of RNA-binding protein HuR and miR-466i regulates GM-CSF expression. <i>Scientific Reports</i> , 2017 , 7, 17233	4.9	14
116	CpG Type A Induction of an Early Protective Environment in Experimental Multiple Sclerosis. <i>Mediators of Inflammation</i> , 2017 , 2017, 1380615	4.3	3
115	Apoptotic cell-treated dendritic cells induce immune tolerance by specifically inhibiting development of CD4+ effector memory T cells. <i>Immunologic Research</i> , 2016 , 64, 73-81	4.3	14
114	Neural Stem Cells Engineered to Express Three Therapeutic Factors Mediate Recovery from Chronic Stage CNS Autoimmunity. <i>Molecular Therapy</i> , 2016 , 24, 1456-69	11.7	32
113	Galectin-1 is essential for the induction of MOG35-55 -based intravenous tolerance in experimental autoimmune encephalomyelitis. <i>European Journal of Immunology</i> , 2016 , 46, 1783-96	6.1	19
112	IL-12R β has a protective role in relapsing-remitting experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2016 , 291, 59-69	3.5	9
111	Prevalence of multiple sclerosis in Iranian emigrants: review of the evidence. <i>Neurological Sciences</i> , 2016 , 37, 1759-1763	3.5	15
110	Selective depletion of CD11c CD11b dendritic cells partially abrogates tolerogenic effects of intravenous MOG in murine EAE. <i>European Journal of Immunology</i> , 2016 , 46, 2454-2466	6.1	23
109	c-kit plays a critical role in induction of intravenous tolerance in experimental autoimmune encephalomyelitis. <i>Immunologic Research</i> , 2015 , 61, 294-302	4.3	7
108	Expression of GM-CSF in T Cells Is Increased in Multiple Sclerosis and Suppressed by IFN- β Therapy. <i>Journal of Immunology</i> , 2015 , 194, 5085-93	5.3	102
107	Analysis of 13 cell types reveals evidence for the expression of numerous novel primate- and tissue-specific microRNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E1106-15	11.5	307
106	Silencing IFN- β binding/signaling in astrocytes versus microglia leads to opposite effects on central nervous system autoimmunity. <i>Journal of Immunology</i> , 2015 , 194, 4251-64	5.3	46
105	Mechanisms of immunological tolerance in central nervous system inflammatory demyelination. <i>Clinical and Experimental Neuroimmunology</i> , 2015 , 6, 264-274	0.4	5
104	Emerging immunopharmacological targets in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2015 , 358, 22-30	3.2	20
103	IL-9 signaling affects central nervous system resident cells during inflammatory stimuli. <i>Experimental and Molecular Pathology</i> , 2015 , 99, 570-4	4.4	24
102	Therapeutic effect of baicalin on experimental autoimmune encephalomyelitis is mediated by SOCS3 regulatory pathway. <i>Scientific Reports</i> , 2015 , 5, 17407	4.9	59
101	1,25-Dihydroxyvitamin D3 enhances neural stem cell proliferation and oligodendrocyte differentiation. <i>Experimental and Molecular Pathology</i> , 2015 , 98, 240-5	4.4	82
100	Committed Tc17 cells are phenotypically and functionally resistant to the effects of IL-27. <i>European Journal of Immunology</i> , 2014 , 44, 3003-14	6.1	11

99	Astrocyte-derived lactosylceramide implicated in multiple sclerosis. <i>Nature Medicine</i> , 2014 , 20, 1092-3	50.5	8
98	Immunotherapy using lipopolysaccharide-stimulated bone marrow-derived dendritic cells to treat experimental autoimmune encephalomyelitis. <i>Clinical and Experimental Immunology</i> , 2014 , 178, 447-58	6.2	27
97	Neurotrophin 3 transduction augments remyelinating and immunomodulatory capacity of neural stem cells. <i>Molecular Therapy</i> , 2014 , 22, 440-450	11.7	40
96	DAB389IL-2 suppresses autoimmune inflammation in the CNS and inhibits T cell-mediated lysis of glial target cells. <i>Experimental and Molecular Pathology</i> , 2014 , 96, 108-17	4.4	3
95	Generation of large numbers of highly purified dendritic cells from bone marrow progenitor cells after co-culture with syngeneic murine splenocytes. <i>Experimental and Molecular Pathology</i> , 2013 , 94, 336-42	4.4	11
94	Anti-MS4a4B treatment abrogates MS4a4B-mediated protection in T cells and ameliorates experimental autoimmune encephalomyelitis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013 , 18, 1106-19	5.4	10
93	Intravenous transfer of apoptotic cell-treated dendritic cells leads to immune tolerance by blocking Th17 cell activity. <i>Immunobiology</i> , 2013 , 218, 1069-76	3.4	22
92	Low dose zymosan ameliorates both chronic and relapsing experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2013 , 254, 28-38	3.5	21
91	Immune tolerance induced by intravenous transfer of immature dendritic cells via up-regulating numbers of suppressive IL-10(+) IFN- γ -producing CD4(+) T cells. <i>Immunologic Research</i> , 2013 , 56, 1-8	4.3	29
90	Role of Th17 cells in the pathogenesis of CNS inflammatory demyelination. <i>Journal of the Neurological Sciences</i> , 2013 , 333, 76-87	3.2	174
89	Independent and interdependent immunoregulatory effects of IL-27, IFN- γ and IL-10 in the suppression of human Th17 cells and murine experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2013 , 190, 3225-34	5.3	36
88	Interleukin-10 plays a crucial role in suppression of experimental autoimmune encephalomyelitis by Bowman-Birk inhibitor. <i>Journal of Neuroimmunology</i> , 2012 , 245, 1-7	3.5	33
87	Intravenous tolerance effectively overcomes enhanced pro-inflammatory responses and experimental autoimmune encephalomyelitis severity in the absence of IL-12 receptor signaling. <i>Journal of Neuroimmunology</i> , 2012 , 247, 32-7	3.5	9
86	TCR stimulation upregulates MS4a4B expression through induction of AP-1 transcription factor during T cell activation. <i>Molecular Immunology</i> , 2012 , 52, 71-8	4.3	8
85	Accelerated and enhanced effect of CCR5-transduced bone marrow neural stem cells on autoimmune encephalomyelitis. <i>Acta Neuropathologica</i> , 2012 , 124, 491-503	14.3	27
84	Role of serine proteases in inflammation: Bowman-Birk protease inhibitor (BBI) as a potential therapy for autoimmune diseases. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 428-33	4.4	55
83	CNS-specific therapy for ongoing EAE by silencing IL-17 pathway in astrocytes. <i>Molecular Therapy</i> , 2012 , 20, 1338-48	11.7	60
82	IL-10 deficiency blocks the ability of LPS to regulate expression of tolerance-related molecules on dendritic cells. <i>European Journal of Immunology</i> , 2012 , 42, 1449-58	6.1	22

81	3G11 expression in CD4+ T cell-mediated autoimmunity and immune tolerance. <i>International Immunopharmacology</i> , 2011 , 11, 593-6	5.8	4
80	The encephalitogenicity of T(H)17 cells is dependent on IL-1- and IL-23-induced production of the cytokine GM-CSF. <i>Nature Immunology</i> , 2011 , 12, 568-75	19.1	775
79	Bowman-Birk Inhibitor attenuates experimental autoimmune encephalomyelitis by delaying infiltration of inflammatory cells into the CNS. <i>Immunologic Research</i> , 2011 , 51, 145-52	4.3	13
78	Generation of immunogenic and tolerogenic clinical-grade dendritic cells. <i>Immunologic Research</i> , 2011 , 51, 153-60	4.3	48
77	IL-9 is important for T-cell activation and differentiation in autoimmune inflammation of the central nervous system. <i>European Journal of Immunology</i> , 2011 , 41, 2197-206	6.1	61
76	Kit (W-sh) mice develop earlier and more severe experimental autoimmune encephalomyelitis due to absence of immune suppression. <i>Journal of Immunology</i> , 2011 , 187, 274-82	5.3	46
75	Neutralization of IL-9 ameliorates experimental autoimmune encephalomyelitis by decreasing the effector T cell population. <i>Journal of Immunology</i> , 2010 , 185, 4095-100	5.3	94
74	Oral resveratrol reduces neuronal damage in a model of multiple sclerosis. <i>Journal of Neuro-Ophthalmology</i> , 2010 , 30, 328-39	2.6	142
73	Targeting ganglioside epitope 3G11 on the surface of CD4+ T cells suppresses EAE by altering the Treg/Th17 cell balance. <i>International Immunology</i> , 2010 , 22, 817-26	4.9	6
72	IDO upregulates regulatory T cells via tryptophan catabolite and suppresses encephalitogenic T cell responses in experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2010 , 185, 5953-61	5.3	238
71	T-cell based immunotherapy in experimental autoimmune encephalomyelitis and multiple sclerosis. <i>Immunotherapy</i> , 2010 , 2, 99-115	3.8	25
70	Expression of 3G11 epitope defines subpopulations of regulatory T cells with different suppressive potency. <i>Journal of the Neurological Sciences</i> , 2010 , 295, 66-74	3.2	3
69	Evaluation of bone marrow- and brain-derived neural stem cells in therapy of central nervous system autoimmunity. <i>American Journal of Pathology</i> , 2010 , 177, 1989-2001	5.8	53
68	IL-9: basic biology, signaling pathways in CD4+ T cells and implications for autoimmunity. <i>Journal of NeuroImmune Pharmacology</i> , 2010 , 5, 198-209	6.9	62
67	Current views on the roles of Th1 and Th17 cells in experimental autoimmune encephalomyelitis. <i>Journal of NeuroImmune Pharmacology</i> , 2010 , 5, 189-97	6.9	171
66	The TLR7 agonist, imiquimod, increases IFN-beta production and reduces the severity of experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2010 , 221, 107-11	3.5	30
65	Suppression of murine experimental autoimmune encephalomyelitis by interleukin-2 receptor targeted fusion toxin, DAB(389)IL-2. <i>Cellular Immunology</i> , 2010 , 261, 144-52	4.4	6
64	MS4a4B, a CD20 homologue in T cells, inhibits T cell propagation by modulation of cell cycle. <i>PLoS ONE</i> , 2010 , 5, e13780	3.7	19

63	Therapeutic potential of IL-27 in multiple sclerosis?. <i>Expert Opinion on Biological Therapy</i> , 2009 , 9, 149-60	5.4	9
62	Differential effect of IL-27 on developing versus committed Th17 cells. <i>Journal of Immunology</i> , 2009 , 183, 4957-67	5.3	88
61	Intravenous tolerance modulates macrophage classical activation and antigen presentation in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2009 , 208, 54-60	3.5	16
60	MOG(35-55) i.v suppresses experimental autoimmune encephalomyelitis partially through modulation of Th17 and JAK/STAT pathways. <i>European Journal of Immunology</i> , 2009 , 39, 789-99	6.1	20
59	IL-23 drives pathogenic IL-17-producing CD8+ T cells. <i>Journal of Immunology</i> , 2009 , 182, 5296-305	5.3	164
58	Cellular remyelinating therapy in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2009 , 276, 1-5	3.2	19
57	Adult neural stem cells expressing IL-10 confer potent immunomodulation and remyelination in experimental autoimmune encephalitis. <i>Journal of Clinical Investigation</i> , 2009 , 119, 3678-91	15.9	139
56	Inducible IL-23p19 expression in human microglia via p38 MAPK and NF-kappaB signal pathways. <i>Experimental and Molecular Pathology</i> , 2008 , 84, 1-8	4.4	33
55	Bowman-Birk inhibitor suppresses autoimmune inflammation and neuronal loss in a mouse model of multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2008 , 271, 191-202	3.2	28
54	Inflammatory demyelination induces axonal injury and retinal ganglion cell apoptosis in experimental optic neuritis. <i>Experimental Eye Research</i> , 2008 , 87, 208-13	3.7	109
53	CD11c+CD11b+ dendritic cells play an important role in intravenous tolerance and the suppression of experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2008 , 181, 2483-93	5.3	91
52	Magnetic cell sorting: a fast and effective method of concurrent isolation of high purity viable astrocytes and microglia from neonatal mouse brain tissue. <i>Journal of Neuroscience Methods</i> , 2008 , 175, 108-18	3	64
51	IDO: a double-edged sword for T(H)1/T(H)2 regulation. <i>Immunology Letters</i> , 2008 , 121, 1-6	4.1	89
50	Effect of DAB(389)IL-2 immunotoxin on the course of experimental autoimmune encephalomyelitis in Lewis rats. <i>Journal of the Neurological Sciences</i> , 2007 , 263, 59-69	3.2	18
49	SIRT1 activation confers neuroprotection in experimental optic neuritis. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 3602-9		140
48	Suppression of autoimmune inflammation of the central nervous system by interleukin 10 secreted by interleukin 27-stimulated T cells. <i>Nature Immunology</i> , 2007 , 8, 1372-9	19.1	438
47	The PD-1/PD-L pathway is up-regulated during IL-12-induced suppression of EAE mediated by IFN-gamma. <i>Journal of Neuroimmunology</i> , 2007 , 185, 75-86	3.5	48
46	Antigen presenting cells treated in vitro by macrophage colony-stimulating factor and autoantigen protect mice from autoimmunity. <i>Journal of Neuroimmunology</i> , 2007 , 192, 68-78	3.5	12

45	Increased IL-23p19 expression in multiple sclerosis lesions and its induction in microglia. <i>Brain</i> , 2007 , 130, 490-501	11.2	130
44	Suppressive effect of IL-27 on encephalitogenic Th17 cells and the effector phase of experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2007 , 179, 3268-75	5.3	238
43	Loss of the surface antigen 3G11 characterizes a distinct population of anergic/regulatory T cells in experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2006 , 176, 3366-73	5.3	10
42	Retinal ganglion cell loss induced by acute optic neuritis in a relapsing model of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006 , 12, 526-32	5	64
41	Cutting Edge: TLR3 stimulation suppresses experimental autoimmune encephalomyelitis by inducing endogenous IFN-beta. <i>Journal of Immunology</i> , 2006 , 177, 7505-9	5.3	121
40	Dendritic cells transduced with SOCS-3 exhibit a tolerogenic/DC2 phenotype that directs type 2 Th cell differentiation in vitro and in vivo. <i>Journal of Immunology</i> , 2006 , 177, 1679-88	5.3	117
39	IL-27 subunits and its receptor (WSX-1) mRNAs are markedly up-regulated in inflammatory cells in the CNS during experimental autoimmune encephalomyelitis. <i>Journal of the Neurological Sciences</i> , 2005 , 232, 3-9	3.2	58
38	Astrocytes as antigen-presenting cells: expression of IL-12/IL-23. <i>Journal of Neurochemistry</i> , 2005 , 95, 331-40	6	102
37	A paradoxical role of APCs in the induction of intravenous tolerance in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2005 , 161, 101-12	3.5	15
36	Glucosamine abrogates the acute phase of experimental autoimmune encephalomyelitis by induction of Th2 response. <i>Journal of Immunology</i> , 2005 , 175, 7202-8	5.3	51
35	T cell and antibody responses in remitting-relapsing experimental autoimmune encephalomyelitis in (C57BL/6 x SJL) F1 mice. <i>Journal of Neuroimmunology</i> , 2004 , 148, 1-10	3.5	27
34	Early administration of IL-12 suppresses EAE through induction of interferon-gamma. <i>Journal of Neuroimmunology</i> , 2004 , 156, 123-31	3.5	47
33	Role of IL-12 receptor beta 1 in regulation of T cell response by APC in experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2003 , 171, 4485-92	5.3	76
32	Skeletal muscle myosin is the autoantigen for experimental autoimmune myositis. <i>Experimental and Molecular Pathology</i> , 2003 , 74, 238-43	4.4	14
31	Differential expression and regulation of IL-23 and IL-12 subunits and receptors in adult mouse microglia. <i>Journal of the Neurological Sciences</i> , 2003 , 215, 95-103	3.2	70
30	Induction of experimental autoimmune encephalomyelitis in IL-12 receptor-beta 2-deficient mice: IL-12 responsiveness is not required in the pathogenesis of inflammatory demyelination in the central nervous system. <i>Journal of Immunology</i> , 2003 , 170, 2153-60	5.3	258
29	Parenchymal microglia of naïve adult C57BL/6J mice express high levels of B7.1, B7.2, and MHC class II. <i>Experimental and Molecular Pathology</i> , 2002 , 73, 35-45	4.4	47
28	Study of disabling T-cell activation and inhibiting T-cell-mediated immunopathology reveals a possible inverse agonist activity of CD4 peptidomimetics. <i>Experimental and Molecular Pathology</i> , 2002 , 73, 93-103	4.4	4

27	IL-12p35-deficient mice are susceptible to experimental autoimmune encephalomyelitis: evidence for redundancy in the IL-12 system in the induction of central nervous system autoimmune demyelination. <i>Journal of Immunology</i> , 2002 , 169, 7104-10	5.3	319
26	The role of IL-12 in the induction of intravenous tolerance in experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2002 , 168, 2501-7	5.3	26
25	T cells, cytokines, and autoantigens in multiple sclerosis. <i>Current Neurology and Neuroscience Reports</i> , 2001 , 1, 263-70	6.6	21
24	Cutting edge: C3, a key component of complement activation, is not required for the development of myelin oligodendrocyte glycoprotein peptide-induced experimental autoimmune encephalomyelitis in mice. <i>Journal of Immunology</i> , 2001 , 166, 723-6	5.3	75
23	Modulation of susceptibility and resistance to an autoimmune model of multiple sclerosis in prototypically susceptible and resistant strains by neutralization of interleukin-12 and interleukin-4, respectively. <i>Clinical Immunology</i> , 2001 , 98, 23-30	9	40
22	Experimental allergic neuritis in the SJL/J mouse: induction of severe and reproducible disease with bovine peripheral nerve myelin and pertussis toxin with or without interleukin-12. <i>Journal of Neuroimmunology</i> , 2000 , 107, 1-7	3.5	29
21	Flow cytometric analysis of infiltrating cells in the peripheral nerves in experimental allergic neuritis. <i>Journal of Neuroimmunology</i> , 2000 , 108, 181-91	3.5	30
20	The suppressive effect of TGF-beta on IL-12-mediated immune modulation specific to a peptide Ac1-11 of myelin basic protein (MBP): a mechanism involved in inhibition of both IL-12 receptor beta1 and beta2. <i>Journal of Neuroimmunology</i> , 2000 , 108, 53-63	3.5	17
19	Mechanisms of suppression of experimental autoimmune encephalomyelitis by intravenous administration of myelin basic protein: role of regulatory spleen cells. <i>Experimental and Molecular Pathology</i> , 2000 , 68, 29-37	4.4	25
18	Chemokine mRNA expression in the cauda equina of Lewis rats with experimental allergic neuritis. <i>Journal of Neuroimmunology</i> , 1999 , 97, 51-9	3.5	30
17	The expression of CD59 in experimental allergic neuritis. <i>Journal of the Neurological Sciences</i> , 1999 , 165, 154-9	3.2	14
16	Reversal of spontaneous progressive autoimmune encephalomyelitis by myelin basic protein-induced clonal deletion. <i>Autoimmunity</i> , 1999 , 31, 219-27	3	15
15	The expression of cytokine mRNA in the cauda equina of Lewis rats with experimental allergic neuritis. <i>Journal of Neuroimmunology</i> , 1998 , 84, 223-9	3.5	18
14	Suppression of experimental autoimmune neuritis by phosphodiesterase inhibitor pentoxifylline. <i>Journal of the Neurological Sciences</i> , 1996 , 143, 14-8	3.2	16
13	Demyelination following transfer of human lymphocytes into mice with severe combined immunodeficiency. <i>Pathobiology</i> , 1996 , 64, 136-41	3.6	3
12	Primary central nervous system lymphoma following transfer of human peripheral blood lymphocytes into SCID mice. <i>Pathobiology</i> , 1995 , 63, 188-91	3.6	2
11	A longitudinal study of the T cell activation marker CD26 in chronic progressive multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 1995 , 130, 178-82	3.2	28
10	Effects of the angiotensin converting enzyme inhibitor captopril on experimental autoimmune encephalomyelitis. <i>Immunopharmacology and Immunotoxicology</i> , 1995 , 17, 471-91	3.2	47

9	Neuritogenic Lewis rat T cells use Tcrb chains that include a new Tcrb-V8 family member. <i>Immunogenetics</i> , 1994 , 40, 266-70	3.2	14
8	Regulation of experimental autoimmune neuritis by transforming growth factor-beta 1. <i>Cellular Immunology</i> , 1994 , 156, 102-12	4.4	25
7	Delayed-type hypersensitivity response in experimental autoimmune neuritis treated with peptide-coupled spleen cells. <i>Journal of Neuroimmunology</i> , 1994 , 51, 69-75	3.5	6
6	Magnetic resonance imaging of the cauda equina in chronic inflammatory demyelinating polyneuropathy. <i>Annals of Neurology</i> , 1993 , 33, 311-3	9.4	38
5	Induction of peripheral tolerance with peptide-specific anergy in experimental autoimmune neuritis. <i>Cellular Immunology</i> , 1993 , 150, 298-310	4.4	41
4	Evolution of the cellular response in P2-induced experimental allergic neuritis. <i>Pathobiology</i> , 1992 , 60, 108-112	3.6	13
3	Shared T-cell receptor gene usage in experimental allergic neuritis and encephalomyelitis. <i>Annals of Neurology</i> , 1992 , 31, 587-92	9.4	27
2	Peptide 53-78 of myelin P2 protein is a T cell epitope for the induction of experimental autoimmune neuritis. <i>Cellular Immunology</i> , 1991 , 132, 433-41	4.4	33
1	Induction of severe experimental autoimmune neuritis with a synthetic peptide corresponding to the 53-78 amino acid sequence of the myelin P2 protein. <i>Journal of Neuroimmunology</i> , 1990 , 30, 145-51	3.5	75