## **Ã**frica Flores

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7525563/publications.pdf Version: 2024-02-01



**AFRICA FLORES** 

#	Article	IF	CITATIONS
1	The Hypocretin/Orexin System Mediates the Extinction of Fear Memories. Neuropsychopharmacology, 2014, 39, 2732-2741.	2.8	112
2	Orexins and fear: implications for the treatment of anxiety disorders. Trends in Neurosciences, 2015, 38, 550-559.	4.2	83
3	Hypocretin/Orexin Signaling in the Hypothalamic Paraventricular Nucleus is Essential for the Expression of Nicotine Withdrawal. Biological Psychiatry, 2012, 71, 214-223.	0.7	77
4	A Role for Hypocretin/Orexin Receptor-1 in Cue-Induced Reinstatement of Nicotine-Seeking Behavior. Neuropsychopharmacology, 2013, 38, 1724-1736.	2.8	62
5	Cannabinoid-hypocretin cross-talk in the central nervous system: what we know so far. Frontiers in Neuroscience, 2013, 7, 256.	1.4	55
6	Lost in translation: how to upgrade fear memory research. Molecular Psychiatry, 2018, 23, 2122-2132.	4.1	41
7	Influence of Î-Opioid Receptors in the Behavioral Effects of Nicotine. Neuropsychopharmacology, 2012, 37, 2332-2344.	2.8	38
8	The Hypocretin/Orexin Receptor-1 as a Novel Target to Modulate Cannabinoid Reward. Biological Psychiatry, 2014, 75, 499-507.	0.7	38
9	Facilitation of Contextual Fear Extinction by Orexin-1 Receptor Antagonism Is Associated with the Activation of Specific Amygdala Cell Subpopulations. International Journal of Neuropsychopharmacology, 2017, 20, 654-659.	1.0	34
10	Role of β4* Nicotinic Acetylcholine Receptors in the Habenulo–Interpeduncular Pathway in Nicotine Reinforcement in Mice. Neuropsychopharmacology, 2016, 41, 1790-1802.	2.8	30
11	CB 1 Cannabinoid Receptors Mediate Cognitive Deficits and Structural Plasticity Changes During Nicotine Withdrawal. Biological Psychiatry, 2017, 81, 625-634.	0.7	24
12	When orexins meet cannabinoids: Bidirectional functional interactions. Biochemical Pharmacology, 2018, 157, 43-50.	2.0	20
13	Involvement of the orexin/hypocretin system in the pharmacological effects induced by Δ <sup>9</sup> â€ŧetrahydrocannabinol. British Journal of Pharmacology, 2016, 173, 1381-1392.	2.7	18
14	Cervical Electrical Neuromodulation Effectively Enhances Hand Motor Output in Healthy Subjects by Engaging a Use-Dependent Intervention. Journal of Clinical Medicine, 2021, 10, 195.	1.0	16
15	Transcutaneous Electrical Neuromodulation of the Cervical Spinal Cord Depends Both on the Stimulation Intensity and the Degree of Voluntary Activity for Training. A Pilot Study. Journal of Clinical Medicine, 2021, 10, 3278.	1.0	14
16	Amygdalar CB2 cannabinoid receptor mediates fear extinction deficits promoted by orexin-A/hypocretin-1. Biomedicine and Pharmacotherapy, 2022, 149, 112925.	2.5	11
17	THC exposure during adolescence does not modify nicotine reinforcing effects and relapse in adult male mice. Psychopharmacology, 2020, 237, 801-809.	1.5	9
18	When Spinal Neuromodulation Meets Sensorimotor Rehabilitation: Lessons Learned From Animal Models to Regain Manual Dexterity After a Spinal Cord Injury. Frontiers in Rehabilitation Sciences, 2021, 2, .	0.5	4

0

#	Article	IF	CITATIONS
19	Long-term rehabilitation reduces task error variability in cervical spinal cord contused rats. Experimental Neurology, 2022, 348, 113928.	2.0	2

20 The Hypocretin/Orexin System and Fear Learning. , 2019, , 155-170.