

Jens Christoffer Skogen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7526643/publications.pdf>

Version: 2024-02-01

117
papers

9,855
citations

159358

30
h-index

38300

95
g-index

127
all docs

127
docs citations

127
times ranked

19849
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1545-1602.	6.3	5,298
2	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1603-1658.	6.3	1,612
3	The Health Status of Nonparticipants in a Population-based Health Study: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1306-1314.	1.6	271
4	Anxiety and depression among abstainers and low-level alcohol consumers. <i>The Nord-Trøndelag Health Study</i> . <i>Addiction</i> , 2009, 104, 1519-1529.	1.7	146
5	Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. <i>Diabetes Care</i> , 2017, 40, 352-358.	4.3	102
6	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017, 12, e0169575.	1.1	102
7	Social Media Use and Mental Health and Well-Being Among Adolescents – A Scoping Review. <i>Frontiers in Psychology</i> , 2020, 11, 1949.	1.1	97
8	The fetal origins of adult disease: a narrative review of the epidemiological literature. <i>JRSM Short Reports</i> , 2012, 3, 1-7.	0.6	81
9	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1365-1373.	0.5	81
10	The Strengths and Difficulties Questionnaire (SDQ): Factor Structure and Gender Equivalence in Norwegian Adolescents. <i>PLoS ONE</i> , 2016, 11, e0152202.	1.1	73
11	Sleep and use of alcohol and drug in adolescence. A large population-based study of Norwegian adolescents aged 16 to 19 years. <i>Drug and Alcohol Dependence</i> , 2015, 149, 180-186.	1.6	72
12	Prevalence of mental disorders, suicidal ideation and suicides in the general population before and during the COVID-19 pandemic in Norway: A population-based repeated cross-sectional analysis. <i>Lancet Regional Health - Europe</i> , The, 2021, 4, 100071.	3.0	70
13	Emotional Eating in Relation to Worries and Psychological Distress Amid the COVID-19 Pandemic: A Population-Based Survey on Adults in Norway. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 130.	1.2	67
14	Trends in self-reported psychological distress among college and university students from 2010 to 2018. <i>Psychological Medicine</i> , 2021, 51, 470-478.	2.7	66
15	Alcohol and drug use among adolescents: and the co-occurrence of mental health problems. <i>Ung@hordaland, a population-based study</i> . <i>BMJ Open</i> , 2014, 4, e005357-e005357.	0.8	65
16	Adolescent Neck and Shoulder Pain – The Association With Depression, Physical Activity, Screen-Based Activities, and Use of Health Care Services. <i>Journal of Adolescent Health</i> , 2014, 55, 366-372.	1.2	64
17	Alcohol Consumption during a Pandemic Lockdown Period and Change in Alcohol Consumption Related to Worries and Pandemic Measures. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1220.	1.2	60
18	Life expectancy and disease burden in the Nordic countries: results from the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet Public Health</i> , The, 2019, 4, e658-e669.	4.7	56

#	ARTICLE	IF	CITATIONS
19	Concurrent validity of the CAGE questionnaire. The Nord-Trøndelag Health Study. <i>Addictive Behaviors</i> , 2011, 36, 302-307.	1.7	47
20	Externalizing behavior problems are related to substance use in adolescents across six samples from Nordic countries. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1551-1561.	2.8	45
21	Locked and lonely? A longitudinal assessment of loneliness before and during the COVID-19 pandemic in Norway. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 766-773.	1.2	45
22	Symptoms of Depression and Difficulty Initiating Sleep from Early Adolescence to Early Adulthood: A Longitudinal Study. <i>Sleep</i> , 2015, 38, 1599-1606.	0.6	42
23	Alcohol and Illicit Drug Use Are Important Factors for School-Related Problems among Adolescents. <i>Frontiers in Psychology</i> , 2017, 8, 1023.	1.1	40
24	Trajectories and stability of self-reported short sleep duration from adolescence to adulthood. <i>Journal of Sleep Research</i> , 2015, 24, 621-628.	1.7	37
25	Suicide among people treated for drug use disorders: a Danish national record-linkage study. <i>BMC Public Health</i> , 2020, 20, 146.	1.2	37
26	Posttraumatic symptom profiles among adult survivors of childhood sexual abuse: A longitudinal study. <i>Child Abuse and Neglect</i> , 2017, 67, 280-293.	1.3	35
27	Symptoms of anxiety and depression in type 2 diabetes: Associations with clinical diabetes measures and self-management outcomes in the Norwegian HUNT study. <i>Psychoneuroendocrinology</i> , 2017, 84, 116-123.	1.3	35
28	Alcohol consumption, problem drinking, abstinence and disability pension award. The Nord-Trøndelag Health Study (HUNT). <i>Addiction</i> , 2012, 107, 98-108.	1.7	34
29	Psychometric properties and concurrent validity of the CRAFFT among Norwegian adolescents. Ung@hordaland, a population-based study. <i>Addictive Behaviors</i> , 2013, 38, 2500-2505.	1.7	34
30	The factor structure of the Hopkins Symptoms Checklist (HSCL-25) in a student population: A cautionary tale. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 357-365.	1.2	34
31	Perceived consequences and worries among youth in Norway during the COVID-19 pandemic lockdown. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 755-765.	1.2	34
32	Trajectories of alcohol use and association with symptoms of depression from early to late adolescence: The Norwegian longitudinal Health Behaviour Study. <i>Drug and Alcohol Review</i> , 2016, 35, 307-316.	1.1	33
33	Moving into poverty during childhood is associated with later sleep problems. <i>Sleep Medicine</i> , 2017, 37, 54-59.	0.8	31
34	Monthly variations in self-report of time-specified and typical alcohol use: The Nord-Trøndelag Health Study (HUNT3). <i>BMC Public Health</i> , 2015, 15, 172.	1.2	30
35	Health anxiety and risk of ischaemic heart disease: a prospective cohort study linking the Hordaland Health Study (HUSK) with the Cardiovascular Diseases in Norway (CVDNOR) project. <i>BMJ Open</i> , 2016, 6, e012914.	0.8	30
36	Differential associations between types of social media use and university students' non-suicidal self-injury and suicidal behavior. <i>Computers in Human Behavior</i> , 2021, 115, 106614.	5.1	28

#	ARTICLE	IF	CITATIONS
37	Midlife mental distress and risk for dementia up to 27 years later: the Nord-Trøndelag Health Study (HUNT) in linkage with a dementia registry in Norway. <i>BMC Geriatrics</i> , 2015, 15, 23.	1.1	27
38	The associations between employees' risky drinking and sociodemographics, and implications for intervention needs. <i>BMC Public Health</i> , 2018, 18, 735.	1.2	27
39	Alcohol consumption, life satisfaction and mental health among Norwegian college and university students. <i>Addictive Behaviors Reports</i> , 2019, 10, 100216.	1.0	26
40	How do Norwegian adolescents experience the role of social media in relation to mental health and well-being: a qualitative study. <i>BMC Psychology</i> , 2021, 9, 78.	0.9	25
41	What characterizes individuals developing chronic whiplash?: The Nord-Trøndelag Health Study (HUNT). <i>Journal of Psychosomatic Research</i> , 2013, 74, 393-400.	1.2	23
42	Evidence for essential unidimensionality of AUDIT and measurement invariance across gender, age and education. Results from the WIRUS study. <i>Drug and Alcohol Dependence</i> , 2019, 202, 87-92.	1.6	23
43	Who reported having a high-strain job, low-strain job, active job and passive job? The WIRUS Screening study. <i>PLoS ONE</i> , 2019, 14, e0227336.	1.1	23
44	Through the Looking Glass of Social Media. Focus on Self-Presentation and Association with Mental Health and Quality of Life. A Cross-Sectional Survey-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3319.	1.2	23
45	Insomnia before and after childbirth: The risk of developing postpartum pain? A longitudinal population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 348-354.	0.5	22
46	Economic volatility in childhood and subsequent adolescent mental health problems: a longitudinal population-based study of adolescents. <i>BMJ Open</i> , 2017, 7, e017030.	0.8	22
47	Confirmatory factor analysis and item response theory analysis of the Whiteley Index. Results from a large population based study in Norway. The Hordaland Health Study (HUSK). <i>Journal of Psychosomatic Research</i> , 2014, 77, 213-218.	1.2	20
48	Psychiatric Diagnoses Differ Considerably in Their Associations With Alcohol/Drug-Related Problems Among Adolescents. A Norwegian Population-Based Survey Linked With National Patient Registry Data. <i>Frontiers in Psychology</i> , 2019, 10, 1003.	1.1	20
49	The Association Between Self-Reported Screen Time, Social Media Addiction, and Sleep Among Norwegian University Students. <i>Frontiers in Public Health</i> , 2021, 9, 794307.	1.3	20
50	Maternal pre-pregnancy risk drinking and toddler behavior problems: the Norwegian Mother and Child Cohort Study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 901-911.	2.8	19
51	Effort-Reward Imbalance Is Associated With Alcohol-Related Problems. WIRUS-Screening Study. <i>Frontiers in Psychology</i> , 2019, 10, 2079.	1.1	18
52	Emerging mental health problems during the COVID-19 pandemic among presumably resilient youth - a 9-month follow-up. <i>BMC Psychiatry</i> , 2022, 22, 67.	1.1	18
53	Maternal heavy alcohol use and toddler behavior problems: a fixed effects regression analysis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1269-1277.	2.8	17
54	Somatic symptoms beyond those generally associated with a whiplash injury are increased in self-reported chronic whiplash. A population-based cross sectional study: the Hordaland Health Study (HUSK). <i>BMC Psychiatry</i> , 2012, 12, 129.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Risky drinking among Norwegian students: Associations with participation in the introductory week, academic performance and alcohol-related attitudes. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2016, 33, 361-380.	0.7	16
56	Insomnia symptom trajectories among adult survivors of childhood sexual abuse: A longitudinal study. <i>Child Abuse and Neglect</i> , 2019, 93, 263-276.	1.3	16
57	Sociodemographic characteristics associated with alcohol consumption and alcohol-related consequences, a latent class analysis of The Norwegian WIRUS screening study. <i>BMC Public Health</i> , 2019, 19, 1364.	1.2	16
58	Alcohol-related problems among college and university students in Norway: extent of the problem. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 402-410.	1.2	16
59	Prospective associations between childhood externalising and internalising problems and adolescent alcohol and drug use. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2018, 35, 357-371.	0.7	15
60	Satisfaction With Life, Mental Health Problems and Potential Alcohol-Related Problems Among Norwegian University Students. <i>Frontiers in Psychiatry</i> , 2021, 12, 578180.	1.3	15
61	Cannabis use among Norwegian university students: Gender differences, legalization support and use intentions, risk perceptions, and use disorder. <i>Addictive Behaviors Reports</i> , 2021, 13, 100339.	1.0	15
62	Electromagnetic hypersensitivity (EHS) in the media – a qualitative content analysis of Norwegian newspapers. <i>JRSM Short Reports</i> , 2013, 4, 204253331348733.	0.6	14
63	Physical activity is independently associated with reduced mortality: 15-years follow-up of the Hordaland Health Study (HUSK). <i>PLoS ONE</i> , 2017, 12, e0172932.	1.1	14
64	Factors Related to Non-recovery from Whiplash. The Nord-Trøndelag Health Study (HUNT). <i>International Journal of Behavioral Medicine</i> , 2014, 21, 430-438.	0.8	13
65	Use of alcohol, tobacco and illicit drugs among ethnic Norwegian and ethnic minority adolescents in Hordaland county, Norway: the youth@hordaland-survey. <i>Ethnicity and Health</i> , 2018, 23, 43-56.	1.5	13
66	Increased Gaming During COVID-19 Predicts Physical Inactivity Among Youth in Norway – A Two-Wave Longitudinal Cohort Study. <i>Frontiers in Public Health</i> , 2022, 10, 812932.	1.3	13
67	Current practices and perceived implementation barriers for working with alcohol prevention in occupational health services: the WIRUS OHS study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 30.	1.0	12
68	Economic Circumstances in Childhood and Subsequent Substance Use in Adolescence – A Latent Class Analysis: The youth@hordaland Study. <i>Frontiers in Psychology</i> , 2019, 10, 1115.	1.1	12
69	Increasing similarities between young adults' smoking and snus use in Norway: a study of the trends and stages of smoking and snus epidemic from 2010 to 2018. <i>BMC Public Health</i> , 2020, 20, 1511.	1.2	12
70	Self-Reported Illicit Drug Use Among Norwegian University and College Students. Associations With Age, Gender, and Geography. <i>Frontiers in Psychiatry</i> , 2020, 11, 543507.	1.3	12
71	Alcohol and drug use among internationally adopted adolescents: Results from a Norwegian population-based study. <i>American Journal of Orthopsychiatry</i> , 2018, 88, 226-235.	1.0	12
72	Time spent on social media and alcohol use among adolescents: A longitudinal study. <i>Addictive Behaviors</i> , 2022, 130, 107294.	1.7	11

#	ARTICLE	IF	CITATIONS
73	Associations between adverse childhood experiences and adversities later in life. Survey data from a high-risk Norwegian sample. <i>Child Abuse and Neglect</i> , 2019, 98, 104234.	1.3	10
74	Fear of missing out and binge drinking among adolescents. <i>Drug and Alcohol Review</i> , 2022, 41, 230-237.	1.1	10
75	Snus use and cardiovascular risk factors in the general population: the HUNT3 study. <i>Addiction</i> , 2013, 108, 2019-2028.	1.7	9
76	Population attributable fractions for Type 2 diabetes: an examination of multiple risk factors including symptoms of depression and anxiety. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 84.	1.2	9
77	Central themes, core concepts and knowledge gaps concerning social media use, and mental health and well-being among adolescents: a protocol of a scoping review of published literature. <i>BMJ Open</i> , 2020, 10, e031105.	0.8	9
78	Lower Subjective Socioeconomic Status Is Associated With Increased Risk of Reporting Negative Experiences on Social Media. Findings From the "LifeOnSoMe" Study. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	9
79	The impact of early life factors on cognitive function in old age: The Hordaland Health Study (HUSK). <i>BMC Psychology</i> , 2013, 1, 16.	0.9	8
80	The prospective association between health anxiety and cancer detection: A cohort study linking the Hordaland Health Study (HUSK) with the Norwegian Cancer Registry. <i>Journal of Psychosomatic Research</i> , 2015, 79, 148-152.	1.2	8
81	Gender Differences in the Association between Positive Drinking Attitudes and Alcohol-Related Problems. The WIRUS Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5949.	1.2	8
82	How the Norwegian population was affected by non-pharmaceutical interventions during the first six weeks of the COVID-19 lockdown. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 94-101.	1.2	8
83	The Norwegian student introductory week: who takes part, and is participation associated with better social integration and satisfaction among students?. <i>European Journal of Higher Education</i> , 2017, 7, 136-152.	1.6	7
84	A Review of the Relationship Between Social Media Use and Online Prosocial Behavior Among Adolescents. <i>Frontiers in Psychology</i> , 2021, 12, 579347.	1.1	7
85	Pain and pain tolerance in whiplash-associated disorders: A population-based study. <i>European Journal of Pain</i> , 2016, 20, 949-958.	1.4	6
86	A systematic review and meta-analysis uncovering the relationship between alcohol consumption and sickness absence. When type of design, data, and sickness absence make a difference. <i>PLoS ONE</i> , 2022, 17, e0262458.	1.1	6
87	Quality of life among young people in Norway during the COVID-19 pandemic. A longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1061-1071.	2.8	6
88	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. <i>Critical Public Health</i> , 2019, 29, 302-313.	1.4	5
89	Factor Structure of Zimbardo Time Perspective Inventory (ZTPI) in a Norwegian Convenience Sample. <i>Timing and Time Perception</i> , 2019, 7, 277-290.	0.4	5
90	Sexual harassment and assault predict sleep disturbances and is partly mediated by nightmares: Findings from a national survey of all university students in Norway. <i>Journal of Sleep Research</i> , 2021, 30, e13338.	1.7	5

#	ARTICLE	IF	CITATIONS
91	Do Parental Education-Related Inequality Matter in Child and Adolescent Utilization of Mental Health Services: Results From a Norwegian Register Linkage Study. <i>Health Services Insights</i> , 2021, 14, 117863292110553.	0.6	5
92	The gender gap in accrued pension rights – an indicator of women’s accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). <i>Scandinavian Journal of Public Health</i> , 2018, 46, 417-424.	1.2	4
93	Alcohol-attributed disease burden in four Nordic countries between 2000 and 2017: Are the gender gaps narrowing? A comparison using the Global Burden of Disease, Injury and Risk Factor 2017 study. <i>Drug and Alcohol Review</i> , 2021, 40, 431-442.	1.1	4
94	Met and unmet need for mental health care before and during the COVID-19 pandemic. <i>European Journal of Public Health</i> , 2022, 32, 49-51.	0.1	4
95	Revisiting the continuum of resistance model in the digital age: a comparison of early and delayed respondents to the Norwegian counties public health survey. <i>BMC Public Health</i> , 2021, 21, 730.	1.2	4
96	An investigation of factors identified at birth in relation to anxiety and depression in old age: the Hordaland Health Study (HUSK). <i>BMC Psychiatry</i> , 2013, 13, 136.	1.1	3
97	Willingness to Participate in Alcohol Prevention Interventions Targeting Risky Drinking Employees. The WIRUS Project. <i>Frontiers in Public Health</i> , 2021, 9, 692605.	1.3	3
98	Pupils’ Use of Social Media and Its Relation to Mental Health from a School Personnel Perspective: A Preliminary Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9163.	1.2	3
99	The Extent of Alcohol-Related Problems Among College and University Students in Norway Prior to and During the COVID-19 Pandemic. <i>Frontiers in Public Health</i> , 2022, 10, .	1.3	3
100	Abstention, Alcohol Consumption, and Common Somatic Symptoms: the Hordaland Health Study (HUSK). <i>International Journal of Behavioral Medicine</i> , 2015, 22, 24-31.	0.8	2
101	Health-related behaviour in relation to transition into age retirement: An observational study based on HUNT3. <i>JRSM Open</i> , 2016, 7, 205427041663978.	0.2	2
102	Are Demanding Job Situations Associated with Alcohol-Related Presenteeism? The WIRUS-Screening Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6169.	1.2	2
103	The gendered relationship between illicit substance use and self-harm in university students. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 709-720.	1.6	2
104	Substance-Related Problems in Adolescents with ADHD-Diagnoses: The Importance of Self-Reported Conduct Problems. <i>Journal of Attention Disorders</i> , 2022, 26, 1857-1869.	1.5	2
105	Early life factors in relation to cardiovascular risk and cardiovascular disease in old age in Bergen: a Norwegian retrospective cohort study based on the Hordaland Health Study (HUSK). <i>JRSM Open</i> , 2014, 5, 205427041452793.	0.2	1
106	Long-term effect of cognitive-behavioural therapy in patients with Hypochondriacal Disorder. <i>BJPsych Open</i> , 2020, 6, e42.	0.3	1
107	Commentary on Chai et al : Drug use, self-harm, suicide, and use of registry data in epidemiological research. <i>Addiction</i> , 2022, , .	1.7	1
108	Nordic adolescents responding to demanding survey scales in boring contexts: Examining straightlining. <i>Journal of Adolescence</i> , 0, , .	1.2	1

#	ARTICLE	IF	CITATIONS
109	Chronic whiplash, pain and pain tolerance. Scandinavian Journal of Pain, 2014, 5, 210-210.	0.5	0
110	Potential traumatic events and symptoms of post-traumatic stress in unaccompanied refugee minors—a comparison with youth in foster care. European Child and Adolescent Psychiatry, 2021, , 1.	2.8	0
111	Ungdom og alkohol - normalutvikling og senere problemer. Tidsskrift for Psykisk Helsearbeid, 2016, 12, 68-76.	0.0	0
112	Prevalence of Mental Disorders, Suicidal Ideation and Suicides in the General Population Before and During the COVID-19 Pandemic in Norway. A Population-Based Repeated Cross-Sectional Analysis from the HUNT Study and the Norwegian Cause of Death Registry. SSRN Electronic Journal, 0, , .	0.4	0
113	Title is missing!. , 2019, 14, e0227336.		0
114	Title is missing!. , 2019, 14, e0227336.		0
115	Title is missing!. , 2019, 14, e0227336.		0
116	Title is missing!. , 2019, 14, e0227336.		0
117	Do Differences in Drinking Attitudes and Alcohol-Related Problems Explain Differences in Sick Leave? A Multilevel Analysis of 95 Work Units Within 14 Companies From the WIRUS Study. Frontiers in Public Health, 2022, 10, .	1.3	0