

Skye McDonald

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7527159/publications.pdf>

Version: 2024-02-01

204
papers

10,112
citations

34016

52
h-index

43802

91
g-index

208
all docs

208
docs citations

208
times ranked

6836
citing authors

#	ARTICLE	IF	CITATIONS
1	TASIT. Journal of Head Trauma Rehabilitation, 2003, 18, 219-238.	1.0	537
2	Brain Activity during Simulated Deception: An Event-Related Functional Magnetic Resonance Study. NeuroImage, 2002, 15, 727-732.	2.1	382
3	Weak coherence, no theory of mind, or executive dysfunction? Solving the puzzle of pragmatic language disorders. Brain and Language, 2003, 85, 451-466.	0.8	304
4	Rating the methodological quality of single-subject designs and<i>n</i>-of-1 trials: Introducing the Single-Case Experimental Design (SCED) Scale. Neuropsychological Rehabilitation, 2008, 18, 385-401.	1.0	294
5	Revision of a method quality rating scale for single-case experimental designs and<i>n</i>-of-1 trials: The 15-item Risk of Bias in<i>N</i>-of-1 Trials (RoBiNT) Scale. Neuropsychological Rehabilitation, 2013, 23, 619-638.	1.0	257
6	Reliability and validity of The Awareness of Social Inference Test (TASIT): A clinical test of social perception. Disability and Rehabilitation, 2006, 28, 1529-1542.	0.9	245
7	Cognitive impairment among methadone maintenance patients. Addiction, 2000, 95, 687-695.	1.7	242
8	Social Perception Deficits After Traumatic Brain Injury: Interaction Between Emotion Recognition, Mentalizing Ability, and Social Communication.. Neuropsychology, 2004, 18, 572-579.	1.0	229
9	Theory of mind after traumatic brain injury. Neuropsychologia, 2005, 43, 99-114.	0.7	193
10	An Exploration of Causes of Non-Literal Language Problems in Individuals with Asperger Syndrome. Journal of Autism and Developmental Disorders, 2004, 34, 311-328.	1.7	192
11	Impairments in Social Cognition Following Severe Traumatic Brain Injury. Journal of the International Neuropsychological Society, 2013, 19, 231-246.	1.2	186
12	Recognition of emotion from facial expression following traumatic brain injury. Brain Injury, 2005, 19, 787-799.	0.6	175
13	Clinical Insights into Pragmatic Theory: Frontal Lobe Deficits and Sarcasm. Brain and Language, 1996, 53, 81-104.	0.8	169
14	Emotion perception deficits following traumatic brain injury: A review of the evidence and rationale for intervention. Journal of the International Neuropsychological Society, 2008, 14, 511-525.	1.2	152
15	Pragmatic Language Skills after Closed Head Injury: Ability to Meet the Informational Needs of the Listener. Brain and Language, 1993, 44, 28-46.	0.8	151
16	Training communication partners of people with traumatic brain injury: A randomised controlled trial. Aphasiology, 2004, 18, 313-335.	1.4	144
17	Social cognition, empathy and functional outcome in schizophrenia. Schizophrenia Research, 2010, 122, 172-178.	1.1	144
18	Social Skills Treatment for People With Severe, Chronic Acquired Brain Injuries: A Multicenter Trial. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1648-1659.	0.5	141

#	ARTICLE	IF	CITATIONS
19	Understanding advanced theory of mind and empathy in high-functioning adults with autism spectrum disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013, 35, 655-668.	0.8	137
20	Exploring the Process of Inference Generation in Sarcasm: A Review of Normal and Clinical Studies. <i>Brain and Language</i> , 1999, 68, 486-506.	0.8	124
21	The ecological validity of TASIT: A test of social perception. <i>Neuropsychological Rehabilitation</i> , 2004, 14, 285-302.	1.0	115
22	Incidence of hospital-treated traumatic brain injury in an Australian community. <i>Australian and New Zealand Journal of Public Health</i> , 1998, 22, 419-423.	0.8	114
23	Evidence for deficits in facial affect recognition and theory of mind in multiple sclerosis. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 277-285.	1.2	114
24	Computerised Cognitive Training for Older Persons With Mild Cognitive Impairment: A Pilot Study Using a Randomised Controlled Trial Design. <i>Brain Impairment</i> , 2011, 12, 187-199.	0.5	110
25	Social Information Processing in Adolescents. <i>Journal of Head Trauma Rehabilitation</i> , 2001, 16, 469-483.	1.0	103
26	Emotion regulation in schizophrenia: Affective, social, and clinical correlates of suppression and reappraisal. <i>Journal of Abnormal Psychology</i> , 2008, 117, 473-478.	2.0	101
27	Differential impairment in recognition of emotion across different media in people with severe traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2005, 11, 392-399.	1.2	100
28	Viewing the brain sideways? Frontal versus right hemisphere explanations of non-aphasic language disorders. <i>Aphasiology</i> , 1993, 7, 535-549.	1.4	98
29	Emotion dysregulation in schizophrenia: Reduced amplification of emotional expression is associated with emotional blunting. <i>Schizophrenia Research</i> , 2007, 95, 197-204.	1.1	98
30	A meta-analysis of response inhibition and Stroop interference control deficits in adults with traumatic brain injury (TBI). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 471-485.	0.8	98
31	Treating deficits in emotion perception following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2008, 18, 22-44.	1.0	97
32	Recognition of disgust is selectively preserved in Alzheimer's disease. <i>Neuropsychologia</i> , 2008, 46, 1363-1370.	0.7	95
33	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Physical Therapy</i> , 2016, 96, e1-e10.	1.1	89
34	The design, conduct and report of single-case research: Resources to improve the quality of the neurorehabilitation literature. <i>Neuropsychological Rehabilitation</i> , 2014, 24, 315-331.	1.0	87
35	Is it time to act? The potential of acceptance and commitment therapy for psychological problems following acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2011, 21, 250-276.	1.0	86
36	Training communication partners of people with severe traumatic brain injury improves everyday conversations: A multicenter single blind clinical trial. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 637-645.	0.8	82

#	ARTICLE	IF	CITATIONS
37	Exploring the Cognitive Basis of Right-Hemisphere Pragmatic Language Disorders. <i>Brain and Language</i> , 2000, 75, 82-107.	0.8	81
38	Evaluating the causes of impaired irony comprehension following traumatic brain injury. <i>Aphasiology</i> , 2005, 19, 712-730.	1.4	79
39	Understanding deficits in empathy after traumatic brain injury: The role of affective responsivity. <i>Cortex</i> , 2011, 47, 526-535.	1.1	79
40	Comparing Strategies for Treating Emotion Perception Deficits in Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2008, 23, 103-115.	1.0	78
41	Assessment of pragmatic communication skills in adolescents after traumatic brain injury. <i>Brain Injury</i> , 1996, 10, 329-346.	0.6	71
42	Measuring the social interactions of people with traumatic brain injury and their communication partners: The adapted Kagan scales. <i>Aphasiology</i> , 2010, 24, 914-927.	1.4	71
43	Requests That Overcome Listener Reluctance: Impairment Associated with Executive Dysfunction in Brain Injury. <i>Brain and Language</i> , 1998, 61, 88-104.	0.8	70
44	Differential pragmatic language loss after closed head injury: Ability to comprehend conversational implicature. <i>Applied Psycholinguistics</i> , 1992, 13, 295-312.	0.8	68
45	Why don't you feel how I feel? Insight into the absence of empathy after severe Traumatic Brain Injury. <i>Neuropsychologia</i> , 2010, 48, 3585-3595.	0.7	67
46	Facial Emotion Recognition Deficits following Moderate to Severe Traumatic Brain Injury (TBI): Re-examining the Valence Effect and the Role of Emotion Intensity. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 994-1003.	1.2	67
47	Neuropsychological Studies of Sarcasm. <i>Metaphor and Symbol</i> , 2000, 15, 85-98.	0.4	64
48	A Randomised Controlled Trial of a Cognitive-Behavioural Therapy Program for Managing Social Anxiety After Acquired Brain Injury. <i>Brain Impairment</i> , 2005, 6, 169-180.	0.5	64
49	Pragmatic language skills alter closed head injury: Ability to negotiate requests. <i>Cognitive Neuropsychology</i> , 1993, 10, 297-315.	0.4	62
50	Cognitive factors underpinning poor expressive communication skills after traumatic brain injury: Theory of mind or executive function?. <i>Neuropsychology</i> , 2014, 28, 801-811.	1.0	61
51	Learning from the minds of others: A review of social cognition treatments and their relevance to traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 22-55.	1.0	60
52	An investigation of the ability to process inferences in language following right hemisphere brain damage. <i>Brain and Language</i> , 1986, 29, 68-80.	0.8	59
53	Error Types in Ideomotor Apraxia: A Qualitative Analysis. <i>Brain and Cognition</i> , 1994, 25, 250-270.	0.8	57
54	Loss of emotional experience after traumatic brain injury: Findings with the startle probe procedure.. <i>Neuropsychology</i> , 2006, 20, 224-231.	1.0	54

#	ARTICLE	IF	CITATIONS
55	Changes in emotional empathy, affective responsivity, and behavior following severe traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 606-623.	0.8	54
56	All alone with sweaty palms â€” Physiological arousal and ostracism. <i>International Journal of Psychophysiology</i> , 2012, 83, 309-314.	0.5	54
57	Outcome instruments in moderate-to-severe adult traumatic brain injury: recommendations for use in psychosocial research. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 896-916.	1.0	51
58	A Survey of Clinicians Working in Brain Injury Rehabilitation: Are Social Cognition Impairments on the Radar?. <i>Journal of Head Trauma Rehabilitation</i> , 2017, 32, E55-E65.	1.0	49
59	Communication disorders following closed head injury: new approaches to assessment and rehabilitation. <i>Brain Injury</i> , 1992, 6, 283-292.	0.6	48
60	The effectiveness of social communication partner training for adults with severe chronic TBI and their families using a measure of perceived communication ability. <i>NeuroRehabilitation</i> , 2016, 38, 243-255.	0.5	48
61	Deficits in comprehension of speech acts after TBI: The role of theory of mind and executive function. <i>Brain and Language</i> , 2015, 150, 69-79.	0.8	46
62	Assessing the â€œsocial brainâ€•in dementia: Applying TASIT-S. <i>Cortex</i> , 2017, 93, 166-177.	1.1	46
63	The â€˜diceâ€™ game: A new test of pragmatic language skills after closed-head injury. <i>Brain Injury</i> , 1995, 9, 255-271.	0.6	45
64	Comparative patterns of cognitive performance amongst opioid maintenance patients, abstinent opioid users and non-opioid users. <i>Drug and Alcohol Dependence</i> , 2012, 126, 309-315.	1.6	45
65	Impaired mimicry response to angry faces following severe traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 17-29.	0.8	44
66	An exploration of participant experience of a communication training program for people with traumatic brain injury and their communication partners. <i>Disability and Rehabilitation</i> , 2012, 34, 1562-1574.	0.9	44
67	Not knowing what I feel: Emotional empathy in autism spectrum disorders. <i>Autism</i> , 2017, 21, 450-457.	2.4	43
68	Evaluating Social Skills Following Traumatic Brain Injury: The BRISS as a Clinical Tool. <i>Brain Injury</i> , 1995, 9, 321-338.	0.6	42
69	New Frontiers in Neuropsychological Assessment: Assessing Social Perception Using a Standardised Instrument, The Awareness of Social Inference Test. <i>Australian Psychologist</i> , 2012, 47, 39-48.	0.9	42
70	Interpreting Ambiguous Advertisements: The Effect of Frontal Lobe Damage. <i>Brain and Cognition</i> , 1998, 38, 150-164.	0.8	41
71	Recognizing vocal expressions of emotion in patients with social skills deficits following traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 369-382.	1.2	40
72	Emotion perception after moderateâ€”severe traumatic brain injury: The valence effect and the role of working memory, processing speed, and nonverbal reasoning.. <i>Neuropsychology</i> , 2015, 29, 509-521.	1.0	40

#	ARTICLE	IF	CITATIONS
73	Automatic facial responses to briefly presented emotional stimuli in autism spectrum disorder. <i>Biological Psychology</i> , 2013, 94, 397-407.	1.1	39
74	Repetition-lag training to improve recollection memory in older people with amnesic mild cognitive impairment. A randomized controlled trial. <i>Aging, Neuropsychology, and Cognition</i> , 2015, 22, 244-258.	0.7	39
75	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Aphasiology</i> , 2016, 30, 862-876.	1.4	39
76	The Single-Case Reporting guideline In BEhavioural interventions (SCRIBE) 2016 statement. <i>Journal of School Psychology</i> , 2016, 56, 133-142.	1.5	38
77	What is apraxia? The clinician's dilemma. <i>Neuropsychological Rehabilitation</i> , 1995, 5, 273-297.	1.0	37
78	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement ^{&#x2013;} . <i>Neuropsychological Rehabilitation</i> , 2017, 27, 1-15.	1.0	37
79	Automatic facial responses to affective stimuli in high-functioning adults with autism spectrum disorder. <i>Physiology and Behavior</i> , 2013, 109, 14-22.	1.0	36
80	Deficits in social perception in opioid maintenance patients, abstinent opioid users and non-opioid users. <i>Addiction</i> , 2013, 108, 566-574.	1.7	36
81	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Journal of Clinical Epidemiology</i> , 2016, 73, 142-152.	2.4	36
82	Emotion dysregulation and schizotypy. <i>Psychiatry Research</i> , 2009, 166, 116-124.	1.7	35
83	A randomised controlled trial evaluating a brief intervention for deficits in recognising emotional prosody following severe ABI. <i>Neuropsychological Rehabilitation</i> , 2013, 23, 267-286.	1.0	35
84	The awareness of social inference test: development of a shortened version for use in adults with acquired brain injury. <i>Clinical Neuropsychologist</i> , 2016, 30, 243-264.	1.5	35
85	Reduced heart rate variability in chronic severe traumatic brain injury: Association with impaired emotional and social functioning, and potential for treatment using biofeedback. <i>Neuropsychological Rehabilitation</i> , 2016, 26, 103-125.	1.0	35
86	The Role of Frontal and Temporal Lobe Processes in Prospective Remembering. <i>Brain and Cognition</i> , 2000, 44, 103-107.	0.8	34
87	Are You Crying or Laughing? Emotion Recognition Deficits After Severe Traumatic Brain Injury. <i>Brain Impairment</i> , 2005, 6, 56-67.	0.5	34
88	Real-time imaging of cortical areas involved in the generation of increases in skin sympathetic nerve activity when viewing emotionally charged images. <i>NeuroImage</i> , 2012, 62, 30-40.	2.1	34
89	Autonomic arousal explains social cognitive abilities in high-functioning adults with autism spectrum disorder. <i>International Journal of Psychophysiology</i> , 2013, 89, 475-482.	0.5	33
90	Assessing Social Cognition and Pragmatic Language in Adolescents with Traumatic Brain Injuries. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 528-538.	1.2	33

#	ARTICLE	IF	CITATIONS
91	Training Communication Partners of People With Traumatic Brain Injury: Reporting the Protocol for a Clinical Trial. <i>Brain Impairment</i> , 2009, 10, 188-204.	0.5	31
92	The Evidence Base of Neuropsychological Rehabilitation in Acquired Brain Impairment (ABI): How Good is the Research?. <i>Brain Impairment</i> , 2006, 7, 119-132.	0.5	30
93	Discourse recovery after severe traumatic brain injury: exploring the first year. <i>Brain Injury</i> , 2019, 33, 143-159.	0.6	30
94	Development of a database of rehabilitation therapies for the psychological consequences of acquired brain impairment. <i>Neuropsychological Rehabilitation</i> , 2004, 14, 517-534.	1.0	29
95	Social perception in adults with Parkinson's disease. <i>Neuropsychology</i> , 2014, 28, 905-916.	1.0	29
96	Performance of healthy subjects on an ecologically valid test for social cognition: The short, Dutch Version of The Awareness of Social Inference Test (TASIT). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 1031-1041.	0.8	28
97	A review of social disinhibition after traumatic brain injury. <i>Journal of Neuropsychology</i> , 2018, 12, 176-199.	0.6	28
98	Social and Communication Disorders Following Traumatic Brain Injury. , 0, , .		28
99	Editorial Putting communication disorders in context after traumatic brain injury. <i>Aphasiology</i> , 2000, 14, 339-347.	1.4	27
100	Psychophysiological correlates of social judgement in high-functioning adults with autism spectrum disorder. <i>International Journal of Psychophysiology</i> , 2013, 87, 88-94.	0.5	27
101	Traumatic Brain Injury and Psychosocial Function: Let's Get Social. <i>Brain Impairment</i> , 2003, 4, 36-47.	0.5	26
102	Angry responses to emotional events: The role of impaired control and drive in people with severe traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010, 32, 855-864.	0.8	26
103	The influence of attention and arousal on emotion perception in adults with severe traumatic brain injury. <i>International Journal of Psychophysiology</i> , 2011, 82, 124-131.	0.5	26
104	Loss of white matter connections after severe traumatic brain injury (TBI) and its relationship to social cognition. <i>Brain Imaging and Behavior</i> , 2019, 13, 819-829.	1.1	26
105	A Survey of Multidisciplinary Clinicians Working in Rehabilitation for People with Traumatic Brain Injury. <i>Brain Impairment</i> , 2015, 16, 173-195.	0.5	25
106	Hyposmia, not emotion perception, is associated with psychosocial outcome after severe traumatic brain injury. <i>Neuropsychology</i> , 2016, 30, 820-829.	1.0	25
107	Assessment and Rehabilitation of Social Cognition Impairment after Brain Injury: Surveying Practices of Clinicians. <i>Brain Impairment</i> , 2017, 18, 11-35.	0.5	25
108	That Can't Be Right! What Causes Pragmatic Language Impairment Following Right Hemisphere Damage?. <i>Brain Impairment</i> , 2006, 7, 202-211.	0.5	23

#	ARTICLE	IF	CITATIONS
109	Emotion in voice matters: Neural correlates of emotional prosody perception. <i>International Journal of Psychophysiology</i> , 2013, 89, 483-490.	0.5	23
110	The psychosocial impact associated with diabetes-related amputation. <i>Diabetic Medicine</i> , 2014, 31, 1424-1430.	1.2	23
111	Traumatic Brain Injury and Prospective Memory: An Examination of the Influences of Executive Functioning and Retrospective Memory. <i>Brain Impairment</i> , 2001, 2, 119-130.	0.5	22
112	The role of abnormalities in the corpus callosum in social cognition deficits after Traumatic Brain Injury. <i>Social Neuroscience</i> , 2018, 13, 471-479.	0.7	22
113	Addressing deficits in emotion recognition after severe traumatic brain injury: The role of focused attention and mimicry. <i>Neuropsychological Rehabilitation</i> , 2009, 19, 321-339.	1.0	21
114	Cognitive disinhibition and socioemotional functioning in Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 1060-1064.	1.2	20
115	Development of a novel task for investigating decision making in a social context following traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 897-913.	0.8	20
116	Cognitive-communication and psychosocial functioning 12 months after severe traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 1700-1711.	0.6	20
117	Social cognition four years after mild-TBI: An age-matched prospective longitudinal cohort study.. <i>Neuropsychology</i> , 2019, 33, 560-567.	1.0	20
118	Manipulation of heart rate variability can modify response to anger-inducing stimuli. <i>Social Neuroscience</i> , 2016, 11, 545-552.	0.7	19
119	Impaired perception of sincerity after severe traumatic brain injury. <i>Journal of Neuropsychology</i> , 2017, 11, 291-304.	0.6	19
120	A Validation Study of Two Brief Measures of Depression in the Cardiac Population: The DMI-10 and DMI-18. <i>Psychosomatics</i> , 2006, 47, 129-135.	2.5	18
121	Social dysdecorum following severe traumatic brain injury: Loss of implicit social knowledge or loss of control?. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 619-630.	0.8	18
122	Neurophysiological correlates of dysregulated emotional arousal in severe traumatic brain injury. <i>Clinical Neurophysiology</i> , 2015, 126, 314-324.	0.7	18
123	Brain volume loss contributes to arousal and empathy dysregulation following severe traumatic brain injury. <i>NeuroImage: Clinical</i> , 2016, 12, 607-614.	1.4	18
124	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Evidence-Based Communication Assessment and Intervention</i> , 2016, 10, 44-58.	0.6	18
125	Procedural discourse performance in adults with severe traumatic brain injury at 3 and 6 months post injury. <i>Brain Injury</i> , 2018, 32, 167-181.	0.6	17
126	Anxiety sensitivity moderates the subjective experience but not the physiological response to psychosocial stress. <i>International Journal of Psychophysiology</i> , 2019, 141, 76-83.	0.5	17

#	ARTICLE	IF	CITATIONS
127	Spontaneous and posed emotional facial expressions following severe traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 936-947.	0.8	16
128	Impaired emotional contagion following severe traumatic brain injury. <i>International Journal of Psychophysiology</i> , 2013, 89, 466-474.	0.5	16
129	Protocol for a prospective, school-based standardisation study of a digital social skills assessment tool for children: The Paediatric Evaluation of Emotions, Relationships, and Socialisation (PEERS) study. <i>BMJ Open</i> , 2018, 8, e016633.	0.8	16
130	Cognitive Flexibility in the Normal Elderly and in Persons with Dementia as Measured by the Written and Oral Trail Making Tests. <i>Brain Impairment</i> , 2001, 2, 11-21.	0.5	15
131	The methodological quality of aphasia therapy research: An investigation of group studies using the PsycBITE TM evidence-based practice database. <i>Aphasiology</i> , 2009, 23, 694-706.	1.4	15
132	Development of an observational measure of social disinhibition after traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016, 38, 341-353.	0.8	15
133	Exploring the relationship between cognition and functional verbal reasoning in adults with severe traumatic brain injury at six months post injury. <i>Brain Injury</i> , 2017, 31, 502-516.	0.6	15
134	Emotions Are Rising: The Growing Field of Affect Neuropsychology. <i>Journal of the International Neuropsychological Society</i> , 2017, 23, 719-731.	1.2	15
135	Emotion recognition depends on subjective emotional experience and not on facial expressivity: evidence from traumatic brain injury. <i>Brain Injury</i> , 2019, 33, 12-22.	0.6	15
136	Acceptance and commitment therapy program for distressed adults with a primary brain tumor: a case series study. <i>Supportive Care in Cancer</i> , 2015, 23, 2855-2859.	1.0	14
137	Validity and reliability of a questionnaire to assess social skills in traumatic brain injury: A preliminary study. <i>Brain Injury</i> , 2017, 31, 336-343.	0.6	14
138	Amused, flirting or simply baffled? Is recognition of all emotions affected by traumatic brain injury?. <i>Journal of Neuropsychology</i> , 2018, 12, 145-164.	0.6	14
139	Measuring emotion perception following traumatic brain injury: The Complex Audio Visual Emotion Assessment Task (CAVEAT). <i>Neuropsychological Rehabilitation</i> , 2019, 29, 232-250.	1.0	14
140	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Remedial and Special Education</i> , 2016, 37, 370-380.	1.7	13
141	The effect of severe traumatic brain injury on social cognition, emotion regulation, and mood. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2021, 183, 235-260.	1.0	13
142	Asking Parents to Prepare Children for an Event: Altering Parental Instructions Influences Children's Recall. <i>Journal of Cognition and Development</i> , 2011, 12, 80-102.	0.6	12
143	Emotional Regulation Impairments Following Severe Traumatic Brain Injury: An Investigation of the Body and Facial Feedback Effects. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 367-379.	1.2	12
144	Adolescent Performance on The Awareness of Social Inference Test: TASIT. <i>Brain Impairment</i> , 2015, 16, 3-18.	0.5	12

#	ARTICLE	IF	CITATIONS
145	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 statement. Canadian Journal of Occupational Therapy, 2016, 83, 184-195.	0.8	12
146	When diplomacy fails: difficulty understanding hints following severe traumatic brain injury. Aphasiology, 2016, 30, 801-814.	1.4	12
147	Normal adult and adolescent performance on TASIT-S, a short version of The Assessment of Social Inference Test. Clinical Neuropsychologist, 2018, 32, 700-719.	1.5	12
148	Establishing "proof of concept"™ for a social cognition group treatment program (SIFT IT) after traumatic brain injury: two case studies. Brain Injury, 2020, 34, 1781-1793.	0.6	12
149	Understanding how others feel: Evaluating the relationship between empathy and various aspects of emotion recognition following severe traumatic brain injury.. Neuropsychology, 2020, 34, 288-297.	1.0	12
150	Comparing static and dynamic emotion recognition tests: Performance of healthy participants. PLoS ONE, 2020, 15, e0241297.	1.1	12
151	Emotion Perception and Alexithymia in People With Severe Traumatic Brain Injury: One Disorder or Two? A Preliminary Investigation. Brain Impairment, 2011, 12, 165-178.	0.5	11
152	What's New in the Clinical Management of Disorders of Social Cognition?. Brain Impairment, 2017, 18, 2-10.	0.5	11
153	tDCS effects on task-related activation and working memory performance in traumatic brain injury: A within group randomized controlled trial. Neuropsychological Rehabilitation, 2021, 31, 814-836.	1.0	11
154	Domains and measures of social cognition in acquired brain injury: A scoping review. Neuropsychological Rehabilitation, 2022, 32, 2429-2463.	1.0	11
155	Neuropsychological Studies of Sarcasm. Metaphor and Symbol, 2000, 15, 85-98.	0.4	11
156	Role of Reversal Learning Impairment in Social Disinhibition following Severe Traumatic Brain Injury. Journal of the International Neuropsychological Society, 2016, 22, 303-313.	1.2	10
157	Social Disinhibition: Piloting a New Clinical Measure in Individuals with Traumatic Brain Injury. Brain Impairment, 2017, 18, 74-87.	0.5	10
158	Social Cognition in Individuals with Progressive Multiple Sclerosis: A Pilot Study Using TASIT-S. Journal of the International Neuropsychological Society, 2020, 26, 539-544.	1.2	10
159	Moving Ahead: A New Centre of Research Excellence in Brain Recovery, Focusing on Psychosocial Reintegration Following Traumatic Brain Injury. Brain Impairment, 2012, 13, 256-270.	0.5	9
160	Autonomic and neural correlates of dysregulated arousal in severe traumatic brain injury. International Journal of Psychophysiology, 2013, 89, 460-465.	0.5	9
161	Conversational topics discussed by individuals with severe traumatic brain injury and their communication partners during sub-acute recovery. Brain Injury, 2016, 30, 1329-1342.	0.6	9
162	The child in time: The influence of parent-child discussion about a future experience on how it is remembered. Memory, 2008, 16, 485-499.	0.9	8

#	ARTICLE	IF	CITATIONS
163	Assessing Social Skills in People With Very Severe Traumatic Brain Injury: Validity of the Social Performance Survey Schedule (SPSS). <i>Brain Impairment</i> , 2008, 9, 274-281.	0.5	8
164	Prevalence and correlates of traumatic brain injury amongst heroin users. <i>Addiction Research and Theory</i> , 2012, 20, 522-528.	1.2	8
165	Regulating emotion following severe traumatic brain injury: a randomized controlled trial of heart-rate variability biofeedback training. <i>Brain Injury</i> , 2021, 35, 1390-1401.	0.6	8
166	Update on Cicero's Systematic Review of Cognitive Rehabilitation: The PsycBITE Perspective. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 446.	0.5	7
167	A single case study of computerised cognitive training for older persons with mild cognitive impairment. <i>NeuroRehabilitation</i> , 2014, 35, 261-270.	0.5	7
168	The Physiological and Psychological Effects of Ostracism in Adults with ASD. <i>Journal of Autism and Developmental Disorders</i> , 2017, 47, 2326-2335.	1.7	7
169	Psychosocial functioning following moderate-to-severe pediatric traumatic brain injury: recommended outcome instruments for research and remediation studies. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 973-987.	1.0	7
170	The psychological effects of ostracism following traumatic brain injury. <i>Brain Injury</i> , 2013, 27, 1676-1684.	0.6	6
171	Assessing social cognition in people with a diagnosis of dementia: Development of a novel screening test, the Brief Assessment of Social Skills (BASS-D). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 185-198.	0.8	6
172	The prevalence, predictors, associated symptoms, and outcomes of social disinhibition following moderate-to-severe TBI: A scoping review of quantitative evidence. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2021, 43, 716-736.	0.8	6
173	Adolescents with traumatic brain injury: Assessing pragmatic language function. <i>Clinical Linguistics and Phonetics</i> , 1998, 12, 237-248.	0.5	5
174	Patterns of early conversational recovery for people with traumatic brain injury and their communication partners. <i>Brain Injury</i> , 2019, 33, 690-698.	0.6	5
175	Empathy for people with similar experiences: Can the perception-action model explain empathy impairments after traumatic brain injury?. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 28-41.	0.8	5
176	Investigating associations between hoarding symptoms and affective and cognitive empathy. <i>British Journal of Clinical Psychology</i> , 2021, 60, 177-193.	1.7	5
177	Adaptation, Validation and Preliminary Standardisation of the Frontal Systems Behaviour Scale "Apathy Subscale and the Dimensional Apathy Scale in Vietnamese Healthy Samples. <i>Journal of the International Neuropsychological Society</i> , 2022, 28, 300-310.	1.2	5
178	Apathy in a high prevalence population of moderate to severe traumatic brain injury: An investigation in Vietnam.. <i>Neuropsychology</i> , 2022, 36, 94-102.	1.0	5
179	Providing on-line support to families of people with brain injury and challenging behaviour: A feasibility study. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 392-413.	1.0	4
180	Innate immunity impacts social-cognitive functioning in people with multiple sclerosis and healthy individuals: Implications for IL-1ra and urinary immune markers. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 14, 100254.	1.3	4

#	ARTICLE	IF	CITATIONS
181	Subjective emotional experience and physiological responsivity to posed emotions in people with traumatic brain injury.. <i>Neuropsychology</i> , 2019, 33, 1151-1162.	1.0	4
182	Empathy across the ages: "œl may be older but l"™m still feeling it"€. <i>Neuropsychology</i> , 2022, 36, 116-127.	1.0	4
183	Calling on clinicians to get social and emotional. <i>Clinical Neuropsychologist</i> , 2023, 37, 506-544.	1.5	4
184	Hypothesis testing in neuropsychology in context: Another response to the neuropsychology debate. <i>Australian Psychologist</i> , 1996, 31, 73-75.	0.9	3
185	Improving evidence"based practice in rehabilitation: Introducing PsycBITETM. <i>Aphasiology</i> , 2006, 20, 676-683.	1.4	3
186	Dogs and Other Metaphors: Reflections on the Influence of Mark Ylvisaker. <i>Seminars in Speech and Language</i> , 2010, 31, 168-176.	0.5	3
187	Preferential processing of threatening facial expressions using the repetition blindness paradigm. <i>Cognition and Emotion</i> , 2012, 26, 1238-1255.	1.2	3
188	The complex audio visual emotion assessment task (CAVEAT): development of a shorter version for clinical use. <i>Disability and Rehabilitation</i> , 2022, 44, 1498-1507.	0.9	3
189	Preserved rapid conceptual processing of emotional expressions despite reduced neuropsychological performance following traumatic brain injury.. <i>Neuropsychology</i> , 2019, 33, 872-882.	1.0	3
190	The Basel Version of the Awareness of Social Inference Test-Emotion Recognition (BASIT-ER): Preliminary validation analyses in healthy adults.. <i>Neuropsychology</i> , 2022, 36, 175-184.	1.0	3
191	The New Age of Communication Research: Discourse, Cognition and Behaviour. <i>Brain Impairment</i> , 2006, 7, 169-174.	0.5	2
192	The Social, Emotional and Cultural Life of the Orbitofrontal Cortex. <i>Brain Impairment</i> , 2007, 8, 41-51.	0.5	2
193	Facing the challenges of single-case experimental methodology. <i>Aphasiology</i> , 2015, 29, 575-580.	1.4	2
194	Ostracism and physiological arousal following traumatic brain injury. <i>Brain Injury</i> , 2017, 31, 550-559.	0.6	2
195	Reprint of "œThe Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016: Explanation and Elaboration"€. <i>Pratiques Psychologiques</i> , 2019, 25, 119-151.	0.4	2
196	Facial expressions yielding Context-Dependent Effect: The additive contribution of eye movements. <i>Acta Psychologica</i> , 2019, 192, 138-145.	0.7	2
197	Visuospatial Learning in Traumatic Brain Injury: An Examination of Impairments using the Computerised Austin Maze Task. <i>Brain Impairment</i> , 2015, 16, 19-27.	0.5	1
198	Social cognition v. emotional intelligence in first-episode psychosis: are they the same?. <i>Psychological Medicine</i> , 2021, 51, 1229-1230.	2.7	1

#	ARTICLE	IF	CITATIONS
199	Frontal Lobes and Language. , 2008, , 289-297.		1
200	SOCIAL COGNITIVE ENDOPHENOTYPES FOR PSYCHOTIC DISORDERS?. Schizophrenia Research, 2010, 117, 213.	1.1	0
201	Affective startle modulation in adults with Asperger's. International Journal of Psychophysiology, 2010, 77, 255-255.	0.5	0
202	Facial mimicry and arousal to repetitions of affective movie clips. International Journal of Psychophysiology, 2012, 85, 320.	0.5	0
203	Impaired emotional prosody processing in severe traumatic brain injury. International Journal of Psychophysiology, 2014, 94, 172.	0.5	0
204	Empathy and arousal to emotional videos in Autism Spectrum Disorder. International Journal of Psychophysiology, 2014, 94, 171.	0.5	0