## Ping Chu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7527548/publications.pdf

Version: 2024-02-01

858243 939365 26 405 12 18 citations h-index g-index papers 27 27 27 806 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Predictive Significance of Enhanced Level of Angiogenesis and Tissue Neutrophils for Antrochoanal Polyps Recurrence in Children. Ear, Nose and Throat Journal, 2022, 101, NP284-NP290.	0.4	4
2	Epidemiology of extrapulmonary tuberculosis among pediatric inpatients in mainland China: a descriptive, multicenter study. Emerging Microbes and Infections, 2022, 11, 1090-1102.	3.0	12
3	One-Week Effects of Antibiotic Treatment on Gut Microbiota of Late Neonates With Pneumonia or Meningitis. Frontiers in Pediatrics, 2021, 9, 723617.	0.9	2
4	Detection of nasal microbiota in pediatric patients with antrochoanal polyps by TLDA. International Journal of Pediatric Otorhinolaryngology, 2020, 130, 109811.	0.4	O
5	Bioinformatics analysis to screen key genes in papillary thyroid carcinoma. Oncology Letters, 2020, 19, 195-204.	0.8	10
6	Nontuberculous mycobacterial and Nocardia infections mimicking pulmonary tuberculosis: a retrospective study of a general hospital patient population in China. Journal of Medical Microbiology, 2020, 69, 1145-1150.	0.7	4
7	Inflammatory patterns of antrochoanal polyps in the pediatric age group. Allergy, Asthma and Clinical Immunology, 2019, 15, 39.	0.9	12
8	Functional Polymorphisms in <i>BARD1</i> Association with Neuroblastoma in a regional Han Chinese Population. Journal of Cancer, 2019, 10, 2153-2160.	1.2	10
9	lncRNA SNHG16 is associated with proliferation and poor prognosis of pediatric neuroblastoma. International Journal of Oncology, 2019, 55, 93-102.	1.4	22
10	Direct detection from clinical sputum samples to differentiate live and dead <i>Mycobacterium Tuberculosis</i> . Journal of Clinical Laboratory Analysis, 2019, 33, e22716.	0.9	15
11	RRS1 gene expression involved in the progression of papillary thyroid carcinoma. Cancer Cell International, 2018, 18, 20.	1.8	18
12	Whole exome sequencing reveals novel somatic alterations in neuroblastoma patients with chemotherapy. Cancer Cell International, 2018, 18, 21.	1.8	26
13	MiR-20a-5p suppresses tumor proliferation by targeting autophagy-related gene 7 in neuroblastoma. Cancer Cell International, 2018, 18, 5.	1.8	41
14	Investigation of IGF2, IGFBP2 and p63 proteins in rhabdomyosarcoma tumors. Growth Hormone and IGF Research, 2017, 33, 17-22.	0.5	5
15	Whole-exome sequencing identified compound heterozygous variants in MMKS in a Chinese pedigree with Bardet-Biedl syndrome. Science China Life Sciences, 2017, 60, 739-745.	2.3	21
16	The Feasibility of Xpert MTB/RIF Testing to Detect Rifampicin Resistance among Childhood Tuberculosis for Prevalence Surveys in Northern China. BioMed Research International, 2017, 2017, 1-10.	0.9	9
17	A Five-year Surveillance of Carbapenemase-producing Klebsiella pneumoniae in a Pediatric Hospital in China Reveals Increased Predominance of NDM-1. Biomedical and Environmental Sciences, 2017, 30, 562-569.	0.2	15
18	Pneumomediastinum Secondary to Foreign Body Aspiration. Chinese Medical Journal, 2016, 129, 2691-2696.	0.9	13

#	Article	IF	CITATION
19	MicroRNA-365a-3p promotes tumor growth and metastasis in laryngeal squamous cell carcinoma. Oncology Reports, 2016, 35, 2017-2026.	1.2	36
20	Deafness gene mutations in newborns in Beijing. Acta Oto-Laryngologica, 2016, 136, 475-479.	0.3	10
21	Single nucleotide polymorphism rs11669203 in TGFBR3L is associated with the risk of neuroblastoma in a Chinese population. Tumor Biology, 2016, 37, 3739-3747.	0.8	11
22	Maternal smoking during pregnancy and risk of childhood neuroblastoma: Systematic review and meta-analysis. Journal of Cancer Research and Therapeutics, 2016, 12, 999.	0.3	18
23	Toll-like receptor 1(TLR1) Gene SNP rs5743618 is associated with increased risk for tuberculosis in Han Chinese children. Tuberculosis, 2015, 95, 197-203.	0.8	33
24	Candidate Gene Association Analysis of Neuroblastoma in Chinese Children Strengthens the Role of LMO1. PLoS ONE, 2015, 10, e0127856.	1.1	23
25	rs2243268 and rs2243274 of Interleukin-4 (IL-4) gene are associated with reduced risk for extrapulmonary and severe tuberculosis in Chinese Han children. Infection, Genetics and Evolution, 2014, 23, 121-128.	1.0	14
26	Genetic Contribution of CISH Promoter Polymorphisms to Susceptibility to Tuberculosis in Chinese Children. PLoS ONE, 2014, 9, e92020.	1.1	17