

Rui Silva Soares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/752899/publications.pdf>

Version: 2024-02-01

22
papers

432
citations

687363

13
h-index

752698

20
g-index

22
all docs

22
docs citations

22
times ranked

693
citing authors

#	ARTICLE	IF	CITATIONS
1	Expansion of circulating Foxp3 ⁺ CD25 ^{bright} CD4 ⁺ T cells during specific venom immunotherapy. <i>Clinical and Experimental Allergy</i> , 2008, 38, 291-297.	2.9	64
2	Cell-Associated Viral Burden Provides Evidence of Ongoing Viral Replication in Aviremic HIV-2-Infected Patients. <i>Journal of Virology</i> , 2011, 85, 2429-2438.	3.4	50
3	Major Depletion of Plasmacytoid Dendritic Cells in HIV-2 Infection, an Attenuated Form of HIV Disease. <i>PLoS Pathogens</i> , 2009, 5, e1000667.	4.7	35
4	miRNA profiling of human naive CD4 T cells links miR-34c-5p to cell activation and HIV replication. <i>EMBO Journal</i> , 2017, 36, 346-360.	7.8	32
5	Rate of Increase in Circulating IL-7 and Loss of IL-7R α Expression Differ in HIV-1 and HIV-2 Infections: Two Lymphopenic Diseases with Similar Hyperimmune Activation but Distinct Outcomes. <i>Journal of Immunology</i> , 2007, 178, 3252-3259.	0.8	31
6	Increased Frequency of Circulating CCR5 + CD4 + T Cells in Human Immunodeficiency Virus Type 2 Infection. <i>Journal of Virology</i> , 2006, 80, 12425-12429.	3.4	30
7	Long-Term Immune Reconstitution of Naive and Memory T Cell Pools after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 703-712.	2.0	30
8	Pexiganan in Combination with Nisin to Control Polymicrobial Diabetic Foot Infections. <i>Antibiotics</i> , 2020, 9, 128.	3.7	28
9	Monocyte and Myeloid Dendritic Cell Activation Occurs Throughout HIV Type 2 Infection, an Attenuated Form of HIV Disease. <i>Journal of Infectious Diseases</i> , 2013, 207, 1730-1742.	4.0	22
10	PD-1 and its ligand PD-L1 are progressively up-regulated on CD4 and CD8 T-cells in HIV-2 infection irrespective of the presence of viremia. <i>Aids</i> , 2012, 26, 1065-1071.	2.2	20
11	Memory and naive-like regulatory CD4 ⁺ T cells expand during HIV-2 infection in direct association with CD4 ⁺ T-cell depletion irrespectively of viremia. <i>Aids</i> , 2011, 25, 1961-1970.	2.2	19
12	Gag-Specific CD4 ⁺ T-Cell Frequency Is Inversely Correlated with Proviral Load and Directly Correlated with Immune Activation in Infection with Human Immunodeficiency Virus Type 2 (HIV-2) but Not HIV-1. <i>Journal of Virology</i> , 2008, 82, 9795-9799.	3.4	18
13	Memory B-cell depletion is a feature of HIV-2 infection even in the absence of detectable viremia. <i>Aids</i> , 2012, 26, 1607-1617.	2.2	13
14	Thymic HIV-2 Infection Uncovers Posttranscriptional Control of Viral Replication in Human Thymocytes. <i>Journal of Virology</i> , 2015, 89, 2201-2208.	3.4	13
15	Low CD4 T-cell counts despite low levels of circulating HIV: Insights from the comparison of HIV-1 infected patients with a discordant response to antiretroviral therapy to patients with untreated advanced HIV-2 disease. <i>Clinical Immunology</i> , 2007, 125, 67-75.	3.2	9
16	Increased frequency of CD25 ^{dim} CD4 ⁺ T-cells in HIV-2 infection, a naturally occurring attenuated form of HIV-1. <i>Clinical Immunology</i> , 2008, 127, 158-167.	3.2	5
17	Strategies to quantify unspliced and multiply spliced mRNA expression in HIV-2 infection. <i>Journal of Virological Methods</i> , 2011, 175, 38-45.	2.1	5
18	Preserved CD4 T-cell telomere length during long-lasting HIV-2 infection. <i>Aids</i> , 2013, 27, 289-292.	2.2	3

#	ARTICLE	IF	CITATIONS
19	Influence of Storage on the Antimicrobial and Cytotoxic Activities of a Nisin-biogel with Potential to be Applied to Diabetic Foot Infections Treatment. <i>Antibiotics</i> , 2020, 9, 781.	3.7	3
20	Influence of Nisin-Biogel at Subinhibitory Concentrations on Virulence Expression in <i>Staphylococcus aureus</i> Isolates from Diabetic Foot Infections. <i>Antibiotics</i> , 2021, 10, 1501.	3.7	2
21	Evidence of a Significant Contribution of Thymic Output to T Cell Reconstitution Following Full Haplotype Mismatched Stem Cell Transplant (HSCT) Leading to a Predominantly Naïve Phenotype.. <i>Blood</i> , 2008, 112, 2212-2212.	1.4	0
22	Green Fluorescent Protein Labeling of Dopaminergic Neurons in Zebrafish for the Study of Parkinson's Diseases. <i>Journal of Microbiology & Experimentation</i> , 2017, 4, .	0.2	0