

# Rui Silva Soares

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/752899/publications.pdf>

Version: 2024-02-01

22  
papers

432  
citations

687363

13  
h-index

752698

20  
g-index

22  
all docs

22  
docs citations

22  
times ranked

693  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Nisin-Biogel at Subinhibitory Concentrations on Virulence Expression in <i>Staphylococcus aureus</i> Isolates from Diabetic Foot Infections. <i>Antibiotics</i> , 2021, 10, 1501.	3.7	2
2	Influence of Storage on the Antimicrobial and Cytotoxic Activities of a Nisin-biogel with Potential to be Applied to Diabetic Foot Infections Treatment. <i>Antibiotics</i> , 2020, 9, 781.	3.7	3
3	Pexiganan in Combination with Nisin to Control Polymicrobial Diabetic Foot Infections. <i>Antibiotics</i> , 2020, 9, 128.	3.7	28
4	miRNA profiling of human naive CD4 T cells links miR-34c-5p to cell activation and HIV replication. <i>EMBO Journal</i> , 2017, 36, 346-360.	7.8	32
5	Green Fluorescent Protein Labeling of Dopaminergic Neurons in Zebrafish for the Study of Parkinson's Diseases. <i>Journal of Microbiology &amp; Experimentation</i> , 2017, 4, .	0.2	0
6	Thymic HIV-2 Infection Uncovers Posttranscriptional Control of Viral Replication in Human Thymocytes. <i>Journal of Virology</i> , 2015, 89, 2201-2208.	3.4	13
7	Long-Term Immune Reconstitution of Naive and Memory T Cell Pools after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 703-712.	2.0	30
8	Monocyte and Myeloid Dendritic Cell Activation Occurs Throughout HIV Type 2 Infection, an Attenuated Form of HIV Disease. <i>Journal of Infectious Diseases</i> , 2013, 207, 1730-1742.	4.0	22
9	Preserved CD4 T-cell telomere length during long-lasting HIV-2 infection. <i>Aids</i> , 2013, 27, 289-292.	2.2	3
10	Memory B-cell depletion is a feature of HIV-2 infection even in the absence of detectable viremia. <i>Aids</i> , 2012, 26, 1607-1617.	2.2	13
11	PD-1 and its ligand PD-L1 are progressively up-regulated on CD4 and CD8 T-cells in HIV-2 infection irrespective of the presence of viremia. <i>Aids</i> , 2012, 26, 1065-1071.	2.2	20
12	Strategies to quantify unspliced and multiply spliced mRNA expression in HIV-2 infection. <i>Journal of Virological Methods</i> , 2011, 175, 38-45.	2.1	5
13	Memory and naive-like regulatory CD4+ T cells expand during HIV-2 infection in direct association with CD4+ T-cell depletion irrespective of viremia. <i>Aids</i> , 2011, 25, 1961-1970.	2.2	19
14	Cell-Associated Viral Burden Provides Evidence of Ongoing Viral Replication in Aviremic HIV-2-Infected Patients. <i>Journal of Virology</i> , 2011, 85, 2429-2438.	3.4	50
15	Major Depletion of Plasmacytoid Dendritic Cells in HIV-2 Infection, an Attenuated Form of HIV Disease. <i>PLoS Pathogens</i> , 2009, 5, e1000667.	4.7	35
16	Expansion of circulating Foxp3 <sup>+</sup> CD25 <sup>bright</sup> CD4 <sup>+</sup> T cells during specific venom immunotherapy. <i>Clinical and Experimental Allergy</i> , 2008, 38, 291-297.	2.9	64
17	Increased frequency of CD25 <sup>dim</sup> CD4 <sup>+</sup> T-cells in HIV-2 infection, a naturally occurring attenuated form of HIV-1. <i>Clinical Immunology</i> , 2008, 127, 158-167.	3.2	5
18	Gag-Specific CD4 <sup>+</sup> T-Cell Frequency Is Inversely Correlated with Proviral Load and Directly Correlated with Immune Activation in Infection with Human Immunodeficiency Virus Type 2 (HIV-2) but Not HIV-1. <i>Journal of Virology</i> , 2008, 82, 9795-9799.	3.4	18

#	ARTICLE	IF	CITATIONS
19	Evidence of a Significant Contribution of Thymic Output to T Cell Reconstitution Following Full Haplotype Mismatched Stem Cell Transplant (HSCT) Leading to a Predominantly Naïve Phenotype.. Blood, 2008, 112, 2212-2212.	1.4	0
20	Rate of Increase in Circulating IL-7 and Loss of IL-7R $\alpha$ Expression Differ in HIV-1 and HIV-2 Infections: Two Lymphopenic Diseases with Similar Hyperimmune Activation but Distinct Outcomes. Journal of Immunology, 2007, 178, 3252-3259.	0.8	31
21	Low CD4 T-cell counts despite low levels of circulating HIV: Insights from the comparison of HIV-1 infected patients with a discordant response to antiretroviral therapy to patients with untreated advanced HIV-2 disease. Clinical Immunology, 2007, 125, 67-75.	3.2	9
22	Increased Frequency of Circulating CCR5 + CD4 + T Cells in Human Immunodeficiency Virus Type 2 Infection. Journal of Virology, 2006, 80, 12425-12429.	3.4	30