

Gerardo Ferrara

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7529005/gerardo-ferrara-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

3,048
citations

25
h-index

54
g-index

113
ext. papers

3,536
ext. citations

2.7
avg, IF

4.78
L-index

#	Paper	IF	Citations
90	Cancer Diagnostic Delay in Northern and Central Italy During the 2020 Lockdown Due to the Coronavirus Disease 2019 Pandemic. <i>American Journal of Clinical Pathology</i> , 2021 , 155, 64-68	1.9	27
89	Lockdown Measures Negatively Impacted Cancer Care. <i>American Journal of Clinical Pathology</i> , 2021 , 155, 615-616	1.9	4
88	Combining CNN-based histologic whole slide image analysis and patient data to improve skin cancer classification. <i>European Journal of Cancer</i> , 2021 , 149, 94-101	7.5	10
87	The WHO 2018 Classification of Cutaneous Melanocytic Neoplasms: Suggestions From Routine Practice. <i>Frontiers in Oncology</i> , 2021 , 11, 675296	5.3	5
86	Foamy Plasma Cells in Oligosecretory Multiple Myeloma. <i>International Journal of Surgical Pathology</i> , 2021 , 29, 408-409	1.2	
85	Cancer diagnostic rates during the 2020 Lockdown due to COVID-19 pandemic, compared with the 2018-2019: an audit study from cellular pathology. <i>Journal of Clinical Pathology</i> , 2021 , 74, 187-189	3.9	50
84	Sebaceous Carcinoma of the Breast: Fact or Fiction? A Case Report and a Review of the Literature. <i>International Journal of Surgical Pathology</i> , 2021 , 29, 211-215	1.2	1
83	BAP1-inactivated melanocytic tumour with borderline histopathological features (BAP1-inactivated melanocytoma): A case report and a reappraisal. <i>Australasian Journal of Dermatology</i> , 2021 , 62, e88-e91	1.3	1
82	Diagnostic performance of artificial intelligence for histologic melanoma recognition compared to 18 international expert pathologists. <i>Journal of the American Academy of Dermatology</i> , 2021 ,	4.5	10
81	Re: Molecular pathology as a diagnostic aid in difficult to classify melanocytic tumours with spitzoid morphology: Melanocytic tumours with Spitz-like morphology: toward a therapy-oriented diagnostic approach. <i>European Journal of Cancer</i> , 2021 , 157, 511-513	7.5	1
80	Skin cancer classification via convolutional neural networks: systematic review of studies involving human experts. <i>European Journal of Cancer</i> , 2021 , 156, 202-216	7.5	16
79	Melanocytic and pseudomelanocytic nests coexist in interface dermatitis from head-neck sun-exposed skin: A report of three cases. <i>Journal of Cutaneous Pathology</i> , 2020 , 47, 649-653	1.7	4
78	A case of post-inflammatory warty dyskeratoma of the chest: Other dermoscopic features. <i>Dermatology Reports</i> , 2020 , 12, 8791	0.9	0
77	Biosafety in surgical pathology in the era of SARS-Cov2 pandemia. A statement of the Italian Society of Surgical Pathology and Cytology. <i>Pathologica</i> , 2020 , 112, 59-63	1.9	19
76	Melanocytic Skin Tumors: Does the Molecular Progression Model Fit With the Routine Clinicopathological Practice?. <i>Dermatology Practical and Conceptual</i> , 2020 , 10, e2020001	1.5	2
75	Compound blue nevus: a reappraisal of the concept in the genomic era. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 476, 439-443	5.1	1
74	Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 1585-1593	4.5	10

73	Multiple Eruptive Epithelioid Hemangiomas: A Subset of Cutaneous Cellular Epithelioid Hemangioma With Expression of FOS-B. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 26-34	6.7	15
72	Occupational Argyria of the Nasal Mucosa. <i>Head and Neck Pathology</i> , 2018 , 12, 252-254	3.3	6
71	Sentinel Node Biopsy in Melanoma: A Short Update. <i>Dermatopathology (Basel, Switzerland)</i> , 2018 , 5, 21-25		5
70	The Histopathological Spectrum of Pseudolymphomatous Infiltrates in Cutaneous Lupus Erythematosus. <i>American Journal of Dermatopathology</i> , 2018 , 40, 247-253	0.9	14
69	Clinicopathologically problematic melanocytic tumors: a case-based review. <i>Dermatology Practical and Conceptual</i> , 2018 , 8, 306-313	1.5	2
68	Sentinel Node Biopsy in Melanoma: Lessons Learned From Different Positivity Rates From Different Hospitals. <i>Annals of Surgery</i> , 2017 , 266, e81	7.8	
67	Wiesner nevus. <i>Cmaj</i> , 2017 , 189, E26	3.5	1
66	Dermoscopy pathology correlation in melanoma. <i>Journal of Dermatology</i> , 2017 , 44, 507-514	1.6	20
65	Hints in the horn: diagnostic clues in the stratum corneum. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 256-278	1.7	12
64	MELTUMP: how to manage these lesions in the clinical routine. <i>Italian Journal of Dermatology and Venereology</i> , 2017 , 152, 266-269	1.2	2
63	Epidermotropic progression of melanoma during therapy with vemurafenib and trametinib. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, e133-e135	4.5	1
62	Halo and pseudo-halo melanoma. <i>Journal of the American Academy of Dermatology</i> , 2016 , 74, e59-61	4.5	4
61	Atypical Spitzoid neoplasms (atypical Spitz nevi, atypical Spitz tumors, Spitzoid melanoma): A clinicopathological update 2016 , 53-60		1
60	Fluorescence In Situ Hybridization for Melanoma Diagnosis: A Review and a Reappraisal. <i>American Journal of Dermatopathology</i> , 2016 , 38, 253-69	0.9	24
59	Cold-Associated Perniosis of the Thighs ("Equestrian-Type" Chilblain): A Reappraisal Based on a Clinicopathologic and Immunohistochemical Study of 6 Cases. <i>American Journal of Dermatopathology</i> , 2016 , 38, 726-31	0.9	15
58	A morphological and immunophenotypic map of the immune response in Merkel cell carcinoma. <i>Human Pathology</i> , 2016 , 52, 190-6	3.7	29
57	Clinical and dermoscopic features of atypical Spitz tumors: A multicenter, retrospective, case-control study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 777-84	4.5	34
56	Three dermoscopic signs of growth of pigmented lesions. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e133-5	4.5	2

55	Prior knowledge of the clinical picture does not introduce bias in the histopathologic diagnosis of melanocytic skin lesions. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 953-958	1.7	8
54	Intralymphatic Spread Is a Common Finding in Cutaneous CD30+ Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 1511-7	6.7	23
53	Atypical dermoscopic presentation of an acral congenital melanocytic nevus in an adult: parallel ridge pattern and its histologic correlation. <i>Dermatology Practical and Conceptual</i> , 2015 , 5, 23-6	1.5	2
52	Hypopigmented atypical Spitzoid neoplasms (atypical Spitz nevi, atypical Spitz tumors, Spitzoid melanoma): a clinicopathological update. <i>Dermatology Practical and Conceptual</i> , 2015 , 5, 45-52	1.5	19
51	Atypical Spitz tumours and sentinel lymph node biopsy: a systematic review. <i>Lancet Oncology</i> , 2014 , 15, e178-83	21.7	117
50	Pilonidal sinus-like "ancient" cellular blue nevus. <i>International Journal of Surgical Pathology</i> , 2014 , 22, 631-2	1.2	
49	Accuracy of dermoscopic criteria for discriminating superficial from other subtypes of basal cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 303-11	4.5	81
48	The impact of molecular morphology techniques on the expert diagnosis in melanocytic skin neoplasms. <i>International Journal of Surgical Pathology</i> , 2013 , 21, 483-92	1.2	15
47	Spitz nevus, Spitz tumor, and spitzoid melanoma: a comprehensive clinicopathologic overview. <i>Dermatologic Clinics</i> , 2013 , 31, 589-98, viii	4.2	61
46	"White" network in Spitz nevi and early melanomas lacking significant pigmentation. <i>Journal of the American Academy of Dermatology</i> , 2013 , 69, 56-60	4.5	25
45	Analysis of clinical and dermoscopic features in melanocytic lesions with special emphasis on problematic lesions in children. <i>Expert Review of Dermatology</i> , 2013 , 8, 155-170		2
44	Elastophagic melanoma. <i>International Journal of Surgical Pathology</i> , 2013 , 21, 377-8	1.2	0
43	Mycosis fungoides with reactive lymphoid follicles may represent an early histopathologic picture of granulomatous slack skin. <i>Journal of Cutaneous Pathology</i> , 2013 , 40, 611-3	1.7	4
42	Small-diameter melanoma: toward a conceptual and practical reappraisal. <i>Journal of Cutaneous Pathology</i> , 2012 , 39, 721-3	1.7	11
41	Main clues in the pathologic diagnosis of melanoma: is molecular genetics helping?. <i>Dermatologic Therapy</i> , 2012 , 25, 423-31	2.2	4
40	Melanocytic tumors of uncertain malignant potential in childhood: do we really need sentinel node biopsy?. <i>Journal of Cutaneous Pathology</i> , 2012 , 39, 1049-51	1.7	6
39	Primary cutaneous marginal zone B-cell lymphoma with anetoderma: spontaneous involution plus de novo clonal expansion. <i>Journal of Cutaneous Pathology</i> , 2011 , 38, 342-5	1.7	10
38	Pediatric atypical spitzoid neoplasms: a review with emphasis on TedT (Spitz) tumors and BlueT (blitz) tumors. <i>Dermatology</i> , 2010 , 220, 306-10	4.4	25

37	Spitz nevus: an evolving clinicopathologic concept. <i>American Journal of Dermatopathology</i> , 2010 , 32, 410-4	0.9	6
36	Free-floating collagen fibers in interstitial mycosis fungoides. <i>American Journal of Dermatopathology</i> , 2010 , 32, 352-6	0.9	14
35	B-cell Lymphofollicular Infiltrates in Mycosis Fungoides. <i>Tumori</i> , 2010 , 96, 487-491	1.7	8
34	B-cell lymphofollicular infiltrates in mycosis fungoides. <i>Tumori</i> , 2010 , 96, 487-91	1.7	1
33	The influence of clinical information in the histopathologic diagnosis of melanocytic skin neoplasms. <i>PLoS ONE</i> , 2009 , 4, e5375	3.7	49
32	Problematic melanocytic lesions in children. <i>Expert Review of Dermatology</i> , 2009 , 4, 249-261		6
31	Sclerosing nevus with pseudomelanomatous features (nevus with regression-like fibrosis): clinical and dermoscopic features of a recently characterized histopathologic entity. <i>Dermatology</i> , 2009 , 219, 202-8	4.4	17
30	Sclerosing nevus with pseudomelanomatous features and regressing melanoma with nevoid features. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 913-5; author reply 916	1.7	22
29	Dermoscopic-pathologic correlation: apropos of six equivocal cases. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2009 , 28, 157-64	1.4	16
28	The morphologic universe of melanocytic nevi. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2009 , 28, 149-56	1.4	31
27	Desmoplastic nevus: clinicopathologic keynotes. <i>American Journal of Dermatopathology</i> , 2009 , 31, 718-20.9		15
26	Unilesional pemphigus vulgaris of the scalp. <i>Dermatology Online Journal</i> , 2009 , 15, 9	1	2
25	Regarding the algorithm for the diagnosis of early mycosis fungoides proposed by the International Society for Cutaneous Lymphomas: suggestions from routine histopathology practice. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 549-53	1.7	32
24	Lentigo maligna in a young adult. <i>Dermatology</i> , 2008 , 217, 66-8	4.4	5
23	New classification of melanocytic nevi based on dermoscopy. <i>Expert Review of Dermatology</i> , 2008 , 3, 477-489		9
22	Melanomas that failed dermoscopic detection: a combined clinicodermoscopic approach for not missing melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 1262-73	1.7	70
21	A dual concept of neovogenesis: theoretical considerations based on dermoscopic features of melanocytic nevi. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007 , 5, 985-92	1.2	57
20	The many faces of blue nevus: a clinicopathologic study. <i>Journal of Cutaneous Pathology</i> , 2007 , 34, 543-51.7		74

19	Epidermal growth factor receptor and prognosis in colon cancer: a crack in the wall?. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2169-70	3.1	
18	Involution: the natural evolution of pigmented Spitz and Reed nevi?. <i>Archives of Dermatology</i> , 2007 , 143, 549-51		32
17	Nonnecrobiotic necrobiotic xanthogranuloma. <i>American Journal of Dermatopathology</i> , 2007 , 29, 306-8	0.9	12
16	Dermoscopy features of melanoma incognito: indications for biopsy. <i>Journal of the American Academy of Dermatology</i> , 2007 , 56, 508-13	4.5	65
15	Age distribution of biopsied junctional nevi--Unna's concept versus a dual concept of nevogenesis. <i>Journal of the American Academy of Dermatology</i> , 2007 , 57, 1096-7	4.5	15
14	Dermoscopy improves accuracy of primary care physicians to triage lesions suggestive of skin cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1877-82	2.2	171
13	Dermoscopy in general dermatology. <i>Dermatology</i> , 2006 , 212, 7-18	4.4	181
12	Intraepidermal dendritic melanocytes in spitzoid neoplasms. <i>American Journal of Dermatopathology</i> , 2006 , 28, 449-50	0.9	17
11	Pitfalls in the clinical and dermoscopic diagnosis of pigmented actinic keratosis. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 1071-4	4.5	61
10	Limitations of histopathologic analysis in the recognition of melanoma: a plea for a combined diagnostic approach of histopathologic and dermoscopic evaluation. <i>Archives of Dermatology</i> , 2005 , 141, 209-11		41
9	The spectrum of Spitz nevi: a clinicopathologic study of 83 cases. <i>Archives of Dermatology</i> , 2005 , 141, 1381-7		120
8	A pilot study of a combined dermoscopic-pathological approach to the telediagnosis of melanocytic skin neoplasms. <i>Journal of Telemedicine and Telecare</i> , 2004 , 10, 34-8	6.8	41
7	Do we detect a new spectrum of biologically benign melanomas in the dermoscopy era?. <i>Melanoma Research</i> , 2004 , 14, 567-8	3.3	11
6	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 679-93	4.5	882
5	Dermoscopic and histopathologic diagnosis of equivocal melanocytic skin lesions: an interdisciplinary study on 107 cases. <i>Cancer</i> , 2002 , 95, 1094-100	6.4	84
4	"Compound blue nevus": a reappraisal of "superficial blue nevus with prominent intraepidermal dendritic melanocytes" with emphasis on dermoscopic and histopathologic features. <i>Journal of the American Academy of Dermatology</i> , 2002 , 46, 85-9	4.5	24
3	Dermoscopic-pathologic correlation: an atlas of 15 cases. <i>Clinics in Dermatology</i> , 2002 , 20, 228-35	3	22
2	Superficial black network: an additional dermoscopic clue for the diagnosis of pigmented spindle and/or epithelioid cell nevus. <i>Dermatology</i> , 2001 , 203, 333-5	4.4	32

1	Metastatic neoplasms of the breast: fine-needle aspiration cytology of two cases. <i>Diagnostic Cytopathology</i> , 1996 , 15, 139-43	1.4	10
---	--	-----	----