

Marc Fischler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7530017/publications.pdf>

Version: 2024-02-01

133
papers

3,241
citations

147566

31
h-index

189595

50
g-index

139
all docs

139
docs citations

139
times ranked

2835
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence, Characteristics and Preoperative Predictors of Chronic Pain After Double-Lung Transplantation: A Prospective Cohort Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 500-509.	0.6	10
2	Blood Lactate During Double-Lung Transplantation: A Predictor of Grade-3 Primary Graft Dysfunction. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 794-804.	0.6	10
3	A randomized trial to determine the minimum effective lidocaine volume for median nerve block using hydrodissection. <i>Scientific Reports</i> , 2022, 12, 52.	1.6	1
4	Feasibility and Usefulness of Self-Hypnosis in Patients Undergoing Double-Lung Transplantation During the Pre- and Postoperative Periods: A Randomized Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 2490-2499.	0.6	3
5	Ultrasound assessment of the gastric content among diabetic and non-diabetic patients before elective surgery: a prospective multicenter study. <i>Minerva Anestesiologica</i> , 2022, 88, 23-31.	0.6	2
6	Influence of videolaryngoscopy using McGrath Mac on the need for a helper to perform intubation during general anaesthesia: a multicentre randomised video-no-video trial. <i>BMJ Open</i> , 2022, 12, e049275.	0.8	0
7	Intraoperative Implications of the Recipients' Disease for Double-Lung Transplantation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 530-538.	0.6	12
8	Operating room extubation: A predictive factor for 1-year survival after double-lung transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2021, 40, 334-342.	0.3	14
9	Blood pressure measurement during cesarean delivery. <i>Medicine (United States)</i> , 2021, 100, e26129.	0.4	1
10	Screening for postoperative complications by continuous monitoring: protocol for the Biobeat-Postop cohort study. <i>F1000Research</i> , 2021, 10, 622.	0.8	0
11	Prehabilitation Program in Elderly Patients: A Prospective Cohort Study of Patients Followed Up Postoperatively for Up to 6 Months. <i>Journal of Clinical Medicine</i> , 2021, 10, 4500.	1.0	5
12	Effects of a Single Application of Scenar™, a Low-Frequency Modulated Electric Current Therapy, for Pain Relief in Patients with Low Back and Neck Pain: A Randomized Single Blinded Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 5570.	1.0	2
13	A 10% blood pressure drop from baseline during mechanical thrombectomy for stroke is strongly associated with worse neurological outcomes. <i>Journal of NeuroInterventional Surgery</i> , 2020, 12, 363-369.	2.0	33
14	Behavior of a dual closed-loop controller of propofol and remifentanyl guided by the bispectral index for postoperative sedation of adult cardiac surgery patients: a preliminary open study. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 779-786.	0.7	1
15	Reversal of neuromuscular blockade with sugammadex during continuous administration of anaesthetic agents: a double-blind randomised crossover study using the bispectral index. <i>Anaesthesia</i> , 2020, 75, 583-590.	1.8	17
16	Patch validation: an observational study protocol for the evaluation of a multisignal wearable sensor in patients during anaesthesia and in the postanesthesia care unit. <i>BMJ Open</i> , 2020, 10, e040453.	0.8	3
17	HELP-VDL: study protocol for a multicentre, open, randomised, controlled clinical trial comparing the use of the head-elevated laryngoscopy position and the use of a videolaryngoscope to facilitate orotracheal intubation in a patient population without predictable difficulty of intubation. <i>BMJ Open</i> , 2020, 10, e036570.	0.8	1
18	Is Extracorporeal Membrane Oxygenation Withdrawal a Safe Option After Double-Lung Transplantation?. <i>Annals of Thoracic Surgery</i> , 2020, 110, 1167-1174.	0.7	14

#	ARTICLE	IF	CITATIONS
19	Hands-free induction of general anesthesia: a randomised pilot study comparing usual care and high-flow nasal oxygen. <i>Minerva Anestesiologica</i> , 2020, 86, 1135-1142.	0.6	10
20	Knowledge and use of complementary therapies in a tertiary care hospital in France. <i>Medicine (United States)</i> , 2019, 98, e13484.	0.4	5
21	An IgG-induced neutrophil activation pathway contributes to human drug-induced anaphylaxis. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	99
22	Prognostic value of the PaO ₂ /FiO ₂ ratio determined at the end of surgery stage of a double-lung transplantation. <i>Clinical Transplantation</i> , 2019, 33, e13484.	0.8	3
23	Pulmonary Artery Pressure Without Simultaneously Measured Cardiac Output: A Serious Omission?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 1796-1797.	0.6	2
24	A French version of Ringsted's questionnaire on pain-related impairment of daily activities after lung surgery: A cohort study. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019, 38, 615-621.	0.6	4
25	Auriculotherapy in the prevention of postoperative urinary retention in patients with thoracotomy and thoracic epidural analgesia. <i>Medicine (United States)</i> , 2019, 98, e15958.	0.4	3
26	Impact of the modality of mechanical ventilation on bleeding during pituitary surgery. <i>Medicine (United States)</i> , 2019, 98, e17254.	0.4	5
27	Inhaled nitric oxide dependency at the end of double-lung transplantation: a boosted propensity score cohort analysis. <i>Transplant International</i> , 2019, 32, 244-256.	0.8	12
28	Automated measurement of tracheal and main bronchial diameters: a feasibility study. <i>Minerva Anestesiologica</i> , 2019, 85, 1281-1288.	0.6	6
29	Reste-t-il une place pour lâ€™intubation sous fibroscopie en 2018? <i>Praticien En Anesthesie Reanimation</i> , 2018, 22, 160-163.	0.0	0
30	Bispectral Index and Detection of Noxious Stimuli. <i>Anesthesiology</i> , 2018, 128, 857-857.	1.3	0
31	Does a hypnosis session reduce the required propofol dose during closed-loop anaesthesia induction?. <i>European Journal of Anaesthesiology</i> , 2018, 35, 675-681.	0.7	3
32	Randomized study of the impact of a therapeutic education program on patients suffering from chronic low-back pain who are treated with transcutaneous electrical nerve stimulation. <i>Medicine (United States)</i> , 2018, 97, e13782.	0.4	7
33	Comparison of the ease of tracheal intubation using a McGrath Mac videolaryngoscope and a standard Macintosh laryngoscope in normal airways. <i>European Journal of Anaesthesiology</i> , 2018, 35, 631-633.	0.7	8
34	The feasibility of extubation in the operating room after bilateral lung transplantation in adult emphysema patients: an observational retrospective study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 1128-1133.	0.6	11
35	Republication de: Reste-t-il une place pour lâ€™intubation sous fibroscopie en 2018? <i>Journal European Des Urgences Et De Reanimation</i> , 2018, 30, 130-133.	0.1	0
36	Influence of Fraction of Inspired Oxygen on Noninvasive Hemoglobin Measurement: Parallel Assessment of 2 Monitors. <i>Anesthesia and Analgesia</i> , 2017, 124, 1820-1823.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Thoracic Epidural Analgesia With Levobupivacaine Reduces Remifentanil and Propofol Consumption Evaluated by Closed-Loop Titration Guided by the Bispectral Index: A Double-Blind Placebo-Controlled Study. <i>Anesthesia and Analgesia</i> , 2017, 125, 635-642.	1.1	10
38	Frailty Related to Anesthesia guided by the Index of Bispectral (FRAIL) study: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 127.	0.7	1
39	Nociceptive stimulation during Macintosh direct laryngoscopy compared with McGrath Mac videolaryngoscopy. <i>Medicine (United States)</i> , 2017, 96, e8087.	0.4	6
40	Impact of a preoperative conversational hypnotic session on propofol consumption using closed-loop anesthetic induction guided by the bispectral index. <i>Medicine (United States)</i> , 2017, 96, e6389.	0.4	6
41	Epidural Hematoma and Abscess Related to Thoracic Epidural Analgesia: A Single-Center Study of 2,907 Patients Who Underwent Lung Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 446-452.	0.6	13
42	Dexmedetomidine and general anesthesia: a narrative literature review of its major indications for use in adults undergoing non-cardiac surgery. <i>Minerva Anestesiologica</i> , 2017, 83, 1294-1308.	0.6	34
43	Impact of a prophylactic combination of dexamethasone and ondansetron on postoperative nausea and vomiting in obese adult patients undergoing laparoscopic sleeve gastrectomy during closed-loop propofol and remifentanil anaesthesia. <i>European Journal of Anaesthesiology</i> , 2016, 33, 898-905.	0.7	32
44	Intubation en chirurgie pulmonaire. <i>Praticien En Anesthesie Reanimation</i> , 2016, 20, 241-247.	0.0	1
45	New Fast-Track Concepts in Thoracic Surgery: Anesthetic Implications. <i>Current Anesthesiology Reports</i> , 2016, 6, 117-124.	0.9	3
46	Feasibility and results of a fast-track protocol in thoracic surgery. <i>Minerva Anestesiologica</i> , 2016, 82, 15-21.	0.6	15
47	A Randomized Controlled Trial Comparison of NeuroSENSE and Bispectral Brain Monitors During Propofol-Based Versus Sevoflurane-Based General Anesthesia. <i>Anesthesia and Analgesia</i> , 2015, 121, 1194-1201.	1.1	16
48	Feasibility of Closed-loop Titration of Propofol and Remifentanil Guided by the Bispectral Monitor in Pediatric and Adolescent Patients. <i>Anesthesiology</i> , 2015, 122, 759-767.	1.3	36
49	Left double-lumen tube with or without a carinal hook. <i>European Journal of Anaesthesiology</i> , 2015, 32, 418-424.	0.7	4
50	Evaluation of the Double-Lumen Tube Vivasight-DL (DLT-ETView): A Prospective Single-Center Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 1544-1549.	0.6	27
51	Prevalence and Characteristics of Pain in Patients Awaiting Lung Transplantation. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 548-554.	0.6	11
52	Feasibility of closed-loop co-administration of propofol and remifentanil guided by the bispectral index in obese patients: a prospective cohort comparison. <i>British Journal of Anaesthesia</i> , 2015, 114, 605-614.	1.5	28
53	PrÃ©habilitation. <i>AnesthÃ©sie & RÃ©animation</i> , 2015, 1, 409-415.	0.1	3
54	Techniques and results of lobar lung transplantations. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 45, 365-370.	0.6	48

#	ARTICLE	IF	CITATIONS
55	Dexmedetomidine Reduces Propofol and Remifentanyl Requirements During Bispectral Index-Guided Closed-Loop Anesthesia. <i>Anesthesia and Analgesia</i> , 2014, 118, 946-955.	1.1	80
56	Automated titration of propofol and remifentanyl decreases the anesthesiologist's workload during vascular or thoracic surgery: a randomized prospective study. <i>Journal of Clinical Monitoring and Computing</i> , 2014, 28, 35-40.	0.7	49
57	Comparison of Two Doses of Tranexamic Acid in Adults Undergoing Cardiac Surgery with Cardiopulmonary Bypass. <i>Anesthesiology</i> , 2014, 120, 590-600.	1.3	96
58	Comparison of the Potency of Different Propofol Formulations. <i>Anesthesiology</i> , 2014, 120, 355-364.	1.3	21
59	Ultrasound-Guided Transversus Abdominis Plane Block versus Continuous Wound Infusion for Post-Caesarean Analgesia: A Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e103971.	1.1	53
60	In Reply. <i>Anesthesiology</i> , 2014, 121, 664-664.	1.3	0
61	In Reply. <i>Anesthesiology</i> , 2014, 121, 902-903.	1.3	0
62	Automated sedation outperforms manual administration of propofol and remifentanyl in critically ill patients with deep sedation: a randomized phase II trial. <i>Intensive Care Medicine</i> , 2013, 39, 454-462.	3.9	51
63	Automatic administration of propofol and remifentanyl guided by the bispectral index during rigid bronchoscopic procedures: a randomized trial. <i>Canadian Journal of Anaesthesia</i> , 2013, 60, 881-887.	0.7	13
64	Ultrasound-guided perineural circumferential median nerve block in carpal tunnel syndrome. <i>Anaesthesia</i> , 2013, 68, 434-436.	1.8	4
65	The pulse pressure/heart rate ratio as a marker of stroke volume changes during hemorrhagic shock and resuscitation in anesthetized swine. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 1438-1445.	1.1	16
66	Intraoperative occurrence of a pneumopericardium during double-lung transplantation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 16, 929-931.	0.5	1
67	^Â does not reliably detect minimal or maximal arterial blood pressures during induction of anaesthesia and tracheal intubation. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 468-473.	0.7	24
68	Re. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 75, 921-922.	1.1	3
69	Factors associated with early graft dysfunction in cystic fibrosis patients receiving primary bilateral lung transplantation. <i>European Journal of Cardio-thoracic Surgery</i> , 2012, 41, 686-690.	0.6	21
70	Short-Term Effects of Humidification Devices on Respiratory Pattern and Arterial Blood Gases During Noninvasive Ventilation. <i>Respiratory Care</i> , 2012, 57, 1879-1886.	0.8	24
71	Evolution of requests to hasten death among patients managed by palliative care teams in France: A multicentre cross-sectional survey (DemandE). <i>European Journal of Cancer</i> , 2012, 48, 368-376.	1.3	38
72	Intraoperative Cerebral Air Embolism During Lung Transplantation: Treatment with Early Hyperbaric Oxygen Therapy. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 1077-1079.	0.6	9

#	ARTICLE	IF	CITATIONS
73	Non-Invasive Measurement of Hemoglobin: Assessment of Two Different Point-of-Care Technologies. PLoS ONE, 2012, 7, e30065.	1.1	97
74	Feasibility of Closed-loop Titration of Propofol and Remifentanyl Guided by the Spectral M-Entropy Monitor. Anesthesiology, 2012, 116, 286-295.	1.3	83
75	Ultrasound-Guided Perineural Circumferential Median Nerve Block With and Without Prior Dextrose 5% Hydrodissection. Anesthesia and Analgesia, 2012, 115, 728-733.	1.1	28
76	Transesophageal and Contact Ultrasound Echographic Assessments of Pulmonary Vessels in Bilateral Lung Transplantation. Annals of Thoracic Surgery, 2012, 93, 1094-1100.	0.7	22
77	Intranasal drug delivery: An efficient and non-invasive route for systemic administration. , 2012, 134, 366-379.		281
78	The difficulty of choosing between two risks: laparoscopic or open cholecystectomy in the presence of a large patent foramen ovale. Journal of Clinical Anesthesia, 2011, 23, 170.	0.7	1
79	Requests for euthanasia and palliative care in France. Lancet, The, 2011, 377, 467-468.	6.3	21
80	Assessment of Chronic Pain After Thoracotomy. Clinical Journal of Pain, 2011, 27, 677-681.	0.8	64
81	Closed-Loop Coadministration of Propofol and Remifentanyl Guided by Bispectral Index. Anesthesia and Analgesia, 2011, 112, 546-557.	1.1	229
82	Intraoperative Use of an Automated Chest Compression Device. Anesthesiology, 2011, 114, 1253-1255.	1.3	2
83	Instability in non-invasive haemoglobin measurement: a possible influence of oxygen administration. Acta Anaesthesiologica Scandinavica, 2011, 55, 902-902.	0.7	11
84	Occurrence of a carbon dioxide embolism during laparoscopic pyloromyotomy in a small child: several unresolved questions. Canadian Journal of Anaesthesia, 2011, 58, 226-227.	0.7	2
85	Performance Evaluation of a Noninvasive Hemoglobin Monitoring Device. Annals of Emergency Medicine, 2011, 57, 330-333.	0.3	111
86	Don't Forget the Heart When Looking at the Risk of Postoperative Pulmonary Complications. Anesthesiology, 2011, 115, 210-210.	1.3	0
87	Management of Takotsubo Cardiomyopathy in a Lung Transplant Recipient. Transplantation, 2010, 90, 692-694.	0.5	7
88	Main bronchial diameters in patients with very severe COPD. Journal of Anesthesia, 2010, 24, 359-365.	0.7	2
89	Extracorporeal Membrane Oxygenation Use for Mediastinal Tumor Resection. Annals of Thoracic Surgery, 2010, 89, 1012.	0.7	19
90	No benefit of manually BIS-guided anesthesia in children: is anesthesia really guided by BIS?. Paediatric Anaesthesia, 2010, 20, 677-678.	0.6	0

#	ARTICLE	IF	CITATIONS
91	Advances in lung transplantation for cystic fibrosis that may improve outcome. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 38, 637-643.	0.6	19
92	An Ultrasonographic Assessment of Nerve Stimulation-Guided Median Nerve Block at the Elbow. <i>Anesthesia and Analgesia</i> , 2010, 111, 561-567.	1.1	37
93	Prise en charge anesthésique d'un patient ayant un foramen ovale perméable. <i>Praticien En Anesthésie Réanimation</i> , 2010, 14, 317-323.	0.0	0
94	A validated assay for the quantitative analysis of tranexamic acid in human serum by liquid chromatography coupled with electrospray ionization mass spectrometry. <i>Clinica Chimica Acta</i> , 2010, 411, 438-443.	0.5	33
95	Re: Hong et al.: Detection of Subclinical Carbon Dioxide Embolism by Transesophageal Echocardiography During Laparoscopic Radical Prostatectomy (<i>Urology</i> 2010;75:581-584). <i>Urology</i> , 2010, 76, 1024.	0.5	0
96	Intraoperative Use of Activated Recombinant Factor VII for Refractory Bleeding in Complicated Lung Transplantations. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 382-383.	0.6	2
97	Venous Air Embolism during Total Laparoscopic Hysterectomy. <i>Anesthesiology</i> , 2010, 112, 497-498.	1.3	4
98	Ultrasound and Neurostimulation-Guided Axillary Brachial Plexus Block for Resection of a Hemodialysis Fistula Aneurysm. <i>Anesthesia and Analgesia</i> , 2009, 108, 1981-1983.	1.1	7
99	BIS values during resuscitation: the role of the suppression ratio (case report). <i>Journal of Clinical Monitoring and Computing</i> , 2009, 23, 307-309.	0.7	5
100	Letter to the Editor. <i>Journal of Pediatric Surgery</i> , 2009, 44, 1864.	0.8	3
101	Closed-loop titration of propofol and remifentanyl guided by Bispectral Index in a patient with extreme gigantism. <i>Journal of Clinical Anesthesia</i> , 2009, 21, 542-544.	0.7	5
102	A Comparison of the Deflecting-Tip Bronchial Blocker With a Wire-Guided Blocker or Left-Sided Double-Lumen Tube. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009, 23, 501-505.	0.6	36
103	Immediate Intravenous Lipid Infusion in the Successful Resuscitation of Ropivacaine-Induced Cardiac Arrest After Infraclavicular Brachial Plexus Block. <i>Regional Anesthesia and Pain Medicine</i> , 2009, 34, 276-277.	1.1	32
104	Multiplane Reconstruction Is Better Than Plain X-ray to Measure the Tracheobronchial Tree. <i>Anesthesiology</i> , 2009, 110, 1189-1189.	1.3	0
105	Seizure After Aortic Clamp Release: A Bispectral Index Pitfall. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 119-121.	0.6	9
106	Closed-Loop Control of Consciousness During Lung Transplantation: An Observational Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 611-615.	0.6	35
107	Ultrasound Guidance is Advantageous in Popliteal Nerve Blockade. <i>Anesthesia and Analgesia</i> , 2008, 107, 2094-2095.	1.1	0
108	Combined Ultrasound and Neurostimulation Guidance for Popliteal Sciatic Nerve Block: A Prospective, Randomized Comparison with Neurostimulation Alone. <i>Anesthesia and Analgesia</i> , 2008, 106, 1553-1558.	1.1	75

#	ARTICLE	IF	CITATIONS
109	Neurologic Dysfunction After Major Thoracic Surgery in a Patient with Severe Arteriosclerotic Disease Receiving Epidural Analgesia. <i>Anesthesia and Analgesia</i> , 2007, 104, 204-206.	1.1	2
110	The Comparability of Bispectral Index and State Entropy Index During Maintenance of Sufentanil-Sevoflurane-Nitrous Oxide Anesthesia. <i>Anesthesia and Analgesia</i> , 2007, 105, 1319-1325.	1.1	18
111	Closed-loop administration of propofol and remifentanil guided by the Bispectral Index in patient requiring an emergency lung volume reduction. <i>Paediatric Anaesthesia</i> , 2007, 17, 909-910.	0.6	16
112	A call to Mallinckrodt for a modified right-sided Broncho-Cathâ,,ç double lumen tube. <i>Canadian Journal of Anaesthesia</i> , 2007, 54, 1029-1030.	0.7	0
113	Sevoflurane-Remifentanil Versus Propofol-Remifentanil Anesthesia at a Similar Bispectral Level for Off-Pump Coronary Artery Surgery: No Evidence of Reduced Myocardial Ischemia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 484-492.	0.6	49
114	Use of Cardiopulmonary Bypass for Lung Transplantation: A 10-Year Experience. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2006, 20, 668-672.	0.6	37
115	Titration of Propofol for Anesthetic Induction and Maintenance Guided by the Bispectral Index: Closed-loop versus Manual Control. <i>Anesthesiology</i> , 2006, 104, 686-695.	1.3	198
116	Changes of Bispectral Index After a Bolus Dose of Muscle Relaxant. <i>Anesthesia and Analgesia</i> , 2006, 103, 777.	1.1	1
117	Measurement of Left Mainstem Bronchus Using Multiplane CT Reconstructions and Relationship Between Patient Characteristics or Tracheal Diameters and Left Bronchial Diameters. <i>Chest</i> , 2006, 130, 101-107.	0.4	43
118	BIS and the Electromyogram. <i>Anesthesia and Analgesia</i> , 2006, 103, 1049-1050.	1.1	0
119	Does Monitoring Bispectral Index or Spectral Entropy Reduce Sevoflurane Use?. <i>Anesthesia and Analgesia</i> , 2006, 103, 1469-1477.	1.1	54
120	Elevated Burst Suppression Ratio: The Possible Role of Hypoxemia. <i>Anesthesia and Analgesia</i> , 2006, 103, 1609-1610.	1.1	14
121	Scalp Infiltration with Bupivacaine Plus Epinephrine or Plain Ropivacaine Reduces Postoperative Pain After Supratentorial Craniotomy. <i>Journal of Neurosurgical Anesthesiology</i> , 2005, 17, 139-143.	0.6	62
122	The Influence of a Muscle Relaxant Bolus on Bispectral and Datex-Ohmeda Entropy Values During Propofol-Remifentanil Induced Loss of Consciousness. <i>Anesthesia and Analgesia</i> , 2005, 101, 1713-1718.	1.1	72
123	Treatment of Hypoxemia During One-Lung Ventilation Using Intravenous Almitrine. <i>Anesthesia and Analgesia</i> , 2004, 98, 590-594.	1.1	37
124	Using the Intubating Laryngeal Mask Airway for Ventilation and Endotracheal Intubation in Anesthetized and Unparalyzed Acromegalic Patients. <i>Journal of Neurosurgical Anesthesiology</i> , 2004, 16, 11-13.	0.6	25
125	Detection of Gas Embolism by Bispectral Index and Entropy Monitoring in Two Cases. <i>Anesthesiology</i> , 2004, 101, 1053-1054.	1.3	15
126	The clinical relevance of systolic pressure variations in anesthetized nonhypotensive patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 188-192.	0.6	6

#	ARTICLE	IF	CITATIONS
127	The wire-guided endobronchial blocker as a solution to provide one-lung ventilation when a double-lumen endotracheal tube is malpositioned. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003, 17, 636-637.	0.6	5
128	The Effects of Intravenous Almitrine on Oxygenation and Hemodynamics During One-Lung Ventilation. <i>Anesthesia and Analgesia</i> , 2002, 94, 830-834.	1.1	29
129	Treatment of hypoxaemia during one-lung ventilation with almitrine. <i>Lancet, The</i> , 2002, 359, 1347-1348.	6.3	5
130	Anaphylactic Shock Due to Suxamethonium Complicated by a Coronary Thrombus. <i>Anesthesiology</i> , 2002, 97, 269-271.	1.3	2
131	The Effects of Inhaled Nitric Oxide and Its Combination with Intravenous Almitrine on PaO ₂ During One-Lung Ventilation in Patients Undergoing Thoracoscopic Procedures. <i>Anesthesia and Analgesia</i> , 1997, 85, 1130-1135.	1.1	67
132	Intraoperative Transesophageal Echocardiographic Assessment of Vascular Anastomoses in Lung Transplantation. <i>Chest</i> , 1997, 111, 1229-1235.	0.4	82
133	Screening for postoperative vital signs abnormalities, and particularly hemodynamic ones, by continuous monitoring: protocol for the Biobeat-Postop cohort study. <i>F1000Research</i> , 0, 10, 622.	0.8	1