

Xavier Norel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7532279/publications.pdf>

Version: 2024-02-01

116
papers

5,887
citations

94269

37
h-index

74018

75
g-index

120
all docs

120
docs citations

120
times ranked

8924
citing authors

#	ARTICLE	IF	CITATIONS
1	The Concise Guide to PHARMACOLOGY 2015/16: Enzymes. British Journal of Pharmacology, 2015, 172, 6024-6109.	2.7	521
2	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: G proteinâ€‘coupled receptors. British Journal of Pharmacology, 2019, 176, S21-S141.	2.7	519
3	The Concise Guide to PHARMACOLOGY 2015/16: G proteinâ€‘coupled receptors. British Journal of Pharmacology, 2015, 172, 5744-5869.	2.7	507
4	Systemic Human ILC Precursors Provide a Substrate for Tissue ILC Differentiation. Cell, 2017, 168, 1086-1100.e10.	13.5	420
5	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: G proteinâ€‘coupled receptors. British Journal of Pharmacology, 2021, 178, S27-S156.	2.7	337
6	The Concise Guide to PHARMACOLOGY 2015/16: Overview. British Journal of Pharmacology, 2015, 172, 5729-5743.	2.7	220
7	The Concise Guide to PHARMACOLOGY 2015/16: Transporters. British Journal of Pharmacology, 2015, 172, 6110-6202.	2.7	190
8	The Concise Guide to PHARMACOLOGY 2015/16: Voltageâ€‘gated ion channels. British Journal of Pharmacology, 2015, 172, 5904-5941.	2.7	176
9	The Concise Guide to PHARMACOLOGY 2015/16: Catalytic receptors. British Journal of Pharmacology, 2015, 172, 5979-6023.	2.7	158
10	The Concise Guide to PHARMACOLOGY 2015/16: Ligandâ€‘gated ion channels. British Journal of Pharmacology, 2015, 172, 5870-5903.	2.7	133
11	The role of prostaglandin E2 in human vascular inflammation. Prostaglandins Leukotrienes and Essential Fatty Acids, 2013, 89, 55-63.	1.0	122
12	Specific inhibition of PAF-acether-induced platelet activation by BN 52021 and comparison with the PAF-acether inhibitors kadsurenone and CV 3988. European Journal of Pharmacology, 1986, 123, 197-205.	1.7	119
13	The Concise Guide to PHARMACOLOGY 2015/16: Nuclear hormone receptors. British Journal of Pharmacology, 2015, 172, 5956-5978.	2.7	119
14	Prostanoid receptors involved in the relaxation of human pulmonary vessels. British Journal of Pharmacology, 1999, 126, 859-866.	2.7	109
15	Prostanoid Receptors in the Human Vascular Wall. Scientific World Journal, The, 2007, 7, 1359-1374.	0.8	106
16	A second cysteinyl leukotriene receptor in human lung. Journal of Pharmacology and Experimental Therapeutics, 1992, 263, 800-5.	1.3	106
17	Role of MMP-1 (-519A/G, -1607 1G/2G), MMP-3 (Lys45Glu), MMP-7 (-181A/G), and MMP-12 (-82A/G) Variants and Plasma MMP Levels on Obesity-Related Phenotypes and Microvascular Reactivity in a Tunisian Population. Disease Markers, 2017, 2017, 1-16.	0.6	91
18	The Cyclooxygenase-2â€‘Prostaglandin E₂ Pathway Maintains Senescence of Chronic Obstructive Pulmonary Disease Fibroblasts. American Journal of Respiratory and Critical Care Medicine, 2013, 187, 703-714.	2.5	90

#	ARTICLE	IF	CITATIONS
19	Prostanoid receptors involved in the relaxation of human bronchial preparations. <i>British Journal of Pharmacology</i> , 1999, 126, 867-872.	2.7	78
20	M ₁ and M ₃ muscarinic receptors in human pulmonary arteries. <i>British Journal of Pharmacology</i> , 1996, 119, 149-157.	2.7	72
21	Vasorelaxation induced by prostaglandin E ₂ in human pulmonary vein: role of the EP ₄ receptor subtype. <i>British Journal of Pharmacology</i> , 2008, 154, 1631-1639.	2.7	67
22	Prostanoid EP1 - and TP-receptors involved in the contraction of human pulmonary veins. <i>British Journal of Pharmacology</i> , 2001, 134, 1671-1678.	2.7	64
23	Silver Nanoparticles Impair Retinoic Acid-Inducible Gene I-Mediated Mitochondrial Antiviral Immunity by Blocking the Autophagic Flux in Lung Epithelial Cells. <i>ACS Nano</i> , 2018, 12, 1188-1202.	7.3	56
24	PGE2 receptor (EP4) agonists: Potent dilators of human bronchi and future asthma therapy?. <i>Pulmonary Pharmacology and Therapeutics</i> , 2012, 25, 115-118.	1.1	52
25	Degradation of acetylcholine in human airways: role of butyrylcholinesterase. <i>British Journal of Pharmacology</i> , 1993, 108, 914-919.	2.7	51
26	Human perivascular adipose tissue dysfunction as a cause of vascular disease: Focus on vascular tone and wall remodeling. <i>European Journal of Pharmacology</i> , 2015, 766, 16-24.	1.7	49
27	Control of human vascular tone by prostanoids derived from perivascular adipose tissue. <i>Prostaglandins and Other Lipid Mediators</i> , 2013, 107, 13-17.	1.0	48
28	Inhibitory effects of BAY u3405 on prostanoid-induced contractions in human isolated bronchial and pulmonary arterial muscle preparations. <i>British Journal of Pharmacology</i> , 1991, 104, 591-595.	2.7	47
29	Prostacyclin modulation of contractions of the human pulmonary artery by cysteinyl-leukotrienes. <i>European Journal of Pharmacology</i> , 2000, 401, 389-395.	1.7	47
30	Inhibition of microsomal PGE synthase reduces human vascular tone by increasing PGI ₂ : a safer alternative to COX inhibition. <i>British Journal of Pharmacology</i> , 2017, 174, 4087-4098.	2.7	46
31	Vasoconstriction induced by activation of EP1 and EP3 receptors in human lung: effects of ONO-AE-248, ONO-DI-004, ONO-8711 or ONO-8713. <i>Prostaglandins and Other Lipid Mediators</i> , 2004, 74, 101-112.	1.0	45
32	The muscarinic receptor subtypes in human blood vessels. <i>Therapie</i> , 2001, 56, 223-6.	0.6	43
33	Anaphylactic bronchoconstriction in BP2 mice: interactions between serotonin and acetylcholine. <i>British Journal of Pharmacology</i> , 1999, 126, 312-316.	2.7	41
34	The quest for new cysteinyl-leukotriene and lipoxin receptors: recent clues. , 2004, 103, 81-94.		41
35	Functional Studies of Leukotriene Receptors in Vascular Tissues. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, S107-S111.	2.5	40
36	The Concise Guide to PHARMACOLOGY 2015/16: Other ion channels. <i>British Journal of Pharmacology</i> , 2015, 172, 5942-5955.	2.7	40

#	ARTICLE	IF	CITATIONS
37	Evidence for a M1 muscarinic receptor on the endothelium of human pulmonary veins. <i>British Journal of Pharmacology</i> , 2000, 130, 73-78.	2.7	38
38	Pharmacological evidence for a novel cysteinyl-leukotriene receptor subtype in human pulmonary artery smooth muscle. <i>British Journal of Pharmacology</i> , 2002, 137, 1339-1345.	2.7	38
39	Differential reactivity of human mammary artery and saphenous vein to prostaglandin E ₂ : Implication for cardiovascular grafts. <i>British Journal of Pharmacology</i> , 2011, 163, 826-834.	2.7	37
40	A comparative study of PGI ₂ mimetics used clinically on the vasorelaxation of human pulmonary arteries and veins, role of the DP-receptor. <i>Prostaglandins and Other Lipid Mediators</i> , 2013, 107, 48-55.	1.0	37
41	Relaxation of isolated human pulmonary muscle preparations with prostacyclin (PGI ₂) and its analogs. <i>Prostaglandins</i> , 1987, 33, 845-854.	1.2	36
42	Prostacyclin release and receptor activation: differential control of human pulmonary venous and arterial tone. <i>British Journal of Pharmacology</i> , 2004, 142, 788-796.	2.7	36
43	Neutrophils recruited by leukotriene B ₄ induce features of plaque destabilization during endotoxaemia. <i>Cardiovascular Research</i> , 2018, 114, 1656-1666.	1.8	34
44	Selective cyclooxygenase-2 inhibition directly increases human vascular reactivity to norepinephrine during acute inflammation. <i>Cardiovascular Research</i> , 2008, 81, 269-277.	1.8	30
45	Antagonist resistant contractions of the porcine pulmonary artery by cysteinyl-leukotrienes. <i>European Journal of Pharmacology</i> , 2000, 401, 381-388.	1.7	29
46	Vasorelaxant effects of atrial peptide II on isolated human pulmonary muscle preparations. <i>European Journal of Pharmacology</i> , 1988, 150, 397-400.	1.7	28
47	Modulation of vascular tone and reactivity by nitric oxide in porcine pulmonary arteries and veins. <i>Acta Physiologica Scandinavica</i> , 2002, 174, 9-15.	2.3	26
48	Reverse Regulatory Pathway (H ₂ S / PGE ₂ / MMP) in Human Aortic Aneurysm and Saphenous Vein Varicosity. <i>PLoS ONE</i> , 2016, 11, e0158421.	1.1	26
49	International Union of Basic and Clinical Pharmacology. CIX. Differences and Similarities between Human and Rodent Prostaglandin E ₂ Receptors (EP1-4) and Prostacyclin Receptor (IP): Specific Roles in Pathophysiologic Conditions. <i>Pharmacological Reviews</i> , 2020, 72, 910-968.	7.1	26
50	Decreased PGE ₂ Content Reduces MMP-1 Activity and Consequently Increases Collagen Density in Human Varicose Vein. <i>PLoS ONE</i> , 2014, 9, e88021.	1.1	25
51	Prostanoid EP ₂ Receptors Are Up-Regulated in Human Pulmonary Arterial Hypertension: A Key Anti-Proliferative Target for Treprostinil in Smooth Muscle Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2372.	1.8	24
52	Histamine receptors on human isolated pulmonary arterial muscle preparations: effects of endothelial cell removal and nitric oxide inhibitors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1992, 260, 762-7.	1.3	23
53	Prostaglandin E ₂ receptor subtypes in human blood and vascular cells. <i>European Journal of Pharmacology</i> , 2012, 695, 1-6.	1.7	22
54	MMPs and TIMPs levels are correlated with anthropometric parameters, blood pressure, and endothelial function in obesity. <i>Scientific Reports</i> , 2021, 11, 20052.	1.6	21

#	ARTICLE	IF	CITATIONS
55	Endothelin-1 modulates cyclic GMP production and relaxation in human pulmonary vessels. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1995, 274, 969-75.	1.3	21
56	(R)-2-[4-(quinolin-2-yl-methoxy)phenyl]-2-cyclopentyl] acetic acid (BAY x1005), a potent leukotriene synthesis inhibitor: effects on anti-IgE challenge in human airways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1994, 268, 868-72.	1.3	21
57	Cholinesterase activity in human pulmonary arteries and veins. <i>British Journal of Pharmacology</i> , 1997, 121, 986-990.	2.7	20
58	EFFECTS OF VARIOUS PHARMACOLOGICAL AGENTS ON ISOLATED HUMAN BRONCHIAL AND PULMONARY ARTERIAL AND VENOUS MUSCLE PREPARATIONS CONTRACTED BY LEUKOTRIENE D ₄ . <i>Fundamental and Clinical Pharmacology</i> , 1987, 1, 433-444.	1.0	19
59	Prostanoids in the pathophysiology of human coronary artery. <i>Prostaglandins and Other Lipid Mediators</i> , 2017, 133, 20-28.	1.0	19
60	A new mRNA splice variant coding for the human EP3-I receptor isoform. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007, 77, 195-201.	1.0	17
61	Cholinesterase activity in pig airways and epithelial cells. <i>Fundamental and Clinical Pharmacology</i> , 1997, 11, 201-205.	1.0	14
62	Prostaglandin E2 induced contraction of human intercostal arteries is mediated by the EP3 receptor. <i>European Journal of Pharmacology</i> , 2012, 681, 55-59.	1.7	14
63	Inflammation increases MMP levels via PGE2 in human vascular wall and plasma of obese women. <i>International Journal of Obesity</i> , 2019, 43, 1724-1734.	1.6	14
64	Magnetic wire active microrheology of human respiratory mucus. <i>Soft Matter</i> , 2021, 17, 7585-7595.	1.2	14
65	Altered reactivity to norepinephrine through COX-2 induction by vascular injury in hypercholesterolemic rabbits. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H1882-H1888.	1.5	13
66	Bronchodilation induced by PGE 2 is impaired in Group III pulmonary hypertension. <i>British Journal of Pharmacology</i> , 2020, 177, 161-174.	2.7	13
67	Ex vivo relaxations of pulmonary arteries induced by prostacyclin mimetics are highly dependent of the precontractile agents. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 121, 46-52.	1.0	12
68	Omega-3 polyunsaturated fatty acids reduce vascular tone and inflammation in human saphenous vein. <i>Prostaglandins and Other Lipid Mediators</i> , 2017, 133, 29-34.	1.0	11
69	Evaluation of some prostaglandins modulators on rat corpus cavernosum in-vitro: Is relaxation negatively affected by COX-inhibitors?. <i>Biomedicine and Pharmacotherapy</i> , 2019, 111, 1458-1466.	2.5	11
70	Cysteinyl-leukotriene receptors in pulmonary vessels. <i>Journal of Physiology and Pharmacology</i> , 1999, 50, 567-73.	1.1	11
71	Cysteinyl leukotriene receptors in the human lung: what's new?. <i>Trends in Pharmacological Sciences</i> , 1996, 17, 342-345.	4.0	10
72	Decreased vasorelaxation induced by iloprost during acute inflammation in human internal mammary artery. <i>European Journal of Pharmacology</i> , 2017, 804, 31-37.	1.7	10

#	ARTICLE	IF	CITATIONS
73	Response to Anti-human IgE in Human Pulmonary Arteries: Regulation by Endothelium. <i>The American Review of Respiratory Disease</i> , 1993, 147, 1029-1033.	2.9	9
74	Absence of inflammatory conditions in human varicose saphenous veins. <i>Inflammation Research</i> , 2013, 62, 299-308.	1.6	9
75	Mechanism of thromboxane receptor-induced vasoconstriction in human saphenous vein. <i>Prostaglandins and Other Lipid Mediators</i> , 2020, 151, 106476.	1.0	8
76	Antigen-Induced Contraction of Human Isolated Lung Preparations Passively Sensitized with Monoclonal IgE: Effects of Indomethacin. <i>International Archives of Allergy and Immunology</i> , 1991, 96, 368-375.	0.9	6
77	Effects of β_2 -adrenoceptor agonists on anti-IgE-induced contraction and smooth muscle reactivity in human airways. <i>British Journal of Pharmacology</i> , 1995, 114, 935-940.	2.7	6
78	Pharmacology of the single isomer, esuberaprost (beraprost-314d) on pulmonary vascular tone, IP receptors and human smooth muscle proliferation in pulmonary hypertension. <i>Biochemical Pharmacology</i> , 2019, 166, 242-252.	2.0	6
79	Potassium channels modulate the action but not the synthesis of hydrogen sulfide in rat corpus cavernosum. <i>Life Sciences</i> , 2017, 189, 39-43.	2.0	5
80	Interaction between PGI ₂ and ET-1 pathways in vascular smooth muscle from Group-III pulmonary hypertension patients. <i>Prostaglandins and Other Lipid Mediators</i> , 2020, 146, 106388.	1.0	5
81	Antigenic Contraction of Guinea Pig Tracheal Preparations Passively Sensitized with Monoclonal IgE: Pharmacological Modulation. <i>International Archives of Allergy and Immunology</i> , 1988, 87, 342-348.	0.9	4
82	Effect of cold storage on cholinergic responses induced by electrical field stimulation in human bronchi. <i>Pulmonary Pharmacology and Therapeutics</i> , 2006, 19, 297-302.	1.1	4
83	Involvement of prostaglandin F ₂ ± in preeclamptic human umbilical vein vasospasm: a role of prostaglandin F and thromboxane A ₂ receptors. <i>Journal of Hypertension</i> , 2010, 28, 2438-2445.	0.3	4
84	Downregulation of PGI ₂ pathway in Pulmonary Hypertension Group-III patients. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020, 160, 102158.	1.0	4
85	Comparison of BN 52021, a new inhibitor of PAF-acether-induced platelet aggregation, with kadsurenone and CV 3988. <i>Prostaglandins</i> , 1985, 30, 701.	1.2	3
86	Cholinesterase inhibition by vecuronium and pancuronium in human airways. <i>Life Sciences</i> , 1994, 55, PL261-PL266.	2.0	3
87	ROLE OF NITRIC OXIDE ON CHOLINERGIC COMPONENT OF BRONCHIAL TONE IN PIG. <i>Pharmacological Research</i> , 1996, 34, 157-160.	3.1	3
88	Gorenne et al. reply. <i>Trends in Pharmacological Sciences</i> , 1997, 18, 148-149.	4.0	3
89	Hypoactivity of rat detrusor muscle in a model of cystitis: exacerbation by non-selective COX inhibitors and amelioration by a selective DP1 receptor antagonist. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 437-450.	1.4	3
90	Polymorphisms rs2745557 in PTGS2 and rs2075797 in PTGER2 are associated with the risk of chronic obstructive pulmonary disease development in a Tunisian cohort. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 166, 102252.	1.0	3

#	ARTICLE	IF	CITATIONS
91	Comparative study of coronary artery bypass graft materials: reduced contraction and ADMA levels in internal mammary artery versus saphenous vein. <i>Journal of Cardiovascular Surgery</i> , 2022, 63, .	0.3	3
92	The Contraction of the Human Pulmonary Artery by LTC ₄ is Resistant to CYSLT ₁ Antagonists and Counteracted by Prostacyclin Release. <i>Advances in Experimental Medicine and Biology</i> , 2002, 507, 315-319.	0.8	3
93	Prostanoid receptors (version 2020.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2020, 2020, .	0.2	3
94	Cysteinyl leukotriene receptors in the human lung: what's new?. <i>Trends in Pharmacological Sciences</i> , 1996, 17, 342-5.	4.0	3
95	Anti-IgE Response in Human Airways: Relative Contribution of Inflammatory Mediators. <i>Mediators of Inflammation</i> , 1994, 3, 359-363.	1.4	2
96	Cholinesterase activity in human pulmonary arteries and veins: correlation with mRNA levels. <i>Life Sciences</i> , 2005, 76, 2211-2220.	2.0	2
97	Sildenafil corrects the increased contractility of rat detrusor muscle induced by alprostadil in vitro. <i>Pharmacological Reports</i> , 2019, 71, 659-668.	1.5	2
98	Prostanoid receptors in GtoPdb v.2021.2. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2021, 2021, .	0.2	2
99	Prostanoid receptors (version 2019.5) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	2
100	Comparative study on the effect of aspirin, TP receptor antagonist and TxA ₂ synthase inhibitor on the vascular tone of human saphenous vein and internal mammary artery. <i>Life Sciences</i> , 2021, 286, 120073.	2.0	2
101	Contraction of Bovine Isolated Bronchial Airways: Effects of Epithelium Removal. <i>Respiration</i> , 1993, 60, 351-353.	1.2	1
102	Editorial. Prostaglandins and Other Lipid Mediators, 2015, 121, 1-3.	1.0	1
103	In search of pulmonary hypertension treatments: Effect of 17 β -estradiol on PGI ₂ pathway in human pulmonary artery. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 172, 102321.	1.0	1
104	Responsiveness and sensitivity to cholinergic agonists and antagonists in bovine isolated bronchial muscles. <i>Pharmacological Research</i> , 1990, 22, 64-65.	3.1	0
105	The effects of cholinergic antagonists on bovine isolated bronchial muscles with and without epithelium. <i>Pharmacological Research</i> , 1990, 22, 315.	3.1	0
106	Muscarinic receptors in human pulmonary artery. <i>Life Sciences</i> , 1995, 56, 1045.	2.0	0
107	Leukotriene synthesis inhibition and anti-ige challenge of human lung parenchyma. <i>Life Sciences</i> , 1996, 59, PL213-PL219.	2.0	0
108	Acetylcholine induces a greater production of prostacyclin in human pulmonary arteries than in veins. <i>Journal of Physiology (Paris)</i> , 1998, 92, 507-508.	2.1	0

#	ARTICLE	IF	CITATIONS
109	Increased Human Vascular Reactivity Via Cyclooxygenase-2 Inhibition During Acute Inflammation: Role of Prostaglandins E2 and I2. <i>Inflammation Research</i> , 2009, 58, S249-S251.	1.6	0
110	Editorial—Special issue of the 6th European Workshop on Lipid Mediators. Prostaglandins and Other Lipid Mediators, 2017, 133, 1-3.	1.0	0
111	Prostaglandin Endoperoxide H Synthase-2 (PGHS-2) Variants and Risk of Obesity and Microvascular Dysfunction Among Tunisians: Relevance of rs5277 (306G/C) and rs5275 (8473T/C) Genetic Markers. <i>Biochemical Genetics</i> , 2021, 59, 1457-1486.	0.8	0
112	Leukotrienes and the Pulmonary Vascular Bed. <i>Advances in Experimental Medicine and Biology</i> , 2002, 507, 309-313.	0.8	0
113	Arachidonic Acid Inhibits Cysteinyl-Leukotriene Receptor Activation in Human Pulmonary Vessels. <i>Advances in Experimental Medicine and Biology</i> , 2003, 525, 75-79.	0.8	0
114	Cholinesterase Activities in Intact Human Pulmonary Vessels Treated with LTD4. , 1998, , 594-595.		0
115	Cysteinyl-Leukotrienes and the Human Lung. <i>Advances in Experimental Medicine and Biology</i> , 1999, 447, 171-179.	0.8	0
116	Prostanoid receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. IUPHAR/BPS Guide To Pharmacology CITE, 2019, 2019, .	0.2	0