

Xavier Norel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7532279/xavier-norel-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

4,792
citations

35
h-index

68
g-index

120
ext. papers

5,352
ext. citations

6.4
avg, IF

5.08
L-index

#	Paper	IF	Citations
113	MMPs and TIMPs levels are correlated with anthropometric parameters, blood pressure, and endothelial function in obesity. <i>Scientific Reports</i> , 2021 , 11, 20052	4.9	2
112	Comparative study on the effect of aspirin, TP receptor antagonist and TxA synthase inhibitor on the vascular tone of human saphenous vein and internal mammary artery. <i>Life Sciences</i> , 2021 , 286, 120073	6.8	1
111	Prostaglandin Endoperoxide H Synthase-2 (PGHS-2) Variants and Risk of Obesity and Microvascular Dysfunction Among Tunisians: Relevance of rs5277 (306G/C) and rs5275 (8473T/C) Genetic Markers. <i>Biochemical Genetics</i> , 2021 , 59, 1457-1486	2.4	
110	Magnetic wire active microrheology of human respiratory mucus. <i>Soft Matter</i> , 2021 , 17, 7585-7595	3.6	2
109	Polymorphisms rs2745557 in PTGS2 and rs2075797 in PTGER2 are associated with the risk of chronic obstructive pulmonary disease development in a Tunisian cohort. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021 , 166, 102252	2.8	1
108	In search of pulmonary hypertension treatments: Effect of 17 β -estradiol on PGI pathway in human pulmonary artery. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021 , 172, 102321	2.8	1
107	Comparative study of coronary artery bypass graft materials: reduced contraction and ADMA levels in internal mammary artery versus saphenous vein. <i>Journal of Cardiovascular Surgery</i> , 2021 ,	0.7	2
106	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2021 , 178 Suppl 1, S27-S156	8.6	46
105	Downregulation of PGI pathway in Pulmonary Hypertension Group-III patients. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020 , 160, 102158	2.8	3
104	Prostanoid receptors (version 2020.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2020 , 2020,	1.7	3
103	Interaction between PGI and ET-1 pathways in vascular smooth muscle from Group-III pulmonary hypertension patients. <i>Prostaglandins and Other Lipid Mediators</i> , 2020 , 146, 106388	3.7	3
102	Bronchodilation induced by PGE is impaired in Group III pulmonary hypertension. <i>British Journal of Pharmacology</i> , 2020 , 177, 161-174	8.6	5
101	Mechanism of thromboxane receptor-induced vasoconstriction in human saphenous vein. <i>Prostaglandins and Other Lipid Mediators</i> , 2020 , 151, 106476	3.7	3
100	International Union of Basic and Clinical Pharmacology. CIX. Differences and Similarities between Human and Rodent Prostaglandin E Receptors (EP1-4) and Prostacyclin Receptor (IP): Specific Roles in Pathophysiological Conditions. <i>Pharmacological Reviews</i> , 2020 , 72, 910-968	22.5	10
99	Pharmacology of the single isomer, esuberaprost (beraprost-314d) on pulmonary vascular tone, IP receptors and human smooth muscle proliferation in pulmonary hypertension. <i>Biochemical Pharmacology</i> , 2019 , 166, 242-252	6	2
98	Sildenafil corrects the increased contractility of rat detrusor muscle induced by alprostadil in vitro. <i>Pharmacological Reports</i> , 2019 , 71, 659-668	3.9	2
97	Evaluation of some prostaglandins modulators on rat corpus cavernosum in-vitro: Is relaxation negatively affected by COX-inhibitors?. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 1458-1466	7.5	7

96	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2019 , 176 Suppl 1, S21-S141	8.6	391
95	Prostanoid receptors (version 2019.5) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019 , 2019,	1.7	2
94	Inflammation increases MMP levels via PGE in human vascular wall and plasma of obese women. <i>International Journal of Obesity</i> , 2019 , 43, 1724-1734	5.5	10
93	Hypoactivity of rat detrusor muscle in a model of cystitis: exacerbation by non-selective COX inhibitors and amelioration by a selective DP receptor antagonist. <i>Naunyn-Schmiedeberg Archives of Pharmacology</i> , 2019 , 392, 437-450	3.4	3
92	Silver Nanoparticles Impair Retinoic Acid-Inducible Gene I-Mediated Mitochondrial Antiviral Immunity by Blocking the Autophagic Flux in Lung Epithelial Cells. <i>ACS Nano</i> , 2018 , 12, 1188-1202	16.7	39
91	Prostanoid EP ₁ Receptors Are Up-Regulated in Human Pulmonary Arterial Hypertension: A Key Anti-Proliferative Target for Treprostinil in Smooth Muscle Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	9
90	Neutrophils recruited by leukotriene B ₄ induce features of plaque destabilization during endotoxaemia. <i>Cardiovascular Research</i> , 2018 , 114, 1656-1666	9.9	21
89	Systemic Human ILC Precursors Provide a Substrate for Tissue ILC Differentiation. <i>Cell</i> , 2017 , 168, 1086-1100.e103	16.0	103
88	Decreased vasorelaxation induced by iloprost during acute inflammation in human internal mammary artery. <i>European Journal of Pharmacology</i> , 2017 , 804, 31-37	5.3	8
87	Prostanoids in the pathophysiology of human coronary artery. <i>Prostaglandins and Other Lipid Mediators</i> , 2017 , 133, 20-28	3.7	16
86	Role of MMP-1 (-519A/G, -1607 1G/2G), MMP-3 (Lys45Glu), MMP-7 (-181A/G), and MMP-12 (-82A/G) Variants and Plasma MMP Levels on Obesity-Related Phenotypes and Microvascular Reactivity in a Tunisian Population. <i>Disease Markers</i> , 2017 , 2017, 6198526	3.2	85
85	Omega-3 polyunsaturated fatty acids reduce vascular tone and inflammation in human saphenous vein. <i>Prostaglandins and Other Lipid Mediators</i> , 2017 , 133, 29-34	3.7	8
84	Potassium channels modulate the action but not the synthesis of hydrogen sulfide in rat corpus cavernosum. <i>Life Sciences</i> , 2017 , 189, 39-43	6.8	3
83	Inhibition of microsomal PGE synthase-1 reduces human vascular tone by increasing PGI ₂ : a safer alternative to COX-2 inhibition. <i>British Journal of Pharmacology</i> , 2017 , 174, 4087-4098	8.6	32
82	Reverse Regulatory Pathway (H ₂ S / PGE ₂ / MMP) in Human Aortic Aneurysm and Saphenous Vein Varicosity. <i>PLoS ONE</i> , 2016 , 11, e0158421	3.7	20
81	Human perivascular adipose tissue dysfunction as a cause of vascular disease: Focus on vascular tone and wall remodeling. <i>European Journal of Pharmacology</i> , 2015 , 766, 16-24	5.3	42
80	Ex vivo relaxations of pulmonary arteries induced by prostacyclin mimetics are highly dependent of the precontractile agents. <i>Prostaglandins and Other Lipid Mediators</i> , 2015 , 121, 46-52	3.7	11
79	The Concise Guide to PHARMACOLOGY 2015/16: Overview. <i>British Journal of Pharmacology</i> , 2015 , 172, 5729-43	8.6	207

78	The Concise Guide to PHARMACOLOGY 2015/16: Ligand-gated ion channels. <i>British Journal of Pharmacology</i> , 2015 , 172, 5870-903	8.6	128
77	The Concise Guide to PHARMACOLOGY 2015/16: Nuclear hormone receptors. <i>British Journal of Pharmacology</i> , 2015 , 172, 5956-78	8.6	114
76	The Concise Guide to PHARMACOLOGY 2015/16: Enzymes. <i>British Journal of Pharmacology</i> , 2015 , 172, 6024-109	8.6	515
75	The Concise Guide to PHARMACOLOGY 2015/16: Transporters. <i>British Journal of Pharmacology</i> , 2015 , 172, 6110-202	8.6	180
74	The Concise Guide to PHARMACOLOGY 2015/16: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2015 , 172, 5744-869	8.6	475
73	The Concise Guide to PHARMACOLOGY 2015/16: Voltage-gated ion channels. <i>British Journal of Pharmacology</i> , 2015 , 172, 5904-41	8.6	164
72	The Concise Guide to PHARMACOLOGY 2015/16: Catalytic receptors. <i>British Journal of Pharmacology</i> , 2015 , 172, 5979-6023	8.6	151
71	The Concise Guide to PHARMACOLOGY 2015/16: Other ion channels. <i>British Journal of Pharmacology</i> , 2015 , 172, 5942-55	8.6	38
70	Decreased PGE ₂ content reduces MMP-1 activity and consequently increases collagen density in human varicose vein. <i>PLoS ONE</i> , 2014 , 9, e88021	3.7	21
69	Control of human vascular tone by prostanoids derived from perivascular adipose tissue. <i>Prostaglandins and Other Lipid Mediators</i> , 2013 , 107, 13-7	3.7	38
68	The role of prostaglandin E ₂ in human vascular inflammation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013 , 89, 55-63	2.8	87
67	Absence of inflammatory conditions in human varicose saphenous veins. <i>Inflammation Research</i> , 2013 , 62, 299-308	7.2	7
66	A comparative study of PGI ₂ mimetics used clinically on the vasorelaxation of human pulmonary arteries and veins, role of the DP ₁ -receptor. <i>Prostaglandins and Other Lipid Mediators</i> , 2013 , 107, 48-55	3.7	30
65	The cyclooxygenase-2-prostaglandin E ₂ pathway maintains senescence of chronic obstructive pulmonary disease fibroblasts. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 703-14	10.2	68
64	Prostaglandin E ₂ induced contraction of human intercostal arteries is mediated by the EP ₁ receptor. <i>European Journal of Pharmacology</i> , 2012 , 681, 55-9	5.3	12
63	PGE ₂ receptor (EP ₄) agonists: potent dilators of human bronchi and future asthma therapy?. <i>Pulmonary Pharmacology and Therapeutics</i> , 2012 , 25, 115-8	3.5	42
62	Prostaglandin E ₂ receptor subtypes in human blood and vascular cells. <i>European Journal of Pharmacology</i> , 2012 , 695, 1-6	5.3	15
61	Differential reactivity of human mammary artery and saphenous vein to prostaglandin E ₂ : implication for cardiovascular grafts. <i>British Journal of Pharmacology</i> , 2011 , 163, 826-34	8.6	34

60	Involvement of prostaglandin F ₂ in preeclamptic human umbilical vein vasospasm: a role of prostaglandin F and thromboxane A ₂ receptors. <i>Journal of Hypertension</i> , 2010 , 28, 2438-45	1.9	2
59	Altered reactivity to norepinephrine through COX-2 induction by vascular injury in hypercholesterolemic rabbits. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H1882-8	5.2	13
58	Increased Human Vascular Reactivity Via Cyclooxygenase-2 Inhibition During Acute Inflammation: Role of Prostaglandins E ₂ and I ₂ . <i>Inflammation Research</i> , 2009 , 58, S249-S251	7.2	
57	Selective cyclooxygenase-2 inhibition directly increases human vascular reactivity to norepinephrine during acute inflammation. <i>Cardiovascular Research</i> , 2009 , 81, 269-77	9.9	25
56	Vasorelaxation induced by prostaglandin E ₂ in human pulmonary vein: role of the EP ₄ receptor subtype. <i>British Journal of Pharmacology</i> , 2008 , 154, 1631-9	8.6	59
55	Prostanoid receptors in the human vascular wall. <i>Scientific World Journal, The</i> , 2007 , 7, 1359-74	2.2	93
54	A new mRNA splice variant coding for the human EP ₃ -I receptor isoform. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007 , 77, 195-201	2.8	15
53	Effect of cold storage on cholinergic responses induced by electrical field stimulation in human bronchi. <i>Pulmonary Pharmacology and Therapeutics</i> , 2006 , 19, 297-302	3.5	4
52	Cholinesterase activity in human pulmonary arteries and veins: correlation with mRNA levels. <i>Life Sciences</i> , 2005 , 76, 2211-20	6.8	2
51	Prostacyclin release and receptor activation: differential control of human pulmonary venous and arterial tone. <i>British Journal of Pharmacology</i> , 2004 , 142, 788-96	8.6	31
50	The quest for new cysteinyl-leukotriene and lipoxin receptors: recent clues 2004 , 103, 81-94		35
49	Vasoconstriction induced by activation of EP ₁ and EP ₃ receptors in human lung: effects of ONO-AE-248, ONO-DI-004, ONO-8711 or ONO-8713. <i>Prostaglandins and Other Lipid Mediators</i> , 2004 , 74, 101-12	3.7	40
48	Arachidonic acid inhibits cysteinyl-leukotriene receptor activation in human pulmonary vessels. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 525, 75-9	3.6	
47	Modulation of vascular tone and reactivity by nitric oxide in porcine pulmonary arteries and veins. <i>Acta Physiologica Scandinavica</i> , 2002 , 174, 9-15		23
46	Pharmacological evidence for a novel cysteinyl-leukotriene receptor subtype in human pulmonary artery smooth muscle. <i>British Journal of Pharmacology</i> , 2002 , 137, 1339-45	8.6	28
45	Leukotrienes and the pulmonary vascular bed. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 507, 309-13	3.6	
44	The contraction of the human pulmonary artery by LTC ₄ is resistant to cysLT ₁ antagonists and counteracted by prostacyclin release. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 507, 315-9	3.6	2
43	Prostanoid EP ₁ - and TP-receptors involved in the contraction of human pulmonary veins. <i>British Journal of Pharmacology</i> , 2001 , 134, 1671-8	8.6	57

42	The muscarinic receptor subtypes in human blood vessels. <i>Therapie</i> , 2001 , 56, 223-6	3.8	36
41	Evidence for a M(1) muscarinic receptor on the endothelium of human pulmonary veins. <i>British Journal of Pharmacology</i> , 2000 , 130, 73-8	8.6	31
40	Antagonist resistant contractions of the porcine pulmonary artery by cysteinyl-leukotrienes. <i>European Journal of Pharmacology</i> , 2000 , 401, 381-8	5.3	24
39	Prostacyclin modulation of contractions of the human pulmonary artery by cysteinyl-leukotrienes. <i>European Journal of Pharmacology</i> , 2000 , 401, 389-95	5.3	40
38	Functional studies of leukotriene receptors in vascular tissues. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 161, S107-11	10.2	35
37	Anaphylactic bronchoconstriction in BP2 mice: interactions between serotonin and acetylcholine. <i>British Journal of Pharmacology</i> , 1999 , 126, 312-6	8.6	38
36	Prostanoid receptors involved in the relaxation of human bronchial preparations. <i>British Journal of Pharmacology</i> , 1999 , 126, 867-72	8.6	70
35	Prostanoid receptors involved in the relaxation of human pulmonary vessels. <i>British Journal of Pharmacology</i> , 1999 , 126, 859-66	8.6	97
34	Cysteinyl-leukotrienes and the human lung. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 447, 171-9	3.6	
33	Cysteinyl-leukotriene receptors in pulmonary vessels. <i>Journal of Physiology and Pharmacology</i> , 1999 , 50, 567-73	2.1	10
32	Acetylcholine induces a greater production of prostacyclin in human pulmonary arteries than in veins. <i>Journal of Physiology (Paris)</i> , 1998 , 92, 507-508		
31	Increase of Cholinesterase Activity in Intact Human Bronchial Preparations Treated with Indomethacin 1998 , 596-597		
30	Cholinesterase Activities in Intact Human Pulmonary Vessels Treated with LTD4 1998 , 594-595		
29	Gorenne et al. reply. <i>Trends in Pharmacological Sciences</i> , 1997 , 18, 148-149	13.2	3
28	Cholinesterase activity in pig airways and epithelial cells. <i>Fundamental and Clinical Pharmacology</i> , 1997 , 11, 201-5	3.1	14
27	Cholinesterase activity in human pulmonary arteries and veins. <i>British Journal of Pharmacology</i> , 1997 , 121, 986-90	8.6	19
26	M1 and M3 muscarinic receptors in human pulmonary arteries. <i>British Journal of Pharmacology</i> , 1996 , 119, 149-57	8.6	62
25	Leukotriene synthesis inhibition and anti-ige challenge of human lung parenchyma. <i>Life Sciences</i> , 1996 , 59, PL213-9	6.8	

24	Role of nitric oxide on cholinergic component of bronchial tone in pig. <i>Pharmacological Research</i> , 1996 , 34, 157-60	10.2	2
23	Cysteinyl leukotriene receptors in the human lung: what's new?. <i>Trends in Pharmacological Sciences</i> , 1996 , 17, 342-345	13.2	
22	Cysteinyl leukotriene receptors in the human lung: what's new?. <i>Trends in Pharmacological Sciences</i> , 1996 , 17, 342-5	13.2	1
21	Effects of beta 2-adrenoceptor agonists on anti-IgE-induced contraction and smooth muscle reactivity in human airways. <i>British Journal of Pharmacology</i> , 1995 , 114, 935-40	8.6	6
20	Endothelin-1 modulates cyclic GMP production and relaxation in human pulmonary vessels. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1995 , 274, 969-75	4.7	21
19	Anti-IgE Response in Human Airways: Relative Contribution of Inflammatory Mediators. <i>Mediators of Inflammation</i> , 1994 , 3, 359-63	4.3	2
18	Cholinesterase inhibition by vecuronium and pancuronium in human airways. <i>Life Sciences</i> , 1994 , 55, PL2618-6		3
17	(R)-2-[4-(quinolin-2-yl-methoxy)phenyl]-2-cyclopentyl] acetic acid (BAY x1005), a potent leukotriene synthesis inhibitor: effects on anti-IgE challenge in human airways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1994 , 268, 868-72	4.7	21
16	Degradation of acetylcholine in human airways: role of butyrylcholinesterase. <i>British Journal of Pharmacology</i> , 1993 , 108, 914-9	8.6	41
15	Response to anti-human IgE in human pulmonary arteries. Regulation by endothelium. <i>The American Review of Respiratory Disease</i> , 1993 , 147, 1029-33		9
14	Contraction of bovine isolated bronchial airways: effects of epithelium removal. <i>Respiration</i> , 1993 , 60, 351-3	3.7	1
13	A second cysteinyl leukotriene receptor in human lung. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1992 , 263, 800-5	4.7	99
12	Histamine receptors on human isolated pulmonary arterial muscle preparations: effects of endothelial cell removal and nitric oxide inhibitors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1992 , 260, 762-7	4.7	23
11	Inhibitory effects of BAY u3405 on prostanoid-induced contractions in human isolated bronchial and pulmonary arterial muscle preparations. <i>British Journal of Pharmacology</i> , 1991 , 104, 591-5	8.6	46
10	Antigen-induced contraction of human isolated lung preparations passively sensitized with monoclonal IgE: effects of indomethacin. <i>International Archives of Allergy and Immunology</i> , 1991 , 96, 368-75	3.7	4
9	Responsiveness and sensitivity to cholinergic agonists and antagonists in bovine isolated bronchial muscles. <i>Pharmacological Research</i> , 1990 , 22 Suppl 3, 64-5	10.2	
8	The effects of cholinergic antagonists on bovine isolated bronchial muscles with and without epithelium. <i>Pharmacological Research</i> , 1990 , 22, 315	10.2	
7	Vasorelaxant effects of atrial peptide II on isolated human pulmonary muscle preparations. <i>European Journal of Pharmacology</i> , 1988 , 150, 397-400	5.3	26

6	Antigenic contraction of guinea pig tracheal preparations passively sensitized with monoclonal IgE: pharmacological modulation. <i>International Archives of Allergy and Immunology</i> , 1988 , 87, 342-8	3.7	3
5	Relaxation of isolated human pulmonary muscle preparations with prostacyclin (PGI ₂) and its analogs. <i>Prostaglandins</i> , 1987 , 33, 845-54		33
4	Effects of various pharmacological agents on isolated human bronchial and pulmonary arterial and venous muscle preparations contracted by leukotriene D ₄ . <i>Fundamental and Clinical Pharmacology</i> , 1987 , 1, 433-44	3.1	18
3	Specific inhibition of PAF-acether-induced platelet activation by BN 52021 and comparison with the PAF-acether inhibitors kadsurenone and CV 3988. <i>European Journal of Pharmacology</i> , 1986 , 123, 197-205 ^{5.3}		106
2	Comparison of BN 52021, a new inhibitor of PAF-acether-induced platelet aggregation, with kadsurenone and CV 3988. <i>Prostaglandins</i> , 1985 , 30, 701		3
1	Magnetic wire active microrheology of human respiratory mucus		2