Elia Alonso-RodrÃ-guez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7532798/publications.pdf

Version: 2024-02-01

430874 477307 29 896 18 29 citations h-index g-index papers 29 29 29 1134 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Major, minor and trace elements composition of Amazonian foodstuffs and its contribution to dietary intake. Journal of Food Measurement and Characterization, 2020, 14, 1314-1324.	3.2	5
2	Multi-element determinations in foods from Amazon region by ICP-MS after enzymatic hydrolysis assisted by pressurisation and microwave energy. Microchemical Journal, 2018, 137, 402-409.	4.5	13
3	Selenium species determination in foods harvested in Seleniferous soils by HPLC-ICP-MS after enzymatic hydrolysis assisted by pressurization and microwave energy. Food Research International, 2018, 111, 621-630.	6.2	24
4	Inorganic ions and trace metals bulk deposition at an Atlantic Coastal European region. Journal of Atmospheric Chemistry, 2017, 74, 1-21.	3.2	2
5	The Influence of Oceanic Air Masses on Concentration of Major Ions and Trace Metals in PM2.5 Fraction at a Coastal European Suburban Site. Water, Air, and Soil Pollution, 2015, 226, 1.	2.4	11
6	Influence of marine, terrestrial and anthropogenic sources on ionic and metallic composition of rainwater at a suburban site (northwest coast of Spain). Atmospheric Environment, 2014, 88, 30-38.	4.1	66
7	In vitro bioavailability of total selenium and selenium species from seafood. Food Chemistry, 2013, 139, 872-877.	8.2	40
8	Arsenic species determination in human scalp hair by pressurized hot water extraction and high performance liquid chromatography-inductively coupled plasma-mass spectrometry. Talanta, 2013, 105, 422-428.	5 . 5	28
9	ICP-MS for the determination of selenium bioavailability from seafood and effect of major food constituents. Microchemical Journal, 2013, 108, 174-179.	4.5	18
10	Use of pressurized hot water extraction and high performance liquid chromatography–inductively coupled plasma–mass spectrometry for water soluble halides speciation in atmospheric particulate matter. Talanta, 2012, 101, 283-291.	5.5	11
11	Assessment of the bioavailability of toxic and non-toxic arsenic species in seafood samples. Food Chemistry, 2012, 130, 552-560.	8.2	60
12	Trace metals in marine foodstuff: Bioavailability estimation and effect of major food constituents. Food Chemistry, 2012, 134, 339-345.	8.2	56
13	Simultaneous pressurized enzymatic hydrolysis extraction and clean up for arsenic speciation in seafood samples before high performance liquid chromatography–inductively coupled plasma-mass spectrometry determination. Analytica Chimica Acta, 2010, 679, 63-73.	5 . 4	45
14	Matrix solid-phase dispersion of organic compounds and its feasibility for extracting inorganic and organometallic compounds. TrAC - Trends in Analytical Chemistry, 2009, 28, 110-116.	11.4	28
15	Matrix Solid-Phase Dispersion as a Sample Pretreatment for the Speciation of Arsenic in Seafood Products. Analytical Chemistry, 2008, 80, 9272-9278.	6.5	42
16	Arsenic extraction in marine biological materials using pressurised liquid extraction. Talanta, 2007, 71, 515-520.	5 . 5	32
17	Use of chelating solvent-based pressurized liquid extraction combined with inductively coupled plasma-optical emission spectrometry for trace element determination in atmospheric particulate matter. Journal of Analytical Atomic Spectrometry, 2007, 22, 1089.	3.0	8
18	Feasibility of Pressurization To Speed Up Enzymatic Hydrolysis of Biological Materials for Multielement Determinations. Analytical Chemistry, 2007, 79, 1797-1805.	6.5	13

#	Article	IF	CITATIONS
19	Development of a new sample pre-treatment procedure based on pressurized liquid extraction for the determination of metals in edible seaweed. Analytica Chimica Acta, 2007, 598, 95-102.	5.4	37
20	Pressurized liquid extraction-assisted mussel cytosol preparation for the determination of metals bound to metallothionein-like proteins. Analytica Chimica Acta, 2007, 603, 36-43.	5.4	8
21	Determination of major and trace elements in human scalp hair by pressurized-liquid extraction with acetic acid and inductively coupled plasma–optical-emission spectrometry. Analytical and Bioanalytical Chemistry, 2007, 388, 441-449.	3.7	35
22	Pressurized liquid extraction as a novel sample pre-treatment for trace element leaching from biological material. Analytica Chimica Acta, 2006, 572, 172-179.	5.4	23
23	As, Cd, Cr, Ni and Pb pressurized liquid extraction with acetic acid from marine sediment and soil samples. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2006, 61, 1304-1309.	2.9	12
24	Pressurized liquid extraction of organometals and its feasibility for total metal extraction. TrAC - Trends in Analytical Chemistry, 2006, 25, 511-519.	11.4	36
25	Influence of several experimental parameters on As and Se leaching from coal fly ash samples. Analytica Chimica Acta, 2005, 531, 299-305.	5 . 4	44
26	As, Hg, and Se Flue Gas Sampling in a Coal-Fired Power Plant and Their Fate during Coal Combustion. Environmental Science & En	10.0	106
27	Coupled high performance liquid chromatography–microwave digestion–hydride generation–atomic absorption spectrometry for inorganic and organic arsenic speciation in fish tissue. Talanta, 2002, 57, 741-750.	5 . 5	60
28	Interaction between metallic species and biological substrates: approximation to possible interaction mechanisms between the alga Chlorella vulgaris and arsenic(III). TrAC - Trends in Analytical Chemistry, 2000, 19, 475-480.	11.4	15
29	Determination of arsenic species in environmental samples: use of the alga Chlorella vulgaris for arsenic(III) retention. TrAC - Trends in Analytical Chemistry, 1998, 17, 167-175.	11.4	18