

Alireza Khosravi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7533172/publications.pdf>

Version: 2024-02-01

97
papers

1,083
citations

430442

18
h-index

500791

28
g-index

99
all docs

99
docs citations

99
times ranked

1801
citing authors

#	ARTICLE	IF	CITATIONS
1	Potato consumption and cardiovascular disease risk factors among Iranian population. <i>International Journal of Food Sciences and Nutrition</i> , 2012, 63, 913-920.	1.3	102
2	Determinants of tobacco use among youths in Isfahan, Iran. <i>International Journal of Public Health</i> , 2007, 52, 173-179.	2.7	61
3	Relationship Between C-Reactive Protein and Atherosclerotic Risk Factors and Oxidative Stress Markers Among Young Persons 10-18 Years Old. <i>Clinical Chemistry</i> , 2007, 53, 456-464.	1.5	60
4	The impact of a 6-year comprehensive community trial on the awareness, treatment and control rates of hypertension in Iran: experiences from the Isfahan healthy heart program. <i>BMC Cardiovascular Disorders</i> , 2010, 10, 61.	0.7	46
5	Prevalence, awareness, treatment, control, and risk factors of hypertension among adults: a cross-sectional study in Iran. <i>Epidemiology and Health</i> , 2018, 40, e2018020.	0.8	43
6	Stroke in Isfahan, Iran: Hospital Admission and 28-Day Case Fatality Rate. <i>Cerebrovascular Diseases</i> , 2007, 24, 495-499.	0.8	42
7	Carotenoids as potential antioxidant agents in stroke prevention: A systematic review. <i>International Journal of Preventive Medicine</i> , 2017, 8, 70.	0.2	40
8	Metabolic Syndrome and the Risk of Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 286-294.	0.7	38
9	Cumulative prevalence of risk factors for atherosclerotic cardiovascular diseases in Iranian adolescents: IHHP-HHPC. <i>Jornal De Pediatria</i> , 2005, 81, 447-453.	0.9	28
10	Changes in lipid profile of patients referred to a cardiac rehabilitation program. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 467-472.	3.1	26
11	Impact of a community-based lifestyle intervention program on blood pressure and salt intake of normotensive adult population in a developing country. <i>Journal of Research in Medical Sciences</i> , 2012, 17, 235-41.	0.4	26
12	Association of high level of hs-CRP with in-stent restenosis: A case-control study. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 583-587.	0.3	25
13	Family Caregivers' Experiences of Caring for Patients With Heart Failure. <i>The Journal of Nursing Research: JNR</i> , 2015, 23, 153-161.	0.7	24
14	Dietary sodium and potassium intake and their association with blood pressure in a non-hypertensive Iranian adult population: Isfahan salt study. <i>Nutrition and Dietetics</i> , 2017, 74, 275-282.	0.9	24
15	Short-Term Results of a Community-Based Program on Promoting Healthy Lifestyle for Prevention and Control of Chronic Diseases in a Developing Country Setting. <i>Asia-Pacific Journal of Public Health</i> , 2011, 23, 518-533.	0.4	22
16	Obesity and cardiometabolic risk factors in a representative population of Iranian adolescents and adults in comparison to a Western population: the Isfahan Healthy Heart Programme. <i>Public Health Nutrition</i> , 2010, 13, 314-323.	1.1	21
17	The first Iranian recommendations on prevention, evaluation and management of high blood pressure. <i>ARYA Atherosclerosis</i> , 2012, 8, 97-118.	0.4	20
18	Gender Differences in Obesogenic Behaviour, Socioeconomic and Metabolic Factors in a Population-based Sample of Iranians: The IHHP Study. <i>Journal of Health, Population and Nutrition</i> , 2010, 28, 602-9.	0.7	19

#	ARTICLE	IF	CITATIONS
19	Pre-hypertension, pre-diabetes or both: which is best at predicting cardiovascular events in the long term?. <i>Journal of Human Hypertension</i> , 2017, 31, 382-387.	1.0	19
20	Coronavirus Disease 2019 (COVID-19) and Severe Pericardial Effusion: From Pathogenesis to Management: A Case Report Based Systematic Review. <i>Current Problems in Cardiology</i> , 2022, 47, 100933.	1.1	19
21	Management of ST-segment elevation myocardial infarction during the coronavirus disease 2019 (COVID-19) by primary percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E346-E351.	0.7	17
22	Persian Registry Of cardiovascular disease (PROVE): Design and methodology. <i>ARYA Atherosclerosis</i> , 2017, 13, 236-244.	0.4	17
23	Gender differences in risk factors and outcomes after cardiac rehabilitation. <i>Acta Cardiologica</i> , 2008, 63, 763-770.	0.3	16
24	Socioeconomic characteristics and controlled hypertension: Evidence from Isfahan Healthy Heart Program. <i>ARYA Atherosclerosis</i> , 2013, 9, 77-81.	0.4	16
25	The impact of peer support program on adherence to the treatment regimen in patients with hypertension: A randomized clinical trial study. <i>Iranian Journal of Nursing and Midwifery Research</i> , 2017, 22, 427.	0.2	15
26	Transcatheter versus transradial approach for coronary angiography and angioplasty: Considering their complications. <i>ARYA Atherosclerosis</i> , 2018, 14, 128-131.	0.4	14
27	Relationship of sodium intake with obesity among Iranian children and adolescents. <i>ARYA Atherosclerosis</i> , 2017, 13, 1-6.	0.4	14
28	The impact of a community trial on the pharmacological treatment in the individuals with the metabolic syndrome: findings from the Isfahan Healthy Heart Program, 2001-2007. <i>Archives of Medical Science</i> , 2012, 6, 1009-1017.	0.4	13
29	Trend of salt intake measured by 24-hour urine collection samples among Iranian adults population between 1998 and 2013: The Isfahan salt study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1323-1329.	1.1	11
30	The metabolic syndrome and associated lifestyle factors among the Iranian population. <i>Advanced Biomedical Research</i> , 2015, 4, 84.	0.2	11
31	Association between hypertension and quality of life in a sample of Iranian adults. <i>Acta Cardiologica</i> , 2010, 65, 425-30.	0.3	11
32	Temporal trend analysis of stroke and salt intake: a 15-year population-based study. <i>Nutritional Neuroscience</i> , 2021, 24, 384-394.	1.5	10
33	The Relationship between Weight and CVD Risk Factors in a Sample Population from Central Iran (Based on IHHP). <i>ARYA Atherosclerosis</i> , 2012, 8, 82-9.	0.4	10
34	Evaluating factors associated with uncontrolled hypertension: Isfahan cohort study, Iran. <i>ARYA Atherosclerosis</i> , 2014, 10, 311-8.	0.4	10
35	Is the association between salt intake and blood pressure mediated by body mass index and central adiposity?. <i>Archives of Iranian Medicine</i> , 2013, 16, 167-71.	0.2	10
36	Association between Salt Intake and Albuminuria in Normotensive and Hypertensive Individuals. <i>International Journal of Hypertension</i> , 2013, 2013, 1-4.	0.5	9

#	ARTICLE	IF	CITATIONS
37	Which Components of Metabolic Syndrome have a Greater Effect on Mortality, CVA and Myocardial Infarction, Hyperglycemia, High Blood Pressure or Both?. <i>Advanced Biomedical Research</i> , 2017, 6, 121.	0.2	9
38	Association of adherence to the dietary approach to stop hypertension and Mediterranean diets with blood pressure in a non-hypertensive population: Results from Isfahan Salt Study (ISS). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 109-116.	1.1	9
39	Dietary approaches to stop hypertension diet and obesity: A cross-sectional study of Iranian children and adolescents. <i>ARYA Atherosclerosis</i> , 2017, 13, 7-13.	0.4	9
40	Compare Complication of Classic versus Patent Hemostasis in Transradial Coronary Angiography. <i>Advanced Biomedical Research</i> , 2017, 6, 159.	0.2	8
41	The Effect of Training on Knowledge, Attitude, and Practice in Patients with Hypertension; The Application of the Expanded Chronic Care Model: A Clinical Trial Study. <i>Iranian Red Crescent Medical Journal</i> , 2018, 20, .	0.5	8
42	Advocacy strategies and action plans for reducing salt intake in Iran. <i>Archives of Iranian Medicine</i> , 2012, 15, 320-4.	0.2	8
43	Late clinical events of drug eluting versus bare metal stenting; OPCESâ€™ ancillary study. <i>Pakistan Journal of Medical Sciences</i> , 2013, 29, .	0.3	7
44	High dietary acid load score is not associated with the risk of metabolic syndrome in Iranian adults. <i>International Journal for Vitamin and Nutrition Research</i> , 2021, 91, 152-163.	0.6	7
45	Seasonal and Monthly Variation in Stroke and its Subtypes-10 Year Hospital-Based Study. <i>Materia Socio-medica</i> , 2017, 29, 119.	0.3	7
46	Can methods based on spot urine samples be used to estimate average population 24 h sodium excretion? Results from the Isfahan Salt Study. <i>Public Health Nutrition</i> , 2020, 23, 202-213.	1.1	6
47	CASCADE screening and registry of familial hypercholesterolemia in Iran: Rationale and design. <i>ARYA Atherosclerosis</i> , 2019, 15, 53-58.	0.4	6
48	Familial Hypercholesterolemia (FH) in Iran: Findings from the Four-Year FH Registry. <i>Journal of Lipids</i> , 2021, 2021, 1-6.	1.9	5
49	The impact of obesity on hypertension and diabetes control following healthy Lifestyle Intervention Program in a developing country setting. <i>Journal of Research in Medical Sciences</i> , 2011, 16 Suppl 1, S368-76.	0.4	5
50	Complete heart block in a patient with POEMS syndrome: A case report. <i>ARYA Atherosclerosis</i> , 2014, 10, 276-9.	0.4	5
51	Design and implementation of a combined observational and interventional study: Trends of prevalence, awareness, treatment and control hypertension and the effect of expanded chronic care model on control, treatment and self-care. <i>ARYA Atherosclerosis</i> , 2017, 13, 211-220.	0.4	5
52	Ten-year trend in stroke incidence and its subtypes in Isfahan, Iran during 2003-2013. <i>Iranian Journal of Neurology</i> , 2017, 16, 201-209.	0.5	5
53	Successful Retrieval of embolized atrial septal defect occluder and patent foramen ovale closure device using novel coronary wire trap technique. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 189-192.	0.7	4
54	Evaluating the impact of fractional flow reserve-guided percutaneous coronary intervention in intermediate coronary artery lesions on the mode of treatment and their outcomes: An Iranian experience. <i>ARYA Atherosclerosis</i> , 2015, 11, 153-9.	0.4	4

#	ARTICLE	IF	CITATIONS
55	The relationship between ultraprocessed food consumption and obesity indicators in Iranian adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2074-2085.	1.1	4
56	Salt intake and its sources in children, adolescents and adults in the Islamic Republic of Iran. <i>Eastern Mediterranean Health Journal</i> , 2021, 27, 279-286.	0.3	3
57	Urine Albumin to Creatinine Ratio and Echocardiographic Left Ventricular Structure and Function in Patients with Essential Hypertension. <i>The American Heart Hospital Journal</i> , 2011, 9, 90.	0.2	3
58	Carotid arterial stent implantation follow-up and results in 50 patients: preliminary report. <i>Electronic Physician</i> , 2018, 10, 6400-6405.	0.2	3
59	Body Mass Index or Microalbuminuria, Which One is More Important for the Prediction and Prevention of Diastolic Dysfunction in Non-diabetic Hypertensive Patients?. <i>International Journal of Preventive Medicine</i> , 2012, 3, 211-20.	0.2	3
60	Immediate results and six-month outcomes after percutaneous coronary intervention in a referral heart center in Isfahan, Iran. <i>ARYA Atherosclerosis</i> , 2011, 7, 24-30.	0.4	3
61	One year follow-up effect of renal sympathetic denervation in patients with resistant hypertension. <i>ARYA Atherosclerosis</i> , 2016, 12, 109-13.	0.4	3
62	A Cost-Benefit and Accurate Method for Assessing Microalbuminuria: Single versus Frequent Urine Analysis. <i>International Journal of Hypertension</i> , 2013, 2013, 1-4.	0.5	2
63	Research Paper: The Effect of Parental Medical History on the Prevalence of Cerebrovascular Diseases in Their Children in an Iranian Population. <i>Basic and Clinical Neuroscience</i> , 2018, 9, 367-372.	0.3	2
64	Is there any relationship between different phenotypes of metabolic syndrome and cardiovascular mortality rate?. <i>Advanced Biomedical Research</i> , 2016, 5, 185.	0.2	2
65	Comparison of multiple blood pressure frequency methods with optimum blood pressure measurement among Iranian individuals. <i>Journal of Research in Medical Sciences</i> , 2020, 25, 40.	0.4	2
66	Does lipoprotein (a) level have a predictive value in restenosis after coronary stenting?. <i>International Journal of Preventive Medicine</i> , 2011, 2, 158-63.	0.2	2
67	Advanced method used for hypertension's risk factors stratification: support vector machines and gravitational search algorithm. <i>ARYA Atherosclerosis</i> , 2015, 11, 349-56.	0.4	2
68	Predictive factors of short-term survival from acute myocardial infarction in early and late patients in Isfahan and Najafabad, Iran. <i>ARYA Atherosclerosis</i> , 2016, 12, 59-67.	0.4	2
69	Pulmonary Thromboembolism Presenting with Recurrent Bradycardia and Hypotension. <i>Tanaffos</i> , 2017, 16, 248-250.	0.5	2
70	Association between ambient fine particulate matter with blood pressure levels among Iranian individuals admitted for cardiac and respiratory diseases: Data from CAPACITY study. <i>ARYA Atherosclerosis</i> , 2020, 16, 178-184.	0.4	2
71	Trans-snuff box approach as a new access site for coronary angiography and angioplasty versus trans-radial approach in terms of feasibility, safety, and complications. <i>ARYA Atherosclerosis</i> , 2020, 16, 263-268.	0.4	2
72	Validation and reproducibility of a semi-qualitative food frequency questionnaire for assessment of sodium intake in Iranian population. <i>Nutrition Journal</i> , 2022, 21, 9.	1.5	2

#	ARTICLE	IF	CITATIONS
73	Morning Exercise at School and Sedentary Activities are Important Determinants for Hypertension in Adolescents.. International Journal of Preventive Medicine, 2021, 12, 131.	0.2	2
74	An Improved Seed Point Detection Algorithm for Centerline Tracing in Coronary Angiograms. , 2010, , .		1
75	Perspective on the hospital incidence rate of deep venous coagulopathy: Clinical and biochemical diagnostic markers. Advanced Biomedical Research, 2014, 3, 254.	0.2	1
76	Low correlation between morning spot and 24-hour urine samples for estimating sodium intake in an Iranian population: Isfahan Salt Study. International Journal for Vitamin and Nutrition Research, 2019, 89, 185-191.	0.6	1
77	A case of Marfan's syndrome with multi-level aortic dissections. ARYA Atherosclerosis, 2014, 10, 334-8.	0.4	1
78	Association between dietary salt intake and reservation of renal function in patients with mild hypertension. ARYA Atherosclerosis, 2015, 11, 69-73.	0.4	1
79	The role of manual thrombectomy in cardiovascular outcome among patients with total cutoff vessel myocardial infarction undergoing primary percutaneous coronary intervention. ARYA Atherosclerosis, 2017, 13, 66-72.	0.4	1
80	A clinical trial on the effect of a multifaceted intervention on blood pressure control and medication adherence in patients with uncontrolled hypertension. ARYA Atherosclerosis, 2019, 15, 267-274.	0.4	1
81	The translunar approach in the patients with ipsilateral radial artery occlusion. ARYA Atherosclerosis, 2020, 16, 33-38.	0.4	1
82	Is urinary sodium excretion related to anthropometric indicators of adiposity in adults?. Journal of Research in Medical Sciences, 2020, 25, 50.	0.4	1
83	Rationale, design, and preliminary results of the Iran-premature coronary artery disease study (I-PAD): A multi-center case-control study of different Iranian ethnicities. ARYA Atherosclerosis, 2020, 16, 295-300.	0.4	1
84	National and sub-national trends of salt intake in Iranians from 2000 to 2016: a systematic analysis. Archives of Public Health, 2022, 80, 120.	1.0	1
85	Successful percutaneous closure of a large symptomatic AV fistula using an amplatzer occluder device. Cardiovascular Revascularization Medicine, 2018, 19, 23-24.	0.3	0
86	Rationale and Design of the Persian CardioVascular Disease Registry (PCVDR): Scale-Up of Persian Registry Of CardioVascular Disease (PROVE). Current Problems in Cardiology, 2021, 46, 100577.	1.1	0
87	Is High Preprocedural Renal Resistive Index Sensitive Enough to Predict Iodine Contrast-Induced Nephropathy in Patients Receiving Intra-Arterial Iodinate Contrast?. Current Problems in Diagnostic Radiology, 2021, 50, 328-331.	0.6	0
88	Exertional abdominal pain as a symptom of secondary pulmonary hypertension in mitral stenosis. Nigerian Journal of Clinical Practice, 2013, 16, 110.	0.2	0
89	Are there any differences in education levels and changes of cardiovascular risk factors among urban and rural population: Isfahan Healthy Heart Program. Journal of Education and Health Promotion, 2015, 4, 24.	0.3	0
90	Comparing efficacy of receiving different dosages of eptifibatide in bleeding after percutaneous coronary intervention in patients with myocardial infarction. ARYA Atherosclerosis, 2019, 15, 185-191.	0.4	0

#	ARTICLE	IF	CITATIONS
91	Development and evaluation of the psychometric properties of a hypertension self-care questionnaire. ARYA Atherosclerosis, 2019, 15, 241-249.	0.4	0
92	Comparison of survival rate and complications of percutaneous coronary intervention, coronary artery bypass graft, and medical treatment in patients with left main and/or three vessel diseases. ARYA Atherosclerosis, 2020, 16, 85-93.	0.4	0
93	Endothelial dysfunction in patients with lone atrial fibrillation. ARYA Atherosclerosis, 2020, 16, 278-283.	0.4	0
94	Comparison of pain severity, satisfaction, and complications of proximal and distal forearm anesthesia in patients undergoing trans-palmar coronary angiography. , 2022, 26, 37-42.		0
95	Paternal or maternal history of hypertension is more important in increasing the risk of hypertension in offspring?. Acta Biomedica, 2016, 87, 161-7.	0.2	0
96	Evaluation of correlation between digital vs. mercury sphygmomanometer in a middle-income country: The role of socio-economic situation. Clinical and Experimental Hypertension, 2022, 44, 113-118.	0.5	0
97	Impact of Telenursing on Blood Pressure and Body Mass Index of People with Prehypertension: A Randomized Controlled Clinical Trial.. Iranian Journal of Nursing and Midwifery Research, 2021, 26, 544-549.	0.2	0