

Yang-Tse Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7534002/publications.pdf>

Version: 2024-02-01

224
papers

14,921
citations

18479

62
h-index

20358

116
g-index

233
all docs

233
docs citations

233
times ranked

11658
citing authors

#	ARTICLE	IF	CITATIONS
1	Scaling, dimensional analysis, and indentation measurements. <i>Materials Science and Engineering Reports</i> , 2004, 44, 91-149.	31.8	878
2	Is the lotus leaf superhydrophobic?. <i>Applied Physics Letters</i> , 2005, 86, 144101.	3.3	533
3	Relationships between hardness, elastic modulus, and the work of indentation. <i>Applied Physics Letters</i> , 1998, 73, 614-616.	3.3	520
4	When is thermodynamics relevant to ion-induced atomic rearrangements in metals?. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1985, 7-8, 657-665.	1.4	435
5	Effects of micro- and nano-structures on the self-cleaning behaviour of lotus leaves. <i>Nanotechnology</i> , 2006, 17, 1359-1362.	2.6	414
6	Evolution of stress within a spherical insertion electrode particle under potentiostatic and galvanostatic operation. <i>Journal of Power Sources</i> , 2009, 190, 453-460.	7.8	404
7	Synergetic Effects of Inorganic Components in Solid Electrolyte Interphase on High Cycle Efficiency of Lithium Ion Batteries. <i>Nano Letters</i> , 2016, 16, 2011-2016.	9.1	320
8	Scaling approach to conical indentation in elastic-plastic solids with work hardening. <i>Journal of Applied Physics</i> , 1998, 84, 1284-1291.	2.5	317
9	Battery Cycle Life Prediction with Coupled Chemical Degradation and Fatigue Mechanics. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1730-A1738.	2.9	286
10	Thermodynamic and fractal geometric aspects of ion-solid interactions. <i>Materials Science and Engineering Reports</i> , 1990, 5, 45-97.	5.8	273
11	Modeling diffusion-induced stress in nanowire electrode structures. <i>Journal of Power Sources</i> , 2010, 195, 5081-5088.	7.8	260
12	The influence of surface mechanics on diffusion induced stresses within spherical nanoparticles. <i>Journal of Applied Physics</i> , 2008, 104, .	2.5	259
13	Crack Pattern Formation in Thin Film Lithium-Ion Battery Electrodes. <i>Journal of the Electrochemical Society</i> , 2011, 158, A689.	2.9	242
14	Can stress-strain relationships be obtained from indentation curves using conical and pyramidal indenters?. <i>Journal of Materials Research</i> , 1999, 14, 3493-3496.	2.6	237
15	Revealing Triple-Shape Memory Effect by Polymer Bilayers. <i>Macromolecular Rapid Communications</i> , 2009, 30, 1823-1827.	3.9	234
16	Scaling relationships in conical indentation of elastic-perfectly plastic solids. <i>International Journal of Solids and Structures</i> , 1999, 36, 1231-1243.	2.7	194
17	Diffusion-Induced Stress, Interfacial Charge Transfer, and Criteria for Avoiding Crack Initiation of Electrode Particles. <i>Journal of the Electrochemical Society</i> , 2010, 157, A508.	2.9	191
18	Influence of chemical driving forces in ion mixing of metallic bilayers. <i>Applied Physics Letters</i> , 1984, 45, 185-187.	3.3	186

#	ARTICLE	IF	CITATIONS
19	Remote Controlled Multishape Polymer Nanocomposites with Selective Radiofrequency Actuations. <i>Advanced Materials</i> , 2011, 23, 3192-3196.	21.0	186
20	Electrode Side Reactions, Capacity Loss and Mechanical Degradation in Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2026-A2035.	2.9	165
21	Effects of the ratio of hardness to Young's modulus on the friction and wear behavior of bilayer coatings. <i>Applied Physics Letters</i> , 2004, 85, 4028-4030.	3.3	163
22	Microscopic observations of condensation of water on lotus leaves. <i>Applied Physics Letters</i> , 2005, 87, 1941-1942.	3.3	163
23	Scaling relationships for indentation measurements. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002, 82, 1821-1829.	0.6	158
24	Structural, electrochemical and Li-ion transport properties of Zr-modified LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ positive electrode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2019, 410-411, 45-52.	7.8	156
25	Self-healable graphene polymer composites. <i>Journal of Materials Chemistry</i> , 2010, 20, 3508.	6.7	154
26	Voltage hysteresis of lithium ion batteries caused by mechanical stress. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 4721-4727.	2.8	152
27	What is indentation hardness?. <i>Surface and Coatings Technology</i> , 2000, 133-134, 417-424.	4.8	147
28	Effects of Concentration-Dependent Elastic Modulus on Diffusion-Induced Stresses for Battery Applications. <i>Journal of the Electrochemical Society</i> , 2010, 157, A967.	2.9	145
29	Liquid Metal Alloys as Self-Healing Negative Electrodes for Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2011, 158, A845.	2.9	144
30	General method to predict voltage-dependent ionic conduction in a solid electrolyte coating on electrodes. <i>Physical Review B</i> , 2015, 91, .	3.2	141
31	Stress and Strain-Energy Distributions within Diffusion-Controlled Insertion-Electrode Particles Subjected to Periodic Potential Excitations. <i>Journal of the Electrochemical Society</i> , 2009, 156, A927.	2.9	126
32	Effects of 'sinking in' and 'piling up' on estimating the contact area under load in indentation. <i>Philosophical Magazine Letters</i> , 1998, 78, 115-120.	1.2	122
33	Recovery of microindents in a nickel-titanium shape-memory alloy: A self-healing effect. <i>Applied Physics Letters</i> , 2002, 80, 3310-3312.	3.3	120
34	Potentiostatic Intermittent Titration Technique for Electrodes Governed by Diffusion and Interfacial Reaction. <i>Journal of Physical Chemistry C</i> , 2012, 116, 1472-1478.	3.1	119
35	Dominant moving species in the formation of amorphous NiZr by solid-state reaction. <i>Applied Physics Letters</i> , 1985, 47, 800-802.	3.3	114
36	Diffusion Induced Stresses and Strain Energy in a Phase-Transforming Spherical Electrode Particle. <i>Journal of the Electrochemical Society</i> , 2011, 158, A718-A724.	2.9	112

#	ARTICLE	IF	CITATIONS
37	Microscopic superelastic behavior of a nickel-titanium alloy under complex loading conditions. Applied Physics Letters, 2003, 82, 2811-2813.	3.3	111
38	Aligned TiO ₂ Nanotube Arrays As Durable Lithium-Ion Battery Negative Electrodes. Journal of Physical Chemistry C, 2012, 116, 18669-18677.	3.1	111
39	Further analysis of indentation loading curves: Effects of tip rounding on mechanical property measurements. Journal of Materials Research, 1998, 13, 1059-1064.	2.6	106
40	Electrochemical Study of Functionalized Carbon Nano-Onions for High-Performance Supercapacitor Electrodes. Journal of Physical Chemistry C, 2012, 116, 15068-15075.	3.1	105
41	Epitaxial growth of aluminum nitride on Si(111) by reactive sputtering. Applied Physics Letters, 1991, 59, 2097-2099.	3.3	102
42	Improving Ionic Conductivity with Bimodal-Sized Li ₇ La ₃ Zr ₂ O ₁₂ Fillers for Composite Polymer Electrolytes. ACS Applied Materials & Interfaces, 2019, 11, 12467-12475.	8.0	100
43	Tribological behavior of diamond-like-carbon (DLC) coatings against aluminum alloys at elevated temperatures. Surface and Coatings Technology, 2006, 201, 3229-3234.	4.8	90
44	On the initial unloading slope in indentation of elastic-plastic solids by an indenter with an axisymmetric smooth profile. Applied Physics Letters, 1997, 71, 2623-2625.	3.3	87
45	Relationships between initial unloading slope, contact depth, and mechanical properties for conical indentation in linear viscoelastic solids. Journal of Materials Research, 2005, 20, 1046-1053.	2.6	87
46	The behavior of an elastic–perfectly plastic sinusoidal surface under contact loading. Wear, 2006, 261, 145-154.	3.1	86
47	Determining constitutive models from conical indentation: Sensitivity analysis. Journal of Materials Research, 2003, 18, 827-832.	2.6	85
48	Atomic Layered Coating Enabling Ultrafast Surface Kinetics at Silicon Electrodes in Lithium Ion Batteries. Journal of Physical Chemistry Letters, 2013, 4, 3387-3391.	4.6	84
49	Solvent-free dry powder coating process for low-cost manufacturing of LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ cathodes in lithium-ion batteries. Journal of Power Sources, 2017, 352, 187-193.	7.8	83
50	Mesopores inside electrode particles can change the Li-ion transport mechanism and diffusion-induced stress. Journal of Materials Research, 2010, 25, 1433-1440.	2.6	82
51	Stress-induced growth of bismuth nanowires. Applied Physics Letters, 2002, 81, 3248-3250.	3.3	79
52	Wear of thermal spray deposited low carbon steel coatings on aluminum alloys. Wear, 2001, 251, 1023-1033.	3.1	75
53	Correlation between cohesive energy and mixing rate in ion mixing of metallic bilayers. Applied Physics Letters, 1985, 46, 610-612.	3.3	74
54	High Capacity Silicon Electrodes with Nafion as Binders for Lithium-Ion Batteries. Journal of the Electrochemical Society, 2016, 163, A401-A405.	2.9	74

#	ARTICLE	IF	CITATIONS
55	Preparation and characterization of Pd/Ni thin films for hydrogen sensing. <i>Sensors and Actuators B: Chemical</i> , 1996, 30, 11-16.	7.8	73
56	Scaling relationships in indentation of power-law creep solids using self-similar indenters. <i>Philosophical Magazine Letters</i> , 2001, 81, 9-16.	1.2	73
57	Toward High Cycle Efficiency of Silicon-Based Negative Electrodes by Designing the Solid Electrolyte Interphase. <i>Advanced Energy Materials</i> , 2015, 5, 1401398.	19.5	72
58	Title is missing!. <i>Tribology Letters</i> , 2003, 15, 241-248.	2.6	71
59	An energy-based method for analyzing instrumented spherical indentation experiments. <i>Journal of Materials Research</i> , 2004, 19, 149-157.	2.6	71
60	A comparison of five categories of carbon-based tool coatings for dry drilling of aluminum. <i>Surface and Coatings Technology</i> , 2006, 200, 2970-2977.	4.8	69
61	Hydrogen diffusion and solubility in palladium thin films. <i>International Journal of Hydrogen Energy</i> , 1996, 21, 281-291.	7.1	65
62	Elevated temperature tribological behavior of non-hydrogenated diamond-like carbon coatings against 319 aluminum alloy. <i>Surface and Coatings Technology</i> , 2006, 200, 3996-4005.	4.8	65
63	Low-Temperature Treated Lignin as Both Binder and Conductive Additive for Silicon Nanoparticle Composite Electrodes in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 32341-32348.	8.0	65
64	Analysis of indentation loading curves obtained using conical indenters. <i>Philosophical Magazine Letters</i> , 1998, 77, 39-47.	1.2	63
65	Microscopic shape memory and superelastic effects under complex loading conditions. <i>Surface and Coatings Technology</i> , 2004, 177-178, 512-517.	4.8	63
66	Effect of thermodynamics on ion mixing. <i>Applied Physics Letters</i> , 1987, 50, 1485-1487.	3.3	61
67	Unravelling the Impact of Reaction Paths on Mechanical Degradation of Intercalation Cathodes for Lithium-Ion Batteries. <i>Journal of the American Chemical Society</i> , 2015, 137, 13732-13735.	13.7	61
68	Disordered Materials: A Survey of Amorphous Solids. <i>Science</i> , 1987, 235, 997-1002.	12.6	60
69	Delamination mechanism maps for a strong elastic coating on an elastic-plastic substrate subjected to contact loading. <i>International Journal of Solids and Structures</i> , 2007, 44, 3685-3699.	2.7	60
70	A nanoindentation study of the viscoplastic behavior of pure lithium. <i>Scripta Materialia</i> , 2017, 130, 191-195.	5.2	60
71	A variable temperature mechanical analysis of ZDDP-derived antiwear films formed on 52100 steel. <i>Wear</i> , 2007, 262, 461-470.	3.1	59
72	Effects of stress on lithium transport in amorphous silicon electrodes for lithium-ion batteries. <i>Nano Energy</i> , 2015, 13, 192-199.	16.0	58

#	ARTICLE	IF	CITATIONS
73	Influence of annealing atmosphere on LiZrO ₃ -coated LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ and its high-voltage cycling performance. <i>Electrochimica Acta</i> , 2019, 300, 36-44.	5.2	57
74	Correlation between the cohesive energy and the onset of radiation-enhanced diffusion in ion mixing. <i>Journal of Applied Physics</i> , 1986, 60, 2615-2617.	2.5	55
75	Friction anisotropy at Ni(100)/(100) interfaces: Molecular dynamics studies. <i>Physical Review B</i> , 2002, 66, .	3.2	55
76	Unveiling the Critical Role of Polymeric Binders for Silicon Negative Electrodes in Lithium-Ion Full Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 3562-3569.	8.0	55
77	Role of polymeric binders on mechanical behavior and cracking resistance of silicon composite electrodes during electrochemical cycling. <i>Journal of Power Sources</i> , 2018, 387, 9-15.	7.8	55
78	Novel layered tribological coatings using a superelastic NiTi interlayer. <i>Wear</i> , 2005, 259, 842-848.	3.1	54
79	Relationships between initial unloading slope, contact depth, and mechanical properties for spherical indentation in linear viscoelastic solids. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 409, 93-99.	5.6	54
80	Effects of Cobalt Deficiency on Nickel-Rich Layered LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ Positive Electrode Materials for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 982-989.	8.0	54
81	Potentiostatic intermittent titration technique (PITT) for spherical particles with finite interfacial kinetics. <i>Electrochimica Acta</i> , 2012, 75, 56-61.	5.2	53
82	Design of Nanostructured Heterogeneous Solid Ionic Coatings through a Multiscale Defect Model. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 5687-5693.	8.0	53
83	Application of Hasselman's Crack Propagation Model to Insertion Electrodes. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, A128.	2.2	52
84	From Cascade to Spike—a Fractal-Geometry Approach. <i>Physical Review Letters</i> , 1987, 58, 2083-2086.	7.8	51
85	Zinc-dialkyl-dithiophosphate antiwear films: dependence on contact pressure and sliding speed. <i>Wear</i> , 2005, 258, 789-799.	3.1	51
86	Effect of test atmosphere on the tribological behaviour of the non-hydrogenated diamond-like carbon coatings against 319 aluminum alloy and tungsten carbide. <i>Surface and Coatings Technology</i> , 2005, 200, 1783-1791.	4.8	51
87	In situ measurement of mechanical property and stress evolution in a composite silicon electrode. <i>Journal of Power Sources</i> , 2017, 366, 80-85.	7.8	51
88	Mechanical Property Evolution of Silicon Composite Electrodes Studied by Environmental Nanoindentation. <i>Advanced Energy Materials</i> , 2018, 8, 1702578.	19.5	51
89	High Depth-of-Discharge Zinc Rechargeability Enabled by a Self-Assembled Polymeric Coating. <i>Advanced Energy Materials</i> , 2021, 11, 2101594.	19.5	51
90	Determining the Instantaneous Modulus of Viscoelastic Solids Using Instrumented Indentation Measurements. <i>Journal of Materials Research</i> , 2005, 20, 3061-3071.	2.6	50

#	ARTICLE	IF	CITATIONS
91	Asymmetric Rate Behavior of Si Anodes for Lithium-ion Batteries: Ultrafast De-lithiation versus Sluggish Lithiation at High Current Densities. <i>Advanced Energy Materials</i> , 2015, 5, 1401627.	19.5	50
92	Hardness obtained from conical indentations with various cone angles. <i>Journal of Materials Research</i> , 2000, 15, 2830-2835.	2.6	49
93	Nonlinear Analysis of Oscillatory Indentation in Elastic and Viscoelastic Solids. <i>Physical Review Letters</i> , 2006, 97, 075506.	7.8	47
94	A multi-technique characterization of ZDDP antiwear films formed on Al (Si) alloy (A383) under various conditions. <i>Tribology Letters</i> , 2007, 26, 103-117.	2.6	46
95	Stress evolution in elastic-plastic electrodes during electrochemical processes: A numerical method and its applications. <i>Journal of the Mechanics and Physics of Solids</i> , 2018, 116, 403-415.	4.8	46
96	Influence of polymeric binders on mechanical properties and microstructure evolution of silicon composite electrodes during electrochemical cycling. <i>Journal of Power Sources</i> , 2019, 425, 170-178.	7.8	46
97	Transfer of 319 Al alloy to titanium diboride and titanium nitride based (TiAlN, TiCN, TiN) coatings: effects of sliding speed, temperature and environment. <i>Surface and Coatings Technology</i> , 2005, 200, 2260-2270.	4.8	45
98	Shape memory surfaces. <i>Applied Physics Letters</i> , 2006, 89, 041912.	3.3	45
99	Phase separation during co-deposition of Al-Ge thin films. <i>Journal of Materials Research</i> , 1992, 7, 653-666.	2.6	44
100	Amorphous La-Ni thin film electrodes. <i>Journal of Alloys and Compounds</i> , 1995, 223, 6-12.	5.5	44
101	Effects of the Mixing Sequence on Making Lithium Ion Battery Electrodes. <i>Journal of the Electrochemical Society</i> , 2020, 167, 100518.	2.9	44
102	Dry sliding behaviour of non-hydrogenated DLC coatings against Al, Cu and Ti in ambient air and argon. <i>Diamond and Related Materials</i> , 2006, 15, 939-943.	3.9	42
103	Linking lignin source with structural and electrochemical properties of lignin-derived carbon materials. <i>RSC Advances</i> , 2018, 8, 38721-38732.	3.6	42
104	Influence of indenter tip roundness on hardness behavior in nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 445-446, 323-327.	5.6	41
105	Vacuum tribological behavior of the non-hydrogenated diamond-like carbon coatings against aluminum: Effect of running-in in ambient air. <i>Wear</i> , 2005, 259, 795-799.	3.1	40
106	Lithium Ion Battery Electrodes Made Using Dimethyl Sulfoxide (DMSO) – A Green Solvent. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 11046-11051.	6.7	40
107	On two indentation hardness definitions. <i>Surface and Coatings Technology</i> , 2002, 154, 124-130.	4.8	39
108	General relationship between contact stiffness, contact depth, and mechanical properties for indentation in linear viscoelastic solids using axisymmetric indenters of arbitrary profiles. <i>Applied Physics Letters</i> , 2005, 87, 111914.	3.3	39

#	ARTICLE	IF	CITATIONS
109	Experimental and Theoretical Characterization of Electrode Materials that Undergo Large Volume Changes and Application to the Lithium-Silicon System. <i>Journal of Physical Chemistry C</i> , 2015, 119, 5341-5349.	3.1	39
110	The effect of free-machining elements on dry machining of B319 aluminum alloy. <i>Journal of Materials Processing Technology</i> , 2009, 209, 4638-4644.	6.3	38
111	High performance binder-free SiO _x /C composite LIB electrode made of SiO _x and lignin. <i>Journal of Power Sources</i> , 2017, 362, 236-242.	7.8	37
112	Epitaxial growth of Fe films on Si(111) substrates. <i>Applied Physics Letters</i> , 1991, 59, 953-955.	3.3	36
113	Stress Distribution within Spherical Particles Undergoing Electrochemical Insertion and Extraction. <i>ECS Transactions</i> , 2008, 16, 127-139.	0.5	36
114	Effects of adhesion and cohesion on the electrochemical performance and durability of silicon composite electrodes. <i>Journal of Power Sources</i> , 2018, 397, 223-230.	7.8	36
115	The Influence of Polyvinylidene Fluoride (PVDF) Binder Properties on LiNi _{0.33} Co _{0.33} Mn _{0.33} O ₂ (NMC) Electrodes Made by a Dry-Powder-Coating Process. <i>Journal of the Electrochemical Society</i> , 2019, 166, A2151-A2157.	2.9	36
116	Ternary composites of delaminated-MnO ₂ /PDDA/functionalized-CNOs for high-capacity supercapacitor electrodes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20367-20373.	10.3	35
117	Layer-by-Layer Synthesis of Thick Mesoporous TiO ₂ Films with Vertically Oriented Accessible Nanopores and Their Application for Lithium-Ion Battery Negative Electrodes. <i>Advanced Functional Materials</i> , 2018, 28, 1801849.	14.9	35
118	Obtaining shear relaxation modulus and creep compliance of linear viscoelastic materials from instrumented indentation using axisymmetric indenters of power-law profiles. <i>Journal of Materials Research</i> , 2009, 24, 3013-3017.	2.6	34
119	Effects of polymeric binders on the cracking behavior of silicon composite electrodes during electrochemical cycling. <i>Journal of Power Sources</i> , 2019, 438, 226938.	7.8	34
120	Influence of ion mixing, ion beam-induced roughness and temperature on the depth resolution of sputter depth profiling of metallic bilayer interfaces. <i>Surface and Interface Analysis</i> , 1990, 15, 337-343.	1.8	32
121	The Role of Hydrogen Atmosphere on the Tribological Behavior of Non-Hydrogenated DLC Coatings against Aluminum. <i>Tribology Transactions</i> , 2007, 50, 178-186.	2.0	32
122	Condensed water on superhydrophobic carbon films. <i>Journal of Materials Research</i> , 2008, 23, 2174-2178.	2.6	32
123	Spherical indentation of NiTi-based shape memory alloys. <i>Journal of Alloys and Compounds</i> , 2015, 651, 724-730.	5.5	30
124	Binder-free lithium ion battery electrodes made of silicon and pyrolyzed lignin. <i>RSC Advances</i> , 2016, 6, 29308-29313.	3.6	29
125	Improved bending fatigue and corrosion properties of a Mg-Al-Mn alloy by super vacuum die casting. <i>Scripta Materialia</i> , 2012, 67, 879-882.	5.2	28
126	Freeze-dried low-tortuous graphite electrodes with enhanced capacity utilization and rate capability. <i>Carbon</i> , 2020, 159, 133-139.	10.3	28

#	ARTICLE	IF	CITATIONS
127	Nanoscale Wear and Machining Behavior of Nanolayer Interfaces. Nano Letters, 2005, 5, 1992-1996.	9.1	27
128	Indentation stress dependence of the temperature range of microscopic superelastic behavior of nickel-titanium thin films. Journal of Applied Physics, 2005, 98, 033505.	2.5	26
129	Wear resistant self-healing tribological surfaces by using hard coatings on NiTi shape memory alloys. Surface and Coatings Technology, 2006, 201, 1053-1057.	4.8	26
130	Whisker formation on a thin film tin lithium-ion battery anode. Journal of Power Sources, 2011, 196, 1474-1477.	7.8	25
131	Methods of obtaining instantaneous modulus of viscoelastic solids using displacement-controlled instrumented indentation with axisymmetric indenters of arbitrary smooth profiles. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 423, 2-7.	5.6	24
132	Indentation-based rate-dependent plastic deformation of polycrystalline pure magnesium. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 716, 63-71.	5.6	24
133	Studies of Metal Hydride Electrodes Using an Electrochemical Quartz Crystal Microbalance. Journal of the Electrochemical Society, 1996, 143, 120-124.	2.9	22
134	Variable magnetic field magnetic force microscopy of the magnetization reversal in epitaxial iron (111) thin films. Journal of Magnetism and Magnetic Materials, 1998, 190, 60-70.	2.3	22
135	Novel tribological systems using shape memory alloys and thin films. Surface and Coatings Technology, 2007, 202, 998-1002.	4.8	22
136	Mechanical behavior of electroplated mossy lithium at room temperature studied by flat punch indentation. Applied Physics Letters, 2019, 115, .	3.3	22
137	Modeling conical indentation in homogeneous materials and in hard films on soft substrates. Journal of Materials Research, 2005, 20, 521-528.	2.6	21
138	Chemically stable artificial SEI for Li-ion battery electrodes. Applied Physics Letters, 2017, 110, .	3.3	21
139	Sliding wear of non-hydrogenated diamond-like carbon coatings against magnesium. Surface and Coatings Technology, 2006, 201, 4352-4356.	4.8	20
140	Nonstoichiometry and Li ⁺ ion transport in lithium zirconate: The role of oxygen vacancies. Journal of the American Ceramic Society, 2018, 101, 4053-4065.	3.8	20
141	Spatial Molecular Layer Deposition of Ultrathin Polyamide To Stabilize Silicon Anodes in Lithium-Ion Batteries. ACS Applied Energy Materials, 2019, 2, 4135-4143.	5.1	20
142	Relationships between cohesive energy, Debye temperature, and the onset of temperature-dependent ion mixing. Physical Review B, 1989, 40, 7403-7405.	3.2	19
143	The effect of humidity on the sliding wear of plasma transfer wire arc thermal sprayed low carbon steel coatings. Surface and Coatings Technology, 2001, 146-147, 571-577.	4.8	19
144	Finite element modeling of indentation-induced superelastic effect using a three-dimensional constitutive model for shape memory materials with plasticity. Journal of Applied Physics, 2007, 101, 053507.	2.5	19

#	ARTICLE	IF	CITATIONS
145	Mass and geometry effects on the anisotropic transport in ion mixing. Applied Physics Letters, 1991, 58, 586-588.	3.3	18
146	Formation of twins during epitaxial growth of $\hat{\text{I}}\pm$ -iron films on silicon (111). Physical Review B, 1993, 48, 14729-14732.	3.2	18
147	Systematic Investigation of the Alucone-Coating Enhancement on Silicon Anodes. ACS Applied Materials & Interfaces, 2017, 9, 40143-40150.	8.0	18
148	Effect of ion mixing on the depth resolution of sputter depth profiling. Applied Physics Letters, 1988, 53, 1346-1348.	3.3	17
149	Preparation and characterization of amorphous and crystalline LaNi ₅ thin film electrodes. Journal of Alloys and Compounds, 1994, 209, 7-13.	5.5	17
150	Two-way indent depth recovery in a NiTi shape memory alloy. Applied Physics Letters, 2006, 88, 131904.	3.3	17
151	Influence of contact geometry on hardness behavior in nano-indentation. Vacuum, 2009, 84, 315-320.	3.5	17
152	Surface form memory in NiTi shape memory alloys by laser shock indentation. Journal of Materials Science, 2012, 47, 2088-2094.	3.7	16
153	A non-destructive method for measuring the mechanical properties of ultrathin films prepared by atomic layer deposition. Applied Physics Letters, 2014, 105, .	3.3	16
154	Communicationâ€”Fracture Behavior of Single LiNi _{0.33} Mn _{0.33} Co _{0.33} O ₂ Particles Studied by Flat Punch Indentation. Journal of the Electrochemical Society, 2019, 166, A2749-A2751.	2.9	16
155	Transition from lateral to transverse phase separation during film coâ€”deposition. Applied Physics Letters, 1991, 59, 2535-2537.	3.3	15
156	Understanding indentation-induced two-way shape memory effect. Journal of Materials Research, 2007, 22, 2851-2855.	2.6	15
157	Stacked-cup-type MWCNTs as highly stable lithium-ion battery anodes. Journal of Applied Electrochemistry, 2014, 44, 179-187.	2.9	15
158	Relationship between contact stiffness, contact depth, and mechanical properties for indentation in linear viscoelastic solids using axisymmetric indenters. Structural Control and Health Monitoring, 2006, 13, 561-569.	4.0	14
159	Effect of tribological media on tribological properties of multilayer Cr(N)/C(DLC) coatings. Surface and Coatings Technology, 2006, 201, 4341-4347.	4.8	14
160	Indentation-induced two-way shape memory surfaces. Journal of Materials Research, 2009, 24, 823-830.	2.6	14
161	Cohesive energy effects on anisotropic transport in ion mixing. Nuclear Instruments & Methods in Physics Research B, 1991, 59-60, 504-508.	1.4	13
162	The influence of superelastic NiTi interlayers on tribological properties of CrN hard coatings. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 710-713.	5.6	13

#	ARTICLE	IF	CITATIONS
163	Charge Transport in Electronic-Ionic Composites. Journal of Physical Chemistry Letters, 2017, 8, 5385-5389.	4.6	13
164	Examining the validity of Stoney-equation for in-situ stress measurements in thin film electrodes using a large-deformation finite-element procedure. Journal of Power Sources, 2018, 387, 126-134.	7.8	13
165	Rapid Characterization of Local Shape Memory Properties through Indentation. Scientific Reports, 2017, 7, 14827.	3.3	12
166	The effects of elevated temperature on sputter depth profiles of silver/nickel bilayers. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1991, 9, 1477-1481.	2.1	11
167	Structure and mechanical properties of electroplated mossy lithium: Effects of current density and electrolyte. Energy Storage Materials, 2020, 26, 276-282.	18.0	11
168	Influence of ion mixing on the depth resolution of sputter depth profiling. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1989, 7, 1641-1645.	2.1	10
169	Lithium Substituted Poly(acrylic acid) as a Mechanically Robust Binder for Low-Cost Silicon Microparticle Electrodes. ACS Applied Energy Materials, 2020, 3, 10940-10949.	5.1	10
170	Scaling relationships for indentation measurements. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 2002, 82, 1821-1829.	0.6	10
171	Microstructures and tribological characteristics of electron-beam co-deposited Ag/Mo thin film coatings. Wear, 1993, 162-164, 763-772.	3.1	9
172	Analysis on elastic-plastic spherical contact and its deformation regimes, the one parameter regime and two parameter regime, by finite element simulation. Vacuum, 2011, 85, 898-903.	3.5	9
173	Application of Cross-Linked Polyborosiloxanes and Organically Modified Boron Silicate Binders in Silicon-Containing Anodes for Lithium-Ion Batteries. Journal of the Electrochemical Society, 2018, 165, A731-A735.	2.9	9
174	Depth sensing indentation of magnesium/boron nitride nanocomposites. Journal of Composite Materials, 2019, 53, 1751-1763.	2.4	8
175	Revisit of the two-dimensional indentation deformation of an elastic half-space. Journal of Materials Research, 2009, 24, 1976-1982.	2.6	7
176	Epitaxial growth of double hexagonal close-packed Nd on the $\hat{\Gamma}$ -Fe (111) surface. Applied Physics Letters, 1992, 60, 1951-1953.	3.3	6
177	Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111). Journal of Materials Research, 1993, 8, 1567-1571.	2.6	6
178	Epitaxial Growth of Omega-Titanium on the (111) Surface of Alpha-Iron. Physical Review Letters, 1996, 76, 3999-4002.	7.8	6
179	Indentation of power law creep solids by self-similar indenters. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 527, 5613-5618.	5.6	6
180	Surface form memory by indentation and planarization of NiTi: displacements and mechanical energy density during constrained recovery. Journal of Materials Science, 2011, 46, 7401-7409.	3.7	5

#	ARTICLE	IF	CITATIONS
181	The search for high cycle life, high capacity, self healing negative electrodes for lithium ion batteries and a potential solution based on lithiated gallium. Materials Research Society Symposia Proceedings, 2011, 1333, 50401.	0.1	5
182	Engineering Lignin-Derived Carbon-Silicon Nanocomposite Electrodes: Insight into the Copolyolysis Mechanism and Process-Structure-Property-Performance Relationships. ACS Sustainable Chemistry and Engineering, 0, , .	6.7	5
183	Studies On The Rules For Amorphous Phase Formation By Ion-Mixing In Metallic Systems. , 1985, , .		4
184	Practical and Fundamental Studies of Nanocrystalline Composite Thin Films. Materials Research Society Symposia Proceedings, 1994, 356, 875.	0.1	4
185	Vapor deposited thin gold coatings for high temperature electrical contacts. , 0, , .		4
186	Scaling Relationships in Conical Indentation in Elastic-Plastic Solids with Work-Hardening. Materials Research Society Symposia Proceedings, 1998, 522, 139.	0.1	4
187	Surface Form Memory in NiTi: Energy Density of Constrained Recovery During Indent Replication. Journal of Materials Engineering and Performance, 2009, 18, 538-542.	2.5	4
188	Microstructure and deformation behavior of hot-rolled AZ31/Ti multilayers. Materials Research Express, 2019, 6, 0865a2.	1.6	4
189	Shape recovery and stress-induced martensite in TiNi following indentation and wear loading. European Physical Journal Special Topics, 2003, 112, 1147-1150.	0.2	4
190	Thermodynamic and ballistic aspects of ion mixing. Nuclear Instruments & Methods in Physics Research B, 1991, 59-60, 509-516.	1.4	3
191	Optical measurement of lithium diffusivity in cathode materials: amorphous MoO ₃ films. Journal of Power Sources, 1995, 54, 218-220.	7.8	3
192	Mechamatronics: an automotive perspective. , 2004, 5388, 313.		3
193	A Power-Law Decrease in Interfacial Resistance Between Li ₇ La ₃ Zr ₂ O ₁₂ and Lithium Metal After Removing Stack Pressure. Journal of the Electrochemical Society, 2021, 168, 100522.	2.9	3
194	Tailored Microstructures of Niobium-Niobium Silicides by Physical Vapor Deposition. Materials Research Society Symposia Proceedings, 1990, 194, 71.	0.1	2
195	Similarities and Differences in the Mechanisms of High and Low Energy Ion Mixing. Materials Research Society Symposia Proceedings, 1990, 201, 75.	0.1	2
196	Epitaxial Growth of $\sqrt{3}$ -Fe(111) ON Si(111) Studied by X-RAY Diffraction and Transmission Electron Microscopy. Materials Research Society Symposia Proceedings, 1991, 221, 187.	0.1	2
197	Epitaxial growth of molybdenum on the γ -iron (111) surface studied by X-ray diffraction, transmission electron microscopy and ion channelling. Journal of Materials Science Letters, 1993, 12, 467-469.	0.5	2
198	Giant Magnetoresistance and Oscillation in Epitaxial Fe/Cr(111) Multilayers. Materials Research Society Symposia Proceedings, 1995, 384, 353.	0.1	2

#	ARTICLE	IF	CITATIONS
199	A Scaling Approach to Modeling Indentation Measurements. Materials Research Society Symposia Proceedings, 2000, 649, 111.	0.1	2
200	Indentation in Shape Memory Alloys. , 2008, , 69-84.		2
201	Mg-Ti: A Possible Biodegradable, Biocompatible, Mechanically Matched Material for Temporary Implants. Materials Research Society Symposia Proceedings, 2011, 1301, 111.	0.1	2
202	Preface: Mechanical characterization of soft materials. Acta Mechanica Sinica/Lixue Xuebao, 2014, 30, 1-1.	3.4	2
203	Oxidative Pyrolysis of Si/Polyacrylonitrile Composites as an Unconventional Approach to Fabricate High Performance Lithium Ion Battery Negative Electrodes. Journal of the Electrochemical Society, 2019, 166, A3716-A3722.	2.9	2
204	Validating a facile approach to measuring fracture toughness by instrumented indentation without imaging crack-lengths. MRS Communications, 0, , 1.	1.8	2
205	Unveiling the brittleness of hybrid organicâ€“inorganic 0-D histammonium zinc chlorometallate by nanoindentation. Applied Physics Letters, 2021, 119, 241903.	3.3	2
206	Observation of the surface layer of lithium metal using <i>in situ</i> spectroscopy. Applied Physics Letters, 2022, 120, .	3.3	2
207	Structural Characterization and Raman Scattering of Epitaxial Aluminum Nitride Thin Films on Si(111). Materials Research Society Symposia Proceedings, 1992, 242, 469.	0.1	1
208	Hardness of thin Films of Nanocrystalline Silver and Nickel Composites Studied by Nanoindentation and Finite Element Analysis. Materials Research Society Symposia Proceedings, 1995, 400, 305.	0.1	1
209	Wear mechanisms in thermal spray steel coatings. Tribology Series, 2003, 41, 323-327.	0.1	1
210	Modeling indentation in linear viscoelastic solids. Materials Research Society Symposia Proceedings, 2004, 841, R11.2.1.	0.1	1
211	Tribological Applications of Shape Memory and Superelastic Effects. Materials Research Society Symposia Proceedings, 2004, 843, 461.	0.1	1
212	Automotive Traction Battery Needs and the Influence of Mechanical Degradation of Insertion-electrode Particles. ECS Transactions, 2009, 19, 1-27.	0.5	1
213	Understanding Diffusion-Induced-Stresses in Lithium Ion Battery Electrodes. , 2013, , 203-215.		1
214	Obtaining Viscoelastic Properties from Instrumented Indentation. Conference Proceedings of the Society for Experimental Mechanics, 2011, , 119-120.	0.5	1
215	Effect Of Added Si On The Resistivity Of Co And Ni Films. Proceedings of SPIE, 1986, , .	0.8	0
216	Al-Ge Phase Separation During Vapor Deposition. Materials Research Society Symposia Proceedings, 1990, 187, 33.	0.1	0

#	ARTICLE	IF	CITATIONS
217	Characterization of Shape Memory and Superelastic Effects by Instrumented Indentation Experiments. Materials Research Society Symposia Proceedings, 2002, 750, 1.	0.1	0
218	Preview: 2005 MRS Fall Meeting. MRS Bulletin, 2005, 30, 745-783.	3.5	0
219	Two-way Shape Memory Surfaces. Materials Research Society Symposia Proceedings, 2006, 979, 1.	0.1	0
220	Quasi-static and Oscillatory Indentation in Linear Viscoelastic Solids. Materials Research Society Symposia Proceedings, 2007, 1049, 1.	0.1	0
221	A Generalized Hasselman's Elastic and Surface Energy Criterion for Crack Propagation in Insertion Battery Electrodes. ECS Meeting Abstracts, 2010, , .	0.0	0
222	Characterizing mechanical and microstructural properties of novel montmorillonite-rich polyethylene composites. Journal of Materials Science, 0, , 1.	3.7	0
223	Effect of Binder Content on Silicon Microparticle Anodes for Lithium-Ion Batteries. ECS Meeting Abstracts, 2022, MA2022-01, 423-423.	0.0	0
224	(Invited) Understanding the Coupled Electrochemical-Mechanical Behavior of Materials for Improving the Performance and Durability of Lithium-Ion Batteries. ECS Meeting Abstracts, 2022, MA2022-01, 373-373.	0.0	0