

Stina M Syrjänen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7534314/publications.pdf>

Version: 2024-02-01

213
papers

9,005
citations

39113

52
h-index

60403

85
g-index

214
all docs

214
docs citations

214
times ranked

7636
citing authors

#	ARTICLE	IF	CITATIONS
1	The association of HLA-G polymorphism with oral and genital HPV infection in men. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2022, 41, 219-226.	1.3	4
2	Maternal HPV-antibodies and seroconversion to HPV in children during the first 3 years of life. <i>Scientific Reports</i> , 2022, 12, 2227.	1.6	7
3	Hinokitiol Dysregulates Metabolism of Carcinoma Cell Lines and Induces Downregulation of HPV16E6 and E7 Oncogenes and p21 Upregulation in HPV Positive Cell Lines. <i>Processes</i> , 2022, 10, 736.	1.3	0
4	Outcomes of HPV type-specific serostatus do not associate with oral or genital HPV-carriage in non-vaccinated women followed for three years. <i>BMC Women's Health</i> , 2022, 22, 141.	0.8	0
5	The Role of Human Chorionic Gonadotropin Beta (hCG β) in HPV-Positive and HPV-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 2830.	1.7	0
6	Human papillomavirus prevalence in oral potentially malignant disorders: Systematic review and meta-analysis. <i>Oral Diseases</i> , 2021, 27, 431-438.	1.5	25
7	Interferon γ and IL α associated cell-mediated immune responses to HPV16 E2 and E6 distinguish between persistent oral HPV16 infections and noninfected mucosa. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 903-913.	0.8	5
8	Oral Human Papillomavirus Infection in Children during the First 6 Years of Life, Finland. <i>Emerging Infectious Diseases</i> , 2021, 27, 759-766.	2.0	12
9	HPV infection and bacterial microbiota in the semen from healthy men. <i>BMC Infectious Diseases</i> , 2021, 21, 373.	1.3	15
10	HLA-G polymorphism impacts the outcome of oral HPV infections in women. <i>BMC Infectious Diseases</i> , 2021, 21, 419.	1.3	3
11	Tumor-Associated Trypsin Inhibitor (TATI) as a Biomarker of Poor Prognosis in Oropharyngeal Squamous Cell Carcinoma Irrespective of HPV Status. <i>Cancers</i> , 2021, 13, 2811.	1.7	5
12	HPV-Associated Benign Squamous Cell Papillomas in the Upper Aero-Digestive Tract and Their Malignant Potential. <i>Viruses</i> , 2021, 13, 1624.	1.5	27
13	Biomaterial and implant induced ossification: in vitro and in vivo findings. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2020, 14, 1157-1168.	1.3	26
14	Prevalence of human papillomavirus in oral epithelial dysplasia: Systematic review and meta-analysis. <i>Head and Neck</i> , 2020, 42, 2975-2984.	0.9	19
15	Comparing serum protein levels can aid in differentiating HPV-negative and -positive oropharyngeal squamous cell carcinoma patients. <i>PLoS ONE</i> , 2020, 15, e0233974.	1.1	11
16	Epstein-Barr virus (EBV) and polyomaviruses are detectable in oropharyngeal cancer and EBV may have prognostic impact. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1615-1626.	2.0	18
17	Epstein-Barr virus and human papillomaviruses as favorable prognostic factors in nasopharyngeal carcinoma: A nationwide study in Finland. <i>Head and Neck</i> , 2019, 41, 349-357.	0.9	42
18	NFE2L2/NRF2, OGG1, and cytokine responses of human gingival keratinocytes against oxidative insults of various origin. <i>Molecular and Cellular Biochemistry</i> , 2019, 452, 63-70.	1.4	10

#	ARTICLE	IF	CITATIONS
19	Polyomavirus JCPyV infrequently detectable in adenoid cystic carcinoma of the oral cavity and the airways. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 609-616.	1.4	5
20	Composition and maternal origin of the neonatal oral cavity microbiota. <i>Journal of Oral Microbiology</i> , 2019, 11, 1663084.	1.2	26
21	Benign proliferative epithelial lesions of oral mucosa are infrequently associated with $\hat{1}$, $\hat{2}$, or $\hat{3}$ human papillomaviruses. <i>Laryngoscope Investigative Otolaryngology</i> , 2019, 4, 43-48.	0.6	7
22	In situ hybridization for high-risk HPV E6/E7 mRNA is a superior method for detecting transcriptionally active HPV in oropharyngeal cancer. <i>Human Pathology</i> , 2019, 90, 97-105.	1.1	39
23	High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1263-1272.	2.0	12
24	Comparison of multiplex-serology and ELISA based methods in detecting HPV16 L1 antibody responses in paired saliva and serum samples of healthy men. <i>Journal of Virological Methods</i> , 2019, 270, 26-33.	1.0	3
25	HPV in Head and Neck Carcinomas: Different HPV Profiles in Oropharyngeal Carcinomas – Why?. <i>Acta Cytologica</i> , 2019, 63, 124-142.	0.7	24
26	From HPV Infection to Lesion Progression: The Role of HLA Alleles and Host Immunity. <i>Acta Cytologica</i> , 2019, 63, 148-158.	0.7	28
27	Eosinophilia is a favorable prognostic marker for oral cavity and lip squamous cell carcinoma. <i>Apmis</i> , 2018, 126, 201-207.	0.9	14
28	HLA-G and vertical mother-to-child transmission of human papillomavirus infection. <i>Human Immunology</i> , 2018, 79, 471-476.	1.2	22
29	Herpes simplex and human papilloma virus coinfections in oral mucosa of men – A 6-year follow-up study. <i>Journal of Medical Virology</i> , 2018, 90, 564-570.	2.5	7
30	17 $\hat{2}$ -estradiol and progesterone effect on human papillomavirus 16 positive cells grown as spheroid co-cultures. <i>Cytotechnology</i> , 2018, 70, 235-244.	0.7	1
31	Presenting symptoms and clinical findings in HPV-positive and HPV-negative oropharyngeal cancer patients. <i>Acta Oto-Laryngologica</i> , 2018, 138, 513-518.	0.3	41
32	HPV infection and bacterial microbiota in breast milk and infant oral mucosa. <i>PLoS ONE</i> , 2018, 13, e0207016.	1.1	27
33	Polyomaviruses detectable in head and neck carcinomas. <i>Oncotarget</i> , 2018, 9, 22642-22652.	0.8	13
34	Oral manifestations of human papillomavirus infections. <i>European Journal of Oral Sciences</i> , 2018, 126, 49-66.	0.7	102
35	HPV infection and bacterial microbiota in the placenta, uterine cervix and oral mucosa. <i>Scientific Reports</i> , 2018, 8, 9787.	1.6	65
36	Drug-Sensitivity Screening and Genomic Characterization of 45 HPV-Negative Head and Neck Carcinoma Cell Lines for Novel Biomarkers of Drug Efficacy. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 2060-2071.	1.9	33

#	ARTICLE	IF	CITATIONS
37	Persistent Oral Human Papillomavirus (HPV) Infection is Associated with Low Salivary Levels of Matrix Metalloproteinase 8 (MMP-8). <i>Journal of Clinical Virology</i> , 2017, 97, 4-9.	1.6	11
38	Breast Milk Is a Potential Vehicle for Human Papillomavirus Transmission to Oral Mucosa of the Spouse. <i>Pediatric Infectious Disease Journal</i> , 2017, 36, 627-630.	1.1	17
39	HPV in Head and Neck Cancer—30 Years of History. <i>Recent Results in Cancer Research</i> , 2017, 206, 3-25.	1.8	36
40	Vaccination Expectations in HNSCC. <i>Recent Results in Cancer Research</i> , 2017, 206, 257-267.	1.8	4
41	Physical state and copy numbers of HPV16 in oral asymptomatic infections that persisted or cleared during the 6-year follow-up. <i>Journal of General Virology</i> , 2017, 98, 681-689.	1.3	16
42	Epstein-Barr virus (EBV)-encoded small RNAs (EBERs) associated with poor prognosis of head and neck carcinomas. <i>Oncotarget</i> , 2017, 8, 27328-27338.	0.8	33
43	Can the careHPV test performed in mobile units replace cytology for screening in rural and remote areas?. <i>Cancer Cytopathology</i> , 2016, 124, 581-588.	1.4	17
44	Genotype-specific concordance of oral and genital human papillomavirus infections among marital couples is low. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 697-704.	1.3	5
45	Construction and characterization of a multilayered gingival keratinocyte culture model: the TURK-U model. <i>Cytotechnology</i> , 2016, 68, 2345-2354.	0.7	6
46	Detection of human papillomavirus in laryngeal squamous cell carcinoma: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2016, 126, 885-893.	1.1	65
47	A glass fiber-reinforced composite “bioactive glass cranioplasty implant: A case study of an early development stage implant removed due to a late infection. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 55, 191-200.	1.5	39
48	HSV-1 Infection Modulates the Radioresponse of a HPV16-positive Head and Neck Cancer Cell Line. <i>Anticancer Research</i> , 2016, 36, 565-74.	0.5	4
49	Human papillomavirus 16-specific cell-mediated immunity in children born to mothers with incident cervical intraepithelial neoplasia (CIN) and to those constantly HPV negative. <i>Journal of Translational Medicine</i> , 2015, 13, 370.	1.8	17
50	Cell mediated immunity against HPV16 E2, E6 and E7 peptides in women with incident CIN and in constantly HPV-negative women followed-up for 10-years. <i>Journal of Translational Medicine</i> , 2015, 13, 163.	1.8	13
51	In vitro assessment of the soft tissue/implant interface using porcine gingival explants. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 5385.	1.7	6
52	Carriage of herpes simplex virus and human papillomavirus in oral mucosa is rare in young women: A long-term prospective follow-up. <i>Journal of Clinical Virology</i> , 2015, 70, 58-62.	1.6	7
53	Oral human papillomavirus infection in men might contribute to HPV serology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 237-245.	1.3	8
54	Expression of toll-like receptors in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma—an in vivo and in vitro study. <i>Tumor Biology</i> , 2015, 36, 7755-7764.	0.8	22

#	ARTICLE	IF	CITATIONS
55	The clearance of oral high-risk human papillomavirus infection is impaired by long-term persistence of cervical human papillomavirus infection. <i>Clinical Microbiology and Infection</i> , 2014, 20, 1167-1172.	2.8	10
56	Smoking increases oral HPV persistence among men: 7-year follow-up study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 123-133.	1.3	67
57	Human papillomavirus 16 E2-, E6- and E7-specific T-cell responses in children and their mothers who developed incident cervical intraepithelial neoplasia during a 14-year follow-up of the Finnish Family HPV cohort. <i>Journal of Translational Medicine</i> , 2014, 12, 44.	1.8	22
58	Extracellular calcium regulates keratinocyte proliferation and HPV 16 E6 RNA expression in vitro. <i>Apmis</i> , 2014, 122, 781-789.	0.9	11
59	Smokeless tobacco increases aneuploidy in oral HPV 16 E6/E7-transformed keratinocytes in vitro. <i>Journal of Oral Pathology and Medicine</i> , 2014, 43, 685-690.	1.4	7
60	Persistent oral human papillomavirus infection is associated with smoking and elevated salivary immunoglobulin G concentration. <i>Journal of Clinical Virology</i> , 2014, 61, 101-106.	1.6	31
61	The combined effects of irradiation and herpes simplex virus type 1 infection on an immortal gingival cell line. <i>Virology Journal</i> , 2014, 11, 125.	1.4	10
62	Reply to Kathleen D'Haewers, Gunter De Win and Wiebren Tjalma's Letter to the Editor re: Katja Kero, Jaana Rautava, Kari Syrjänen, Seija Grenman, Stina Syrjänen. Oral Mucosa as a Reservoir of Human Papillomavirus: Point Prevalence, Genotype Distribution, and Incident Infections Among Males in a 7-year Prospective Study. <i>Eur Urol</i> 2012;62:1063-70. <i>European Urology</i> , 2013, 64, e8-e9.	0.9	0
63	Detection of human papillomavirus in sinonasal carcinoma: systematic review and meta-analysis. <i>Human Pathology</i> , 2013, 44, 983-991.	1.1	79
64	Human Papillomavirus Prevalence and Type-Distribution, Cervical Cancer Screening Practices and Current Status of Vaccination Implementation in Central and Eastern Europe. <i>Vaccine</i> , 2013, 31, H59-H70.	1.7	59
65	Human Papillomavirus Prevalence and Type-Distribution, Cervical Cancer Screening Practices and Current Status of Vaccination Implementation in Russian Federation, the Western Countries of the former Soviet Union, Caucasus Region and Central Asia. <i>Vaccine</i> , 2013, 31, H46-H58.	1.7	53
66	Human papillomavirus-associated balanoposthitis – a marker for penile intraepithelial neoplasia?. <i>International Journal of STD and AIDS</i> , 2013, 24, 938-943.	0.5	2
67	Detection of human papillomavirus in esophageal papillomas: systematic review and meta-analysis. <i>Apmis</i> , 2013, 121, 363-374.	0.9	23
68	Detection of human papillomavirus in sinonasal papillomas: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2013, 123, 181-192.	1.1	107
69	Recommendations for Cervical Cancer Prevention in Central and Eastern Europe and Central Asia. <i>Vaccine</i> , 2013, 31, H80-H82.	1.7	15
70	The Spectrum of Genital Human Papillomavirus Infection Among Men Attending a Swedish Sexually-transmitted Infections Clinic: Human Papillomavirus Typing and Clinical Presentation of Histopathologically Benign Lesions. <i>Acta Dermato-Venereologica</i> , 2013, 93, 223-227.	0.6	13
71	Competing-Risks Regression Models in Analysis of Biomarkers as Predictors of High-risk Human Papillomavirus (HPV) Infection Outcomes and Incident CIN in the LAMS Cohort. <i>International Journal of Gynecological Pathology</i> , 2013, 32, 406-415.	0.9	2
72	Solitary bronchial squamous cell papilloma – another human papillomavirus (HPV)-associated benign tumor: systematic review and meta-analysis. <i>Wspolczesna Onkologia</i> , 2013, 5, 427-434.	0.7	4

#	ARTICLE	IF	CITATIONS
73	Genotype-Specific Incidence and Clearance of Human Papillomavirus in Oral Mucosa of Women: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e53413.	1.1	41
74	Unusual Case of Inflammatory Myofibroblastic Tumor in Maxilla. <i>Case Reports in Dentistry</i> , 2013, 2013, 1-4.	0.2	6
75	Oral HPV Infection: Current Strategies for Prevention and Therapy. <i>Current Pharmaceutical Design</i> , 2012, 18, 5452-5469.	0.9	22
76	Human papillomavirus in oral atrophic lichen planus lesions. <i>Oral Oncology</i> , 2012, 48, 980-984.	0.8	40
77	Oral Mucosa as a Reservoir of Human Papillomavirus: Point Prevalence, Genotype Distribution, and Incident Infections Among Males in a 7-year Prospective Study. <i>European Urology</i> , 2012, 62, 1063-1070.	0.9	62
78	High-risk human papillomavirus associated with incident cervical intraepithelial neoplasia developing in mothers in the Finnish Family HPV Study cohort. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 115-125.	1.5	8
79	HPV genotypes and their prognostic significance in head and neck squamous cell carcinomas. <i>Journal of Clinical Virology</i> , 2012, 53, 116-120.	1.6	47
80	Prevalence, Genotype Distribution and Persistence of Human Papillomavirus in Oral Mucosa of Women: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e42171.	1.1	58
81	Biology of Human Papillomavirus Infections in Head and Neck Carcinogenesis. <i>Head and Neck Pathology</i> , 2012, 6, 3-15.	1.3	116
82	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 577-585.	1.4	43
83	Human Papillomavirus Genotypes Present in the Oral Mucosa of Newborns and their Concordance with Maternal Cervical Human Papillomavirus Genotypes. <i>Journal of Pediatrics</i> , 2012, 160, 837-843.	0.9	79
84	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: An analysis of 166 cases. <i>Gynecologic Oncology</i> , 2012, 124, 490-495.	0.6	47
85	Estimation of the epidemiological burden of human papillomavirus-related cancers and non-malignant diseases in men in Europe: a review. <i>BMC Cancer</i> , 2012, 12, 30.	1.1	148
86	Lack of type-specific concordance between human papillomavirus (HPV) serology and HPV DNA detection in the uterine cervix and oral mucosa. <i>Journal of General Virology</i> , 2011, 92, 2034-2046.	1.3	33
87	Hormonal Contraceptives and the Length of Their Use Are Not Independent Risk Factors for High-Risk HPV Infections or High-Grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 93-103.	0.7	27
88	CD27 and CD38 lymphocytes are detected in oral lichen planus lesions. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, 211-217.	1.6	17
89	Human papillomavirus and predictors of cervical intraepithelial neoplasia among young mothers in a prospective follow-up study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011, 90, 167-173.	1.3	8
90	Human papillomaviruses in oral carcinoma and oral potentially malignant disorders: a systematic review. <i>Oral Diseases</i> , 2011, 17, 58-72.	1.5	278

#	ARTICLE	IF	CITATIONS
91	Human Papillomavirus Genotypes in Male Genitalia and Their Concordance among Pregnant Spouses Participating in the Finnish Family HPV Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 2522-2531.	0.3	31
92	Incident cervical infections with high- and low-risk human papillomavirus (HPV) infections among mothers in the prospective Finnish Family HPV Study. <i>BMC Infectious Diseases</i> , 2011, 11, 179.	1.3	18
93	Human papillomavirus infections in the oral mucosa. <i>Journal of the American Dental Association</i> , 2011, 142, 905-914.	0.7	81
94	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Screening Studies. <i>International Journal of STD and AIDS</i> , 2011, 22, 315-323.	0.5	4
95	Sexually Transmitted HPV-Infections of the Oral Mucosa and Upper Respiratory Tract in Adults and Children. , 2011, , 523-537.		0
96	p300 Expression is Related to High-risk Human Papillomavirus Infections and Severity of Cervical Intraepithelial Neoplasia But Not to Viral or Disease Outcomes in a Longitudinal Setting. <i>International Journal of Gynecological Pathology</i> , 2010, 29, 135-145.	0.9	6
97	Current concepts on human papillomavirus infections in children. <i>Apmis</i> , 2010, 118, 494-509.	0.9	170
98	Up-regulation of Lipocalin 2 Is Associated With High-Risk Human Papillomavirus and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of Infections or Incident Cervical Intraepithelial Neoplasia. <i>American Journal of Clinical Pathology</i> , 2010, 134, 50-59.	0.4	11
99	Up-Regulation of 14-3-3 β (Stratifin) Is Associated With High-Grade CIN and High-Risk Human Papillomavirus (HPV) at Baseline but Does Not Predict Outcomes of HR-HPV Infections or Incident CIN in the LAMS Study. <i>American Journal of Clinical Pathology</i> , 2010, 133, 232-240.	0.4	4
100	Genotype-Specific Clearance of Genital Human Papillomavirus (HPV) Infections among Mothers in the Finnish Family HPV Study. <i>Journal of Clinical Microbiology</i> , 2010, 48, 2665-2671.	1.8	28
101	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010, 17, 195-203.	1.1	12
102	Molecular Markers Implicating Early Malignant Events in Cervical Carcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2003-2012.	1.1	21
103	Caspase cascade pathways in apoptosis of oral lichen planus. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 110, 618-623.	1.6	25
104	MMP-9 (Gelatinase B) Expression is Associated With Disease-Free Survival and Disease-Specific Survival in Colorectal Cancer Patients. <i>Cancer Investigation</i> , 2010, 28, 38-43.	0.6	76
105	Dynamics of human papillomavirus serology in women followed up for 36 months after pregnancy. <i>Journal of General Virology</i> , 2009, 90, 1515-1526.	1.3	59
106	Effect of Second Pregnancy on Maternal Carriage and Outcome of High-Risk Human Papillomavirus (HPV). <i>Gynecologic and Obstetric Investigation</i> , 2009, 67, 208-216.	0.7	13
107	Up-Regulation of Plasminogen Activator Inhibitor-2 Is Associated With High-Risk HPV and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of High-Risk HPV Infections or Incident CIN. <i>American Journal of Clinical Pathology</i> , 2009, 132, 883-892.	0.4	6
108	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 505-515.	1.4	26

#	ARTICLE	IF	CITATIONS
109	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009, 88, 514-520.	1.3	15
110	Increased Risk of Oncogenic Human Papillomavirus Infections and Incident High-Grade Cervical Intraepithelial Neoplasia Among Smokers. <i>Sexually Transmitted Diseases</i> , 2009, 36, 241-248.	0.8	24
111	Persistent High-Risk Human Papillomavirus Infections and Other End-Point Markers of Progressive Cervical Disease Among Women Prospectively Followed up in the New Independent States of the Former Soviet Union and the Latin American Screening Study Cohorts. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 934-942.	1.2	20
112	The performance of the HPV16 real-time PCR integration assay. <i>Clinical Biochemistry</i> , 2008, 41, 423-428.	0.8	22
113	Human papillomavirus in the placenta and umbilical cord blood. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008, 87, 1181-1188.	1.3	95
114	Desmocollin expression in oral atrophic lichen planus correlates with clinical behavior and DNA content. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 832-838.	0.7	14
115	Systemic and local effects of long-term exposure to alkaline drinking water in rats. <i>International Journal of Experimental Pathology</i> , 2008, 82, 213-219.	0.6	10
116	Age at menarche is not an independent risk factor for high-risk human papillomavirus infections and cervical intraepithelial neoplasia. <i>International Journal of STD and AIDS</i> , 2008, 19, 16-25.	0.5	8
117	Predicting High-Risk Human Papillomavirus Infection, Progression of Cervical Intraepithelial Neoplasia, and Prognosis of Cervical Cancer With a Panel of 13 Biomarkers Tested in Multivariate Modeling. <i>International Journal of Gynecological Pathology</i> , 2008, PAP, 265-73.	0.9	21
118	Human Papillomavirus DNA Detected in Breast Milk. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 557-558.	1.1	43
119	The history of papillomavirus research. <i>Central European Journal of Public Health</i> , 2008, 16 Suppl, S7-13.	0.4	2
120	Human Papillomaviruses in Head and Neck Carcinomas. <i>New England Journal of Medicine</i> , 2007, 356, 1993-1995.	13.9	82
121	Type-Specific Persistence of High-Risk Human Papillomavirus Infections in the New Independent States of the former Soviet Union Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 17-22.	1.1	40
122	Prevalence of the most common high-risk HPV genotypes among women in three new independent states of the former Soviet Union. <i>Journal of Medical Virology</i> , 2007, 79, 771-781.	2.5	31
123	Human papillomavirus (HPV) test and PAP smear as predictors of outcome in conservatively treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007, 106, 170-176.	0.6	59
124	Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007, 22, 723-735.	2.5	52
125	Radiation-induced effects on telomerase in gynecological cancer cell lines with different radiosensitivity and repair capacity. <i>International Journal of Radiation Biology</i> , 2006, 82, 859-867.	1.0	7
126	Natural history of oral papillomavirus infections in spouses: A prospective Finnish HPV Family Study. <i>Journal of Clinical Virology</i> , 2006, 35, 89-94.	1.6	139

#	ARTICLE	IF	CITATIONS
127	Over-Expression of Topoisomerase II?? is Related to the Grade of Cervical Intraepithelial Neoplasia (CIN) and High-Risk Human Papillomavirus (HPV), but does not Predict Prognosis in Cervical Cancer or HPV Clearance after Cone Treatment. <i>International Journal of Gynecological Pathology</i> , 2006, 25, 383-392.	0.9	24
128	Immunohistochemical study on topoisomerase II±, Ki-67 and cytokeratin-19 in oral lichen planus lesions. <i>Archives of Dermatological Research</i> , 2006, 298, 381-388.	1.1	24
129	Cell Cycle Regulators p105, p107, Rb2/p130, E2F4, p21CIP1/WAF1, Cyclin A in Predicting Cervical Intraepithelial Neoplasia, High-Risk Human Papillomavirus Infections and Their Outcome in Women Screened in Three New Independent States of the Former Soviet Union. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1250-1256.	1.1	13
130	Conventional Pap Smear and Liquid-Based Cytology as Screening Tools in Low-Resource Settings in Latin America. <i>Acta Cytologica</i> , 2005, 49, 500-506.	0.7	31
131	Two different global gene expression profiles in cancer cell lines established from etiologically different oral carcinomas. <i>Oncology Reports</i> , 2005, 14, 1511.	1.2	3
132	Age-specific incidence and clearance of high-risk human papillomavirus infections in women in the former Soviet Union. <i>International Journal of STD and AIDS</i> , 2005, 16, 217-223.	0.5	36
133	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2005, 124, 113-121.	0.4	63
134	High-Risk Types of Human Papillomavirus (HPV) DNA in Oral and Genital Mucosa of Infants during Their First 3 Years of Life: Experience from the Finnish HPV Family Study. <i>Clinical Infectious Diseases</i> , 2005, 41, 1728-1733.	2.9	124
135	Transmission of High-Risk Human Papillomavirus (HPV) between Parents and Infant: a Prospective Study of HPV in Families in Finland. <i>Journal of Clinical Microbiology</i> , 2005, 43, 376-381.	1.8	190
136	Marginal Periodontium as a Potential Reservoir of Human Papillomavirus in Oral Mucosa. <i>Journal of Periodontology</i> , 2005, 76, 358-363.	1.7	94
137	Human papillomavirus (HPV) in head and neck cancer. <i>Journal of Clinical Virology</i> , 2005, 32, 59-66.	1.6	375
138	Acquisition of High-Risk Human Papillomavirus Infections and Pap Smear Abnormalities among Women in the New Independent States of the Former Soviet Union. <i>Journal of Clinical Microbiology</i> , 2004, 42, 505-511.	1.8	30
139	Effects of snuff extract on epithelial growth and differentiation in vitro. <i>Oral Oncology</i> , 2004, 40, 6-12.	0.8	10
140	Divergent expression changes of telomerase and E6/E7 mRNA, following integration of human papillomavirus type 33 in cultured epithelial cells. <i>Scandinavian Journal of Infectious Diseases</i> , 2004, 36, 302-304.	1.5	6
141	Effect of confluence state and passaging on global cancer gene expression pattern in oral carcinoma cell lines. <i>Anticancer Research</i> , 2004, 24, 2627-31.	0.5	10
142	The mesenchymal substrate influences the epithelial phenotype in a three-dimensional cell culture. <i>Archives of Dermatological Research</i> , 2003, 295, 190-198.	1.1	24
143	Human papillomavirus infections and oral tumors. <i>Medical Microbiology and Immunology</i> , 2003, 192, 123-128.	2.6	133
144	Factors predicting human papillomavirus clearance in cervical intraepithelial neoplasia lesions treated by conization. <i>Gynecologic Oncology</i> , 2003, 90, 358-365.	0.6	105

#	ARTICLE	IF	CITATIONS
145	Sexual Habits and Human Papillomavirus Infection Among Females in Three New Independent States of the Former Soviet Union. <i>Sexually Transmitted Diseases</i> , 2003, 30, 680-684.	0.8	21
146	HPV Infections in Children. <i>Papillomavirus Report</i> , 2003, 14, 93-110.	0.2	17
147	Single copy heterozygote integration of HPV 33 in chromosomal band 5p14 is found in an epithelial cell clone with selective growth advantage. <i>Carcinogenesis</i> , 2002, 23, 1057-1064.	1.3	24
148	Human Papillomavirus Testing and Conventional Pap Smear Cytology as Optional Screening Tools of Women at Different Risks for Cervical Cancer in the Countries of the Former Soviet Union. <i>Journal of Lower Genital Tract Disease</i> , 2002, 6, 97-110.	0.9	40
149	Human Papillomavirus DNA Is Found in the Vas Deferens. <i>Journal of Infectious Diseases</i> , 2002, 185, 1664-1667.	1.9	65
150	Integrated Human Papillomavirus Type 16 Is Frequently Found in Cervical Cancer Precursors as Demonstrated by a Novel Quantitative Real-Time PCR Technique. <i>Journal of Clinical Microbiology</i> , 2002, 40, 886-891.	1.8	315
151	Transcriptional profiling of a human papillomavirus 33-positive squamous epithelial cell line which acquired a selective growth advantage after viral integration. <i>International Journal of Cancer</i> , 2002, 100, 318-326.	2.3	45
152	Proliferation and differentiation markers in snuff-induced oral mucosal lesions. <i>Journal of Oral Pathology and Medicine</i> , 2002, 31, 259-266.	1.4	14
153	VEGF expression in skin warts. Relevance to angiogenesis and vasodilation. <i>Archives of Dermatological Research</i> , 2001, 293, 233-238.	1.1	10
154	Neoadjuvant Chemotherapy in Cervical Carcinoma. <i>American Journal of Clinical Pathology</i> , 2001, 116, 729-737.	0.4	37
155	Human Papillomavirus Infections in Children: the Potential Role of Maternal Transmission. <i>Critical Reviews in Oral Biology and Medicine</i> , 2000, 11, 259-274.	4.4	192
156	Herpes simplex virus type 1 infection has two separate modes of spread in three-dimensional keratinocyte culture. <i>Journal of General Virology</i> , 1999, 80, 2149-2155.	1.3	30
157	New Concepts on the Role of Human Papillomavirus in Cell Cycle Regulation. <i>Annals of Medicine</i> , 1999, 31, 175-187.	1.5	99
158	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. , 1999, 81, 225-228.		51
159	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. <i>International Journal of Cancer</i> , 1999, 81, 225-228.	2.3	2
160	p53 Mutations and Presence of HPV DNA Do Not Correlate with Radiosensitivity of Gynecological Cancer Cell Lines. <i>Gynecologic Oncology</i> , 1998, 71, 352-358.	0.6	11
161	Anti-proliferative effect of retinoids and interferon- α -2a on vaginal cell lines derived from squamous intra-epithelial lesions. , 1998, 78, 338-345.		9
162	Oral mucosal changes in coeliac patients on a gluten-free diet. <i>European Journal of Oral Sciences</i> , 1998, 106, 899-906.	0.7	53

#	ARTICLE	IF	CITATIONS
163	Fibroblasts Can Modulate the Phenotype of Malignant Epithelial Cells in Vitro. <i>Experimental Cell Research</i> , 1997, 235, 180-187.	1.2	66
164	Expression and mutations of p53 in salivary gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 1997, 26, 217-223.	1.4	65
165	Exposure of an infant to cervical human papillomavirus infection of the mother is common. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 176, 1039-1045.	0.7	98
166	Correlation of MIB-1 antigen expression with transcription factors Skn-1, Oct-1, AP-2 and HPV type in cervical intraepithelial neoplasia. , 1997, 183, 305-310.		14
167	Detection of Epstein-Barr Virus in Salivary Gland Specimens from Sjögren's Syndrome Patients. <i>Laryngoscope</i> , 1996, 106, 1534-1539.	1.1	24
168	Vertical transmission of human papillomavirus from infected mothers to their newborn babies and persistence of the virus in childhood. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 694-699.	0.7	142
169	Liposomal Targeting of Bcl-2 Antisense Oligonucleotides with Enhanced Stability into Human Myeloma Cell Lines. <i>Leukemia and Lymphoma</i> , 1996, 24, 165-174.	0.6	9
170	Transmission of Genital Human Papillomavirus Infections is Unlikely through the Floor and Seats of Humid Dwellings in Countries of High-Level Hygiene. <i>Scandinavian Journal of Infectious Diseases</i> , 1996, 28, 243-246.	1.5	24
171	Lack of effect of hormonal treatment and smoking on cytokeratin expression in buccal mucosa. <i>Journal of Oral Pathology and Medicine</i> , 1995, 24, 251-254.	1.4	2
172	Prevalence of Human Papillomavirus (HPV) DNA in Vocal Cords Without Laryngeal Papillomas. <i>Acta Oto-Laryngologica</i> , 1994, 114, 348-351.	0.3	43
173	Comparison of cell proliferation and toxicity assays using two cationic liposomes. <i>Pharmaceutical Research</i> , 1994, 11, 1127-1131.	1.7	201
174	Low Concordance of Genital Human Papillomavirus (HPV) Lesions and Viral Types in HPV-Infected Women and Their Male Sexual Partners. <i>Sexually Transmitted Diseases</i> , 1994, 21, 76-82.	0.8	67
175	Screening for human papillomavirus infections in esophageal squamous cell carcinomas by in situ hybridization. <i>Cancer</i> , 1993, 72, 2525-2530.	2.0	53
176	Prevalence and Risk Factors of Genital Human Papillomavirus (HPV) Infections in Healthy Males. <i>Sexually Transmitted Diseases</i> , 1993, 20, 321-328.	0.8	90
177	Risk Factors Associated with Cervical Human Papillomavirus Infections: A Case-Control Study. <i>American Journal of Epidemiology</i> , 1993, 138, 735-745.	1.6	84
178	Epstein-Barr virus (EBV) genomes and c-myc oncogene in oral Burkitt's lymphomas. <i>European Journal of Oral Sciences</i> , 1992, 100, 176-180.	0.7	1
179	Dot blot hybridization in detection of human papillomavirus (HPV) infections in the oral cavity of women with genital HPV infections. <i>Oral Microbiology and Immunology</i> , 1992, 7, 19-23.	2.8	58
180	Viral infections in oral mucosa. <i>European Journal of Oral Sciences</i> , 1992, 100, 17-31.	0.7	13

#	ARTICLE	IF	CITATIONS
181	Detection of Human Papillomavirus Infections in the Male Sexual Partners of Women Attending an STD Clinic in Bologna. <i>International Journal of STD and AIDS</i> , 1992, 3, 338-346.	0.5	8
182	Time-resolved fluorescence imaging of europium chelate label in immunohistochemistry and in situ hybridization. <i>Cytometry</i> , 1992, 13, 329-338.	1.8	162
183	JC virus infection and Alzheimer's disease: Reappraisal of an in situ hybridization approach. <i>Annals of Neurology</i> , 1992, 31, 439-441.	2.8	15
184	Squamous cell carcinoma of the conjunctiva. <i>Acta Ophthalmologica</i> , 1992, 70, 248-254.	0.6	33
185	Cytokeratin pattern in normal and HPV infected oral mucosa in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 26-31.	1.4	13
186	Human papillomavirus (HPV) infections and their associations with oral disease. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 305-317.	1.4	161
187	Prevalence of Genital Human Papillomavirus Infections in a Mass-Screened Finnish Female Population Aged 20-65 Years. <i>International Journal of STD and AIDS</i> , 1990, 1, 410-415.	0.5	29
188	Oral mucosal changes in women with genital HPV infection. <i>Journal of Oral Pathology and Medicine</i> , 1990, 19, 142-148.	1.4	54
189	Acetowhite staining and its significance in diagnosis of oral mucosal lesions in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1990, 19, 278-283.	1.4	20
190	Basic concepts and practical applications of recombinant DNA techniques in detection of human papillomavirus (HPV) infections. <i>Apmis</i> , 1990, 98, 95-110.	0.9	69
191	Prevalence, Incidence, and Estimated Life-time Risk of Cervical Human Papillomavirus Infections in a Nonselected Finnish Female Population. <i>Sexually Transmitted Diseases</i> , 1990, 17, 15-19.	0.8	108
192	Two different human papillomavirus (HPV) types associated with oral mucosal lesions in an HIV-seropositive man. <i>Journal of Oral Pathology and Medicine</i> , 1989, 18, 366-370.	1.4	24
193	Concept of the Existence of Human Papillomavirus (HPV) DNA in Histologically Normal Squamous Epithelium of the Genital Tract Should be Re-evaluated. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 613-617.	1.3	25
194	Gingival fluid, beta2-microglobulin and protein levels as indicators of periodontal disease. <i>European Journal of Oral Sciences</i> , 1989, 97, 500-504.	0.7	2
195	Association of DNA Aneuploidy with Human Papillomavirus-Induced Malignant Transformation of Sinonasal Transitional Papillomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1989, 100, 563-567.	1.1	27
196	Detection of human papillomavirus type 11 DNA in a conjunctival squamous cell papilloma by in situ hybridization with biotinylated probes. <i>Acta Ophthalmologica</i> , 1989, 67, 425-429.	0.6	14
197	Advantage of human papillomavirus typing in the clinical evaluation of genitoanal warts. <i>Journal of the American Academy of Dermatology</i> , 1988, 18, 495-503.	0.6	33
198	Detection of human papillomavirus (HPV) structural antigens and DNA types in inverted papillomas and squamous cell carcinomas of the nasal cavities and paranasal sinuses. <i>Acta Oto-Laryngologica</i> , 1987, 104, 334-341.	0.3	118

#	ARTICLE	IF	CITATIONS
199	Human Papillomavirus DNA in Squamous Cell Carcinomas of the Larynx Demonstrated by in situ DNA Hybridization. <i>Orl</i> , 1987, 49, 175-186.	0.6	55
200	In vitro testing of dental materials by means of macrophage cultures I: Methodological aspects. <i>Journal of Biomedical Materials Research Part B</i> , 1986, 20, 1111-1123.	3.0	8
201	Detection of human papillomavirus DNA in oral mucosal lesions using in situ DNA-hybridization applied on paraffin sections. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1986, 62, 660-667.	0.6	91
202	Human papillomavirus (HPV) DNA sequences demonstrated by in situ DNA hybridization in serial paraffin-embedded cervical biopsies. <i>Archives of Gynecology</i> , 1986, 239, 39-48.	0.6	53
203	Salivary IgA, lysozyme and α -microglobulin in periodontal disease. <i>European Journal of Oral Sciences</i> , 1986, 94, 115-120.	0.7	8
204	Gingival α -microglobulin in juvenile and chronic periodontitis. <i>Acta Odontologica Scandinavica</i> , 1985, 43, 133-138.	0.9	4
205	Inflammatory cells and their subsets in lesions of juvenile periodontitis: A family study. <i>Acta Odontologica Scandinavica</i> , 1984, 42, 285-292.	0.9	19
206	Transferrin reactivity in oral mucosa adjacent to different dental restorations. <i>Acta Odontologica Scandinavica</i> , 1984, 42, 321-325.	0.9	2
207	Human papilloma virus (HPV) antigens and local immunologic reactivity in oral squamous cell tumors and hyperplasias. <i>European Journal of Oral Sciences</i> , 1984, 92, 358-370.	0.7	9
208	Enumeration of T cell subsets with monoclonal antibodies in minor salivary glands of patients with rheumatoid arthritis. <i>European Journal of Oral Sciences</i> , 1984, 92, 275-281.	0.7	2
209	Inflammatory cell infiltrate in labial salivary glands of patients with rheumatoid arthritis with special emphasis on tissue mast cells. <i>European Journal of Oral Sciences</i> , 1984, 92, 557-563.	0.7	2
210	Immunohistochemical demonstration of Human papilloma virus (HPV) antigens in oral squamous cell lesions. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1983, 21, 147-153.	0.3	97
211	Morphological and immunohistochemical evidence suggesting human papillomavirus (HPV) involvement in oral squamous cell carcinogenesis. <i>International Journal of Oral Surgery</i> , 1983, 12, 418-424.	0.6	355
212	Human Papilloma Virus (HPV) Antigens in Lesions of Laryngeal Squamous Cell Carcinomas. <i>Orl</i> , 1982, 44, 323-334.	0.6	60
213	Histological Evidence for the Presence of Condylomatous Epithelial Lesions in Association with Laryngeal Squamous Cell Carcinoma. <i>Orl</i> , 1981, 43, 181-194.	0.6	46