Vlastimil Dohnal

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7535187/vlastimil-dohnal-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 2,214 27 45 g-index

74 2,429 3.1 4.61 L-index

#	Paper	IF	Citations
71	Accumulation of cadmium in potential hyperaccumulators Chlorophytum comosum and Callisia fragrans and role of organic acids under stress conditions. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 28129-28139	5.1	8
70	Determination of nickel in hydrogenated fats and selected chocolate bars in Czech Republic. <i>Food Chemistry</i> , 2017 , 217, 456-460	8.5	18
69	Development and validation of a FIA/UV-vis method for pK(a) determination of oxime based acetylcholinesterase reactivators. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 240-6	3.5	27
68	Salicylic acid and phenolic compounds under cadmium stress in cucumber plants (Cucumis sativus L.). <i>Acta Physiologiae Plantarum</i> , 2016 , 38, 1	2.6	7
67	Design, synthesis and in vitro evaluation of benzothiazole-based ureas as potential ABAD/17EHSD10 modulators for Alzheimer& disease treatment. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 3675-8	2.9	17
66	Monooxime Bispyridinium Reactivators Bearing Xylene Linker Synthesis and In Vitro Evaluation on Model of Organophosphate-Inhibited Acetylcholinesterase. <i>Medicinal Chemistry</i> , 2016 , 12, 362-70	1.8	
65	Quantitative determination of acidic groups in functionalized graphene by direct titration. <i>Reactive and Functional Polymers</i> , 2016 , 103, 44-53	4.6	15
64	Retention behavior of pyridinium oximes on PFP stationary phase in high-performance liquid chromatography. <i>Journal of Chromatographic Science</i> , 2014 , 52, 246-51	1.4	9
63	Metabolism of aflatoxins: key enzymes and interindividual as well as interspecies differences. <i>Archives of Toxicology</i> , 2014 , 88, 1635-44	5.8	136
62	Oxidative stress-mediated cytotoxicity and metabolism of T-2 toxin and deoxynivalenol in animals and humans: an update. <i>Archives of Toxicology</i> , 2014 , 88, 1309-26	5.8	169
61	Military potential of biological toxins. <i>Journal of Applied Biomedicine</i> , 2014 , 12, 63-77	0.6	15
60	Deoxynivalenol: signaling pathways and human exposure risk assessmentan update. <i>Archives of Toxicology</i> , 2014 , 88, 1915-28	5.8	64
59	A new concept in the separation of polyethyleneglycol-modified PAMAM dendrons by liquid chromatography. <i>Journal of Chromatographic Science</i> , 2014 , 52, 321-8	1.4	2
58	Ergosterol content in selected grasses on the end of vegetation period. <i>Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis</i> , 2014 , 55, 9-14	0.5	4
57	Preparation, in vitro screening and molecular modelling of monoquaternary compounds related to the selective acetylcholinesterase inhibitor BW284c51. <i>Medicinal Chemistry</i> , 2014 , 11, 21-9	1.8	4
56	A comparison of ELISA and HPLC methods for determination of ochratoxin A in human blood serum in the Czech Republic. <i>Food and Chemical Toxicology</i> , 2013 , 62, 427-31	4.7	32
55	Ochratoxin A levels in blood serum of Czech women in the first trimester of pregnancy and its correspondence with dietary intake of the mycotoxin contaminant. <i>Biomarkers</i> , 2013 , 18, 673-8	2.6	19

54	Trichothecenes: structure-toxic activity relationships. Current Drug Metabolism, 2013, 14, 641-60	3.5	77
53	SELECTIVE MONITORING OF ENZYMATIC ACTIVITY OF ACETYLCHOLINESTERASE BY FLOW INJECTION ANALYSIS WITH MASS SPECTROMETRIC DETECTION. <i>Military Medical Science Letters</i> (Vojenske Zdravotnicke Listy), 2013 , 82, 120-125	0.2	
52	Methods of detection and identification of moulds. Kontakt, 2012, 14, 497-504	0.3	
51	Forage as a primary source of mycotoxins in animal diets. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 37-50	4.6	22
50	Mono-oxime bisquaternary acetylcholinesterase reactivators with prop-1,3-diyl linkage-Preparation, in vitro screening and molecular docking. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 754-62	3.4	38
49	Preparation, in vitro screening and molecular modelling of symmetrical 4-tert-butylpyridinium cholinesterase inhibitorsanalogues of SAD-128. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 150-4	2.9	16
48	Preparation, in vitro screening and molecular modelling of symmetrical bis-quinolinium cholinesterase inhibitorsimplications for early myasthenia gravis treatment. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 2505-9	2.9	29
47	Preparation and in vitro screening of symmetrical bis-isoquinolinium cholinesterase inhibitors bearing various connecting linkageimplications for early Myasthenia gravis treatment. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 811-8	6.8	27
46	Metabolic pathways of ochratoxin A. Current Drug Metabolism, 2011, 12, 1-10	3.5	86
45	The preparation, in vitro screening and molecular docking of symmetrical bisquaternary cholinesterase inhibitors containing a but-(2E)-en-1,4-diyl connecting linkage. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2011 , 26, 245-53	5.6	9
44	Application of near infrared spectroscopy to estimate selected free amino acids and soluble nitrogen during cheese ripening. <i>Acta Veterinaria Brno</i> , 2011 , 80, 293-297	0.8	8
43	Determination of fumonisins in milled corn grains using HPLC-MS. <i>Journal of Chromatographic Science</i> , 2010 , 48, 680-4	1.4	6
42	The pH and mobile phase composition effects ochratoxin A fluorescence at liquid chromatography. <i>Journal of Chromatographic Science</i> , 2010 , 48, 766-70	1.4	13
41	Synthesis and In Vitro Evaluation of New Tacrine Derivates-Bis-Alkylene Linked 7-MEOTA. <i>Letters in Organic Chemistry</i> , 2010 , 7, 327-331	0.6	13
40	Tyrosine- and histidine-decarboxylase positive lactic acid bacteria and enterococci in dry fermented sausages. <i>Meat Science</i> , 2010 , 86, 870-7	6.4	20
39	Rapid and Sensitive Method for Citrinin Determination Using High-Performance Liquid Chromatography with Fluorescence Detection. <i>Analytical Letters</i> , 2010 , 43, 786-792	2.2	13
38	Metabolic pathways of trichothecenes. <i>Drug Metabolism Reviews</i> , 2010 , 42, 250-267	7	141
37	Synthesis and in vitro evaluation of N-(Bromobut-3-en-2-yl)-7-methoxy-1,2,3,4-tetrahydroacridin-9-amine as a cholinesterase inhibitor with regard to Alzheimers disease treatment. <i>Molecules</i> , 2010 , 15, 8804-12	4.8	21

36	Occurrence of ochratoxin A and citrinin in Czech cereals and comparison of two HPLC methods for ochratoxin A detection. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment,</i> 2010 , 27, 1545-57	3.2	12
35	Fluctuation in the ergosterol and deoxynivalenol content in barley and malt during malting process. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 109-114	4.4	10
34	Monooxime-monocarbamoyl Bispyridinium Xylene-Linked Reactivators of Acetylcholinesterase-Synthesis, In vitro and Toxicity Evaluation, and Docking Studies. <i>ChemMedChem</i> , 2010 , 5, 247-54	3.7	34
33	Preparation and in vitro screening of symmetrical bispyridinium cholinesterase inhibitors bearing different connecting linkage-initial study for Myasthenia gravis implications. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 1763-6	2.9	27
32	Synthesis and in vitro evaluation of N-alkyl-7-methoxytacrine hydrochlorides as potential cholinesterase inhibitors in Alzheimer disease. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 609	9 3 -8	57
31	Metabolic pathways of trichothecenes. <i>Drug Metabolism Reviews</i> , 2010 , 42, 250-67	7	39
30	Factors Affecting the Content of Ergosterol and Zearalenone in Selected Grass Species at the End of the Growing Season. <i>Acta Veterinaria Brno</i> , 2009 , 78, 353-360	0.8	5
29	Biogenic amine content in dry fermented sausages as influenced by a producer, spice mix, starter culture, sausage diameter and time of ripening. <i>Meat Science</i> , 2009 , 83, 534-42	6.4	31
28	Biological degradation of aflatoxins. <i>Drug Metabolism Reviews</i> , 2009 , 41, 1-7	7	196
27	Reactivation potency of the acetylcholinesterase reactivator obidoxime is limited. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2009 , 153, 259-62	1.7	2
26	Tyramine production in Dutch-type semi-hard cheese from two different producers. <i>Food Microbiology</i> , 2008 , 25, 219-27	6	59
25	Synthesis of monooxime-monocarbamoyl bispyridinium compounds bearing (E)-but-2-ene linker and evaluation of their reactivation activity against tabun- and paraoxon-inhibited acetylcholinesterase. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2008 , 23, 70-6	5.6	53
24	Metabolic pathways of T-2 toxin. Current Drug Metabolism, 2008, 9, 77-82	3.5	68
23	Some factors influencing biogenic amines and polyamines content in Dutch-type semi-hard cheese. <i>European Food Research and Technology</i> , 2008 , 227, 29-36	3.4	26
22	Monoquaternary pyridinium salts with modified side chain-synthesis and evaluation on model of tabun- and paraoxon-inhibited acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 8218	-234	22
21	Prevention of the production of T-2 toxin and methods of minimizing its toxic effects. <i>Kontakt</i> , 2008 , 10, 200-208	0.3	
20	Two step synthesis of a non-symmetric acetylcholinesterase reactivator. <i>Molecules</i> , 2007 , 12, 1755-61	4.8	9
19	Monooxime reactivators of acetylcholinesterase with (E)-but-2-ene linker: preparation and reactivation of tabun- and paraoxon-inhibited acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry</i> 2007, 15, 6733-41	3.4	47

(1999-2007)

18	Novel series of bispyridinium compounds bearing a (Z)-but-2-ene linkersynthesis and evaluation of their reactivation activity against tabun and paraoxon-inhibited acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 3172-6	2.9	36
17	Synthesis of a novel series of non-symmetrical bispyridinium compounds bearing a xylene linker and evaluation of their reactivation activity against tabun and paraoxon-inhibited acetylcholinesterase. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2007 , 22, 425-32	5.6	42
16	Synthesis of the novel series of bispyridinium compounds bearing (E)-but-2-ene linker and evaluation of their reactivation activity against chlorpyrifos-inhibited acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 622-7	2.9	57
15	Synthesis of asymmetrical bispyridinium compounds bearing cyano-moiety and evaluation of their reactivation activity against tabun and paraoxon-inhibited acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 5673-6	2.9	33
14	New methods in synthesis of acetylcholinesterase reactivators and evaluation of their potency to reactivate cyclosarin-inhibited AChE. <i>Chemical Papers</i> , 2006 , 60,	1.9	35
13	Synthesis of Bispyridinium Compounds Bearing Propane Linker and Evaluation of their Reactivation Activity against Tabun- and Paraoxon-Inhibited Acetylcholinesterase. <i>Letters in Organic Chemistry</i> , 2006 , 3, 831-835	0.6	30
12	Chemical terrorism. Kontakt, 2006 , 8, 123-127	0.3	3
11	Synthesis of a novel series of bispyridinium compounds bearing a xylene linker and evaluation of their reactivation activity against chlorpyrifos-inhibited acetylcholinesterase. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2005 , 20, 409-15	5.6	46
10	Determination of Benzalkonium Bromide Homologues in Disinfection Products Using High-Performance Liquid Chromatography. <i>Analytical Letters</i> , 2005 , 38, 673-682	2.2	14
9	Application of artificial neural networks for classification of uranium distribution in the Central Rand goldfield, South Africa. <i>Environmental Modeling and Assessment</i> , 2005 , 10, 143-152	2	14
8	Prediction of a new broad-spectrum reactivator capable of reactivating acetylcholinesterase inhibited by nerve agents. <i>Journal of Applied Biomedicine</i> , 2005 , 3, 139-145	0.6	12
7	What are artificial neural networks and what they can do?. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2005 , 149, 221-4	1.7	6
6	Quaternary Heteroarenium Salts as the Competitive Inhibitors of the Brain Acetylcholinesterase. <i>Letters in Drug Design and Discovery</i> , 2004 , 1, 97-100	0.8	10
5	A general method for the quaternization of N,N-dimethyl benzylamines with long chain n-alkylbromides. <i>Journal of Applied Biomedicine</i> , 2004 , 2, 195-198	0.6	19
4	Quantitative chiral analysis in capillary electrophoresis from unresolved peaks using derivative electropherograms, experimental design, and artificial neural networks. <i>Electrophoresis</i> , 2003 , 24, 2462-	- ફ .6	13
3	Metallic content of wines from the Canary Islands (Spain). Application of artificial neural networks to the data analysis. <i>Molecular Nutrition and Food Research</i> , 2002 , 46, 370-5		31
2	Quantitative analysis of chiral compounds from unresolved peaks in capillary electrophoresis using multivariate calibration with experimental design and artificial neural networks. <i>Chirality</i> , 2002 , 14, 509-	- 1 8 ¹	10
1	Prediction of chiral separations using a combination of experimental design and artificial neural networks. <i>Chirality</i> , 1999 , 11, 616-21	2.1	21