

Cornelis J M Melief

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7535581/publications.pdf>

Version: 2024-02-01

27
papers

2,624
citations

279798

23
h-index

526287

27
g-index

28
all docs

28
docs citations

28
times ranked

3282
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunotherapy of established (pre)malignant disease by synthetic long peptide vaccines. <i>Nature Reviews Cancer</i> , 2008, 8, 351-360.	28.4	508
2	CD40 activation in vivo overcomes peptide-induced peripheral cytotoxic T-lymphocyte tolerance and augments anti-tumor vaccine efficacy. <i>Nature Medicine</i> , 1999, 5, 774-779.	30.7	439
3	Immune Escape of Tumors in Vivo by Expression of Cellular Flice-Inhibitory Protein. <i>Journal of Experimental Medicine</i> , 1999, 190, 1033-1038.	8.5	305
4	Immature Dendritic Cells Acquire Cd8+Cytotoxic T Lymphocyte Priming Capacity upon Activation by T Helper Cell-Independent or -Dependent Stimuli. <i>Journal of Experimental Medicine</i> , 2000, 192, 145-150.	8.5	173
5	Design and development of synthetic peptide vaccines: past, present and future. <i>Expert Review of Vaccines</i> , 2007, 6, 591-603.	4.4	130
6	Natural T-helper immunity against human papillomavirus type 16 (hpv16) e7-derived peptide epitopes in patients with hpv16-positive cervical lesions: Identification of 3 human leukocyte antigen class ii-restricted epitopes. <i>International Journal of Cancer</i> , 2001, 91, 612-618.	5.1	129
7	Expression of three extracellular matrix degradative enzymes in bladder cancer. <i>International Journal of Cancer</i> , 2001, 95, 295-301.	5.1	106
8	Reduced human leukocyte antigen expression in advanced-stage Ewing sarcoma: implications for immune recognition. <i>Journal of Pathology</i> , 2009, 218, 222-231.	4.5	87
9	Identification of three non-VNTR MUC1-derived HLA-A*0201-restricted T-cell epitopes that induce protective anti-tumor immunity in HLA-A2/Kb-transgenic mice. <i>International Journal of Cancer</i> , 2001, 91, 385-392.	5.1	85
10	Human papilloma virus specific T cells infiltrating cervical cancer and draining lymph nodes show remarkably frequent use of HLA-DQ and -DP as a restriction element. <i>International Journal of Cancer</i> , 2008, 122, 486-494.	5.1	74
11	Detection of human papillomavirus type 18 E6 and E7-specific CD4+ T-helper 1 immunity in relation to health versus disease. <i>International Journal of Cancer</i> , 2006, 118, 950-956.	5.1	59
12	A phase 1/2 study combining gemcitabine, Pegintron and p53 SLP vaccine in patients with platinum-resistant ovarian cancer. <i>Oncotarget</i> , 2015, 6, 32228-32243.	1.8	58
13	CD80-Transfected Acute Myeloid Leukemia Cells Induce Primary Allogeneic T-Cell Responses Directed at Patient Specific Minor Histocompatibility Antigens and Leukemia-Associated Antigens. <i>Blood</i> , 1998, 92, 1677-1684.	1.4	57
14	Addition of interferon- γ to the p53-SLP vaccine results in increased production of interferon- γ in vaccinated colorectal cancer patients: A phase I/II clinical trial. <i>International Journal of Cancer</i> , 2013, 132, 1581-1591.	5.1	50
15	Cyclophosphamide enhances anti-tumor effect of wild-type p53-specific CTL. <i>International Journal of Cancer</i> , 2000, 87, 253-260.	5.1	44
16	The detection of circulating human papillomavirus-specific T cells is associated with improved survival of patients with deeply infiltrating tumors. <i>International Journal of Cancer</i> , 2011, 128, 379-389.	5.1	44
17	TLR2 ligand-synthetic long peptide conjugates effectively stimulate tumor-draining lymph node T cells of cervical cancer patients. <i>Oncotarget</i> , 2016, 7, 67087-67100.	1.8	43
18	Distinct regulation and impact of type 1 T-cell immunity against HPV16 L1, E2 and E6 antigens during HPV16-induced cervical infection and neoplasia. <i>International Journal of Cancer</i> , 2006, 118, 675-683.	5.1	41

#	ARTICLE	IF	CITATIONS
19	Skin reactions to human papillomavirus (HPV) 16 specific antigens intradermally injected in healthy subjects and patients with cervical neoplasia. <i>International Journal of Cancer</i> , 2008, 123, 146-152.	5.1	36
20	Prediction of the immunogenic potential of frameshift-mutated antigens in microsatellite instable cancer. <i>International Journal of Cancer</i> , 2008, 123, 838-845.	5.1	29
21	Magnitude and polarization of P53-specific T-helper immunity in connection to leukocyte infiltration of colorectal tumors. <i>International Journal of Cancer</i> , 2003, 107, 425-433.	5.1	28
22	Local immunomodulation for cancer therapy: Providing treatment where needed. <i>Oncolmmunology</i> , 2013, 2, e26493.	4.6	24
23	Competition-Based Cellular Peptide Binding Assay for HLA Class I. <i>Current Protocols in Immunology</i> , 2004, 61, Unit 18.12.	3.6	23
24	Colorectal cancer vaccines in clinical trials. <i>Expert Review of Vaccines</i> , 2011, 10, 899-921.	4.4	23
25	Formation and phenotypic characterization of CD49a, CD49b and CD103 expressing CD8 T cell populations in human metastatic melanoma. <i>Oncolmmunology</i> , 2018, 7, e1490855.	4.6	10
26	Synthetic long peptide booster immunization in rhesus macaques primed with replication-competent NYVAC-C-KC induces a balanced CD4/CD8 T-cell and antibody response against the conserved regions of HIV-1. <i>Journal of General Virology</i> , 2015, 96, 1478-1483.	2.9	10
27	Differential Expression of CD49a and CD49b Determines Localization and Function of Tumor-Infiltrating CD8+ T Cells. <i>Cancer Immunology Research</i> , 2021, 9, 583-597.	3.4	9