

Lorenz Studer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7535851/lorenz-studer-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

23,017
citations

73
h-index

151
g-index

215
ext. papers

26,540
ext. citations

17.3
avg, IF

6.83
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 179 | Human stem cell models of neurodegeneration: From basic science of amyotrophic lateral sclerosis to clinical translation.. <i>Cell Stem Cell</i> , 2022 , 29, 11-35 | 18 | 6 |
| 178 | Anatomic position determines oncogenic specificity in melanoma.. <i>Nature</i> , 2022 , | 50.4 | 3 |
| 177 | A dual knockin hESC reporter line for derivation of human SAN-like cells.. <i>iScience</i> , 2022 , 25, 104153 | 6.1 | 0 |
| 176 | Kathryn Anderson (1952-2020). <i>Cell</i> , 2021 , 184, 1123-1126 | 56.2 | |
| 175 | Disabling the Fanconi Anemia Pathway in Stem Cells Leads to Radioresistance and Genomic Instability. <i>Cancer Research</i> , 2021 , 81, 3706-3716 | 10.1 | |
| 174 | SARS-CoV-2 Infection Causes Dopaminergic Neuron Senescence 2021 , | | 5 |
| 173 | Recurrent chromosomal imbalances provide selective advantage to human embryonic stem cells under enhanced replicative stress conditions. <i>Genes Chromosomes and Cancer</i> , 2021 , 60, 272-281 | 5 | 0 |
| 172 | Human stem cell models to study host-virus interactions in the central nervous system. <i>Nature Reviews Immunology</i> , 2021 , 21, 441-453 | 36.5 | 14 |
| 171 | TLR3 controls constitutive IFN- β antiviral immunity in human fibroblasts and cortical neurons. <i>Journal of Clinical Investigation</i> , 2021 , 131, | 15.9 | 19 |
| 170 | Preclinical Efficacy and Safety of a Human Embryonic Stem Cell-Derived Midbrain Dopamine Progenitor Product, MSK-DA01. <i>Cell Stem Cell</i> , 2021 , 28, 217-229.e7 | 18 | 37 |
| 169 | Fully defined human pluripotent stem cell-derived microglia and tri-culture system model C3 production in Alzheimer's disease. <i>Nature Neuroscience</i> , 2021 , 24, 343-354 | 25.5 | 40 |
| 168 | Biphasic Activation of WNT Signaling Facilitates the Derivation of Midbrain Dopamine Neurons from hESCs for Translational Use. <i>Cell Stem Cell</i> , 2021 , 28, 343-355.e5 | 18 | 25 |
| 167 | Pluripotent stem cell-derived epithelium misidentified as brain microvascular endothelium requires ETS factors to acquire vascular fate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 43 |
| 166 | Therapeutic manipulation of IKBKAP mis-splicing with a small molecule to cure familial dysautonomia. <i>Nature Communications</i> , 2021 , 12, 4507 | 17.4 | 2 |
| 165 | Epigenetic control of melanoma cell invasiveness by the stem cell factor SALL4. <i>Nature Communications</i> , 2021 , 12, 5056 | 17.4 | 1 |
| 164 | Developmental chromatin programs determine oncogenic competence in melanoma. <i>Science</i> , 2021 , 373, eabc1048 | 33.3 | 13 |
| 163 | Activation of HERV-K(HML-2) disrupts cortical patterning and neuronal differentiation by increasing NTRK3. <i>Cell Stem Cell</i> , 2021 , 28, 1566-1581.e8 | 18 | 10 |

| | | |
|-----|--|----------|
| 162 | Neuron-intrinsic immunity to viruses in mice and humans. <i>Current Opinion in Immunology</i> , 2021 , 72, 309-318 | 4 |
| 161 | A Human Pluripotent Stem Cell-based Platform to Study SARS-CoV-2 Tropism and Model Virus Infection in Human Cells and Organoids. <i>Cell Stem Cell</i> , 2020 , 27, 125-136.e7 | 18 338 |
| 160 | A Multiplex Human Pluripotent Stem Cell Platform Defines Molecular and Functional Subclasses of Autism-Related Genes. <i>Cell Stem Cell</i> , 2020 , 27, 35-49.e6 | 18 22 |
| 159 | The epichaperome is a mediator of toxic hippocampal stress and leads to protein connectivity-based dysfunction. <i>Nature Communications</i> , 2020 , 11, 319 | 17.4 20 |
| 158 | Accelerated transsulfuration metabolically defines a discrete subclass of amyotrophic lateral sclerosis patients. <i>Neurobiology of Disease</i> , 2020 , 144, 105025 | 7.5 4 |
| 157 | Pluripotent Stem Cell Therapies for Parkinson Disease: Present Challenges and Future Opportunities. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 729 | 5.7 28 |
| 156 | Loss of SATB1 Induces p21-Dependent Cellular Senescence in Post-mitotic Dopaminergic Neurons. <i>Cell Stem Cell</i> , 2019 , 25, 514-530.e8 | 18 44 |
| 155 | Lipid Deprivation Induces a Stable, Naive-to-Primed Intermediate State of Pluripotency in Human PSCs. <i>Cell Stem Cell</i> , 2019 , 25, 120-136.e10 | 18 50 |
| 154 | Derivation of enteric neuron lineages from human pluripotent stem cells. <i>Nature Protocols</i> , 2019 , 14, 1261-1279 | 18.8 25 |
| 153 | Comparison of three congruent patient-specific cell types for the modelling of a human genetic Schwann-cell disorder. <i>Nature Biomedical Engineering</i> , 2019 , 3, 571-582 | 19 9 |
| 152 | Specification of positional identity in forebrain organoids. <i>Nature Biotechnology</i> , 2019 , 37, 436-444 | 44.5 136 |
| 151 | NFIA is a gliogenic switch enabling rapid derivation of functional human astrocytes from pluripotent stem cells. <i>Nature Biotechnology</i> , 2019 , 37, 267-275 | 44.5 75 |
| 150 | Human SNORA31 variations impair cortical neuron-intrinsic immunity to HSV-1 and underlie herpes simplex encephalitis. <i>Nature Medicine</i> , 2019 , 25, 1873-1884 | 50.5 49 |
| 149 | Inborn Errors of RNA Lariat Metabolism in Humans with Brainstem Viral Infection. <i>Cell</i> , 2018 , 172, 952-965.e18 | 64 |
| 148 | Cancer modeling by Transgene Electroporation in Adult Zebrafish (TEAZ). <i>DMM Disease Models and Mechanisms</i> , 2018 , 11, | 4.1 18 |
| 147 | Human iPSC-derived trigeminal neurons lack constitutive TLR3-dependent immunity that protects cortical neurons from HSV-1 infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E8775-E8782 | 11.5 46 |
| 146 | TCF3 alternative splicing controlled by hnRNP H/F regulates E-cadherin expression and hESC pluripotency. <i>Genes and Development</i> , 2018 , 32, 1161-1174 | 12.6 35 |
| 145 | A hPSC-based platform to discover gene-environment interactions that impact human Ecell and dopamine neuron survival. <i>Nature Communications</i> , 2018 , 9, 4815 | 17.4 16 |

| | | | |
|-----|---|------|-----|
| 144 | HSP90-incorporating chaperome networks as biosensor for disease-related pathways in patient-specific midbrain dopamine neurons. <i>Nature Communications</i> , 2018 , 9, 4345 | 17.4 | 22 |
| 143 | Mechanics-guided embryonic patterning of neuroectoderm tissue from human pluripotent stem cells. <i>Nature Materials</i> , 2018 , 17, 633-641 | 27 | 107 |
| 142 | Back and forth in time: Directing age in iPSC-derived lineages. <i>Brain Research</i> , 2017 , 1656, 14-26 | 3.7 | 23 |
| 141 | Combined small-molecule inhibition accelerates the derivation of functional cortical neurons from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2017 , 35, 154-163 | 44.5 | 115 |
| 140 | Lessons Learned from Pioneering Neural Stem Cell Studies. <i>Stem Cell Reports</i> , 2017 , 8, 191-193 | 8 | 15 |
| 139 | Pluripotent stem cells in neuropsychiatric disorders. <i>Molecular Psychiatry</i> , 2017 , 22, 1241-1249 | 15.1 | 78 |
| 138 | Human Trials of Stem Cell-Derived Dopamine Neurons for Parkinson's Disease: Dawn of a New Era. <i>Cell Stem Cell</i> , 2017 , 21, 569-573 | 18 | 193 |
| 137 | A Modular Platform for Differentiation of Human PSCs into All Major Ectodermal Lineages. <i>Cell Stem Cell</i> , 2017 , 21, 399-410.e7 | 18 | 87 |
| 136 | High-Content Screening in hPSC-Neural Progenitors Identifies Drug Candidates that Inhibit Zika Virus Infection in Fetal-like Organoids and Adult Brain. <i>Cell Stem Cell</i> , 2017 , 21, 274-283.e5 | 18 | 144 |
| 135 | DNA replication timing alterations identify common markers between distinct progeroid diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E10972-E10980 | 11.5 | 21 |
| 134 | Strategies for bringing stem cell-derived dopamine neurons to the clinic-The NYSTEM trial. <i>Progress in Brain Research</i> , 2017 , 230, 191-212 | 2.9 | 51 |
| 133 | Parkin and PINK1 Patient iPSC-Derived Midbrain Dopamine Neurons Exhibit Mitochondrial Dysfunction and α Synuclein Accumulation. <i>Stem Cell Reports</i> , 2016 , 7, 664-677 | 8 | 119 |
| 132 | Capturing the biology of disease severity in a PSC-based model of familial dysautonomia. <i>Nature Medicine</i> , 2016 , 22, 1421-1427 | 50.5 | 38 |
| 131 | Generating Late-Onset Human iPSC-Based Disease Models by Inducing Neuronal Age-Related Phenotypes through Telomerase Manipulation. <i>Cell Reports</i> , 2016 , 17, 1184-1192 | 10.6 | 81 |
| 130 | Feeder-free Derivation of Melanocytes from Human Pluripotent Stem Cells. <i>Journal of Visualized Experiments</i> , 2016 , e53806 | 1.6 | 3 |
| 129 | Derivation of Diverse Hormone-Releasing Pituitary Cells from Human Pluripotent Stem Cells. <i>Stem Cell Reports</i> , 2016 , 6, 858-872 | 8 | 34 |
| 128 | Deriving human ENS lineages for cell therapy and drug discovery in Hirschsprung disease. <i>Nature</i> , 2016 , 531, 105-9 | 50.4 | 189 |
| 127 | α Synuclein-induced lysosomal dysfunction occurs through disruptions in protein trafficking in human midbrain synucleinopathy models. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 1931-6 | 11.5 | 215 |

| | | | |
|-----|---|------|-----|
| 126 | Functional Connectivity under Optogenetic Control Allows Modeling of Human Neuromuscular Disease. <i>Cell Stem Cell</i> , 2016 , 18, 134-43 | 18 | 70 |
| 125 | Dual-SMAD Inhibition/WNT Activation-Based Methods to Induce Neural Crest and Derivatives from Human Pluripotent Stem Cells. <i>Methods in Molecular Biology</i> , 2016 , 1307, 329-43 | 1.4 | 59 |
| 124 | Human Pluripotent-Derived Lineages for Repairing Hypopituitarism. <i>Research and Perspectives in Endocrine Interactions</i> , 2016 , 25-34 | | 1 |
| 123 | Policy: Global standards for stem-cell research. <i>Nature</i> , 2016 , 533, 311-3 | 50.4 | 33 |
| 122 | New ISSCR guidelines: clinical translation of stem cell research. <i>Lancet, The</i> , 2016 , 387, 1979-81 | 40 | 33 |
| 121 | Setting Global Standards for Stem Cell Research and Clinical Translation: The 2016 ISSCR Guidelines. <i>Stem Cell Reports</i> , 2016 , 6, 787-797 | 8 | 136 |
| 120 | The epichaperome is an integrated chaperome network that facilitates tumour survival. <i>Nature</i> , 2016 , 538, 397-401 | 50.4 | 148 |
| 119 | Moving stem cells to the clinic: potential and limitations for brain repair. <i>Neuron</i> , 2015 , 86, 187-206 | 13.9 | 92 |
| 118 | Retinoic Acid-Mediated Regulation of GLI3 Enables Efficient Motoneuron Derivation from Human ESCs in the Absence of Extrinsic SHH Activation. <i>Journal of Neuroscience</i> , 2015 , 35, 11462-81 | 6.6 | 22 |
| 117 | Pluripotent stem cell-based disease modeling: current hurdles and future promise. <i>Current Opinion in Cell Biology</i> , 2015 , 37, 102-10 | 9 | 56 |
| 116 | The polycomb group protein L3MBTL1 represses a SMAD5-mediated hematopoietic transcriptional program in human pluripotent stem cells. <i>Stem Cell Reports</i> , 2015 , 4, 658-69 | 8 | 4 |
| 115 | Neural Crest Cells from Dual SMAD Inhibition. <i>Current Protocols in Stem Cell Biology</i> , 2015 , 33, 1H.9.1-1H.9.9 | | 5 |
| 114 | Deciphering Human Cell-Autonomous Anti-HSV-1 Immunity in the Central Nervous System. <i>Frontiers in Immunology</i> , 2015 , 6, 208 | 8.4 | 15 |
| 113 | Targeting Homologous Recombination in Notch-Driven <i>C. elegans</i> Stem Cell and Human Tumors. <i>PLoS ONE</i> , 2015 , 10, e0127862 | 3.7 | 7 |
| 112 | Programming and Reprogramming Cellular Age in the Era of Induced Pluripotency. <i>Cell Stem Cell</i> , 2015 , 16, 591-600 | 18 | 119 |
| 111 | Creating Patient-Specific Neural Cells for the In Vitro Study of Brain Disorders. <i>Stem Cell Reports</i> , 2015 , 5, 933-945 | 8 | 63 |
| 110 | When rejuvenation is a problem: challenges of modeling late-onset neurodegenerative disease. <i>Development (Cambridge)</i> , 2015 , 142, 3085-9 | 6.6 | 31 |
| 109 | Generation of neuropeptidergic hypothalamic neurons from human pluripotent stem cells. <i>Development (Cambridge)</i> , 2015 , 142, 633-43 | 6.6 | 93 |

| | | | |
|-----|---|------|-----|
| 108 | Optogenetics enables functional analysis of human embryonic stem cell-derived grafts in a Parkinson's disease model. <i>Nature Biotechnology</i> , 2015 , 33, 204-9 | 44.5 | 212 |
| 107 | Pluripotent stem cells in regenerative medicine: challenges and recent progress. <i>Nature Reviews Genetics</i> , 2014 , 15, 82-92 | 30.1 | 351 |
| 106 | MHC-I expression renders catecholaminergic neurons susceptible to T-cell-mediated degeneration. <i>Nature Communications</i> , 2014 , 5, 3633 | 17.4 | 185 |
| 105 | Feeder-free derivation of neural crest progenitor cells from human pluripotent stem cells. <i>Journal of Visualized Experiments</i> , 2014 , | 1.6 | 13 |
| 104 | Enhancement of polysialic acid expression improves function of embryonic stem-derived dopamine neuron grafts in Parkinsonian mice. <i>Stem Cells Translational Medicine</i> , 2014 , 3, 108-13 | 6.9 | 19 |
| 103 | A cell engineering strategy to enhance the safety of stem cell therapies. <i>Cell Reports</i> , 2014 , 8, 1677-1685 | 10.6 | 8 |
| 102 | Modeling neural crest induction, melanocyte specification, and disease-related pigmentation defects in hESCs and patient-specific iPSCs. <i>Cell Reports</i> , 2013 , 3, 1140-52 | 10.6 | 178 |
| 101 | Build-a-brain. <i>Cell Stem Cell</i> , 2013 , 13, 377-8 | 18 | 16 |
| 100 | Human iPSC-based modeling of late-onset disease via progerin-induced aging. <i>Cell Stem Cell</i> , 2013 , 13, 691-705 | 18 | 474 |
| 99 | Specification of functional cranial placode derivatives from human pluripotent stem cells. <i>Cell Reports</i> , 2013 , 5, 1387-402 | 10.6 | 70 |
| 98 | Adapting human pluripotent stem cells to high-throughput and high-content screening. <i>Nature Protocols</i> , 2013 , 8, 111-30 | 18.8 | 54 |
| 97 | Human iPSC-derived oligodendrocyte progenitor cells can myelinate and rescue a mouse model of congenital hypomyelination. <i>Cell Stem Cell</i> , 2013 , 12, 252-64 | 18 | 416 |
| 96 | Directed differentiation and functional maturation of cortical interneurons from human embryonic stem cells. <i>Cell Stem Cell</i> , 2013 , 12, 559-72 | 18 | 411 |
| 95 | Large-scale screening using familial dysautonomia induced pluripotent stem cells identifies compounds that rescue IKBKAP expression. <i>Nature Biotechnology</i> , 2012 , 30, 1244-8 | 44.5 | 189 |
| 94 | Derivation of dopaminergic neurons from pluripotent stem cells. <i>Progress in Brain Research</i> , 2012 , 200, 243-63 | 2.9 | 45 |
| 93 | Impaired intrinsic immunity to HSV-1 in human iPSC-derived TLR3-deficient CNS cells. <i>Nature</i> , 2012 , 491, 769-73 | 50.4 | 240 |
| 92 | Maturation of spinal motor neurons derived from human embryonic stem cells. <i>PLoS ONE</i> , 2012 , 7, e40154 | 5.7 | 50 |
| 91 | The expanding role of miR-302-367 in pluripotency and reprogramming. <i>Cell Cycle</i> , 2012 , 11, 1517-23 | 4.7 | 55 |

| | | | |
|----|--|------|------|
| 90 | Combined small-molecule inhibition accelerates developmental timing and converts human pluripotent stem cells into nociceptors. <i>Nature Biotechnology</i> , 2012 , 30, 715-20 | 44.5 | 375 |
| 89 | Evaluation of developmental toxicants and signaling pathways in a functional test based on the migration of human neural crest cells. <i>Environmental Health Perspectives</i> , 2012 , 120, 1116-22 | 8.4 | 80 |
| 88 | Identification of embryonic stem cell-derived midbrain dopaminergic neurons for engraftment. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2928-39 | 15.9 | 109 |
| 87 | ZFX controls the self-renewal of human embryonic stem cells. <i>PLoS ONE</i> , 2012 , 7, e42302 | 3.7 | 34 |
| 86 | Genome-wide identification of microRNA targets in human ES cells reveals a role for miR-302 in modulating BMP response. <i>Genes and Development</i> , 2011 , 25, 2173-86 | 12.6 | 143 |
| 85 | Converting human pluripotent stem cells to neural tissue and neurons to model neurodegeneration. <i>Methods in Molecular Biology</i> , 2011 , 793, 87-97 | 1.4 | 27 |
| 84 | Cell fate plug and play: direct reprogramming and induced pluripotency. <i>Cell</i> , 2011 , 145, 827-30 | 56.2 | 99 |
| 83 | A poised chromatin platform for TGF- β access to master regulators. <i>Cell</i> , 2011 , 147, 1511-24 | 56.2 | 209 |
| 82 | miR-371-3 expression predicts neural differentiation propensity in human pluripotent stem cells. <i>Cell Stem Cell</i> , 2011 , 8, 695-706 | 18 | 113 |
| 81 | Genomic safe harbors permit high β globin transgene expression in thalassemia induced pluripotent stem cells. <i>Nature Biotechnology</i> , 2011 , 29, 73-8 | 44.5 | 249 |
| 80 | Dopamine neurons derived from human ES cells efficiently engraft in animal models of Parkinson's disease. <i>Nature</i> , 2011 , 480, 547-51 | 50.4 | 1294 |
| 79 | Modelling familial dysautonomia in human induced pluripotent stem cells. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011 , 366, 2286-96 | 5.8 | 26 |
| 78 | Tumour-initiating stem-like cells in human prostate cancer exhibit increased NF- κ B signalling. <i>Nature Communications</i> , 2011 , 2, 162 | 17.4 | 195 |
| 77 | Cellular reprogramming: recent advances in modeling neurological diseases. <i>Journal of Neuroscience</i> , 2011 , 31, 16070-5 | 6.6 | 18 |
| 76 | Induced pluripotent stem cell technology for the study of human disease. <i>Nature Methods</i> , 2010 , 7, 25-7 | 21.6 | 43 |
| 75 | Derivation of neural crest cells from human pluripotent stem cells. <i>Nature Protocols</i> , 2010 , 5, 688-701 | 18.8 | 260 |
| 74 | Single-molecule analysis reveals changes in the DNA replication program for the POU5F1 locus upon human embryonic stem cell differentiation. <i>Molecular and Cellular Biology</i> , 2010 , 30, 4521-34 | 4.8 | 23 |
| 73 | Prospective isolation of cortical interneuron precursors from mouse embryonic stem cells. <i>Journal of Neuroscience</i> , 2010 , 30, 4667-75 | 6.6 | 74 |

| | | | |
|----|---|------|------|
| 72 | Wnt1 overexpression leads to enforced cardiomyogenesis and inhibition of hematopoiesis in murine embryonic stem cells. <i>Stem Cells and Development</i> , 2010 , 19, 745-51 | 4.4 | 7 |
| 71 | Efficient derivation of functional floor plate tissue from human embryonic stem cells. <i>Cell Stem Cell</i> , 2010 , 6, 336-47 | 18 | 175 |
| 70 | Expansion and maintenance of human embryonic stem cell-derived endothelial cells by TGFbeta inhibition is Id1 dependent. <i>Nature Biotechnology</i> , 2010 , 28, 161-6 | 44.5 | 242 |
| 69 | Embryonic stem cell therapy for intractable epilepsy. <i>Epilepsia</i> , 2010 , 51, 93-93 | 6.4 | |
| 68 | Therapeutic Transgene Expression From Genomic Safe Harbors In Patient-Specific Induced Pluripotent Stem Cells. <i>Blood</i> , 2010 , 116, 564-564 | 2.2 | |
| 67 | Protocols for generating ES cell-derived dopamine neurons. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 651, 101-11 | 3.6 | 16 |
| 66 | Stoichiometric and temporal requirements of Oct4, Sox2, Klf4, and c-Myc expression for efficient human iPSC induction and differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 12759-64 | 11.5 | 222 |
| 65 | Bmi-1 cooperates with Foxg1 to maintain neural stem cell self-renewal in the forebrain. <i>Genes and Development</i> , 2009 , 23, 561-74 | 12.6 | 128 |
| 64 | Modelling pathogenesis and treatment of familial dysautonomia using patient-specific iPSCs. <i>Nature</i> , 2009 , 461, 402-6 | 50.4 | 701 |
| 63 | Highly efficient neural conversion of human ES and iPS cells by dual inhibition of SMAD signaling. <i>Nature Biotechnology</i> , 2009 , 27, 275-80 | 44.5 | 2430 |
| 62 | Too much Sonic, too few neurons. <i>Nature Neuroscience</i> , 2009 , 12, 107-8 | 25.5 | 6 |
| 61 | BAC transgenesis in human embryonic stem cells as a novel tool to define the human neural lineage. <i>Stem Cells</i> , 2009 , 27, 521-32 | 5.8 | 69 |
| 60 | Genetic Manipulation of Human Embryonic Stem Cells 2009 , 75-86 | | |
| 59 | Enriched motor neuron populations derived from bacterial artificial chromosome-transgenic human embryonic stem cells. <i>Clinical Neurosurgery</i> , 2009 , 56, 125-32 | | 3 |
| 58 | Therapeutic cloning in individual parkinsonian mice. <i>Nature Medicine</i> , 2008 , 14, 379-81 | 50.5 | 93 |
| 57 | High-throughput screening assay for the identification of compounds regulating self-renewal and differentiation in human embryonic stem cells. <i>Cell Stem Cell</i> , 2008 , 2, 602-12 | 18 | 189 |
| 56 | Parthenogenetic dopamine neurons from primate embryonic stem cells restore function in experimental Parkinson's disease. <i>Brain</i> , 2008 , 131, 2127-39 | 11.2 | 63 |
| 55 | Human ESC-derived neural rosettes and neural stem cell progression. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2008 , 73, 377-87 | 3.9 | 79 |

| | | | |
|----|--|------|-----|
| 54 | Human ES cell-derived neural rosettes reveal a functionally distinct early neural stem cell stage. <i>Genes and Development</i> , 2008 , 22, 152-65 | 12.6 | 511 |
| 53 | Embryonic stem cell-based models of parkinson's disease 2008 , 461-474 | | |
| 52 | Production of green fluorescent protein transgenic embryonic stem cells using the GENSAT bacterial artificial chromosome library. <i>Stem Cells</i> , 2007 , 25, 39-45 | 5.8 | 32 |
| 51 | Constitutive gene expression predisposes morphogen-mediated cell fate responses of NT2/D1 and 27X-1 human embryonal carcinoma cells. <i>Stem Cells</i> , 2007 , 25, 771-8 | 5.8 | 10 |
| 50 | Neural Stem Cells 2007 , 947-965 | | |
| 49 | Isolation and directed differentiation of neural crest stem cells derived from human embryonic stem cells. <i>Nature Biotechnology</i> , 2007 , 25, 1468-75 | 44.5 | 422 |
| 48 | Derivation of engraftable skeletal myoblasts from human embryonic stem cells. <i>Nature Medicine</i> , 2007 , 13, 642-8 | 50.5 | 269 |
| 47 | Optical bioluminescence imaging of human ES cell progeny in the rodent CNS. <i>Journal of Neurochemistry</i> , 2007 , 102, 2029-2039 | 6 | 24 |
| 46 | Embryonic stem cell-derived neurons form functional networks in vitro. <i>Stem Cells</i> , 2007 , 25, 738-49 | 5.8 | 43 |
| 45 | Directed differentiation and transplantation of human embryonic stem cell-derived motoneurons. <i>Stem Cells</i> , 2007 , 25, 1931-9 | 5.8 | 275 |
| 44 | Mesenchymal cells. <i>Methods in Enzymology</i> , 2006 , 418, 194-208 | 1.7 | 5 |
| 43 | Acquisition of in vitro and in vivo functionality of Nurr1-induced dopamine neurons. <i>FASEB Journal</i> , 2006 , 20, 2553-5 | 0.9 | 47 |
| 42 | Embryonic Stem Cells for Grafting in Parkinson's Disease 2006 , 269-284 | | |
| 41 | Transplanted dopamine neurons derived from primate ES cells preferentially innervate DARPP-32 striatal progenitors within the graft. <i>European Journal of Neuroscience</i> , 2006 , 24, 1885-96 | 3.5 | 44 |
| 40 | Long-term survival of dopamine neurons derived from parthenogenetic primate embryonic stem cells (cyno-1) after transplantation. <i>Stem Cells</i> , 2005 , 23, 914-22 | 5.8 | 110 |
| 39 | Migration and differentiation of neural precursors derived from human embryonic stem cells in the rat brain. <i>Nature Biotechnology</i> , 2005 , 23, 601-6 | 44.5 | 158 |
| 38 | Transcriptional program of bone morphogenetic protein-2-induced epithelial and smooth muscle differentiation of pluripotent human embryonal carcinoma cells. <i>Functional and Integrative Genomics</i> , 2005 , 5, 59-69 | 3.8 | 20 |
| 37 | Derivation of multipotent mesenchymal precursors from human embryonic stem cells. <i>PLoS Medicine</i> , 2005 , 2, e161 | 11.6 | 353 |

| | | | |
|----|---|------|-----|
| 36 | Derivation of midbrain dopamine neurons from human embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 12543-8 | 11.5 | 826 |
| 35 | Enhanced in vitro midbrain dopamine neuron differentiation, dopaminergic function, neurite outgrowth, and 1-methyl-4-phenylpyridium resistance in mouse embryonic stem cells overexpressing Bcl-XL. <i>Journal of Neuroscience</i> , 2004 , 24, 843-52 | 6.6 | 82 |
| 34 | ES Cells and Nuclear Transfer Cloning 2004 , 623-633 | | 1 |
| 33 | Nonhuman primate parthenogenetic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100 Suppl 1, 11911-6 | 11.5 | 142 |
| 32 | Neural Cells Derived From Embryonic Stem Cells 2003 , 155-180 | | |
| 31 | Neural transplantation for the treatment of Parkinson's disease. <i>Lancet Neurology</i> , 2003 , 2, 437-45 | 24.1 | 278 |
| 30 | Dopaminergic neuronal differentiation from rat embryonic neural precursors by Nurr1 overexpression. <i>Journal of Neurochemistry</i> , 2003 , 85, 1443-54 | 6 | 123 |
| 29 | Neural subtype specification of fertilization and nuclear transfer embryonic stem cells and application in parkinsonian mice. <i>Nature Biotechnology</i> , 2003 , 21, 1200-7 | 44.5 | 529 |
| 28 | Making and repairing the mammalian brain--in vitro production of dopaminergic neurons. <i>Seminars in Cell and Developmental Biology</i> , 2003 , 14, 181-9 | 7.5 | 25 |
| 27 | Novel sources of stem cells for brain repair. <i>Clinical Neuroscience Research</i> , 2002 , 2, 2-10 | | 2 |
| 26 | Parthenogenetic stem cells in nonhuman primates. <i>Science</i> , 2002 , 295, 819 | 33.3 | 230 |
| 25 | Expression profiling of lineage differentiation in pluripotential human embryonal carcinoma cells. <i>Cell Growth & Differentiation: the Molecular Biology Journal of the American Association for Cancer Research</i> , 2002 , 13, 257-64 | | 24 |
| 24 | Ascorbic acid increases the yield of dopaminergic neurons derived from basic fibroblast growth factor expanded mesencephalic precursors. <i>Journal of Neurochemistry</i> , 2001 , 76, 307-11 | 6 | 123 |
| 23 | Culture of substantia nigra neurons. <i>Current Protocols in Neuroscience</i> , 2001 , Chapter 3, Unit 3.3 | 2.7 | 9 |
| 22 | In vitro generation and transplantation of precursor-derived human dopamine neurons. <i>Journal of Neuroscience Research</i> , 2001 , 65, 284-8 | 4.4 | 102 |
| 21 | Sequential actions of BMP receptors control neural precursor cell production and fate. <i>Genes and Development</i> , 2001 , 15, 2094-110 | 12.6 | 271 |
| 20 | Differentiation of embryonic stem cell lines generated from adult somatic cells by nuclear transfer. <i>Science</i> , 2001 , 292, 740-3 | 33.3 | 474 |
| 19 | Early cortical precursors do not undergo LIF-mediated astrocytic differentiation. <i>Journal of Neuroscience Research</i> , 2000 , 59, 301-11 | 4.4 | 79 |

| | | | |
|----|---|------|------|
| 18 | Efficient generation of midbrain and hindbrain neurons from mouse embryonic stem cells. <i>Nature Biotechnology</i> , 2000 , 18, 675-9 | 44.5 | 1086 |
| 17 | Enhanced proliferation, survival, and dopaminergic differentiation of CNS precursors in lowered oxygen. <i>Journal of Neuroscience</i> , 2000 , 20, 7377-83 | 6.6 | 603 |
| 16 | Early cortical precursors do not undergo LIF-mediated astrocytic differentiation 2000 , 59, 301 | | 2 |
| 15 | Transplantation of expanded mesencephalic precursors leads to recovery in parkinsonian rats. <i>Nature Neuroscience</i> , 1998 , 1, 290-5 | 25.5 | 425 |
| 14 | Reply to Survival of expanded dopaminergic precursors is critical for clinical trials <i>Nature Neuroscience</i> , 1998 , 1, 537-537 | 25.5 | 197 |
| 13 | Experimental Transplantation in the Embryonic, Neonatal, and Adult Mammalian Brain. <i>Current Protocols in Neuroscience</i> , 1997 , 1, 3.10.1-3.10.28 | 2.7 | 2 |
| 12 | A mathematical model for the estimation of human embryonic and fetal age. <i>Cell Transplantation</i> , 1996 , 5, 453-64 | 4 | 44 |
| 11 | Noninvasive dopamine determination by reversed phase HPLC in the medium of free-floating roller tube cultures of rat fetal ventral mesencephalon: a tool to assess dopaminergic tissue prior to grafting. <i>Brain Research Bulletin</i> , 1996 , 41, 143-50 | 3.9 | 42 |
| 10 | Fetal ventral mesencephalon of human and rat origin maintained in vitro and transplanted to 6-hydroxydopamine-lesioned rats gives rise to grafts rich in dopaminergic neurons. <i>Experimental Brain Research</i> , 1996 , 112, 47-57 | 2.3 | 23 |
| 9 | Effects of brain-derived neurotrophic factor on neuronal structure of dopaminergic neurons in dissociated cultures of human fetal mesencephalon. <i>Experimental Brain Research</i> , 1996 , 108, 328-36 | 2.3 | 35 |
| 8 | Comparison of the effects of the neurotrophins on the morphological structure of dopaminergic neurons in cultures of rat substantia nigra. <i>European Journal of Neuroscience</i> , 1995 , 7, 223-33 | 3.5 | 99 |
| 7 | Effects of BDNF on dopaminergic, serotonergic, and GABAergic neurons in cultures of human fetal ventral mesencephalon. <i>Experimental Neurology</i> , 1995 , 133, 50-63 | 5.7 | 95 |
| 6 | Comparison of the topology and growth rules of motoneuronal dendrites. <i>Journal of Comparative Neurology</i> , 1995 , 363, 505-16 | 3.4 | 28 |
| 5 | NGF increases neuritic complexity of cholinergic interneurons in organotypic cultures of neonatal rat striatum. <i>Journal of Comparative Neurology</i> , 1994 , 340, 281-96 | 3.4 | 35 |
| 4 | Long-term survival of dopaminergic neurones in free-floating roller tube cultures of human fetal ventral mesencephalon. <i>Journal of Neuroscience Methods</i> , 1994 , 54, 63-73 | 3 | 39 |
| 3 | Loss of SATB1 Induces a p21 Dependent Cellular Senescence Phenotype in Dopaminergic Neurons | | 1 |
| 2 | Developmental chromatin programs determine oncogenic competence in melanoma | | 1 |
| 1 | Anatomic position determines oncogenic specificity in melanoma | | 2 |

