

Claudio Ceccarelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7536508/publications.pdf>

Version: 2024-02-01

174
papers

7,804
citations

61857

43
h-index

64668

79
g-index

176
all docs

176
docs citations

176
times ranked

10502
citing authors

#	ARTICLE	IF	CITATIONS
1	Relevance of ARID1A Mutations in Endometrial Carcinomas. <i>Diagnostics</i> , 2022, 12, 592.	1.3	6
2	Mitochondrial DNA analysis efficiently contributes to the identification of metastatic contralateral breast cancers. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 507-516.	1.2	3
3	Early stability and late random tumor progression of a HER2-positive primary breast cancer patient-derived xenograft. <i>Scientific Reports</i> , 2021, 11, 1563.	1.6	6
4	ARID1A and CTNNB1/ β -Catenin Molecular Status Affects the Clinicopathologic Features and Prognosis of Endometrial Carcinoma: Implications for an Improved Surrogate Molecular Classification. <i>Cancers</i> , 2021, 13, 950.	1.7	31
5	What Is New on Ovarian Carcinoma: Integrated Morphologic and Molecular Analysis Following the New 2020 World Health Organization Classification of Female Genital Tumors. <i>Diagnostics</i> , 2021, 11, 697.	1.3	57
6	PTEN Hamartoma Tumor Syndrome: Skin Manifestations and Insights Into Their Molecular Pathogenesis. <i>Frontiers in Medicine</i> , 2021, 8, 688105.	1.2	5
7	Identification of miR-499a-5p as a Potential Novel Biomarker for Risk Stratification in Endometrial Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 757678.	1.3	9
8	An Analysis of Clinical, Surgical, Pathological and Molecular Characteristics of Endometrial Cancer According to Mismatch Repair Status. A Multidisciplinary Approach. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7188.	1.8	17
9	Radiologically defined lipid-poor adrenal adenomas: histopathological characteristics. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 1197-1204.	1.8	10
10	Combined expression levels of KDM2A and KDM2B correlate with nucleolar size and prognosis in primary breast carcinomas. <i>Histology and Histopathology</i> , 2020, 35, 1181-1187.	0.5	4
11	HPV DNA Associates With Breast Cancer Malignancy and It Is Transferred to Breast Cancer Stromal Cells by Extracellular Vesicles. <i>Frontiers in Oncology</i> , 2019, 9, 860.	1.3	30
12	A simple immunohistochemical bio-profile incorporating Bcl2 curbs those cases of invasive breast carcinoma for which an Oncotype Dx characterization is needed. <i>PLoS ONE</i> , 2019, 14, e0217937.	1.1	4
13	Shed HER2 surrogacy evaluation in primary breast cancer patients: a study assessing tumor tissue HER2 expression at both extracellular and intracellular levels. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 260-267.	0.6	4
14	Gain of FGF4 is a frequent event in KIT/PDGFR α /SDH/RAS β WT GIST. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 636-642.	1.5	22
15	Braf-V600e immunohistochemical analyses in a series of 15, Caucasian patients affected by lentigo maligna. <i>Acta Histochemica</i> , 2019, 121, 380-381.	0.9	2
16	A Nonsense Mitochondrial DNA Mutation Associates with Dysfunction of HIF1 α in a Von Hippel-Lindau Renal Oncocytoma. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-5.	1.9	6
17	Molecular modelling evaluation of exon 18 His845_Asn848delinsPro PDGFR β mutation in a metastatic GIST patient responding to imatinib. <i>Scientific Reports</i> , 2019, 9, 2172.	1.6	5
18	Somatic APC mosaicism and oligogenic inheritance in genetically unsolved colorectal adenomatous polyposis patients. <i>European Journal of Human Genetics</i> , 2018, 26, 387-395.	1.4	26

#	ARTICLE	IF	CITATIONS
19	Liquid biopsy in the diagnosis of HPV DNA in breast lesions. <i>Future Microbiology</i> , 2018, 13, 187-194.	1.0	17
20	Validation of the immunohistochemical expression of programmed death ligand 1 (PD-L1) on cytological smears in advanced non small cell lung cancer. <i>Lung Cancer</i> , 2018, 126, 9-14.	0.9	29
21	Abstract 216: Functional stability, progression and evolution of targeted drug sensitivity of HER-2-positive breast cancer patient-derived xenografts. <i>Cancer Research</i> , 2018, 78, 216-216.	0.4	1
22	Genome-Wide Analysis Identifies MEN1 and MAX Mutations and a Neuroendocrine-Like Molecular Heterogeneity in Quadruple WT GIST. <i>Molecular Cancer Research</i> , 2017, 15, 553-562.	1.5	53
23	Evolution of Cancer Stem-like Cells in Endocrine-Resistant Metastatic Breast Cancers Is Mediated by Stromal Microvesicles. <i>Cancer Research</i> , 2017, 77, 1927-1941.	0.4	112
24	Mitochondrial DNA sequencing demonstrates clonality of peritoneal implants of borderline ovarian tumors. <i>Molecular Cancer</i> , 2017, 16, 47.	7.9	11
25	P.08.16: Early Onset Colorectal Cancer vs Sporadic Colorectal Cancer: A Clinicopathological and Molecular Comparison. <i>Digestive and Liver Disease</i> , 2017, 49, e185-e186.	0.4	1
26	Clinicopathological, Molecular and Oncological Features of Sporadic Early Onset Colorectal Cancers. <i>Gastroenterology</i> , 2017, 152, S550.	0.6	0
27	Determination of Mammalian Target of Rapamycin Hyperactivation as Prognostic Factor in Well-Differentiated Neuroendocrine Tumors. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-9.	0.7	7
28	HER2 isoforms co-expression differently tunes mammary tumor phenotypes affecting onset, vasculature and therapeutic response. <i>Oncotarget</i> , 2017, 8, 54444-54458.	0.8	19
29	Successful treatment with personalized dosage of imatinib in elderly patients with gastrointestinal stromal tumors. <i>Anti-Cancer Drugs</i> , 2016, 27, 353-363.	0.7	5
30	Self-renewal of CD133hi cells by IL6/Notch3 signalling regulates endocrine resistance in metastatic breast cancer. <i>Nature Communications</i> , 2016, 7, 10442.	5.8	144
31	JHDM1B expression regulates ribosome biogenesis and cancer cell growth in a p53 dependent manner. <i>International Journal of Cancer</i> , 2015, 136, E272-81.	2.3	16
32	Inflammatory Cell Burden and Phenotype in Endomyocardial Biopsies With Antibody-Mediated Rejection (AMR): A Multicenter Pilot Study From the AECVP. <i>American Journal of Transplantation</i> , 2015, 15, 526-534.	2.6	26
33	A mutation screening of oncogenes, tumor suppressor gene TP53 and nuclear encoded mitochondrial complex I genes in oncocytic thyroid tumors. <i>BMC Cancer</i> , 2015, 15, 157.	1.1	34
34	Good survival outcome of metastatic SDH-deficient gastrointestinal stromal tumors harboring SDHA mutations. <i>Genetics in Medicine</i> , 2015, 17, 391-395.	1.1	41
35	High-resolution genomic profiling of thyroid lesions uncovers preferential copy number gains affecting mitochondrial biogenesis loci in the oncocytic variants. <i>American Journal of Cancer Research</i> , 2015, 5, 1954-71.	1.4	6
36	Integrated genomic study of quadruple-WT GIST (KIT/PDGFR α /SDH/RAS pathway wild-type GIST). <i>BMC Cancer</i> , 2014, 14, 685.	1.1	70

#	ARTICLE	IF	CITATIONS
37	Mitochondrial DNA genotyping efficiently reveals clonality of synchronous endometrial and ovarian cancers. <i>Modern Pathology</i> , 2014, 27, 1412-1420.	2.9	24
38	Eicosapentaenoic acid free fatty acid prevents and suppresses colonic neoplasia in colitis-associated colorectal cancer acting on Notch signaling and gut microbiota. <i>International Journal of Cancer</i> , 2014, 135, 2004-2013.	2.3	73
39	Human papillomavirus infection and pathogenic mitochondrial DNA mutation in bilateral multinodular oncocytic hyperplasia of the carotid. <i>Pathology</i> , 2014, 46, 250-253.	0.3	5
40	Anoctamin 1 is Apically Expressed on Thyroid Follicular Cells and Contributes to ATP- and Calcium-Activated Iodide Efflux. <i>Cellular Physiology and Biochemistry</i> , 2014, 34, 966-980.	1.1	28
41	Has breast cancer in the elderly remained the same over recent decades? A comparison of two groups of patients 70years or older treated for breast cancer twenty years apart. <i>Journal of Geriatric Oncology</i> , 2014, 5, 260-265.	0.5	15
42	OC.10.1 EICOSAPENTAENOIC ACID-FREE FATTY ACID PREVENTS AND SUPPRESSES COLONIC TUMOURS IN COLITIS-ASSOCIATED COLORECTAL CANCER. <i>Digestive and Liver Disease</i> , 2014, 46, S24.	0.4	0
43	A novel deleterious PTEN mutation in a patient with early-onset bilateral breast cancer. <i>BMC Cancer</i> , 2014, 14, 70.	1.1	15
44	PPAR γ 3 and RXR Ligands Disrupt the Inflammatory Cross-talk in the Hypoxic Breast Cancer Stem Cells Niche. <i>Journal of Cellular Physiology</i> , 2014, 229, 1595-1606.	2.0	49
45	Mitochondrial DNA genotyping reveals synchronous nature of endometrial and ovarian cancers. <i>Journal of Biotechnology</i> , 2014, 185, S87.	1.9	0
46	Analysis of all subunits, SDHA, SDHB, SDHC, SDHD, of the succinate dehydrogenase complex in KIT/PDGFR α wild-type GIST. <i>European Journal of Human Genetics</i> , 2014, 22, 32-39.	1.4	90
47	Abstract 5145: KDM2B expression regulates ribosome biogenesis and cancer cell growth in a p53-dependent manner. , 2014, , .		0
48	Respiratory complex I is essential to induce a Warburg profile in mitochondria-defective tumor cells. <i>Cancer & Metabolism</i> , 2013, 1, 11.	2.4	75
49	The IL-6/JAK/Stat3 Feed-Forward Loop Drives Tumorigenesis and Metastasis. <i>Neoplasia</i> , 2013, 15, 848-IN45.	2.3	396
50	Slug/ β 2-Catenin-Dependent Proinflammatory Phenotype in Hypoxic Breast Cancer Stem Cells. <i>American Journal of Pathology</i> , 2013, 183, 1688-1697.	1.9	18
51	Inflammatory Cell Burden and Phenotype in Endomyocardial Biopsies from Patients with Antibody-Mediated Rejection (AMR) – An AECVP Multicenter Study. <i>Journal of Heart and Lung Transplantation</i> , 2013, 32, S19.	0.3	1
52	Detection of tissue factor antigen and coagulation activity in coronary artery thrombi isolated from patients with ST-segment elevation acute myocardial infarction. <i>European Heart Journal</i> , 2013, 34, P1275-P1275.	1.0	1
53	SnoRNA U50 Levels Are Regulated by Cell Proliferation and rRNA Transcription. <i>International Journal of Molecular Sciences</i> , 2013, 14, 14923-14935.	1.8	34
54	Somatic complex I disruptive mitochondrial DNA mutations are modifiers of tumorigenesis that correlate with low genomic instability in pituitary adenomas. <i>Human Molecular Genetics</i> , 2013, 22, 226-238.	1.4	55

#	ARTICLE	IF	CITATIONS
55	Van-Gogh-like 2 antagonises the canonical WNT pathway and is methylated in colorectal cancers. <i>British Journal of Cancer</i> , 2013, 108, 1750-1756.	2.9	16
56	Peroxisome Proliferator Activated Receptor- α /Hypoxia Inducible Factor-1 α Interplay Sustains Carbonic Anhydrase IX and Apolipoprotein E Expression in Breast Cancer Stem Cells. <i>PLoS ONE</i> , 2013, 8, e54968.	1.1	35
57	Beta-Catenin/HuR Post-Transcriptional Machinery Governs Cancer Stem Cell Features in Response to Hypoxia. <i>PLoS ONE</i> , 2013, 8, e80742.	1.1	24
58	Detection of Tissue Factor Antigen and Coagulation Activity in Coronary Artery Thrombi Isolated from Patients with ST-Segment Elevation Acute Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e81501.	1.1	21
59	Analysis of predictive and prognostic value of clinical and pathological factors in locally advanced rectal cancer (LARC) treated with neoadjuvant chemoradiotherapy (CRT): Bologna multidisciplinary rectal cancer group study (BMRC-B01-Study).. <i>Journal of Clinical Oncology</i> , 2013, 31, 421-421.	0.8	0
60	Abstract B089: The suppression of ER α activity promotes the mitochondrial deficient CD133 ^{hi} /Notch3 ^{hi} /ER α low cancer stem cell phenotype via autocrine IL6 in luminal breast cancer. , 2013, , .		0
61	DKC1 gene mutations in human sporadic cancer. <i>Histology and Histopathology</i> , 2013, 28, 365-72.	0.5	16
62	Impressive long-term disease stabilization by nilotinib in two pretreated patients with KIT/PDGFR α wild-type metastatic gastrointestinal stromal tumours. <i>Anti-Cancer Drugs</i> , 2012, 23, 567-572.	0.7	16
63	Mitochondrial DNA Mutation in Serous Ovarian Cancer: Implications for Mitochondria-Coded Genes in Chemoresistance. <i>Journal of Clinical Oncology</i> , 2012, 30, e373-e378.	0.8	49
64	Nuclear receptors agonists exert opposing effects on the inflammation dependent survival of breast cancer stem cells. <i>Cell Death and Differentiation</i> , 2012, 19, 1208-1219.	5.0	61
65	Abstract 1514: The Warburg effect in stromal cells drives breast cancer cell plasticity via interleukin 6. , 2012, , .		0
66	P.1.11: EPIGENETIC MODIFICATION OF THE PLANAR CELL POLARITY/NON CANONICAL WNT GENE VAN-GOGH LIKE 2 IN COLORECTAL CANCER. <i>Digestive and Liver Disease</i> , 2011, 43, S151-S152.	0.4	0
67	Mitochondrial DNA Mutations in Oncocytic Adnexal Lacrimal Glands of the Conjunctiva. <i>JAMA Ophthalmology</i> , 2011, 129, 664.	2.6	15
68	Molecular detection of epidermal growth factor receptor in colorectal cancer: does it still make sense?. <i>Colorectal Disease</i> , 2011, 13, 542-548.	0.7	3
69	Differential expression of neural markers in KIT and PDGFR α wild-type gastrointestinal stromal tumours. <i>Histopathology</i> , 2011, 59, 1071-1080.	1.6	22
70	Mitochondrial DNA genotyping reveals synchronous nature of simultaneously detected endometrial and ovarian cancers. <i>Gynecologic Oncology</i> , 2011, 122, 457-458.	0.6	12
71	Gene Expression Profile of Human Colon Cancer Cells Treated with Cross-Reacting Material 197, a Diphtheria Toxin Non-Toxic Mutant. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 639-649.	1.0	9
72	Prospective study on the FDG α -PET/CT predictive and prognostic values in patients treated with neoadjuvant chemoradiation therapy and radical surgery for locally advanced rectal cancer. <i>Annals of Oncology</i> , 2011, 22, 650-656.	0.6	74

#	ARTICLE	IF	CITATIONS
73	A Mutation Threshold Distinguishes the Antitumorigenic Effects of the Mitochondrial Gene <i>MTND1</i> , an <i>Oncojanus</i> Function. <i>Cancer Research</i> , 2011, 71, 6220-6229.	0.4	90
74	Placing mitochondrial DNA mutations within the progression model of type I endometrial carcinoma. <i>Human Molecular Genetics</i> , 2011, 20, 2394-2405.	1.4	62
75	Two distinct thyroid tumours in a patient with Cowden syndrome carrying both a 10q23 and a mitochondrial DNA germline deletion. <i>Journal of Medical Genetics</i> , 2011, 48, 779-782.	1.5	14
76	Lithium induces mortality in medulloblastoma cell lines. <i>International Journal of Oncology</i> , 2010, 37, 745-52.	1.4	14
77	Clinically-Staged T3N0 Rectal Cancer: Is Preoperative Chemoradiotherapy the Optimal Treatment?. <i>Annals of Surgical Oncology</i> , 2010, 17, 838-845.	0.7	32
78	TNF α up-regulates SLUG via the NF κ B/HIF1 α axis, which imparts breast cancer cells with a stem cell-like phenotype. <i>Journal of Cellular Physiology</i> , 2010, 225, 682-691.	2.0	164
79	Management of Patients with Gastrointestinal Stromal Tumor in Clinical Practice in Italy: A Critical Event Tree Model—Analysis of Decision-Making Processes and Outcomes. <i>Tumori</i> , 2010, 96, 219-228.	0.6	0
80	Standardized Uptake Values of ⁶⁸ Ga-DOTANOC PET: A Promising Prognostic Tool in Neuroendocrine Tumors. <i>Journal of Nuclear Medicine</i> , 2010, 51, 353-359.	2.8	161
81	Highly Purified Eicosapentaenoic Acid as Free Fatty Acids Strongly Suppresses Polyps in <i>ApcMin/+</i> Mice. <i>Clinical Cancer Research</i> , 2010, 16, 5703-5711.	3.2	70
82	Novel Dyskerin-Mediated Mechanism of p53 Inactivation through Defective mRNA Translation. <i>Cancer Research</i> , 2010, 70, 4767-4777.	0.4	95
83	The genetic and metabolic signature of oncogenic transformation implicates HIF1 α destabilization. <i>Human Molecular Genetics</i> , 2010, 19, 1019-1032.	1.4	113
84	High prevalence of retinoblastoma protein loss in triple-negative breast cancers and its association with a good prognosis in patients treated with adjuvant chemotherapy. <i>Annals of Oncology</i> , 2009, 20, 1818-1823.	0.6	75
85	Cyclooxygenase-2/carbonic anhydrase IX up-regulation promotes invasive potential and hypoxia survival in colorectal cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 3876-3887.	1.6	36
86	Effect of Long-Term Testosterone Administration on the Endometrium of Female-to-Male (FtM) Transsexuals. <i>Journal of Sexual Medicine</i> , 2009, 6, 3193-3200.	0.3	108
87	An inherited mitochondrial DNA disruptive mutation shifts to homoplasmy in oncogenic tumor cells. <i>Human Mutation</i> , 2009, 30, 391-396.	1.1	55
88	The p53-mediated sensitivity of cancer cells to chemotherapeutic agents is conditioned by the status of the retinoblastoma protein. <i>Journal of Pathology</i> , 2009, 219, 373-382.	2.1	19
89	G.P.16.04 Cytoplasmic expression of major histocompatibility complex class I in human inflammatory myopathies. <i>Neuromuscular Disorders</i> , 2009, 19, 652.	0.3	0
90	RESEARCH ARTICLE: Neurogenesis Impairment and Increased Cell Death Reduce Total Neuron Number in the Hippocampal Region of Fetuses with Down Syndrome. <i>Brain Pathology</i> , 2008, 18, 180-197.	2.1	230

#	ARTICLE	IF	CITATIONS
91	Radiobiologic response of medulloblastoma cell lines: involvement of β -catenin?. Journal of Neuro-Oncology, 2008, 90, 243-251.	1.4	17
92	The basal-like breast carcinoma phenotype is regulated by SLUG gene expression. Journal of Pathology, 2008, 214, 25-37.	2.1	157
93	Displayed correlation between gene expression profiles and submicroscopic alterations in response to cetuximab, gefitinib and EGF in human colon cancer cell lines. BMC Cancer, 2008, 8, 227.	1.1	24
94	Loss of Retinoblastoma Tumor Suppressor Protein Makes Human Breast Cancer Cells More Sensitive to Antimetabolite Exposure. Clinical Cancer Research, 2008, 14, 2199-2209.	3.2	46
95	Relationship between dyskerin expression and telomerase activity in human breast cancer. Cellular Oncology, 2008, 30, 483-90.	1.9	33
96	Prognostic relevance of a novel semiquantitative classification of Bcl2 immunohistochemical expression in human infiltrating ductal carcinomas of the breast. Annals of Oncology, 2007, 18, 1004-1014.	0.6	28
97	Phase II study of cetuximab in combination with FOLFIRI in patients with untreated advanced gastric or gastroesophageal junction adenocarcinoma (FOLCETUX study). Annals of Oncology, 2007, 18, 510-517.	0.6	258
98	Intracellular Distribution of β -Catenin in Human Medulloblastoma Cell Lines with Different Degree of Neuronal Differentiation. Ultrastructural Pathology, 2007, 31, 33-44.	0.4	9
99	p66Shc/Notch-3 Interplay Controls Self-Renewal and Hypoxia Survival in Human Stem/Progenitor Cells of the Mammary Gland Expanded In Vitro as Mammospheres. Stem Cells, 2007, 25, 807-815.	1.4	171
100	¹⁸ F-FDG-PET Evaluation Correlates Better than CT with Pathological Response in a Metastatic Colon Cancer Patient Treated with Bevacizumab-Based Therapy. Tumori, 2007, 93, 611-615.	0.6	16
101	Cell cycle alteration and decreased cell proliferation in the hippocampal dentate gyrus and in the neocortical germinal matrix of fetuses with down syndrome and in Ts65Dn mice. Hippocampus, 2007, 17, 665-678.	0.9	234
102	The α -in situ expression of Human Leukocyte Antigen Class I antigens is not altered by cryopreservation in human arterial allografts. Cell and Tissue Banking, 2007, 8, 195-203.	0.5	12
103	IL-6 triggers malignant features in mammospheres from human ductal breast carcinoma and normal mammary gland. Journal of Clinical Investigation, 2007, 117, 3988-4002.	3.9	682
104	Relationship between the RB1 mRNA level and the expression of phosphorylated RB protein in human breast cancers: their relevance in cell proliferation activity and patient clinical outcome. Histology and Histopathology, 2007, 22, 505-13.	0.5	11
105	Controversial relationship between the expression of the RB pathway components and RB protein phosphorylation in human breast cancer. Histology and Histopathology, 2007, 22, 769-75.	0.5	4
106	Does Biomolecular Characterization of Stage II/III Colorectal Cancer Have Any Prognostic Value?. Clinical Colorectal Cancer, 2006, 6, 38-45.	1.0	11
107	Cell Proliferation in Breast Cancer is a Major Determinant of Clinical Outcome in Node-Positive but Not in Node-Negative Patients. Applied Immunohistochemistry and Molecular Morphology, 2006, 14, 314-323.	0.6	13
108	Dyskerin expression influences the level of ribosomal RNA pseudo-uridylation and telomerase RNA component in human breast cancer. Journal of Pathology, 2006, 210, 10-18.	2.1	99

#	ARTICLE	IF	CITATIONS
109	Is onychoblastoma really a new entity?: reply from authors. British Journal of Dermatology, 2006, 154, 385-385.	1.4	0
110	Molecular determination of epidermal growth factor receptor in normal and neoplastic colorectal mucosa. British Journal of Cancer, 2006, 95, 1525-1528.	2.9	16
111	Phase II study of cetuximab plus FOLFIRI as first-line treatment in patients with unresectable/metastatic gastric or gastroesophageal junction (GEJ) adenocarcinoma (FOLCETUX study): Preliminary results. Journal of Clinical Oncology, 2006, 24, 4031-4031.	0.8	6
112	Impact of biomarker dynamic profile and pathological response induced by neoadjuvant chemoradiotherapy in rectal cancer. Journal of Clinical Oncology, 2006, 24, 3614-3614.	0.8	1
113	Onychoblastoma (hamartoma of the nail unit): a new entity?. British Journal of Dermatology, 2005, 152, 1077-1078.	1.4	17
114	Presence and type of oncogenic human papillomavirus in classic and in differentiated vulvar intraepithelial neoplasia and keratinizing vulvar squamous cell carcinoma. Journal of Medical Virology, 2005, 77, 102-106.	2.5	38
115	Suppressor of cytokine signalling 2 (SOCS-2) expression in breast carcinoma. Journal of Clinical Pathology, 2005, 58, 1046-1050.	1.0	38
116	Concurrent EGFr and Cox-2 expression in colorectal cancer: proliferation impact and tumour spreading. Annals of Oncology, 2005, 16, iv74-iv79.	0.6	22
117	High Thymidylate Synthase Expression in Colorectal Cancer with Microsatellite Instability: Implications for Chemotherapeutic Strategies. Clinical Cancer Research, 2005, 11, 4234-4240.	3.2	56
118	Correlation between FDG-PET and pathologic response in patients with rectal cancer treated with neoadjuvant chemo-radiotherapy: First results of the Bologna Project. Journal of Clinical Oncology, 2005, 23, 3623-3623.	0.8	3
119	Prognostic value of Ki-67, TS, p53, bcl-2, EGFR, MLH1 and MSH2 in 107 consecutive colorectal cancer patients. Journal of Clinical Oncology, 2005, 23, 3694-3694.	0.8	0
120	P53 Expression, Dna Ploidy and Mitotic Index as Prognostic Factors in Patients with Epithelial Ovarian Carcinoma. Tumori, 2004, 90, 600-606.	0.6	6
121	Nucleolar Size and Activity Are Related to pRb and p53 Status in Human Breast Cancer. Journal of Histochemistry and Cytochemistry, 2004, 52, 1601-1607.	1.3	67
122	The prognostic value of the AgNOR parameter in human breast cancer depends on the pRb and p53 status. Journal of Clinical Pathology, 2004, 57, 755-761.	1.0	48
123	Simultaneous chromosome 1q gain and 16q loss is associated with steroid receptor presence and low proliferation in breast carcinoma. Modern Pathology, 2004, 17, 449-455.	2.9	22
124	BAT25 and BAT26 are needed together for the detection of hMLH1 defective colorectal cancers. Gastroenterology, 2003, 124, A365.	0.6	0
125	in vivo activation of the P53-Mdm2 system in microsatellite unstable-Hmlh1 defective colorectal cancers. Gastroenterology, 2003, 124, A132.	0.6	0
126	Nonfunctioning pancreatic endocrine tumors: a multicenter clinical study. American Journal of Gastroenterology, 2003, 98, 2435-2439.	0.2	137

#	ARTICLE	IF	CITATIONS
127	Evaluation of Thymidylate Synthase Protein Expression by Western Blotting and Immunohistochemistry on Human Colon Carcinoma Xenografts in Nude Mice. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 1633-1640.	1.3	8
128	Title is missing!. <i>Applied Immunohistochemistry & Molecular Morphology</i> , 2002, 10, 29-33.	2.0	12
129	Genetic pathways in the evolution of breast ductal carcinoma in situ. <i>Journal of Pathology</i> , 2002, 196, 280-286.	2.1	68
130	Expression of cell-cycle-associated proteins pRB2/p130 and p27kip1 in vulvar squamous cell carcinomas. <i>Human Pathology</i> , 2001, 32, 4-9.	1.1	44
131	Quantitative p21WAF-1/p53 immunohistochemical analysis defines groups of primary invasive breast carcinomas with different prognostic indicators. <i>International Journal of Cancer</i> , 2001, 95, 128-134.	2.3	29
132	Clone heterogeneity in diploid and aneuploid breast carcinomas as detected by FISH. <i>Cytometry</i> , 2001, 46, 50-56.	1.8	41
133	CD44 Isoform 6 (CD44v6) Is a Prognostic Indicator of the Response to Neoadjuvant Chemotherapy in Cervical Carcinoma. <i>Gynecologic Oncology</i> , 2001, 80, 67-73.	0.6	39
134	Neoadjuvant Chemotherapy in Cervical Carcinoma. <i>American Journal of Clinical Pathology</i> , 2001, 116, 729-737.	0.4	37
135	Idiopathic myenteric ganglionitis underlying intractable vomiting in a young adult. <i>European Journal of Gastroenterology and Hepatology</i> , 2000, 12, 613-616.	0.8	51
136	Î2-galactoside Î±2,6 sialyltransferase in human colon cancer: contribution of multiple transcripts to regulation of enzyme activity and reactivity with Sambucus nigra agglutinin. <i>International Journal of Cancer</i> , 2000, 88, 58-65.	2.3	63
137	AgNORs in breast tumours. <i>Micron</i> , 2000, 31, 143-149.	1.1	30
138	Reduced Bcl-2 expression in the enteric nervous system (ENS) as a marker for neural degeneration in patients with gastrointestinal motor disorders (GIMD). <i>Gastroenterology</i> , 2000, 118, A867.	0.6	11
139	Immunohistochemical expression of internal and external ErbB-2 domains in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 1999, 58, 107-114.	1.1	8
140	c-erbB-2 over-expression in amplified and non-amplified breast carcinoma samples. , 1999, 84, 273-277.		48
141	Retinoblastoma (RB1) gene product expression in breast carcinoma. Correlation with Ki-67 growth fraction and biopathological profile. <i>Journal of Clinical Pathology</i> , 1998, 51, 818-824.	1.0	31
142	The EnVision++ system: a new immunohistochemical method for diagnostics and research. Critical comparison with the APAAP, ChemMate, CSA, LABC, and SABC techniques. <i>Journal of Clinical Pathology</i> , 1998, 51, 506-511.	1.0	386
143	Immunohistochemistry of Bone-Marrow Biopsy. <i>Leukemia and Lymphoma</i> , 1997, 26, 69-75.	0.6	11
144	Transdermal Progestins in Hormone Replacement Therapy. <i>Annals of the New York Academy of Sciences</i> , 1997, 828, 352-357.	1.8	2

#	ARTICLE	IF	CITATIONS
145	Antigen retrieval techniques in immunohistochemistry: comparison of different methods. , 1997, 183, 116-123.		244
146	Antigen retrieval techniques in immunohistochemistry: comparison of different methods. , 1997, 183, 116.		179
147	Histogenesis of primary liver carcinomas: Strengths and weaknesses of cytokeratin profile and albumin mRNA detection. Human Pathology, 1996, 27, 599-604.	1.1	62
148	Molecular Findings and Classification of Malignant Lymphomas. Acta Haematologica, 1996, 95, 181-187.	0.7	6
149	Relation between deletion of chromosome 1p36 and DNA ploidy in breast carcinoma: an interphase cytogenetic study. Journal of Clinical Pathology, 1996, 49, M98-M103.	2.1	2
150	DIFFERENTIATION PATHWAYS IN PRIMARY INVASIVE BREAST CARCINOMA AS SUGGESTED BY INTERMEDIATE FILAMENT AND BIOPATHOLOGICAL MARKER EXPRESSION. , 1996, 179, 386-391.		61
151	Chromosome 1 aneusomy with 1p36 under-representation is related to histologic grade, DNA aneuploidy, high c-erb B-2 and loss of bcl-2 expression in ductal breast carcinoma. , 1996, 69, 381-385.		20
152	Chromosome 1 aneusomy with 1p36 under-representation is related to histologic grade, DNA aneuploidy, high c-erb B-2 and loss of bcl-2 expression in ductal breast carcinoma. , 1996, 69, 381.		1
153	Molecular Findings and Classification of Malignant Lymphomas. , 1996, , 135-144.		0
154	Multiple expression patterns of biopathological markers in primary invasive breast carcinoma: A useful tool for elucidating its biological behaviour. Annals of Oncology, 1995, 6, 275-282.	0.6	17
155	Epidermal growth factor receptor (EGF-R) and transforming growth factor alpha (TGFA) expression in different endometrial cancers. Anticancer Research, 1995, 15, 1327-32.	0.5	9
156	Epidermal Growth Factor Receptor Expression and Endometrial Cancer Histotypes. Annals of the New York Academy of Sciences, 1994, 734, 298-305.	1.8	9
157	Immunocytochemical study of epidermal growth factor receptor, transforming growth factor alpha, and "squamous differentiation" in human endometrial carcinoma. Human Pathology, 1994, 25, 1319-1323.	1.1	11
158	Demonstration of cytokeratin intermediate filaments in oocytes of the developing and adult human ovary. Histochemistry, 1993, 99, 311-319.	1.9	61
159	Establishment of a Human Medulloblastoma Cell Line (Bo-101) Demonstrating Skeletal Muscle Differentiation. Tumori, 1991, 77, 196-205.	0.6	6
160	Prognostic Relevance of Silver-Stained Nucleolar Proteins in Sarcomatoid Carcinomas of the Breast. Ultrastructural Pathology, 1991, 15, 203-214.	0.4	19
161	"Desmoplastic" versus "classic" medulloblastoma: Comparison of DNA content, histopathology and differentiation. Virchows Archiv A, Pathological Anatomy and Histopathology, 1991, 418, 207-214.	1.4	32
162	AgNOR area in interphase nuclei of human tumours correlates with the proliferative activity evaluated by bromodeoxyuridine labelling and Ki-67 immunostaining. Journal of Pathology, 1991, 165, 53-59.	2.1	96

#	ARTICLE	IF	CITATIONS
163	VIMENTIN IMMUNOREACTIVITY IN MEDULLOBLASTOMAS. Journal of Neuropathology and Experimental Neurology, 1990, 49, 274.	0.9	1
164	Squamous cell carcinoma with prominent myxoid stroma. Human Pathology, 1990, 21, 859-865.	1.1	20
165	Nucleolar Organizer Regions in Normal Skeletal Muscle and Benign and Malignant Rhabdomyoblastic Tumors. Tumori, 1989, 75, 4-7.	0.6	12
166	ESTABLISHMENT AND CHARACTERIZATION OF A HUMAN MEDULLOBLASTOMA CELL LINE (BO-101) DEMONSTRATING SKELETAL MUSCLE DIFFERENTIATION. Journal of Neuropathology and Experimental Neurology, 1989, 48, 302.	0.9	4
167	Sarcomatoid Carcinomas of the Breast: An Immunocytochemical Study of 14 Cases. , 1989, , 83-99.		24
168	Alveolar soft part sarcoma: immunological evidence of rhabdomyoblastic differentiation. Histopathology, 1988, 13, 101-108.	1.6	43
169	Fixatives and silver stainability of NOR proteins at the light microscopic level.. Journal of Histochemistry and Cytochemistry, 1988, 36, 1453-1454.	1.3	25
170	RMZ: A new cell line from a human alveolar rhabdomyosarcoma. In vitro expression of embryonic myosin. British Journal of Cancer, 1986, 54, 1009-1014.	2.9	32
171	Immunocytochemistry of Rhabdomyosarcoma. American Journal of Surgical Pathology, 1986, 10, 293-299.	2.1	70
172	Fetal Heavy Chain Skeletal Myosin An Oncofetal Antigen Expressed by Rhabdomyosarcoma. American Journal of Surgical Pathology, 1986, 10, 680-686.	2.1	22
173	Ultrastructural organization of nucleoli in benign naevi and malignant melanomas. Vigiliae Christianae, 1986, 52, 343-352.	0.1	33
174	Spindle cell tumours of the skin of debatable origin. An immunocytochemical study. Journal of Pathology, 1984, 144, 189-199.	2.1	29