

Qi Sheng You

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7536767/qi-sheng-you-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

17,643
citations

36
h-index

132
g-index

191
ext. papers

21,333
ext. citations

5.6
avg, IF

7.57
L-index

#	Paper	IF	Citations
178	Impact Analysis of Different CT Configurations of Carotid Artery Plaque Calcifications on Cerebrovascular Events.. <i>American Journal of Neuroradiology</i> , 2022 , 43, 272-279	4.4	0
177	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021 , 10,	8.9	10
176	Comparison of Central Macular Fluid Volume With Central Subfield Thickness in Patients With Diabetic Macular Edema Using Optical Coherence Tomography Angiography. <i>JAMA Ophthalmology</i> , 2021 , 139, 734-741	3.9	3
175	Focal Loss Analysis of Nerve Fiber Layer Reflectance for Glaucoma Diagnosis. <i>Translational Vision Science and Technology</i> , 2021 , 10, 9	3.3	0
174	Cognitive decline in older adults: What can we learn from optical coherence tomography (OCT)-based retinal vascular imaging?. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2524-2535	5.6	2
173	Effect of algorithms and covariates in glaucoma diagnosis with optical coherence tomography angiography. <i>British Journal of Ophthalmology</i> , 2021 ,	5.5	1
172	Quantification of Nonperfusion Area in Montaged Widefield OCT Angiography Using Deep Learning in Diabetic Retinopathy. <i>Ophthalmology Science</i> , 2021 , 1, 100027		4
171	DcardNet: Diabetic Retinopathy Classification at Multiple Levels Based on Structural and Angiographic Optical Coherence Tomography. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 1859-1870	5	14
170	Normative intercapillary distance and vessel density data in the temporal retina assessed by wide-field spectral-domain optical coherence tomography angiography. <i>Experimental Biology and Medicine</i> , 2021 , 246, 2230-2237	3.7	1
169	Deep learning-based signal-independent assessment of macular avascular area on 68 mm optical coherence tomography angiogram in diabetic retinopathy: a comparison to instrument-embedded software. <i>British Journal of Ophthalmology</i> , 2021 ,	5.5	1
168	The effect of retaining intact posterior capsule in congenital cataract surgery in children aged 4-8 years. <i>BMC Ophthalmology</i> , 2021 , 21, 332	2.3	1
167	Geographic Atrophy Progression Is Associated With Choriocapillaris Flow Deficits Measured With Optical Coherence Tomographic Angiography. 2021 , 62, 28		1
166	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	40	73
165	Effects and risks of 3.2-mm transparent corneal incision phacoemulsification for cataract after radial keratotomy. <i>Journal of International Medical Research</i> , 2020 , 48, 300060519895679	1.4	0
164	Prevalence and associations of myopia in Hong Kong primary school students. <i>Japanese Journal of Ophthalmology</i> , 2020 , 64, 437-449	2.6	7
163	Prevalence and Causes of Visual Impairment and Blindness among Adult Chinese in Hong Kong - The Hong Kong Eye Study. <i>Ophthalmic Epidemiology</i> , 2020 , 27, 354-363	1.9	8
162	Robust non-perfusion area detection in three retinal plexuses using convolutional neural network in OCT angiography. <i>Biomedical Optics Express</i> , 2020 , 11, 330-345	3.5	16

161	Optical Coherence Tomography Angiography Avascular Area Association With 1-Year Treatment Requirement and Disease Progression in Diabetic Retinopathy. <i>American Journal of Ophthalmology</i> , 2020 , 217, 268-277	4.9	6
160	DETECTION OF CLINICALLY UNSUSPECTED RETINAL NEOVASCULARIZATION WITH WIDE-FIELD OPTICAL COHERENCE TOMOGRAPHY ANGIOGRAPHY. <i>Retina</i> , 2020 , 40, 891-897	3.6	32
159	Evolution and visual outcomes of outer foveolar lucency after surgery for large idiopathic macular hole. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2020 , 258, 2117-2124	3.8	2
158	Hole diameter ratio for prediction of anatomical outcomes in stage III or IV idiopathic macular holes. <i>BMC Ophthalmology</i> , 2020 , 20, 351	2.3	1
157	Detection of Reduced Retinal Vessel Density in Eyes with Geographic Atrophy Secondary to Age-Related Macular Degeneration Using Projection-Resolved Optical Coherence Tomography Angiography. <i>American Journal of Ophthalmology</i> , 2020 , 209, 206-212	4.9	13
156	Effect of internal limiting membrane peeling on normal retinal function evaluated by microperimetry-3. <i>BMC Ophthalmology</i> , 2020 , 20, 140	2.3	2
155	Genetic factors for idiopathic choroidal neovascularization. <i>Ophthalmic Genetics</i> , 2019 , 40, 309-312	1.2	
154	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
153	Silencing of GAS5 Alleviates Glaucoma in Rat Models by Reducing Retinal Ganglion Cell Apoptosis. <i>Human Gene Therapy</i> , 2019 , 30, 1505-1519	4.8	15
152	Detecting and measuring areas of choriocapillaris low perfusion in intermediate, non-neovascular age-related macular degeneration. <i>Neurophotonics</i> , 2019 , 6, 041108	3.9	12
151	Macular Vessel Density Measured With Optical Coherence Tomography Angiography and Its Associations in a Large Population-Based Study 2019 , 60, 4830-4837		38
150	ANATOMICAL AND FUNCTIONAL TESTING IN DIABETIC PATIENTS WITHOUT RETINOPATHY: Results of Optical Coherence Tomography Angiography and Visual Acuity Under Varying Contrast and Luminance Conditions. <i>Retina</i> , 2019 , 39, 2022-2031	3.6	12
149	A novel deletion mutation, c.1296delT in the BCOR gene, is associated with oculo-facio-cardio-dental syndrome. <i>Science China Life Sciences</i> , 2019 , 62, 119-125	8.5	5
148	COMPARISON OF 3 MM \times 3 MM VERSUS 6 MM \times 6 MM OPTICAL COHERENCE TOMOGRAPHY ANGIOGRAPHY SCAN SIZES IN THE EVALUATION OF NON-PROLIFERATIVE DIABETIC RETINOPATHY. <i>Retina</i> , 2019 , 39, 259-264	3.6	21
147	POSTERIOR FUNDUS HEMORRHAGES: Frequency and Associated Factors: The Beijing Eye Study. <i>Retina</i> , 2019 , 39, 1206-1215	3.6	2
146	Findings of Optical Coherence Tomography Angiography in Best Vitelliform Macular Dystrophy. <i>Ophthalmic Research</i> , 2018 , 60, 214-220	2.9	9
145	Eye movement abnormalities in AQP4-IgG positive neuromyelitis optica spectrum disorder. <i>Journal of the Neurological Sciences</i> , 2018 , 384, 91-95	3.2	4
144	HIGH-DOSE HIGH-FREQUENCY AFLIBERCEPT FOR RECALCITRANT NEOVASCULAR AGE-RELATED MACULAR DEGENERATION. <i>Retina</i> , 2018 , 38, 1156-1165	3.6	14

143	LONG-TERM REMISSION OF NEOVASCULAR AGE-RELATED MACULAR DEGENERATION WITH AS-NEEDED ANTI-VASCULAR ENDOTHELIAL GROWTH FACTOR THERAPY. <i>Retina</i> , 2018 , 38, 516-522	3.6	9
142	Using spectral-domain optical coherence tomography to evaluate the type and thickness of interdigitation zone band in adult Chinese. <i>Scientific Reports</i> , 2018 , 8, 12253	4.9	1
141	Optical Coherence Tomography Features of Tuberculous Serpiginous-like Choroiditis and Serpiginous Choroiditis. <i>Biomedical and Environmental Sciences</i> , 2018 , 31, 327-334	1.1	7
140	Repeatability and Reproducibility of Quantitative Assessment of the Retinal Microvasculature Using Optical Coherence Tomography Angiography Based on Optical Microangiography. <i>Biomedical and Environmental Sciences</i> , 2018 , 31, 407-412	1.1	12
139	Injectable silicone rubber for ocular implantation after evisceration. <i>PLoS ONE</i> , 2018 , 13, e0193448	3.7	2
138	Correlates of Good Vision in Eyes With Subfoveal Scars From Neovascular Age-Related Macular Degeneration. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2018 , 49, 765-774	1.4	
137	REDUCED GANGLION CELL VOLUME ON OPTICAL COHERENCE TOMOGRAPHY IN PATIENTS WITH GEOGRAPHIC ATROPHY. <i>Retina</i> , 2018 , 38, 2159-2167	3.6	10
136	CONGENITAL CONTRACTILE PERIPAPILLARY STAPHYLOMA WITH RHEGMATOGENOUS RETINAL DETACHMENT. <i>Retinal Cases and Brief Reports</i> , 2018 , 12, 48-49	1.1	5
135	Retinal Nerve Fiber Layer Thickness in Children: The Gobi Desert Children Eye Study 2018 , 59, 5285-5291		11
134	Tear film evaluation by scanning laser ophthalmoscopy during retinal imaging. <i>European Journal of Ophthalmology</i> , 2018 , 28, 670-676	1.9	1
133	OCT angiography quantifying choriocapillary circulation in idiopathic macular hole before and after surgery. <i>Graefers Archive for Clinical and Experimental Ophthalmology</i> , 2017 , 255, 893-902	3.8	28
132	REPRODUCIBILITY OF VESSEL DENSITY MEASUREMENT WITH OPTICAL COHERENCE TOMOGRAPHY ANGIOGRAPHY IN EYES WITH AND WITHOUT RETINOPATHY. <i>Retina</i> , 2017 , 37, 1475-1482	3.6	82
131	CHARACTERISTICS OF EPIRETINAL MEMBRANE REMNANT EDGE BY OPTICAL COHERENCE TOMOGRAPHY AFTER PARS PLANA VITRECTOMY. <i>Retina</i> , 2017 , 37, 2078-2083	3.6	3
130	INTEGRITY OF OUTER RETINAL LAYERS AFTER RESOLUTION OF CENTRAL INVOLVED DIABETIC MACULAR EDEMA. <i>Retina</i> , 2017 , 37, 2015-2024	3.6	31
129	Surgical treatment and optical coherence tomographic evaluation for accidental laser-induced full-thickness macular holes. <i>Eye</i> , 2017 , 31, 1078-1084	4.4	18
128	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	4.0	2980
127	Congenital aniridia with cataract: case series. <i>BMC Ophthalmology</i> , 2017 , 17, 115	2.3	11
126	Reply. <i>Retina</i> , 2017 , 37, e110-e112	3.6	

125	The relationship between scleral staphyloma and choroidal thinning in highly myopic eyes: The Beijing Eye Study. <i>Scientific Reports</i> , 2017 , 7, 9825	4.9	21
124	Prevalence and associated factors of diabetic retinopathy in Beijing, China: a cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e015473	3	31
123	Reply. <i>Retina</i> , 2017 , 37, e33-e34	3.6	
122	Internal cyclohexy for complicated traumatic cyclodialysis cleft. <i>Acta Ophthalmologica</i> , 2017 , 95, 639-642	3.7	11
121	Chronic Kidney Disease and Eye Diseases: The Beijing Eye Study. <i>Ophthalmology</i> , 2017 , 124, 1566-1569	7.3	5
120	Reply. <i>Retina</i> , 2017 , 37, e141-e143	3.6	
119	Choroidal thickness in school children: The Gobi Desert Children Eye Study. <i>PLoS ONE</i> , 2017 , 12, e0179579	3.7	11
118	Micro RNA-19a suppresses interleukin-10 in peripheral B cells of patients with diabetic retinopathy. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 1410-1417	3	9
117	Frosted branch angiitis in an AIDS patient with cytomegalovirus retinitis. <i>International Journal of Infectious Diseases</i> , 2016 , 52, 9-11	10.5	10
116	Reply. <i>American Journal of Ophthalmology</i> , 2016 , 170, 247-248	4.9	
115	Branch retinal artery occlusion following carotid stenting: A case report. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 2183-2186	2.1	4
114	Coats Disease and retrobulbar haemodynamics. <i>Acta Ophthalmologica</i> , 2016 , 94, 397-400	3.7	3
113	Scleral and choroidal volume in relation to axial length in infants with retinoblastoma versus adults with malignant melanomas or end-stage glaucoma. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2016 , 254, 1779-86	3.8	20
112	REPRODUCIBILITY OF MACULAR PIGMENT OPTICAL DENSITY MEASUREMENT BY TWO-WAVELENGTH AUTOFLUORESCENCE IN A CLINICAL SETTING. <i>Retina</i> , 2016 , 36, 1381-7	3.6	15
111	In vivo evaluation of retinal ganglion cells degeneration in eyes with branch retinal vein occlusion. <i>British Journal of Ophthalmology</i> , 2016 , 100, 1506-1510	5.5	16
110	Education-Related Parameters in High Myopia: Adults versus School Children. <i>PLoS ONE</i> , 2016 , 11, e0154554	3.7	30
109	Outcomes of Phacoemulsification Using Different Size of Clear Corneal Incision in Eyes with Previous Radial Keratotomy. <i>PLoS ONE</i> , 2016 , 11, e0165474	3.7	5
108	In Vivo Evidence of Inner Retinal Neurodegeneration in Retinitis Pigmentosa Using Spectral-Domain Optical Coherence Tomography. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2016 , 47, 828-35	1.4	

107	Central retinal artery pressure and carotid artery stenosis. <i>Experimental and Therapeutic Medicine</i> , 2016 , 11, 873-877	2.1	2
106	MACULAR BRUCH MEMBRANE DEFECTS IN HIGHLY MYOPIC EYES: The Beijing Eye Study. <i>Retina</i> , 2016 , 36, 517-23	3.6	20
105	SCLERAL AND CHOROIDAL THICKNESS IN SECONDARY HIGH AXIAL MYOPIA. <i>Retina</i> , 2016 , 36, 1579-85	3.6	33
104	Reply. <i>Retina</i> , 2016 , 36, e49-50	3.6	
103	FEATURES OF OPTICAL COHERENCE TOMOGRAPHY FOR THE DIAGNOSIS OF VOGT-KOYANAGI-HARADA DISEASE. <i>Retina</i> , 2016 , 36, 2116-2123	3.6	28
102	Corneal Curvature Radius in Myopia of Schoolchildren Versus Adult Myopia. <i>Cornea</i> , 2016 , 35, 1333-7	3.1	4
101	Prevalence and associations of central serous chorioretinopathy in elderly Chinese. The Beijing Eye Study 2011. <i>Acta Ophthalmologica</i> , 2016 , 94, 386-90	3.7	6
100	Long-Term Results of Pro Re Nata Regimen of Aflibercept Treatment in Persistent Neovascular Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2016 , 167, 1-9	4.9	23
99	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 1912 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
98	A common variant mapping to CACNA1A is associated with susceptibility to exfoliation syndrome. <i>Nature Genetics</i> , 2015 , 47, 387-92	36.3	70
97	Prevalence of myopia in schoolchildren in Ejina: the Gobi Desert Children Eye Study. <i>Investigative Ophthalmology and Visual Science</i> , 2015 , 56, 1769-74		48
96	Primary extranodal marginal zone B-cell lymphoma with diffuse uveal involvement and focal infiltration of the trabecular meshwork: a case report and review of literature. <i>BMC Ophthalmology</i> , 2015 , 15, 48	2.3	5
95	Estimated trans-lamina cribrosa pressure difference versus intraocular pressure as biomarker for open-angle glaucoma. The Beijing Eye Study 2011. <i>Acta Ophthalmologica</i> , 2015 , 93, e7-e13	3.7	40
94	Posterior scleral reinforcement and vitrectomy for myopic foveoschisis in extreme myopia. <i>Retina</i> , 2015 , 35, 351-7	3.6	26
93	Incident retinal vein occlusions and estimated cerebrospinal fluid pressure. The Beijing Eye Study. <i>Acta Ophthalmologica</i> , 2015 , 93, e522-6	3.7	13
92	Risk Factors of Myopic Shift among Primary School Children in Beijing, China: A Prospective Study. <i>International Journal of Medical Sciences</i> , 2015 , 12, 633-8	3.7	32
91	Ten-Year Incidence of Retinal Nerve Fiber Layer Defects: The Beijing Eye Study 2001/2011 2015 , 56, 5118-24		6
90	Prevalence and associated factors of myopia in high-school students in Beijing. <i>PLoS ONE</i> , 2015 , 10, e0120764	3.7	96

89	Scleral Thickness in Chinese Eyes 2015 , 56, 2720-7		25
88	Optical Coherence Tomographic Features and Visual Prognosis after Treatment for Idiopathic Choroidal Neovascularization. <i>Ophthalmologica</i> , 2015 , 234, 67-72	3.7	1
87	Subfoveal choroidal thickness and cataract: the Beijing Eye Study 2011. <i>Investigative Ophthalmology and Visual Science</i> , 2015 , 56, 810-5		7
86	Retinal vessel diameter and estimated cerebrospinal fluid pressure in arterial hypertension: the Beijing Eye Study. <i>American Journal of Hypertension</i> , 2014 , 27, 1170-8	2.3	27
85	Ocular diseases and 10-year mortality: the Beijing Eye Study 2001/2011. <i>Acta Ophthalmologica</i> , 2014 , 92, e424-8	3.7	26
84	Polypoidal choroidal vasculopathy in adult chinese: the Beijing Eye Study. <i>Ophthalmology</i> , 2014 , 121, 2290-1	7.3	25
83	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 634-47	18.1	446
82	Visual acuity and subfoveal choroidal thickness: the Beijing Eye Study. <i>American Journal of Ophthalmology</i> , 2014 , 158, 702-709.e1	4.9	65
81	Cytomegalovirus retinitis in patients with AIDS before and after introduction of HAART in China. <i>European Journal of Ophthalmology</i> , 2014 , 24, 209-15	1.9	3
80	Tuberculous uveitis in China. <i>Acta Ophthalmologica</i> , 2014 , 92, e393-7	3.7	7
79	Tag polymorphisms of solute carrier family 12 member 3 gene modify the risk of hypertension in northeastern Han Chinese. <i>Journal of Human Hypertension</i> , 2014 , 28, 504-9	2.6	9
78	Localized retinal nerve fiber layer defects and stroke. <i>Stroke</i> , 2014 , 45, 1651-6	6.7	35
77	Subfoveal choroidal thickness change after intravitreal ranibizumab for idiopathic choroidal neovascularization. <i>Retina</i> , 2014 , 34, 1554-9	3.6	10
76	Choroidal thickness in idiopathic subfoveal choroidal neovascularization. <i>Ophthalmologica</i> , 2014 , 231, 221-5	3.7	6
75	Vascular endothelial growth factor in Coats disease. <i>Acta Ophthalmologica</i> , 2014 , 92, e225-8	3.7	35
74	Subfoveal choroidal thickness and cerebrospinal fluid pressure: the Beijing Eye Study 2011 2014 , 55, 1292-8		32
73	Undercorrection of refractive error and cognitive function: the Beijing Eye Study 2011. <i>Acta Ophthalmologica</i> , 2014 , 92, e332-4	3.7	5
72	Prevalence of myopia in school children in greater Beijing: the Beijing Childhood Eye Study. <i>Acta Ophthalmologica</i> , 2014 , 92, e398-406	3.7	91

71	Myopic maculopathy imaged by optical coherence tomography: the Beijing eye study. <i>Ophthalmology</i> , 2014 , 121, 220-224	7.3	60
70	Body height, estimated cerebrospinal fluid pressure and open-angle glaucoma. The Beijing Eye Study 2011. <i>PLoS ONE</i> , 2014 , 9, e86678	3.7	36
69	Diabetic retinopathy and estimated cerebrospinal fluid pressure. The Beijing Eye Study 2011. <i>PLoS ONE</i> , 2014 , 9, e96273	3.7	18
68	Ocular hypertension: general characteristics and estimated cerebrospinal fluid pressure. The Beijing Eye Study 2011. <i>PLoS ONE</i> , 2014 , 9, e100533	3.7	17
67	Intraocular pressure and estimated cerebrospinal fluid pressure. The Beijing Eye Study 2011. <i>PLoS ONE</i> , 2014 , 9, e104267	3.7	12
66	Ten-year cumulative incidence of diabetic retinopathy. The Beijing Eye Study 2001/2011. <i>PLoS ONE</i> , 2014 , 9, e111320	3.7	41
65	Macular Bruch's membrane defects in Hi. <i>Acta Ophthalmologica</i> , 2014 , 92, 0-0	3.7	
64	Diabetic retinopathy and estimated cerebrospinal fluid pressure. The Beijing eye study 2011. <i>Acta Ophthalmologica</i> , 2014 , 92, 0-0	3.7	
63	The 10-year incidence and risk factors of retinal vein occlusion: the Beijing eye study. <i>Ophthalmology</i> , 2013 , 120, 803-8	7.3	95
62	Pseudoexfoliation: normative data and associations: the Beijing eye study 2011. <i>Ophthalmology</i> , 2013 , 120, 1551-8	7.3	57
61	Subfoveal choroidal thickness in diabetes and diabetic retinopathy. <i>Ophthalmology</i> , 2013 , 120, 2023-8	7.3	137
60	Subfoveal choroidal thickness: the Beijing Eye Study. <i>Ophthalmology</i> , 2013 , 120, 175-80	7.3	392
59	The global cardiovascular risk transition: associations of four metabolic risk factors with national income, urbanization, and Western diet in 1980 and 2008. <i>Circulation</i> , 2013 , 127, 1493-502, 1502e1-8	16.7	164
58	Subfoveal choroidal thickness in retinal vein occlusion. <i>Ophthalmology</i> , 2013 , 120, 2749-2750	7.3	30
57	The long-term psychosocial impact of correction surgery for adults with strabismus. <i>British Journal of Ophthalmology</i> , 2013 , 97, 1215-6	5.5	
56	Localized retinal nerve fiber layer defects and arterial hypertension. <i>American Journal of Hypertension</i> , 2013 , 26, 511-7	2.3	25
55	Cognitive function and pseudoexfoliation syndrome. The Beijing Eye Study 2011. <i>British Journal of Ophthalmology</i> , 2013 , 97, 1215	5.5	4
54	Cytomegalovirus retinitis in pre-HAART AIDS patients in China. <i>Acta Ophthalmologica</i> , 2013 , 91, e241-2	3.7	

53	Prevalence of retinitis pigmentosa in North China: the Beijing Eye Public Health Care Project. <i>Acta Ophthalmologica</i> , 2013 , 91, e499-500	3.7	25
52	Clinical features of bilateral rhegmatogenous retinal detachments. <i>Acta Ophthalmologica</i> , 2013 , 91, e654-5	3.7	1
51	Pupil size: The Beijing Eye Study. <i>Acta Ophthalmologica</i> , 2013 , 91, e158-9	3.7	1
50	Prevalence of macular holes as cause for visual impairment. The Beijing Eye Public Healthcare Project. <i>Acta Ophthalmologica</i> , 2013 , 91, e157-8	3.7	4
49	Prevalence of diabetic retinopathy as cause for visual impairment: the Beijing Public Health Care Project. <i>Clinical and Experimental Ophthalmology</i> , 2013 , 41, 608-9	2.4	3
48	Reproducibility of subfoveal choroidal thickness measurements with enhanced depth imaging by spectral-domain optical coherence tomography 2013 , 54, 230-3		89
47	To the editor. <i>Retina</i> , 2013 , 33, 1730-2	3.6	
46	Vogt-Koyanagi-Harada disease and fungal meningitis. <i>Retinal Cases and Brief Reports</i> , 2013 , 7, 412-5	1.1	
45	Assessment of tropism and effectiveness of new primate-derived hybrid recombinant AAV serotypes in the mouse and primate retina. <i>PLoS ONE</i> , 2013 , 8, e60361	3.7	26
44	Retinal nerve fiber layer thickness. The Beijing Eye Study 2011. <i>PLoS ONE</i> , 2013 , 8, e66763	3.7	31
43	Five-year change in intraocular pressure associated with changes in arterial blood pressure and body mass index. The Beijing eye study. <i>PLoS ONE</i> , 2013 , 8, e77180	3.7	23
42	10-year incidence and associations of pterygium in adult Chinese: the Beijing Eye Study 2013 , 54, 1509-14		23
41	Prevalence and associations of incomplete posterior vitreous detachment in adult Chinese: the Beijing Eye Study. <i>PLoS ONE</i> , 2013 , 8, e58498	3.7	21
40	Peripapillary intrachoroidal cavitations. The Beijing eye study. <i>PLoS ONE</i> , 2013 , 8, e78743	3.7	16
39	Prevalence and incidence of ocular trauma in North China: the Beijing Eye Study. <i>Acta Ophthalmologica</i> , 2012 , 90, e61-7	3.7	25
38	Five-year incidence of retinal microvascular abnormalities and associations with arterial hypertension: the Beijing Eye Study 2001/2006. <i>Ophthalmology</i> , 2012 , 119, 2592-9	7.3	16
37	Five-year incidence of age-related macular degeneration: the Beijing Eye Study. <i>Ophthalmology</i> , 2012 , 119, 2519-25	7.3	53
36	Beijing Eye Public Health Care Project. <i>Ophthalmology</i> , 2012 , 119, 1167-74	7.3	17

35	Tetradecanoylphorbol-13-acetate (TPA) significantly increases AAV2/5 transduction of human neuronal cells in vitro. <i>Experimental Eye Research</i> , 2012 , 97, 148-53	3.7	3
34	National, regional, and global trends in adult overweight and obesity prevalences. <i>Population Health Metrics</i> , 2012 , 10, 22	3	590
33	Global prevalence and major risk factors of diabetic retinopathy. <i>Diabetes Care</i> , 2012 , 35, 556-64	14.6	2476
32	Dyslipidemia and eye diseases in the adult Chinese population: the Beijing eye study. <i>PLoS ONE</i> , 2012 , 7, e26871	3.7	31
31	Prevalence and associations of steep cornea/keratoconus in Greater Beijing. The Beijing Eye Study. <i>PLoS ONE</i> , 2012 , 7, e39313	3.7	47
30	Ocular axial length and its associations in Chinese: the Beijing Eye Study. <i>PLoS ONE</i> , 2012 , 7, e43172	3.7	59
29	Factors associated with myopia in school children in China: the Beijing childhood eye study. <i>PLoS ONE</i> , 2012 , 7, e52668	3.7	72
28	Five-year incidence of age-related cataract and cataract surgery in the adult population of greater Beijing: the Beijing Eye Study. <i>Ophthalmology</i> , 2011 , 118, 711-8	7.3	34
27	Five-year incidence of visual impairment and blindness in adult Chinese the Beijing Eye Study. <i>Ophthalmology</i> , 2011 , 118, 1069-75	7.3	32
26	National, regional, and global trends in systolic blood pressure since 1980: systematic analysis of health examination surveys and epidemiological studies with 786 country-years and 504 million participants. <i>Lancet, The</i> , 2011 , 377, 568-77	4.0	721
25	National, regional, and global trends in body-mass index since 1980: systematic analysis of health examination surveys and epidemiological studies with 960 country-years and 901 million participants. <i>Lancet, The</i> , 2011 , 377, 557-67	4.0	2925
24	National, regional, and global trends in serum total cholesterol since 1980: systematic analysis of health examination surveys and epidemiological studies with 321 country-years and 300 million participants. <i>Lancet, The</i> , 2011 , 377, 578-86	4.0	391
23	AAV-mediated gene transfer of human X-linked inhibitor of apoptosis protects against oxidative cell death in human RPE cells 2011 , 52, 9591-7		15
22	Prevalence and associated factors of dyslipidemia in the adult Chinese population. <i>PLoS ONE</i> , 2011 , 6, e17326	3.7	68
21	Association between asymmetry in cataract and asymmetry in age-related macular degeneration. The Beijing Eye Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2011 , 249, 981-5	3.8	13
20	Associations between gender, ocular parameters and diseases: the Beijing Eye study. <i>Ophthalmic Research</i> , 2011 , 45, 197-203	2.9	15
19	Change in choroidal nevi during a 5-year follow-up study: the Beijing Eye Study. <i>British Journal of Ophthalmology</i> , 2010 , 94, 575-8	5.5	6
18	Prevalence and progression of myopic retinopathy in Chinese adults: the Beijing Eye Study. <i>Ophthalmology</i> , 2010 , 117, 1763-8	7.3	216

17	Central corneal thickness and retinal vein occlusions: the Beijing Eye Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2010 , 248, 759-60	3.8	3
16	Refractive error, ocular and general parameters and ophthalmic diseases. The Beijing Eye Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2010 , 248, 721-9	3.8	9
15	Smoking and retinal vein occlusions. The Beijing Eye Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2010 , 248, 1045-6	3.8	6
14	Transcranial approach for treatment for traumatic optic chiasm syndrome. <i>Acta Neurochirurgica</i> , 2009 , 151, 1711-6	3	2
13	Prevalence of alcohol consumption and risk of ocular diseases in a general population: the Beijing Eye Study. <i>Ophthalmology</i> , 2009 , 116, 1872-9	7.3	41
12	Major eye diseases and risk factors associated with systemic hypertension in an adult Chinese population: the Beijing Eye Study. <i>Ophthalmology</i> , 2009 , 116, 2373-80	7.3	67
11	Prevalence of optic disc drusen in an adult Chinese population: the Beijing Eye Study. <i>Acta Ophthalmologica</i> , 2009 , 87, 227-8	3.7	22
10	Frequency of non-arteritic anterior ischaemic optic neuropathy in crowded optic discs: the Beijing Eye Study. <i>Acta Ophthalmologica</i> , 2009 , 87, 354-5	3.7	5
9	Tilted optic discs: The Beijing Eye Study. <i>Eye</i> , 2008 , 22, 728-9	4.4	57
8	Prevalence and associations of epiretinal membranes in adult Chinese: the Beijing eye study. <i>Eye</i> , 2008 , 22, 874-9	4.4	75
7	Prevalence of age-related maculopathy in the adult population in China: the Beijing eye study. <i>American Journal of Ophthalmology</i> , 2008 , 146, 329	4.9	20
6	Choroidal nevi in adult chinese. <i>Ophthalmology</i> , 2008 , 115, 1102-1102.e1	7.3	25
5	Retinal findings in Chinese patients with HIV infection. <i>Ophthalmic Research</i> , 2008 , 40, 98-100	2.9	8
4	Prevalence of crowded optic discs in adult Chinese. The Beijing Eye Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2008 , 246, 1291-3	3.8	4
3	Reply to Cheung et al. <i>Eye</i> , 2007 , 21, 1131-1132	4.4	
2	Prevalence of myelinated retinal nerve fibres in urban and rural adult Chinese populations: the Beijing Eye Study. <i>Acta Ophthalmologica</i> , 2007 , 85, 631-2		11
1	Bilateral progressive obliterative retinal vasculitis. <i>Yan Ke Xue Bao = Eye Science</i> , 1994 , 10, 172-5		