

Renato Polimanti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7537702/renato-polimanti-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166 papers	2,968 citations	30 h-index	47 g-index
211 ext. papers	4,563 ext. citations	6.8 avg, IF	5.25 L-index

#	Paper	IF	Citations
166	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669	25.5	257
165	Genome-wide association study of alcohol consumption and use disorder in 274,424 individuals from multiple populations. <i>Nature Communications</i> , 2019 , 10, 1499	17.4	164
164	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
163	Genome-wide Association Studies of Posttraumatic Stress Disorder in 2 Cohorts of US Army Soldiers. <i>JAMA Psychiatry</i> , 2016 , 73, 695-704	14.5	114
162	Genome-wide association study of post-traumatic stress disorder reexperiencing symptoms in >165,000 US veterans. <i>Nature Neuroscience</i> , 2019 , 22, 1394-1401	25.5	92
161	Genome-wide meta-analysis of problematic alcohol use in 435,563 individuals yields insights into biology and relationships with other traits. <i>Nature Neuroscience</i> , 2020 , 23, 809-818	25.5	69
160	Reproducible Genetic Risk Loci for Anxiety: Results From ~200,000 Participants in the Million Veteran Program. <i>American Journal of Psychiatry</i> , 2020 , 177, 223-232	11.9	64
159	Low-copper diet as a preventive strategy for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35 Suppl 2, S40-50	5.6	62
158	GSTT1 and GSTM1 gene polymorphisms in European and African populations. <i>Molecular Biology Reports</i> , 2011 , 38, 1225-30	2.8	59
157	Genetic associations with suicide attempt severity and genetic overlap with major depression. <i>Translational Psychiatry</i> , 2019 , 9, 22	8.6	48
156	ATP7B variants as modulators of copper dyshomeostasis in Alzheimer's disease. <i>NeuroMolecular Medicine</i> , 2013 , 15, 515-22	4.6	48
155	Genetic Risk Variants Associated With Comorbid Alcohol Dependence and Major Depression. <i>JAMA Psychiatry</i> , 2017 , 74, 1234-1241	14.5	47
154	Widespread signatures of positive selection in common risk alleles associated to autism spectrum disorder. <i>PLoS Genetics</i> , 2017 , 13, e1006618	6	47
153	Association of OPRM1 Functional Coding Variant With Opioid Use Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2020 , 77, 1072-1080	14.5	46
152	Association of K832R and R952K SNPs of Wilson's disease gene with Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 913-9	4.3	44
151	Human genetic variation of CYP450 superfamily: analysis of functional diversity in worldwide populations. <i>Pharmacogenomics</i> , 2012 , 13, 1951-60	2.6	43
150	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020 , 7, 1032-1045	23.3	43

149	Linkage disequilibrium and haplotype analysis of the ATP7B gene in Alzheimer's disease. <i>Rejuvenation Research</i> , 2013 , 16, 3-10	2.6	41
148	Genome-wide association analyses of post-traumatic stress disorder and its symptom subdomains in the Million Veteran Program. <i>Nature Genetics</i> , 2021 , 53, 174-184	36.3	40
147	Glutathione S-transferase variants as risk factor for essential hypertension in Italian patients. <i>Molecular and Cellular Biochemistry</i> , 2011 , 357, 227-33	4.2	39
146	Genome-wide Association Study of Maximum Habitual Alcohol Intake in >140,000 U.S. European and African American Veterans Yields Novel Risk Loci. <i>Biological Psychiatry</i> , 2019 , 86, 365-376	7.9	37
145	ADH1B: From alcoholism, natural selection, and cancer to the human phenome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 113-125	3.5	34
144	Genetic variability of glutathione S-transferase enzymes in human populations: functional inter-ethnic differences in detoxification systems. <i>Gene</i> , 2013 , 512, 102-7	3.8	34
143	Evidence of causal effect of major depression on alcohol dependence: findings from the psychiatric genomics consortium. <i>Psychological Medicine</i> , 2019 , 49, 1218-1226	6.9	33
142	A genome-wide gene-by-trauma interaction study of alcohol misuse in two independent cohorts identifies PRKG1 as a risk locus. <i>Molecular Psychiatry</i> , 2018 , 23, 154-160	15.1	32
141	Bi-ancestral depression GWAS in the Million Veteran Program and meta-analysis in >1.2 million individuals highlight new therapeutic directions. <i>Nature Neuroscience</i> , 2021 , 24, 954-963	25.5	32
140	GSTM1 null genotype as risk factor for late-onset Alzheimer's disease in Italian patients. <i>Journal of the Neurological Sciences</i> , 2012 , 317, 137-40	3.2	31
139	Glutathione S-transferase gene polymorphisms and air pollution as interactive risk factors for asthma in a multicentre Italian field study: A preliminary study. <i>Annals of Human Biology</i> , 2010 , 37, 427-397	3.7	31
138	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , 2020 , 25, 1673-1687	15.1	30
137	Glutathione S-transferase polymorphisms, asthma susceptibility and confounding variables: a meta-analysis. <i>Molecular Biology Reports</i> , 2013 , 40, 3299-313	2.8	29
136	GSTO1*E155del polymorphism associated with increased risk for late-onset Alzheimer's disease: association hypothesis for an uncommon genetic variant. <i>Neuroscience Letters</i> , 2012 , 506, 203-7	3.3	29
135	HapMap-based study of human soluble glutathione S-transferase enzymes: the role of natural selection in shaping the single nucleotide polymorphism diversity of xenobiotic-metabolizing genes. <i>Pharmacogenetics and Genomics</i> , 2011 , 21, 665-72	1.9	29
134	The Interplay Between Risky Sexual Behaviors and Alcohol Dependence: Genome-Wide Association and Neuroimaging Support for LHPP as a Risk Gene. <i>Neuropsychopharmacology</i> , 2017 , 42, 598-605	8.7	28
133	Copper hypothesis in the missing heritability of sporadic Alzheimer's disease: ATP7B gene as potential harbor of rare variants. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 493-501	4.3	28
132	Metal-score as a potential non-invasive diagnostic test for Alzheimer's disease. <i>Current Alzheimer Research</i> , 2013 , 10, 191-8	3	24

131	Phenome-Wide Association Study for Alcohol and Nicotine Risk Alleles in 26394 Women. <i>Neuropsychopharmacology</i> , 2016 , 41, 2688-96	8.7	24
130	A putative causal relationship between genetically determined female body shape and posttraumatic stress disorder. <i>Genome Medicine</i> , 2017 , 9, 99	14.4	23
129	Association between the c. 2495 A>G ATP7B Polymorphism and Sporadic Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011 , 2011, 973692	3.7	23
128	Copper phenotype in Alzheimer's disease: dissecting the pathway. <i>American Journal of Neurodegenerative Disease</i> , 2013 , 2, 46-56	2.5	23
127	Glutathione S-transferase genes and the risk of recurrent miscarriage in Italian women. <i>Fertility and Sterility</i> , 2012 , 98, 396-400	4.8	22
126	Intronic rs2147363 variant in ATP7B transcription factor-binding site associated with Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2013 , 37, 453-9	4.3	22
125	GSTM1, GSTP1, and GSTT1 genetic variability in Turkish and worldwide populations. <i>American Journal of Human Biology</i> , 2015 , 27, 310-6	2.7	21
124	Cross-Phenotype Polygenic Risk Score Analysis of Persistent Post-Concussive Symptoms in U.S. Army Soldiers with Deployment-Acquired Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017 , 34, 781-789	5.4	20
123	Dissecting ancestry genomic background in substance dependence genome-wide association studies. <i>Pharmacogenomics</i> , 2015 , 16, 1487-98	2.6	20
122	Glutathione S-transferase class (GSTO) polymorphisms in a sample from Rome (Central Italy). <i>Annals of Human Biology</i> , 2010 , 37, 585-92	1.7	20
121	In silico investigation of the ATP7B gene: insights from functional prediction of non-synonymous substitution to protein structure. <i>BioMetals</i> , 2014 , 27, 53-64	3.4	19
120	Functional polymorphisms of GSTA1 and GSTO2 genes associated with asthma in Italian children. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 50, 311-5	5.9	19
119	Genome-wide association study of body mass index in subjects with alcohol dependence. <i>Addiction Biology</i> , 2017 , 22, 535-549	4.6	18
118	Association of Economic Status and Educational Attainment With Posttraumatic Stress Disorder: A Mendelian Randomization Study. <i>JAMA Network Open</i> , 2019 , 2, e193447	10.4	18
117	Integrative genomic analyses identify susceptibility genes underlying COVID-19 hospitalization. <i>Nature Communications</i> , 2021 , 12, 4569	17.4	18
116	Functional variation of the transthyretin gene among human populations and its correlation with amyloidosis phenotypes. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2013 , 20, 256-62	2.7	17
115	Lack of association between GSTM1, GSTP1, and GSTT1 gene polymorphisms and asthma in adult patients from Rome, central Italy. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2012 , 22, 252-6	2.3	17
114	GSTO2*N142D gene polymorphism associated with hypothyroidism in Italian patients. <i>Molecular Biology Reports</i> , 2013 , 40, 1967-71	2.8	16

113	Human GST Loci as Markers of Evolutionary Forces: GSTO1*E155del and GSTO1*E208K Polymorphisms May Be Under Natural Selection Induced by Environmental Arsenic. <i>Disease Markers</i> , 2011 , 31, 231-239	3.2	16
112	Genetically determined schizophrenia is not associated with impaired glucose homeostasis. <i>Schizophrenia Research</i> , 2018 , 195, 286-289	3.6	16
111	Most recent common ancestor of TTR Val30Met mutation in Italian population and its potential role in genotype-phenotype correlation. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2015 , 22, 73-8	2.7	15
110	Antioxidant status and APOE genotype as susceptibility factors for neurodegeneration in Alzheimer's disease and vascular dementia. <i>Rejuvenation Research</i> , 2013 , 16, 51-6	2.6	15
109	GSTA1, GSTO1 and GSTO2 gene polymorphisms in Italian asthma patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 870-2	3	15
108	Ancestry-specific and sex-specific risk alleles identified in a genome-wide gene-by-alcohol dependence interaction study of risky sexual behaviors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 846-853	3.5	14
107	Schizophrenia and substance use comorbidity: a genome-wide perspective. <i>Genome Medicine</i> , 2017 , 9, 25	14.4	14
106	Biological factors and age-dependence of primary motor cortex experimental plasticity. <i>Neurological Sciences</i> , 2016 , 37, 211-8	3.5	13
105	Non-coding variants contribute to the clinical heterogeneity of TTR amyloidosis. <i>European Journal of Human Genetics</i> , 2017 , 25, 1055-1060	5.3	13
104	In silico analysis of TTR gene (coding and non-coding regions, and interactive network) and its implications in transthyretin-related amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2014 , 21, 154-62	2.7	13
103	GSTA1*-69C/T and GSTO2*N142D as asthma- and allergy-related risk factors in Italian adult patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014 , 41, 180-4	3	13
102	Glutaredoxin 1 is a major player in copper metabolism in neuroblastoma cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 255-61	4	12
101	Functional variability of glutathione S-transferases in Basque populations. <i>American Journal of Human Biology</i> , 2014 , 26, 361-6	2.7	12
100	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
99	Genetic factor common to schizophrenia and HIV infection is associated with risky sexual behavior: antagonistic vs. synergistic pleiotropic SNPs enriched for distinctly different biological functions. <i>Human Genetics</i> , 2017 , 136, 75-83	6.3	11
98	Population diversity of the genetically determined TTR expression in human tissues and its implications in TTR amyloidosis. <i>BMC Genomics</i> , 2017 , 18, 254	4.5	11
97	International warfarin genotype-guided dosing algorithms in the Turkish population and their preventive effects on major and life-threatening hemorrhagic events. <i>Pharmacogenomics</i> , 2015 , 16, 1109-18	2.6	10
96	Allergy-specific Phenome-Wide Association Study for Immunogenes in Turkish Children. <i>Scientific Reports</i> , 2016 , 6, 33152	4.9	10

95	Dissecting the genetic association of C-reactive protein with PTSD, traumatic events, and social support. <i>Neuropsychopharmacology</i> , 2021 , 46, 1071-1077	8.7	10
94	Phenomic Impact of Genetically-Determined Euthyroid Function and Molecular Differences between Thyroid Disorders. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	10
93	Increased Risk of Multiple Outpatient Surgeries in African-American Carriers of Val122Ile Mutation Is Modulated by Non-Coding Variants. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
92	Phenome-wide association study of TTR and RBP4 genes in 361,194 individuals reveals novel insights in the genetics of hereditary and wildtype transthyretin amyloidoses. <i>Human Genetics</i> , 2019 , 138, 1331-1340	6.3	9
91	Human pharmacogenomic variation of antihypertensive drugs: from population genetics to personalized medicine. <i>Pharmacogenomics</i> , 2014 , 15, 157-67	2.6	9
90	Attachment Style Moderates Polygenic Risk for Posttraumatic Stress in United States Military Veterans: Results From the National Health and Resilience in Veterans Study. <i>Biological Psychiatry</i> , 2021 , 89, 878-887	7.9	9
89	Posttraumatic Stress Disorder and Cardiovascular Disease: State of the Science, Knowledge Gaps, and Research Opportunities. <i>JAMA Cardiology</i> , 2021 , 6, 1207-1216	16.2	9
88	Multivariate Pattern Analysis of Genotype-Phenotype Relationships in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1045-1052	1.3	8
87	Nutritional habits, lifestyle, and genetic predisposition in cardiovascular and metabolic traits in Turkish population. <i>Nutrition</i> , 2016 , 32, 693-701	4.8	8
86	Evidence of Polygenic Adaptation in the Systems Genetics of Anthropometric Traits. <i>PLoS ONE</i> , 2016 , 11, e0160654	3.7	8
85	Trauma exposure interacts with the genetic risk of bipolar disorder in alcohol misuse of US soldiers. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 148-156	6.5	8
84	Haplotype differences for copy number variants in the 22q11.23 region among human populations: a pigmentation-based model for selective pressure. <i>European Journal of Human Genetics</i> , 2015 , 23, 116-233	5.3	7
83	Deletion polymorphism of GSTT1 gene as protective marker for allergic rhinitis. <i>Clinical Respiratory Journal</i> , 2015 , 9, 481-6	1.7	7
82	Functional diversity of the glutathione peroxidase gene family among human populations: implications for genetic predisposition to disease and drug response. <i>Pharmacogenomics</i> , 2013 , 14, 1037-45	2.6	7
81	GWAS of Depression Phenotypes in the Million Veteran Program and Meta-analysis in More than 1.2 Million Participants Yields 178 Independent Risk Loci		7
80	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders		7
79	Genomic Characterization of Posttraumatic Stress Disorder in a Large US Military Veteran Sample		7
78	Sex-stratified gene-by-environment genome-wide interaction study of trauma, posttraumatic-stress, and suicidality. <i>Neurobiology of Stress</i> , 2021 , 14, 100309	7.6	7

77	Genetics of substance use disorders in the era of big data. <i>Nature Reviews Genetics</i> , 2021 , 22, 712-729	30.1	7
76	Patterns and Correlates of Prescription Opioid Receipt Among US Veterans: A National, 18-Year Observational Cohort Study. <i>AIDS and Behavior</i> , 2019 , 23, 3340-3349	4.3	6
75	Lack of association between essential hypertension and GSTO1 uncommon genetic variants in Italian patients. <i>Genetic Testing and Molecular Biomarkers</i> , 2012 , 16, 615-20	1.6	6
74	Meta-analysis of problematic alcohol use in 435,563 individuals identifies 29 risk variants and yields insights into biology, pleiotropy and causality		6
73	Epigenetic profiling of Italian patients identified methylation sites associated with hereditary transthyretin amyloidosis. <i>Clinical Epigenetics</i> , 2020 , 12, 176	7.7	6
72	The relationship between cannabis and schizophrenia: a genetically informed perspective. <i>Addiction</i> , 2021 , 116, 3227-3234	4.6	6
71	Multivariate genome-wide analysis of education, socioeconomic status and brain phenome. <i>Nature Human Behaviour</i> , 2021 , 5, 482-496	12.8	6
70	Phenome-wide association study for CYP2A6 alleles: rs113288603 is associated with hearing loss symptoms in elderly smokers. <i>Scientific Reports</i> , 2017 , 7, 1034	4.9	5
69	GSTA1 gene variation associated with gestational hypertension and its involvement in pregnancy-related pathogenic conditions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 194, 34-7	2.4	5
68	Heterogeneity and Polygenicity in Psychiatric Disorders: A Genome-Wide Perspective. <i>Chronic Stress</i> , 2020 , 4, 2470547020924844	3	5
67	identified in a genome-wide gene × cannabis dependence interaction analysis of risky sexual behaviours. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 252-261	4.5	5
66	Phenotype versus genotype methods for copy number variant analysis of glutathione S-transferases M1. <i>Annals of Human Genetics</i> , 2013 , 77, 409-15	2.2	5
65	Human GST loci as markers of evolutionary forces: GSTO1*E155del and GSTO1*E208K polymorphisms may be under natural selection induced by environmental arsenic. <i>Disease Markers</i> , 2011 , 31, 231-9	3.2	5
64	Haplotype analysis of non-HLA immunogenetic loci in Turkish and worldwide populations. <i>Gene</i> , 2016 , 587, 132-6	3.8	5
63	Deciphering the Biological Mechanisms Underlying the Genome-Wide Associations between Computerized Device Use and Psychiatric Disorders. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
62	Characterizing the effect of background selection on the polygenicity of brain-related traits. <i>Genomics</i> , 2021 , 113, 111-119	4.3	5
61	Genetic diversity of disease-associated loci in Turkish population. <i>Journal of Human Genetics</i> , 2015 , 60, 193-8	4.3	4
60	GSTO1 uncommon genetic variants are associated with recurrent miscarriage risk. <i>Fertility and Sterility</i> , 2014 , 101, 735-9	4.8	4

59	Copper status in Alzheimer's disease and other neurodegenerative disorders 2013. <i>International Journal of Alzheimer's Disease</i> , 2013 , 2013, 838274	3.7	4
58	The addiction risk factor: A unitary genetic vulnerability characterizes substance use disorders and their associations with common correlates. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	4
57	Integrative analyses identify susceptibility genes underlying COVID-19 hospitalization 2020 ,		4
56	Evidence of causal effect of major depression on alcohol dependence: Findings from the Psychiatric Genomics Consortium		4
55	Potential causal effect of posttraumatic stress disorder on alcohol use disorder and alcohol consumption in individuals of European descent: A Mendelian Randomization Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1616-1623	3.7	4
54	Serum proteins and work habits in a group of farm-workers exposed to EBDCs. <i>Annals of Human Biology</i> , 2010 , 37, 440-50	1.7	3
53	Duplication of FOXP2 binding sites within CNTNAP2 gene in a girl with neurodevelopmental delay. <i>Minerva Pediatrics</i> , 2017 , 69, 162-164	1.5	3
52	Investigating Causality Between Blood Metabolites and Emotional and Behavioral Responses to Traumatic Stress: a Mendelian Randomization Study. <i>Molecular Neurobiology</i> , 2020 , 57, 1542-1552	6.2	3
51	Biobank Scale Pharmacogenomics Informs the Genetic Underpinnings of Simvastatin Use. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 110, 777-785	6.1	3
50	Multi-environment gene interactions linked to the interplay between polysubstance dependence and suicidality. <i>Translational Psychiatry</i> , 2021 , 11, 34	8.6	3
49	Epigenomic Profiles of African-American Val122Ile Carriers Reveals Putatively Dysregulated Amyloid Mechanisms. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003011	5.2	3
48	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
47	The Addiction Risk Factor: A Unitary Genetic Vulnerability Characterizes Substance Use Disorders and Their Associations with Common Correlates		3
46	Explorative genetic association study of GSTT2B copy number variant in complex disease risks. <i>Annals of Human Biology</i> , 2016 , 43, 279-84	1.7	2
45	Local adaptation in European populations affected the genetics of psychiatric disorders and behavioral traits. <i>Genome Medicine</i> , 2018 , 10, 24	14.4	2
44	APOL1 Risk Variants, Acute Kidney Injury, and Death in Participants With African Ancestry Hospitalized With COVID-19 From the Million Veteran Program.. <i>JAMA Internal Medicine</i> , 2022 ,	11.5	2
43	Attachment Style Moderates Polygenic Risk for Incident Posttraumatic Stress in U.S. Military Veterans: A 7-Year, Nationally Representative, Prospective Cohort Study.. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
42	Metal Dysfunction in Alzheimer's Disease. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2013 , 73-97		2

41	Trauma and posttraumatic stress interact with sex-specific risk loci for suicidality and converge on brain extracellular matrix biology and synaptic plasticity		2
40	Ancestry May Confound Genetic Machine Learning: Candidate-Gene Prediction of Opioid Use Disorder as an Example		2
39	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium		2
38	Genetically-regulated transcriptomics & copy number variation of proctitis points to altered mitochondrial and DNA repair mechanisms in individuals of European ancestry. <i>BMC Cancer</i> , 2020 , 20, 954	4.8	2
37	Polygenic risk for autism spectrum disorder associates with anger recognition in a neurodevelopment-focused phenome-wide scan of unaffected youths from a population-based cohort. <i>PLoS Genetics</i> , 2020 , 16, e1009036	6	2
36	Polygenic risk for traumatic loss-related PTSD in US military veterans: Protective effect of secure attachment style. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 792-799	3.8	2
35	Genomics of Gulf War Illness in U.S. Veterans Who Served during the 1990-1991 Persian Gulf War: Methods and Rationale for Veterans Affairs Cooperative Study #2006. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
34	GPX1*Pro198Leu AND GPX3 rs2070593 as genetic risk markers for Italian asthmatic patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2016 , 43, 277-9	3	2
33	Posttraumatic stress disorder: from gene discovery to disease biology. <i>Psychological Medicine</i> , 2021 , 51, 2178-2188	6.9	2
32	Using phenotype risk scores to enhance gene discovery for generalized anxiety disorder and posttraumatic stress disorder.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
31	Genetically regulated multi-omics study for symptom clusters of posttraumatic stress disorder highlights pleiotropy with hematologic and cardio-metabolic traits.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	2
30	Effect of the GSTM1 gene deletion on glycemic variability, sympatho-vagal balance and arterial stiffness in patients with metabolic syndrome, but without diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 158-168	7.4	1
29	CYP2D6 Genetic Variation and Antipsychotic-Induced Weight Gain: A Systematic Review and Meta-Analysis.. <i>Frontiers in Psychology</i> , 2021 , 12, 768748	3.4	1
28	Drinking and smoking polygenic risk is associated with childhood and early-adulthood psychiatric and behavioral traits independently of substance use and psychiatric genetic risk. <i>Translational Psychiatry</i> , 2021 , 11, 586	8.6	1
27	DRD2 and FOXP2 are implicated in the associations between computerized device use and psychiatric disorders		1
26	The effect of the genetic liability to autism spectrum disorder on emotion recognition in young unaffected probands from a population-based cohort		1
25	Dissecting the association of C-reactive protein levels with PTSD, traumatic events, and social support		1
24	Natural selection influenced the genetic architecture of brain structure, behavioral and neuropsychiatric traits		1

23	Host genetic liability for severe COVID-19 overlaps with alcohol drinking behavior and diabetic outcomes in over 1 million participants 2020 ,		1
22	Economic status mediates the relationship between educational attainment and posttraumatic stress disorder: a multivariable Mendelian randomization study		1
21	Pleiotropic effects of telomere length loci with brain morphology and brain tissue expression. <i>Human Molecular Genetics</i> , 2021 , 30, 1360-1370	5.6	1
20	Integration of evidence across human and model organism studies: A meeting report. <i>Genes, Brain and Behavior</i> , 2021 , 20, e12738	3.6	1
19	Role of microbes in the pathogenesis of neuropsychiatric disorders. <i>Frontiers in Neuroendocrinology</i> , 2021 , 62, 100917	8.9	1
18	P2731 Genetic ancestry analysis of the Italian founder population carrying the cardiac amyloidosis-causing variant Val122Ile in the transthyretin gene. <i>European Heart Journal</i> , 2019 , 40,	9.5	1
17	A MUC5B gene polymorphism, rs35705950-T, confers protective effects in COVID-19 infection		1
16	Host Genetic Liability for Severe COVID-19 Associates with Alcohol Drinking Behavior and Diabetic Outcomes in Participants of European Descent.. <i>Frontiers in Genetics</i> , 2021 , 12, 765247	4.5	1
15	Phenotypic and Molecular Characterization of Risk Loci Associated With Asthma and Lung Function. <i>Allergy, Asthma and Immunology Research</i> , 2020 , 12, 806-820	5.3	0
14	Ancestry may confound genetic machine learning: Candidate-gene prediction of opioid use disorder as an example. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109115	4.9	0
13	Cross-ancestry genome-wide association studies identified heterogeneous loci associated with differences of allele frequency and regulome tagging between participants of European descent and other ancestry groups from the UK Biobank. <i>Human Molecular Genetics</i> , 2021 , 30, 1457-1467	5.6	0
12	Investigation of convergent and divergent genetic influences underlying schizophrenia and alcohol use disorder. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	0
11	ACE2 Netlas: Functional Characterization and Drug-Gene Interactions of Gene Network to Understand Its Potential Involvement in COVID-19 Susceptibility. <i>Frontiers in Genetics</i> , 2021 , 12, 698033	4.5	0
10	Polygenic scores for empathy associate with posttraumatic stress severity in response to certain traumatic events.. <i>Neurobiology of Stress</i> , 2022 , 17, 100439	7.6	0
9	A Phenome-Wide Association Study of genes associated with COVID-19 severity reveals shared genetics with complex diseases in the Million Veteran Program.. <i>PLoS Genetics</i> , 2022 , 18, e1010113	6	0
8	Antioxidant Status in Vascular Dementia 2015 , 529-537		
7	Disentangling sex differences in the shared genetic architecture of posttraumatic stress disorder, traumatic experiences, and social support with body size and composition. <i>Neurobiology of Stress</i> , 2021 , 15, 100400	7.6	
6	The integration of genetically-regulated transcriptomics and electronic health records highlights a pattern of medical outcomes related to increased hepatic expression.. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2021 , 1-10	2.7	

5 Polygenic risk for autism spectrum disorder associates with anger recognition in a neurodevelopment-focused phenome-wide scan of unaffected youths from a population-based cohort **2020**, 16, e1009036

4 Polygenic risk for autism spectrum disorder associates with anger recognition in a neurodevelopment-focused phenome-wide scan of unaffected youths from a population-based cohort **2020**, 16, e1009036

3 Polygenic risk for autism spectrum disorder associates with anger recognition in a neurodevelopment-focused phenome-wide scan of unaffected youths from a population-based cohort **2020**, 16, e1009036

2 Polygenic risk for autism spectrum disorder associates with anger recognition in a neurodevelopment-focused phenome-wide scan of unaffected youths from a population-based cohort **2020**, 16, e1009036

1 From Evolutionary History to the Concepts of Race and Ancestry: Shifting Our Perspective in Clinical Research.. *Biological Psychiatry*, **2022**,

7·9